Elisabetta Pagani

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/3281373/elisabetta-pagani-publications-by-year.pdf

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

3,851 96 41 59 h-index g-index citations papers 4,461 7.3 4.95 97 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
96	Slowly Expanding Lesions Predict 9-Year Multiple Sclerosis Disease Progression <i>Neurology:</i> Neuroimmunology and NeuroInflammation, 2022 , 9,	9.1	6
95	The role of cerebellar damage in explaining disability and cognition in multiple sclerosis phenotypes: a multiparametric MRI study <i>Journal of Neurology</i> , 2022 , 1	5.5	0
94	Advanced diffusion-weighted imaging models better characterize white matter neurodegeneration and clinical outcomes in multiple sclerosis <i>Journal of Neurology</i> , 2022 , 1	5.5	1
93	MRI of Transcallosal White Matter Helps to Predict Motor Impairment in Multiple Sclerosis. <i>Radiology</i> , 2021 , 210922	20.5	O
92	Association of Age at Onset With Gray Matter Volume and White Matter Microstructural Abnormalities in People With Multiple Sclerosis. <i>Neurology</i> , 2021 , 97, e2007-e2019	6.5	1
91	Occurrence and microstructural features of slowly expanding lesions on fingolimod or natalizumab treatment in multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2021 , 27, 1520-1532	5	6
90	MRI correlates of clinical disability and hand-motor performance in multiple sclerosis phenotypes. <i>Multiple Sclerosis Journal</i> , 2021 , 27, 1205-1221	5	3
89	Network Damage Predicts Clinical Worsening in Multiple Sclerosis: A 6.4-Year Study. <i>Neurology: Neuroimmunology and NeuroInflammation</i> , 2021 , 8,	9.1	5
88	Unraveling the substrates of cognitive impairment in multiple sclerosis: A multiparametric structural and functional magnetic resonance imaging study. <i>European Journal of Neurology</i> , 2021 , 28, 3749-3759	6	1
87	Measurement of white matter fiber-bundle cross-section in multiple sclerosis using diffusion-weighted imaging. <i>Multiple Sclerosis Journal</i> , 2021 , 27, 818-826	5	9
86	Functional and structural MRI correlates of executive functions in multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2021 , 13524585211033184	5	1
85	Clinical Relevance of Multiparametric MRI Assessment of Cervical Cord Damage in Multiple Sclerosis. <i>Radiology</i> , 2020 , 296, 605-615	20.5	12
84	Two-year regional grey and white matter volume changes with natalizumab and fingolimod. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2020 , 91, 493-502	5.5	6
83	Cognitive impairment in benign multiple sclerosis: a multiparametric structural and functional MRI study. <i>Journal of Neurology</i> , 2020 , 267, 3508-3517	5.5	6
82	Structural connectivity in multiple sclerosis and modeling of disconnection. <i>Multiple Sclerosis Journal</i> , 2020 , 26, 220-232	5	15
81	Imaging correlates of hand motor performance in multiple sclerosis: A multiparametric structural and functional MRI study. <i>Multiple Sclerosis Journal</i> , 2020 , 26, 233-244	5	9
80	Fronto-temporal vulnerability to disconnection in paediatric moderate and severe traumatic brain injury. European Journal of Neurology, 2019 , 26, 1183-1190	6	4

(2017-2019)

79	Functional and structural plasticity following action observation training in multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2019 , 25, 1472-1487	5	17
78	Dynamic volumetric changes of hippocampal subfields in clinically isolated syndrome patients: A 2-year MRI study. <i>Multiple Sclerosis Journal</i> , 2019 , 25, 1232-1242	5	5
77	MRI quality control for the Italian Neuroimaging Network Initiative: moving towards big data in multiple sclerosis. <i>Journal of Neurology</i> , 2019 , 266, 2848-2858	5.5	7
76	Brain and cord imaging features in neuromyelitis optica spectrum disorders. <i>Annals of Neurology</i> , 2019 , 85, 371-384	9.4	42
75	Imaging patterns of gray and white matter abnormalities associated with PASAT and SDMT performance in relapsing-remitting multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2019 , 25, 204-216	5	16
74	Hippocampal-related memory network in multiple sclerosis: A structural connectivity analysis. <i>Multiple Sclerosis Journal</i> , 2019 , 25, 801-810	5	11
73	Cognitive reserve, cognition, and regional brain damage in MS: A 2 -year longitudinal study. <i>Multiple Sclerosis Journal</i> , 2019 , 25, 372-381	5	26
72	Unraveling ALS due to mutation through the combination of brain and cervical cord MRI. <i>Neurology</i> , 2018 , 90, e707-e716	6.5	23
71	Measurement of Whole-Brain and Gray Matter Atrophy in Multiple Sclerosis: Assessment with MR Imaging. <i>Radiology</i> , 2018 , 288, 554-564	20.5	32
70	Abnormal functional connectivity of thalamic sub-regions contributes to fatigue in multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2018 , 24, 1183-1195	5	30
69	Gray matter volume modifications in migraine: A cross-sectional and longitudinal study. <i>Neurology</i> , 2018 , 91, e280-e292	6.5	32
68	DT MRI microstructural cortical lesion damage does not explain cognitive impairment in MS. <i>Multiple Sclerosis Journal</i> , 2017 , 23, 1918-1928	5	7
67	A diffusion tensor magnetic resonance imaging study of paediatric patients with severe non-traumatic brain injury. <i>Developmental Medicine and Child Neurology</i> , 2017 , 59, 199-206	3.3	7
66	Brain MRI atrophy quantification in MS: From methods to clinical application. <i>Neurology</i> , 2017 , 88, 403-4	4163 5	134
65	MRI substrates of sustained attention system and cognitive impairment in pediatric MS patients. <i>Neurology</i> , 2017 , 89, 1265-1273	6.5	9
64	Structural connectivity-defined thalamic subregions have different functional connectivity abnormalities in multiple sclerosis patients: Implications for clinical correlations. <i>Human Brain Mapping</i> , 2017 , 38, 6005-6018	5.9	26
63	Progression of regional atrophy in the left hemisphere contributes to clinical and cognitive deterioration in multiple sclerosis: A 5-year study. <i>Human Brain Mapping</i> , 2017 , 38, 5648-5665	5.9	23
62	Cerebellar contribution to motor and cognitive performance in multiple sclerosis: An MRI sub-regional volumetric analysis. <i>Multiple Sclerosis Journal</i> , 2017 , 23, 1194-1203	5	38

61	Action observation training modifies brain gray matter structure in healthy adult individuals. <i>Brain Imaging and Behavior</i> , 2017 , 11, 1343-1352	4.1	6
60	Diffusion tensor magnetic resonance imaging in very early onset pediatric multiple sclerosis. Multiple Sclerosis Journal, 2016 , 22, 620-7	5	16
59	Regional hippocampal involvement and cognitive impairment in pediatric multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2016 , 22, 628-40	5	20
58	A Semiautomatic Method for Multiple Sclerosis Lesion Segmentation on Dual-Echo MR Imaging: Application in a Multicenter Context. <i>American Journal of Neuroradiology</i> , 2016 , 37, 2043-2049	4.4	4
57	Structural MRI correlates of cognitive impairment in patients with multiple sclerosis: A Multicenter Study. <i>Human Brain Mapping</i> , 2016 , 37, 1627-44	5.9	65
56	Clinically Isolated Syndrome Suggestive of Multiple Sclerosis: Dynamic Patterns of Gray and White Matter Changes-A 2-year MR Imaging Study. <i>Radiology</i> , 2016 , 278, 841-53	20.5	26
55	Fatigue in multiple sclerosis: The contribution of occult white matter damage. <i>Multiple Sclerosis Journal</i> , 2016 , 22, 1676-1684	5	33
54	The Role of DTI in Multiple Sclerosis and Other Demyelinating Conditions 2016 , 331-341		1
53	MR Imaging of Brachial Plexus and Limb-Girdle Muscles in Patients with Amyotrophic Lateral Sclerosis. <i>Radiology</i> , 2016 , 279, 553-61	20.5	23
52	Estimating Brain Lesion Volume Change in Multiple Sclerosis by Subtraction of Magnetic Resonance Images. <i>Journal of Neuroimaging</i> , 2016 , 26, 395-402	2.8	7
51	A Semi-automatic Method for Segmentation of Multiple Sclerosis Lesions on Dual-Echo Magnetic Resonance Images. <i>Lecture Notes in Computer Science</i> , 2016 , 80-90	0.9	1
50	Connectivity-based parcellation of the thalamus in multiple sclerosis and its implications for cognitive impairment: A multicenter study. <i>Human Brain Mapping</i> , 2015 , 36, 2809-25	5.9	55
49	Deficits in memory and visuospatial learning correlate with regional hippocampal atrophy in MS. <i>Brain Structure and Function</i> , 2015 , 220, 435-44	4	61
48	Following the Spreading of Brain Structural Changes in Alzheimerls Disease: A Longitudinal, Multimodal MRI Study. <i>Journal of Alzheimerls Disease</i> , 2015 , 47, 995-1007	4.3	15
47	In vivo evidence of hippocampal dentate gyrus expansion in multiple sclerosis. <i>Human Brain Mapping</i> , 2015 , 36, 4702-13	5.9	18
46	White matter microstructure abnormalities in pediatric migraine patients. <i>Cephalalgia</i> , 2015 , 35, 1278-6	366.1	27
45	Hereditary Spastic Paraplegia: Beyond Clinical Phenotypes toward a Unified Pattern of Central Nervous System Damage. <i>Radiology</i> , 2015 , 276, 207-18	20.5	24
44	Regional but not global brain damage contributes to fatigue in multiple sclerosis. <i>Radiology</i> , 2014 , 273, 511-20	20.5	64

(2010-2014)

43	Relationship between damage to the cerebellar peduncles and clinical disability in multiple sclerosis. <i>Radiology</i> , 2014 , 271, 822-30	20.5	38
42	Placebo-controlled trial of oral laquinimod in multiple sclerosis: MRI evidence of an effect on brain tissue damage. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2014 , 85, 851-8	5.5	84
41	Wallerian and trans-synaptic degeneration contribute to optic radiation damage in multiple sclerosis: a diffusion tensor MRI study. <i>Multiple Sclerosis Journal</i> , 2013 , 19, 1610-7	5	49
40	Mapping regional grey and white matter atrophy in relapsing-remitting multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2012 , 18, 1027-37	5	47
39	Patterns of white matter diffusivity abnormalities in Leberts hereditary optic neuropathy: a tract-based spatial statistics study. <i>Journal of Neurology</i> , 2012 , 259, 1801-7	5.5	18
38	Microstructural changes and atrophy in brain white matter tracts with aging. <i>Neurobiology of Aging</i> , 2012 , 33, 488-498.e2	5.6	77
37	Ventral and dorsal visual streams in posterior cortical atrophy: a DT MRI study. <i>Neurobiology of Aging</i> , 2012 , 33, 2572-84	5.6	51
36	Multiple sclerosis: effects of cognitive rehabilitation on structural and functional MR imaging measuresan explorative study. <i>Radiology</i> , 2012 , 262, 932-40	20.5	147
35	Extra-visual functional and structural connection abnormalities in Leberls hereditary optic neuropathy. <i>PLoS ONE</i> , 2011 , 6, e17081	3.7	16
34	Tract-specific white matter structural disruption in patients with bipolar disorder. <i>Bipolar Disorders</i> , 2011 , 13, 414-24	3.8	107
33	MRI measurements of brainstem structures in patients with Richardsonts syndrome, progressive supranuclear palsy-parkinsonism, and Parkinsonts disease. <i>Movement Disorders</i> , 2011 , 26, 247-55	7	92
32	Reply: MRI measurements of brain stem structures in patients with Richardsonts syndrome, progressive supranuclear palsyparkinsonism, and Parkinsonts disease. <i>Movement Disorders</i> , 2011 , 26, 1575-1576	7	
31	Cognitive impairment in multiple sclerosis is associated to different patterns of gray matter atrophy according to clinical phenotype. <i>Human Brain Mapping</i> , 2011 , 32, 1535-43	5.9	70
30	Intrinsic damage to the major white matter tracts in patients with different clinical phenotypes of multiple sclerosis: a voxelwise diffusion-tensor MR study. <i>Radiology</i> , 2011 , 260, 541-50	20.5	54
29	The in vivo distribution of brain tissue loss in Richardson's syndrome and PSP-parkinsonism: a VBM-DARTEL study. <i>European Journal of Neuroscience</i> , 2010 , 32, 640-7	3.5	64
28	MRI predictors of long-term evolution in amyotrophic lateral sclerosis. <i>European Journal of Neuroscience</i> , 2010 , 32, 1490-6	3.5	47
27	Thalamic damage and long-term progression of disability in multiple sclerosis. <i>Radiology</i> , 2010 , 257, 463	3-2 0.5	107
26	Assessment of brain white matter fiber bundle atrophy in patients with Friedreich ataxia. <i>Radiology</i> , 2010 , 255, 882-9	20.5	58

25	A diffusion tensor MRI study of patients with MCI and AD with a 2-year clinical follow-up. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2010 , 81, 798-805	5.5	64
24	Sensorimotor network rewiring in mild cognitive impairment and Alzheimerts disease. <i>Human Brain Mapping</i> , 2010 , 31, 515-25	5.9	54
23	Assessment of white matter tract damage in mild cognitive impairment and Alzheimerls disease. <i>Human Brain Mapping</i> , 2010 , 31, 1862-75	5.9	102
22	Intercenter differences in diffusion tensor MRI acquisition. <i>Journal of Magnetic Resonance Imaging</i> , 2010 , 31, 1458-68	5.6	66
21	Motor learning in healthy humans is associated to gray matter changes: a tensor-based morphometry study. <i>PLoS ONE</i> , 2010 , 5, e10198	3.7	55
20	Longitudinal assessment of grey matter contraction in amyotrophic lateral sclerosis: A tensor based morphometry study. <i>Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders</i> , 2009 , 10, 168-74		55
19	Structural and functional MRI correlates of Stroop control in benign MS. <i>Human Brain Mapping</i> , 2009 , 30, 276-90	5.9	105
18	Corpus callosum damage and cognitive dysfunction in benign MS. <i>Human Brain Mapping</i> , 2009 , 30, 2656	5-66	82
17	A multiparametric evaluation of regional brain damage in patients with primary progressive multiple sclerosis. <i>Human Brain Mapping</i> , 2009 , 30, 3009-19	5.9	39
16	Cognitive learning is associated with gray matter changes in healthy human individuals: a tensor-based morphometry study. <i>NeuroImage</i> , 2009 , 48, 585-9	7.9	54
15	Diffusion tensor MR imaging. Neuroimaging Clinics of North America, 2009, 19, 37-43	3	63
14	The topographical distribution of tissue injury in benign MS: a 3T multiparametric MRI study. <i>NeuroImage</i> , 2008 , 39, 1499-509	7.9	45
13	Voxel-based analysis derived from fractional anisotropy images of white matter volume changes with aging. <i>NeuroImage</i> , 2008 , 41, 657-67	7.9	97
12	A voxel-based morphometry study of grey matter loss in MS patients with different clinical phenotypes. <i>NeuroImage</i> , 2008 , 42, 315-22	7.9	170
11	A magnetic resonance imaging voxel-based morphometry study of regional gray matter atrophy in patients with benign multiple sclerosis. <i>Archives of Neurology</i> , 2008 , 65, 1223-30		54
10	Basic concepts of advanced MRI techniques. <i>Neurological Sciences</i> , 2008 , 29 Suppl 3, 290-5	3.5	27
9	Assessing atrophy of the major white matter fiber bundles of the brain from diffusion tensor MRI data. <i>Magnetic Resonance in Medicine</i> , 2007 , 58, 527-34	4.4	26
8	Normal-appearing white and grey matter damage in MS. A volumetric and diffusion tensor MRI study at 3.0 Tesla. <i>Journal of Neurology</i> , 2007 , 254, 513-8	5.5	65

LIST OF PUBLICATIONS

7	Associations between cervical cord gray matter damage and disability in patients with multiple sclerosis. <i>Archives of Neurology</i> , 2007 , 64, 1302-5		49
6	Magnetization transfer MRI metrics predict the accumulation of disability 8 years later in patients with multiple sclerosis. <i>Brain</i> , 2006 , 129, 2620-7	11.2	132
5	Regional brain atrophy evolves differently in patients with multiple sclerosis according to clinical phenotype. <i>American Journal of Neuroradiology</i> , 2005 , 26, 341-6	4.4	106
4	European study on intravenous immunoglobulin in multiple sclerosis: results of magnetization transfer magnetic resonance imaging analysis. <i>Archives of Neurology</i> , 2004 , 61, 1409-12		53
3	Evidence for cortical functional changes in patients with migraine and white matter abnormalities on conventional and diffusion tensor magnetic resonance imaging. <i>Stroke</i> , 2003 , 34, 665-70	6.7	45
2	Evidence of subtle gray-matter pathologic changes in healthy elderly individuals with nonspecific white-matter hyperintensities. <i>Archives of Neurology</i> , 2003 , 60, 1109-12		24
1	Functional cortical changes in patients with multiple sclerosis and nonspecific findings on conventional magnetic resonance imaging scans of the brain. <i>NeuroImage</i> , 2003 , 19, 826-36	7.9	57