

Fei Chen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3281688/publications.pdf>

Version: 2024-02-01

23
papers

1,084
citations

567281

15
h-index

677142

22
g-index

23
all docs

23
docs citations

23
times ranked

1325
citing authors

#	ARTICLE	IF	CITATIONS
1	The kinesin-13 protein BR HYPERSENSITIVE1 is a negative brassinosteroid signaling component regulating rice growth and development. <i>Theoretical and Applied Genetics</i> , 2022, 135, 1751-1766.	3.6	4
2	Evolution of rapid blue-light response linked to explosive diversification of ferns in angiosperm forests. <i>New Phytologist</i> , 2021, 230, 1201-1213.	7.3	33
3	Formyl tetrahydrofolate deformylase affects hydrogen peroxide accumulation and leaf senescence by regulating the folate status and redox homeostasis in rice. <i>Science China Life Sciences</i> , 2021, 64, 720-738.	4.9	9
4	Virus-induced plant volatiles mediate the olfactory behaviour of its insect vectors. <i>Plant, Cell and Environment</i> , 2021, 44, 2700-2715.	5.7	18
5	A β -ketoacyl carrier protein reductase confers heat tolerance via the regulation of fatty acid biosynthesis and stress signaling in rice. <i>New Phytologist</i> , 2021, 232, 655-672.	7.3	26
6	Identification and characterization of profilin gene family in Rice. <i>Electronic Journal of Biotechnology</i> , 2021, 54, 47-47.	2.2	0
7	iTRAQ-based proteomic analysis provides insights into the molecular mechanisms of rice formyl tetrahydrofolate deformylase in salt response. <i>Planta</i> , 2021, 254, 76.	3.2	5
8	Identification of novel microRNAs for cold deacclimation in barley. <i>Plant Growth Regulation</i> , 2020, 92, 389-400.	3.4	5
9	UMP kinase activity is involved in proper chloroplast development in rice. <i>Photosynthesis Research</i> , 2018, 137, 53-67.	2.9	19
10	Genotypic differences in cadmium transport in developing barley grains. <i>Environmental Science and Pollution Research</i> , 2017, 24, 7009-7015.	5.3	2
11	A Nucleus-Encoded Chloroplast Protein YL1 Is Involved in Chloroplast Development and Efficient Biogenesis of Chloroplast ATP Synthase in Rice. <i>Scientific Reports</i> , 2016, 6, 32295.	3.3	22
12	DNA microarray revealed and RNAi plants confirmed key genes conferring low Cd accumulation in barley grains. <i>BMC Plant Biology</i> , 2015, 15, 259.	3.6	28
13	Genome-wide transcriptome and functional analysis of two contrasting genotypes reveals key genes for cadmium tolerance in barley. <i>BMC Genomics</i> , 2014, 15, 611.	2.8	101
14	Modulation of Exogenous Glutathione in Ultrastructure and Photosynthetic Performance Against Cd Stress in the Two Barley Genotypes Differing in Cd Tolerance. <i>Biological Trace Element Research</i> , 2011, 144, 1275-1288.	3.5	78
15	Genotype-Dependent Effect of Exogenous Nitric Oxide on Cd-induced Changes in Antioxidative Metabolism, Ultrastructure, and Photosynthetic Performance in Barley Seedlings (<i>Hordeum vulgare</i>). <i>Journal of Plant Growth Regulation</i> , 2010, 29, 394-408.	5.1	88
16	Comparative proteomic analysis of <i>Typha angustifolia</i> leaf under chromium, cadmium and lead stress. <i>Journal of Hazardous Materials</i> , 2010, 184, 191-203.	12.4	72
17	Modulation of exogenous glutathione in antioxidant defense system against Cd stress in the two barley genotypes differing in Cd tolerance. <i>Plant Physiology and Biochemistry</i> , 2010, 48, 663-672.	5.8	249
18	Comparison of EDTA- and Citric Acid-Enhanced Phytoextraction of Heavy Metals in Artificially Metal Contaminated Soil by <i>Typha Angustifolia</i> . <i>International Journal of Phytoremediation</i> , 2009, 11, 558-574.	3.1	90

#	ARTICLE	IF	CITATIONS
19	Identification of Barley Varieties Tolerant to Cadmium Toxicity. <i>Biological Trace Element Research</i> , 2008, 121, 171-179.	3.5	43
20	Identification of barley genotypes with low grain Cd accumulation and its interaction with four microelements. <i>Chemosphere</i> , 2007, 67, 2082-2088.	8.2	102
21	Differences in Mn uptake and subcellular distribution in different barley genotypes as a response to Cd toxicity. <i>Science of the Total Environment</i> , 2007, 385, 228-234.	8.0	23
22	Cadmium translocation and accumulation in developing barley grains. <i>Planta</i> , 2007, 227, 223-232.	3.2	54
23	Response of Cadmium Uptake in Different Barley Genotypes to Cadmium Level. <i>Journal of Plant Nutrition</i> , 2005, 28, 2201-2209.	1.9	13