

Xiaoyun Liang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3281949/publications.pdf>

Version: 2024-02-01

30
papers

675
citations

623734

14
h-index

610901

24
g-index

30
all docs

30
docs citations

30
times ranked

1399
citing authors

#	ARTICLE	IF	CITATIONS
1	Mapping Structural Connectivity Using Diffusion <scp>MRI</scp>: Challenges and Opportunities. Journal of Magnetic Resonance Imaging, 2021, 53, 1666-1682.	3.4	95
2	Longitudinal fixel-based analysis reveals restoration of white matter alterations following balance training in young brain-injured patients. NeuroImage: Clinical, 2021, 30, 102621.	2.7	12
3	Mapping Structural Connectivity Using Diffusion <scp>MRI</scp>: Challenges and Opportunities. Journal of Magnetic Resonance Imaging, 2021, 53, .	3.4	1
4	Editorial for "Gadolinium Clearance in the First 5 Weeks After Repeated Intravenous Administration of Gadoteridol, Gadoterate Meglumine and Gadobutrol to rats". Journal of Magnetic Resonance Imaging, 2021, 54, 1645-1646.	3.4	1
5	T2 MRI at 3T of cartilage and menisci in patients with hyperuricemia: initial findings. Skeletal Radiology, 2021, , 1.	2.0	1
6	Structural Connectivity Remote From Lesions Correlates With Somatosensory Outcome Poststroke. Stroke, 2021, 52, 2910-2920.	2.0	9
7	T1rho mapping of cartilage and menisci in patients with hyperuricaemia at 3 T: a preliminary study. Clinical Radiology, 2021, 76, 710.e1-710.e8.	1.1	1
8	Fixel-based Analysis of Diffusion MRI: Methods, Applications, Challenges and Opportunities. NeuroImage, 2021, 241, 118417.	4.2	117
9	Predicting Post-Stroke Somatosensory Function from Resting-State Functional Connectivity: A Feasibility Study. Brain Sciences, 2021, 11, 1388.	2.3	5
10	Increased cerebral blood flow with increased amyloid burden in the preclinical phase of alzheimer's disease. Journal of Magnetic Resonance Imaging, 2020, 51, 505-513.	3.4	35
11	Robust Identification of Rich-Club Organization in Weighted and Dense Structural Connectomes. Brain Topography, 2019, 32, 1-16.	1.8	6
12	A Novel Method for Extracting Hierarchical Functional Subnetworks Based on a Multisubject Spectral Clustering Approach. Brain Connectivity, 2019, 9, 399-414.	1.7	2
13	T2 mapping of cartilage and menisci at 3T in healthy subjects with knee malalignment: initial experience. Skeletal Radiology, 2019, 48, 753-763.	2.0	15
14	A Novel Group-Fused Sparse Partial Correlation Method for Simultaneous Estimation of Functional Networks in Group Comparison Studies. Brain Topography, 2018, 31, 364-379.	1.8	5
15	P1440: INCREASED CEREBRAL BLOOD FLOW WITH INCREASED AMYLOID BURDEN IN PRECLINICAL AD. Alzheimer's and Dementia, 2018, 14, P479.	0.8	0
16	Track-weighted dynamic functional connectivity (TW-dFC): a new method to study time-resolved functional connectivity. Brain Structure and Function, 2017, 222, 3761-3774.	2.3	19
17	A novel joint sparse partial correlation method for estimating group functional networks. Human Brain Mapping, 2016, 37, 1162-1177.	3.6	13
18	Correction for diffusion MRI fibre tracking biases: The consequences for structural connectomic metrics. NeuroImage, 2016, 142, 150-162.	4.2	65

#	ARTICLE	IF	CITATIONS
19	P4-266: Decreases in cerebral blood flow are associated with A β status in preclinical Alzheimer's disease. , 2015, 11, P886-P886.		0
20	Reproducibility of multiphase pseudo-continuous arterial spin labeling and the effect of post-processing analysis methods. NeuroImage, 2015, 117, 191-201.	4.2	22
21	Voxel-Wise Functional Connectomics Using Arterial Spin Labeling Functional Magnetic Resonance Imaging: The Role of Denoising. Brain Connectivity, 2015, 5, 543-553.	1.7	26
22	A variable flip angle-based method for reducing blurring in 3D GRASE ASL. Physics in Medicine and Biology, 2014, 59, 5559-5573.	3.0	17
23	Graph analysis of resting-state ASL perfusion MRI data: Nonlinear correlations among CBF and network metrics. NeuroImage, 2014, 87, 265-275.	4.2	41
24	Improved partial volume correction for single inversion time arterial spin labeling data. Magnetic Resonance in Medicine, 2013, 69, 531-537.	3.0	33
25	A <i>k</i> -space sharing 3D GRASE pseudocontinuous ASL method for whole-brain resting-state functional connectivity. International Journal of Imaging Systems and Technology, 2012, 22, 37-43.	4.1	25
26	Neural activation in the "reward circuit" shows a nonlinear response to facial attractiveness. Social Neuroscience, 2010, 5, 320-334.	1.3	88
27	Effective connectivity between amygdala and orbitofrontal cortex differentiates the perception of facial expressions. Social Neuroscience, 2009, 4, 185-196.	1.3	17
28	Decimative subspace-based parameter estimation methods of magnetic resonance spectroscopy based on prior knowledge. Magnetic Resonance Imaging, 2008, 26, 401-412.	1.8	3
29	Non-uniform MR image reconstruction based on non-uniform FFT. , 2007, , .		0
30	Estimation and Removal of Physiological Noise from Undersampled Multi-slice fMRI data in Image Space. , 2005, 2005, 1371-3.		1