Francis Couturaud

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/3284120/francis-couturaud-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

3,761 28 146 59 h-index g-index papers citations 4,966 169 7.1 4.93 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
146	Association between obstructive sleep apnea and venous thromboembolism recurrence: results from a French cohort <i>Thrombosis Journal</i> , 2022 , 20, 1	5.6	
145	Lung Ventilation/Perfusion Scintigraphy for the Screening of Chronic Thromboembolic Pulmonary Hypertension (CTEPH): Which Criteria to Use?. <i>Frontiers in Medicine</i> , 2022 , 9, 851935	4.9	0
144	Bleeding risk of intramuscular injection of COVID-19 vaccines in adult patients with therapeutic anticoagulation <i>Journal of Thrombosis and Haemostasis</i> , 2022 ,	15.4	0
143	Effect of neuromuscular electrical stimulation on exercise capacity in patients with severe chronic obstructive pulmonary disease: A randomised controlled trial <i>Clinical Rehabilitation</i> , 2022 , 269215522	210918	02
142	Endothelial Cell Phenotype, a Major Determinant of Venous Thrombo-Inflammation <i>Frontiers in Cardiovascular Medicine</i> , 2022 , 9, 864735	5.4	1
141	Risk factors of arterial thrombotic events after unprovoked venous thromboembolism, and after cancer associated venous thromboembolism: A prospective cohort study <i>Thrombosis Research</i> , 2022 , 214, 93-105	8.2	0
140	Risk for Recurrent Venous Thromboembolism in Patients With Subsegmental Pulmonary Embolism Managed Without Anticoagulation : A Multicenter Prospective Cohort Study. <i>Annals of Internal Medicine</i> , 2021 ,	8	7
139	Effect of a Pulmonary Embolism Diagnostic Strategy on Clinical Outcomes in Patients Hospitalized for COPD Exacerbation: A Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2021 , 326, 1277-1285	27.4	8
138	Apixaban and rivaroxaban in obese patients treated for venous thromboembolism: Drug levels and clinical outcomes. <i>Thrombosis Research</i> , 2021 , 208, 39-44	8.2	2
137	Effect of Local Anesthesia on Pain During Arterial Puncture: The GAEL Randomized Placebo-Controlled Trial. <i>Respiratory Care</i> , 2021 , 66, 976-982	2.1	1
136	Whole exome sequencing, a hypothesis-free approach to investigate recurrent early miscarriage. <i>Reproductive BioMedicine Online</i> , 2021 , 42, 789-798	4	2
135	Pulmonary Embolism Prevalence Among Hospitalized Patients With COPD-Reply. <i>JAMA - Journal of the American Medical Association</i> , 2021 , 325, 1903	27.4	1
134	Outpatient Management of Patients With COVID-19: Multicenter Prospective Validation of the Hospitalization or Outpatient Management of Patients With SARS-CoV-2 Infection Rule to Discharge Patients Safely. <i>Chest</i> , 2021 , 160, 1222-1231	5.3	3
133	Evaluation of beta-2 microglobulin, erythropoietin and tobacco use in polycythemic cases. <i>International Journal of Hematology</i> , 2021 , 114, 222-227	2.3	2
132	Outcomes in patients with acute pulmonary embolism and patent foramen ovale: Findings from the RIETE registry. <i>Thrombosis Research</i> , 2021 , 202, 59-66	8.2	2
131	Risk of recurrent venous thromboembolism and bleeding in patients with interstitial lung disease: a cohort study. <i>Journal of Thrombosis and Thrombolysis</i> , 2021 , 1	5.1	0
130	Impact of bariatric surgery on oral anticoagulants pharmacology, and consequences for clinical practice: a narrative review. <i>Fundamental and Clinical Pharmacology</i> , 2021 , 35, 53-61	3.1	4

129	Long-term recurrence risk after a first venous thromboembolism in men and women under 50 years old: A French prospective cohort. <i>European Journal of Internal Medicine</i> , 2021 , 84, 24-31	3.9	2
128	A rare coding mutation in the MAST2 gene causes venous thrombosis in a French family with unexplained thrombophilia: The Breizh MAST2 Arg89Gln variant. <i>PLoS Genetics</i> , 2021 , 17, e1009284	6	1
127	The Impact of Pulmonary Vascular Obstruction on the Risk of Recurrence of Pulmonary Embolism: A French Prospective Cohort. <i>Thrombosis and Haemostasis</i> , 2021 , 121, 955-963	7	1
126	The Extent of Aspergillosis in Critically Ill Patients With Severe Influenza Pneumonia: A Multicenter Cohort Study. <i>Critical Care Medicine</i> , 2021 , 49, 934-942	1.4	13
125	COPD is not only one of the several VTE risk factors. <i>European Journal of Internal Medicine</i> , 2021 , 84, 14-15	3.9	2
124	Quality of life in patients with pulmonary embolism treated with edoxaban versus warfarin. <i>Research and Practice in Thrombosis and Haemostasis</i> , 2021 , 5, e12566	5.1	О
123	Frequency and incidence of arterial events in patients with venous thromboembolism compared to the general population: A systematic review and meta-analysis of cohort studies. <i>Thrombosis Research</i> , 2021 , 203, 172-185	8.2	2
122	Triaging acute pulmonary embolism for home treatment by Hestia or simplified PESI criteria: the HOME-PE randomized trial. <i>European Heart Journal</i> , 2021 , 42, 3146-3157	9.5	19
121	Long-term risk of recurrent venous thromboembolism among patients receiving extended oral anticoagulant therapy for first unprovoked venous thromboembolism: A systematic review and meta-analysis. <i>Journal of Thrombosis and Haemostasis</i> , 2021 , 19, 2801-2813	15.4	1
120	Hydroxychloroquine in mild-to-moderate coronavirus disease 2019: a placebo-controlled double blind trial. <i>Clinical Microbiology and Infection</i> , 2021 , 27, 1124-1130	9.5	18
119	Long-Term Risk for Major Bleeding During Extended Oral Anticoagulant Therapy for First Unprovoked Venous Thromboembolism : A Systematic Review and Meta-analysis. <i>Annals of Internal Medicine</i> , 2021 , 174, 1420-1429	8	7
118	Early switch to oral anticoagulation in patients with acute intermediate-risk pulmonary embolism (PEITHO-2): a multinational, multicentre, single-arm, phase 4 trial. <i>Lancet Haematology,the</i> , 2021 , 8, e62	7 -46 3	6 ²
117	The prognostic value of respiratory symptoms and performance status in ambulatory cancer patients and unsuspected pulmonary embolism; analysis of an international, prospective, observational cohort study. <i>Journal of Thrombosis and Haemostasis</i> , 2021 , 19, 2791-2800	15.4	0
116	Screening for COPD in primary care, involving dentists, pharmacists, physiotherapists, nurses and general practitioners (the UNANIME pilot study). <i>Respiratory Medicine and Research</i> , 2021 , 80, 100853	1.4	1
115	Diuretic vs. placebo in intermediate-risk acute pulmonary embolism: a randomized clinical trial. European Heart Journal: Acute Cardiovascular Care, 2021 ,	4.3	1
114	Prevalence of Pulmonary Embolism Among Patients With COPD Hospitalized With Acutely Worsening Respiratory Symptoms. <i>JAMA - Journal of the American Medical Association</i> , 2021 , 325, 59-68	27.4	16
113	Dabigatran etexilate for the treatment of acute venous thromboembolism in children (DIVERSITY): a randomised, controlled, open-label, phase 2b/3, non-inferiority trial. <i>Lancet Haematology,the</i> , 2021 , 8, e22-e33	14.6	24
112	Evaluation of Venous Thromboembolism Recurrence Scores in an Unprovoked Pulmonary Embolism Population: A Post-hoc Analysis of the PADIS-PE trial. <i>American Journal of Medicine</i> , 2020 , 133, e406-e421	2.4	5

111	Predictors of residual pulmonary vascular obstruction after pulmonary embolism: Results from a prospective cohort study. <i>Thrombosis Research</i> , 2020 , 194, 1-7	8.2	1
110	Diagnosis of chronic thromboembolic pulmonary hypertension after acute pulmonary embolism. <i>European Respiratory Journal</i> , 2020 , 55,	13.6	34
109	Acquired von Willebrand syndrome and lymphoproliferative disorders: A case report. <i>Clinical Case Reports (discontinued)</i> , 2020 , 8, 900-904	0.7	2
108	Cytokine and chemokine regulation of venous thromboembolism. <i>Journal of Thrombosis and Haemostasis</i> , 2020 , 18, 1009-1019	15.4	22
107	Pulmonary perfusion by iodine subtraction maps CT angiography in acute pulmonary embolism: comparison with pulmonary perfusion SPECT (PASEP trial). <i>European Radiology</i> , 2020 , 30, 4857-4864	8	3
106	Effect of Early Initiation of Varenicline on Smoking Cessation in COPD Patients Admitted for Exacerbation: The Save Randomized Clinical Trial. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2020 , 17, 7-14	2	2
105	Effect of different form of upper limb muscles training on dyspnea in chronic obstructive pulmonary disease: A study protocol. <i>Medicine (United States)</i> , 2020 , 99, e22131	1.8	
104	A 60-Year-Old Woman With Recurrent Hemoptysis. <i>Chest</i> , 2020 , 158, e273-e277	5.3	
103	Bleeding complications during pregnancy and delivery in haemophilia carriers and their neonates in Western France: An observational study. <i>Haemophilia</i> , 2020 , 26, 1046-1055	3.3	4
102	Biomarkers of extracellular matrix turnover in patients with idiopathic pulmonary fibrosis given nintedanib (INMARK study): a randomised, placebo-controlled study. <i>Lancet Respiratory Medicine,the</i> , 2019 , 7, 771-779	35.1	34
102	nintedanib (INMARK study): a randomised, placebo-controlled study. Lancet Respiratory	35.1	34 5
	nintedanib (INMARK study): a randomised, placebo-controlled study. <i>Lancet Respiratory Medicine,the</i> , 2019 , 7, 771-779 Comparison of 3-minute Step Test (3MStepT) and 6-minute Walk Test (6MWT) in Patients with		
101	nintedanib (INMARK study): a randomised, placebo-controlled study. Lancet Respiratory Medicine, the, 2019, 7, 771-779 Comparison of 3-minute Step Test (3MStepT) and 6-minute Walk Test (6MWT) in Patients with COPD. COPD: Journal of Chronic Obstructive Pulmonary Disease, 2019, 16, 266-271 Incidence of Cancer after a Second Unprovoked Venous Thromboembolic Event. Thrombosis and	2	5
101	nintedanib (INMARK study): a randomised, placebo-controlled study. Lancet Respiratory Medicine, the, 2019, 7, 771-779 Comparison of 3-minute Step Test (3MStepT) and 6-minute Walk Test (6MWT) in Patients with COPD. COPD: Journal of Chronic Obstructive Pulmonary Disease, 2019, 16, 266-271 Incidence of Cancer after a Second Unprovoked Venous Thromboembolic Event. Thrombosis and Haemostasis, 2019, 119, 490-495 The rationale, design, and methods of a randomized, controlled trial to evaluate the efficacy and safety of an active strategy for the diagnosis and treatment of acute pulmonary embolism during	2	5
101	nintedanib (INMARK study): a randomised, placebo-controlled study. Lancet Respiratory Medicine, the, 2019, 7, 771-779 Comparison of 3-minute Step Test (3MStepT) and 6-minute Walk Test (6MWT) in Patients with COPD. COPD: Journal of Chronic Obstructive Pulmonary Disease, 2019, 16, 266-271 Incidence of Cancer after a Second Unprovoked Venous Thromboembolic Event. Thrombosis and Haemostasis, 2019, 119, 490-495 The rationale, design, and methods of a randomized, controlled trial to evaluate the efficacy and safety of an active strategy for the diagnosis and treatment of acute pulmonary embolism during exacerbations of chronic obstructive pulmonary disease. Clinical Cardiology, 2019, 42, 346-351 Evaluation of the predictive value of the bleeding prediction score VTE-BLEED for recurrent venous	7 3.3	5 2 6
101 100 99 98	nintedanib (INMARK study): a randomised, placebo-controlled study. Lancet Respiratory Medicine, the, 2019, 7, 771-779 Comparison of 3-minute Step Test (3MStepT) and 6-minute Walk Test (6MWT) in Patients with COPD. COPD: Journal of Chronic Obstructive Pulmonary Disease, 2019, 16, 266-271 Incidence of Cancer after a Second Unprovoked Venous Thromboembolic Event. Thrombosis and Haemostasis, 2019, 119, 490-495 The rationale, design, and methods of a randomized, controlled trial to evaluate the efficacy and safety of an active strategy for the diagnosis and treatment of acute pulmonary embolism during exacerbations of chronic obstructive pulmonary disease. Clinical Cardiology, 2019, 42, 346-351 Evaluation of the predictive value of the bleeding prediction score VTE-BLEED for recurrent venous thromboembolism. Research and Practice in Thrombosis and Haemostasis, 2019, 3, 364-371 Cas clinique n° 6: Embolie pulmonaire: place du bilan de thrombophilie et impact sur la prise en	2 7 3.3 5.1	5 2 6
101 100 99 98 97	nintedanib (INMARK study): a randomised, placebo-controlled study. Lancet Respiratory Medicine, the, 2019, 7, 771-779 Comparison of 3-minute Step Test (3MStepT) and 6-minute Walk Test (6MWT) in Patients with COPD. COPD: Journal of Chronic Obstructive Pulmonary Disease, 2019, 16, 266-271 Incidence of Cancer after a Second Unprovoked Venous Thromboembolic Event. Thrombosis and Haemostasis, 2019, 119, 490-495 The rationale, design, and methods of a randomized, controlled trial to evaluate the efficacy and safety of an active strategy for the diagnosis and treatment of acute pulmonary embolism during exacerbations of chronic obstructive pulmonary disease. Clinical Cardiology, 2019, 42, 346-351 Evaluation of the predictive value of the bleeding prediction score VTE-BLEED for recurrent venous thromboembolism. Research and Practice in Thrombosis and Haemostasis, 2019, 3, 364-371 Cas clinique n° 6: Embolie pulmonaire: place du bilan de thrombophilie et impact sur la prise en charge. Revue Des Maladies Respiratoires Actualites, 2019, 11, 40-42 Treatment and Long-Term Clinical Outcomes of Incidental Pulmonary Embolism in Patients With	2 7 3.3 5.1	5266

93	Incidence of upper-extremity deep vein thrombosis in western France: a community-based study. Haematologica, 2019 , 104, e29-e31	6.6	10
92	Predictors for Residual Pulmonary Vascular Obstruction after Unprovoked Pulmonary Embolism: Implications for Clinical Practice-The PADIS-PE Trial. <i>Thrombosis and Haemostasis</i> , 2019 , 119, 1489-1497	7	10
91	Long term risk of symptomatic recurrent venous thromboembolism after discontinuation of anticoagulant treatment for first unprovoked venous thromboembolism event: systematic review and meta-analysis. <i>BMJ, The</i> , 2019 , 366, l4363	5.9	83
90	Use of Anticoagulants of Patients with Cancer-Associated Thrombosis Beyond 6 Months; The Uscat Study, a 432-Patient Retrospective Non-Interventional Study. <i>Blood</i> , 2019 , 134, 3664-3664	2.2	
89	Patent Foramen Ovale and Ischemic Stroke in Patients With Pulmonary Embolism. <i>Annals of Internal Medicine</i> , 2019 , 171, 527-528	8	1
88	Patent Foramen Ovale and Ischemic Stroke in Patients With Pulmonary Embolism: A Prospective Cohort Study. <i>Annals of Internal Medicine</i> , 2019 , 170, 756-763	8	31
87	Time trend analysis of pulmonary embolism diagnosis with single-photon emission computed tomography ventilation/perfusion imaging. <i>Nuclear Medicine Communications</i> , 2019 , 40, 576-582	1.6	2
86	Incomplete echocardiographic recovery at 6´months predicts long-term sequelae after intermediate-risk pulmonary embolism. A post-hoc analysis of the Pulmonary Embolism Thrombolysis (PEITHO) trial. <i>Clinical Research in Cardiology</i> , 2019 , 108, 772-778	6.1	25
85	Six months two years of oral anticoagulation after a first episode of unprovoked deep-vein thrombosis. The PADIS-DVT randomized clinical trial. <i>Haematologica</i> , 2019 , 104, 1493-1501	6.6	14
84	Influence of gender on delays and early mortality in ST-segment elevation myocardial infarction: Insight from the first French Metaregistry, 2005-2012 patient-level pooled analysis. <i>International</i> Journal of Cardiology, 2018 , 262, 1-8	3.2	16
83	Real-world incidence of cancer following a first unprovoked venous thrombosis: Results from the EPIGETBO study. <i>Thrombosis Research</i> , 2018 , 164, 79-84	8.2	12
82	SPECT V/Q for the diagnosis of pulmonary embolism: protocol for a systematic review and meta-analysis of diagnostic accuracy and clinical outcome. <i>BMJ Open</i> , 2018 , 8, e022024	3	8
81	Effects of inspiratory muscle training in COPD patients: A systematic review and meta-analysis. <i>Clinical Respiratory Journal</i> , 2018 , 12, 2178-2188	1.7	82
80	Risk factors for recurrent venous thromboembolism after unprovoked pulmonary embolism: the PADIS-PE randomised trial. <i>European Respiratory Journal</i> , 2018 , 51,	13.6	24
79	Thrombotic risk assessment and analytical performance of the chemiluminescent analyzer IDS-iSYS for the detection of anti-cardiolipin and anti-beta 2 glycoprotein I autoantibodies. <i>Clinical Immunology</i> , 2018 , 194, 92-99	9	4
78	Validation of the French version of the London Chest Activity of Daily Living scale and the Dyspnea-12 questionnaire. <i>International Journal of COPD</i> , 2018 , 13, 1399-1405	3	12
77	Novel Anticoagulant Treatment for Pulmonary Embolism with Direct Oral Anticoagulants Phase 3 Trials and Clinical Practice. <i>Seminars in Interventional Radiology</i> , 2018 , 35, 83-91	1.6	1
76	Meta-Analysis of Long-Term Risk of Recurrent Venous Thromboembolism after Stopping Anticoagulation in Men and Women with First Unprovoked Venous Thromboembolism. <i>Blood</i> , 2018 , 132, 2527-2527	2.2	1

75	Quality of life in cancer patients undergoing anticoagulant treatment with LMWH for venous thromboembolism: the QUAVITEC study on behalf of the Groupe Francophone Thrombose et Cancer (GFTC). <i>Oncotarget</i> , 2018 , 9, 26990-26999	3.3	9
74	Safety and Efficiency of the YEARS Diagnostic Algorithm for Pregnant Patients with Clinically Suspected Acute Pulmonary Embolism E he Artemis Study. <i>Blood</i> , 2018 , 132, 419-419	2.2	
73	Residual pulmonary vascular obstruction and recurrence after acute pulmonary embolism: protocol for a systematic review and meta-analysis of individual participant data. <i>BMJ Open</i> , 2018 , 8, e023939	3	3
72	In patients with unprovoked VTE, does the addition of FDG PET/CT to a limited occult cancer screening strategy offer good value for money? A cost-effectiveness analysis from the publicly funded health care systems. <i>Thrombosis Research</i> , 2018 , 171, 97-102	8.2	4
71	Breathlessness measurement should be standardised for the level of exertion. <i>European Respiratory Journal</i> , 2018 , 51,	13.6	
70	Risk of venous thromboembolism in association with factor V leiden in cancer patients - The EDITH case-control study. <i>PLoS ONE</i> , 2018 , 13, e0194973	3.7	5
69	Factors predicting outcome after pulmonary endarterectomy. PLoS ONE, 2018, 13, e0198198	3.7	16
68	Pitfalls in the diagnostic management of pulmonary embolism in pregnancy. <i>Thrombosis Research</i> , 2017 , 151 Suppl 1, S86-S91	8.2	16
67	Additional testing following screening strategies for occult malignancy diagnosis in patients with unprovoked venous thromboembolism. <i>Thrombosis Research</i> , 2017 , 155, 6-9	8.2	11
66	Impact of Thrombolytic Therapy on the Long-Term Outcome of Intermediate-Risk Pulmonary Embolism. <i>Journal of the American College of Cardiology</i> , 2017 , 69, 1536-1544	15.1	176
65	Risk factors of occult malignancy in patients with unprovoked venous thromboembolism. <i>Thrombosis Research</i> , 2017 , 159, 48-51	8.2	12
64	Long-term risk of recurrence after discontinuing anticoagulants for a first unprovoked venous thromboembolism: protocol for a systematic review and meta-analysis. <i>BMJ Open</i> , 2017 , 7, 16950	3	5
63	Association between statin exposure and venous thromboembolism risk in cancer patients. Data from the EDITH case-control study. <i>European Journal of Internal Medicine</i> , 2017 , 46, e42-e44	3.9	4
62	Risk of recurrent venous thromboembolism in COPD patients: results from a prospective cohort study. <i>European Respiratory Journal</i> , 2017 , 50,	13.6	8
61	Association between hospitalization for acute medical illness and VTE risk: A lower efficacy of thromboprophylaxis in elderly patients? Results from the EDITH case-control study. <i>European Journal of Internal Medicine</i> , 2017 , 44, 39-43	3.9	5
60	Thrombin Generation Measurements in Patients Scheduled for Laparoscopic Bariatric Surgery. <i>Obesity Surgery</i> , 2017 , 27, 2015-2021	3.7	3
59	Therapeutic management of acute pulmonary embolism. <i>Expert Review of Respiratory Medicine</i> , 2017 , 11, 641-648	3.8	1
58	Reduction of coagulability state one year after bariatric surgery. Surgery for Obesity and Related Diseases, 2017 , 13, 327-333	3	11

57	Lymphocyte Disturbances in Primary Antiphospholipid Syndrome and Application to Venous Thromboembolism Follow-Up. <i>Clinical Reviews in Allergy and Immunology</i> , 2017 , 53, 14-27	12.3	18
56	Responsiveness and Minimally Important Difference of the 6-Minute Stepper Test in Patients with Chronic Obstructive Pulmonary Disease. <i>Respiration</i> , 2016 , 91, 367-73	3.7	24
55	Limited screening with versus without (18)F-fluorodeoxyglucose PET/CT for occult malignancy in unprovoked venous thromboembolism: an open-label randomised controlled trial. <i>Lancet Oncology, The</i> , 2016 , 17, 193-199	21.7	61
54	Real-Life Incidence of Cancer Following a First Unprovoked Venous Thrombosis: Results from the Epigetbo Study. <i>Blood</i> , 2016 , 128, 415-415	2.2	О
53	Quality of Life in Cancer Patients Undergoing Anticoagulant Treatment for Venous Thromboembolism: The Quavitec Study. <i>Blood</i> , 2016 , 128, 880-880	2.2	
52	Current incidence of venous thromboembolism and comparison with 1998: a community-based study in Western France. <i>Thrombosis and Haemostasis</i> , 2016 , 116, 967-974	7	56
51	Comparison of Outcome of Transcatheter Aortic Valve Implantation With Versus Without Previous Coronary Artery Bypass Grafting (from the FRANCE 2 Registry). <i>American Journal of Cardiology</i> , 2015 , 116, 420-5	3	19
50	Six Months vs Extended Oral Anticoagulation After a First Episode of Pulmonary Embolism: The PADIS-PE Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2015 , 314, 31-4	10 ^{27.4}	133
49	Diuretic versus placebo in normotensive acute pulmonary embolism with right ventricular enlargement and injury: a double-blind randomised placebo controlled study. Protocol of the DiPER study. <i>BMJ Open</i> , 2015 , 5, e007466	3	11
48	Effect of a retrievable inferior vena cava filter plus anticoagulation vs anticoagulation alone on risk of recurrent pulmonary embolism: a randomized clinical trial. <i>JAMA - Journal of the American Medical Association</i> , 2015 , 313, 1627-35	27.4	304
47	Pneumocystis jirovecii in the air surrounding patients with Pneumocystis pulmonary colonization. Diagnostic Microbiology and Infectious Disease, 2015 , 82, 137-42	2.9	29
46	Treatment of pulmonary embolism. <i>Presse Medicale</i> , 2015 , 44, e393-9	2.2	O
45	Performance of 18F fluoro-2-dBoxy-D-glucose positron emission tomography/computed tomography for the diagnosis of venous thromboembolism. <i>Thrombosis Research</i> , 2015 , 135, 31-5	8.2	15
44	Tinzaparin and VKA use in patients with cancer associated venous thromboembolism: a retrospective cohort study. <i>Thrombosis Research</i> , 2015 , 135, 78-83	8.2	5
43	Additional value of combining low-dose computed tomography to V/Q SPECT on a hybrid SPECT-CT camera for pulmonary embolism diagnosis. <i>Nuclear Medicine Communications</i> , 2015 , 36, 922-30	1.6	23
42	Interest of chest X-ray in tailoring the diagnostic strategy in patients with suspected pulmonary embolism. <i>Blood Coagulation and Fibrinolysis</i> , 2015 , 26, 643-8	1	1
41	A Qualitative Study to Appraise Patients and Family Members Perceptions, Knowledge, and Attitudes towards Venous Thromboembolism Risk. <i>PLoS ONE</i> , 2015 , 10, e0142070	3.7	3
40	Annexin A2 autoantibodies in thrombosis and autoimmune diseases. <i>Thrombosis Research</i> , 2015 , 135, 226-30	8.2	33

39	La maladie veineuse thrombo-embolique et trombo-philie hælitaire. <i>Bulletin De Ln</i> Academie Nationale De Medecine, 2015 , 199, 987-989	0.1	
38	Association Between Hospitalization for Acute Medical Illness and VTE Risk: A Lower Efficacy of Thromboprophylaxis in Elderly Patients? Results from the Edith Case-Control Study. <i>Blood</i> , 2015 , 126, 2326-2326	2.2	
37	Safety of ventilation/perfusion single photon emission computed tomography for pulmonary embolism diagnosis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2014 , 41, 1957-64	8.8	29
36	Fibrinolysis for patients with intermediate-risk pulmonary embolism. <i>New England Journal of Medicine</i> , 2014 , 370, 1402-11	59.2	852
35	Factors that predict thrombosis in relatives of patients with venous thromboembolism. <i>Blood</i> , 2014 , 124, 2124-30	2.2	43
34	Prevalence of chronic thromboembolic pulmonary hypertension after acute pulmonary embolism. Prevalence of CTEPH after pulmonary embolism. <i>Thrombosis and Haemostasis</i> , 2014 , 112, 598-605	7	194
33	The prognostic value of pro-B-Type natriuretic peptide in acute pulmonary embolism. <i>Thrombosis Research</i> , 2013 , 131, e235-9	8.2	17
32	V/Q SPECT interpretation for pulmonary embolism diagnosis: which criteria to use?. <i>Journal of Nuclear Medicine</i> , 2013 , 54, 1077-81	8.9	31
31	Echocardiography and pulmonary embolism severity index have independent prognostic roles in pulmonary embolism. <i>European Respiratory Journal</i> , 2013 , 42, 681-8	13.6	51
30	Pneumocystis jirovecii haplotypes at the internal transcribed spacers of the rRNA operon in French HIV-negative patients with diverse clinical presentations of Pneumocystis infections. <i>Medical Mycology</i> , 2013 , 51, 851-62	3.9	6
29	Increased thrombin generation measured in the presence of thrombomodulin in women with early pregnancy loss. <i>Fertility and Sterility</i> , 2011 , 95, 1813-5.e1	4.8	12
28	Site of venous thromboembolism and prothrombotic mutations according to body mass index. Results from the EDITH study. <i>British Journal of Haematology</i> , 2011 , 154, 486-91	4.5	7
27	Noninvasive diagnosis of pulmonary embolism. <i>Chest</i> , 2011 , 139, 1294-1298	5.3	49
26	Risk of Recurrence of Venous Thromboembolism After Major Surgery for Cancer,. <i>Blood</i> , 2011 , 118, 33	42 -3 34	2
25	Association of common genetic variations and idiopathic venous thromboembolism. Results from EDITh, a hospital-based case-control study. <i>Thrombosis and Haemostasis</i> , 2010 , 103, 1161-9	7	13
24	Prognostic factors for pulmonary embolism: the prep study, a prospective multicenter cohort study. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2010 , 181, 168-73	10.2	176
23	Predictors of thrombosis in relatives of patients with venous thromboembolism. <i>Current Opinion in Pulmonary Medicine</i> , 2010 , 16, 453-8	3	7
22	Factors that predict risk of thrombosis in relatives of patients with unprovoked venous thromboembolism. <i>Chest</i> , 2009 , 136, 1537-1545	5.3	43

(2002-2008)

21	Management of suspected pulmonary embolism patients with low clinical and low V/Q probability. <i>Thrombosis Research</i> , 2008 , 122, 450-4	8.2	2
20	Thrombin generation in first-degree relatives of patients with venous thromboembolism who have factor V Leiden. A pilot study. <i>Thrombosis and Haemostasis</i> , 2008 , 99, 223-8	7	20
19	Risk factors and clinical presentation of venous thromboembolism according to the age of relatives of patients with factor V Leiden. <i>Thrombosis and Haemostasis</i> , 2008 , 99, 793-4	7	13
18	Diagnostic value of D-dimer in patients with suspected pulmonary embolism: results from a multicentre outcome study. <i>Thrombosis Research</i> , 2007 , 120, 195-200	8.2	25
17	Interrelation of hyperhomocysteinemia and inherited risk factors for venous thromboembolism. Results from the E.D.I.TH. study: a hospital-based case-control study. <i>Thrombosis Research</i> , 2007 , 120, 207-14	8.2	11
16	Fibrinogen Aalpha-Thr312Ala and factor XIII-A Val34Leu polymorphisms in idiopathic venous thromboembolism. <i>Thrombosis Research</i> , 2007 , 121, 333-8	8.2	23
15	High frequency of factor V Leiden in surgical patients with symptomatic venous thromboembolism despite prophylaxis. <i>Thrombosis and Haemostasis</i> , 2007 , 97, 171-5	7	7
14	Incidence of venous thromboembolism in first-degree relatives of patients with venous thromboembolism who have factor V Leiden. <i>Thrombosis and Haemostasis</i> , 2006 , 96, 744-749	7	31
13	Recurrent venous thromboembolism under anticoagulant therapy: a high risk in adenocarcinoma?. <i>Thrombosis and Haemostasis</i> , 2006 , 95, 912-3	7	2
12	Incidence of venous thromboembolism in first-degree relatives of patients with venous thromboembolism who have factor V Leiden. <i>Thrombosis and Haemostasis</i> , 2006 , 96, 744-9	7	13
11	Management of suspected venous thromboembolism: the impact of a multifaceted intervention. <i>International Journal for Quality in Health Care</i> , 2005 , 17, 433-8	1.9	1
10	A case of avian influenza (H5N1) pulmonary infection with early expansion of lung bulla formations. <i>Respiratory Medicine Extra</i> , 2005 , 1, 61-64		
9	Effect of age on the performance of a diagnostic strategy based on clinical probability, spiral computed tomography and venous compression ultrasonography: the ESSEP study. <i>Thrombosis and Haemostasis</i> , 2005 , 93, 605-9	7	9
8	Statins but not fibrates are associated with a reduced risk of venous thromboembolism: a hospital-based case-control study. <i>Fundamental and Clinical Pharmacology</i> , 2004 , 18, 477-82	3.1	52
7	Age May Modify the Relationship between Factor V Leiden Mutation - but Not G20210A Prothrombin Gene Variation - and Idiopathic Venous Thromboembolism: An Hospital-Based Case-Control Study <i>Blood</i> , 2004 , 104, 4052-4052	2.2	
6	Transthoracic sonography of the lung and pleura in view of a suspected pulmonary embolism: a pilot study. <i>Journal of Ultrasound in Medicine</i> , 2003 , 22, 673-8; quiz 680-1	2.9	14
5	High Prevalence of Asymptomatic Deep Vein Thrombosis on Admission in a Medical Unit among Elderly Patients. <i>Thrombosis and Haemostasis</i> , 2002 , 88, 592-597	7	83
4	High prevalence of asymptomatic deep vein thrombosis on admission in a medical unit among elderly patients. <i>Thrombosis and Haemostasis</i> , 2002 , 88, 592-7	7	25

3	Low Molecular Weight Heparin Administered once versus twice Daily in Patients with Venous Thromboembolism. <i>Thrombosis and Haemostasis</i> , 2001 , 86, 980-984	7	48
2	Long-term treatment for venous thromboembolism. Current Opinion in Hematology, 2000 , 7, 302-8	3.3	7
1	Clinical Usefulness of D-Dimer Tests in Excluding Pulmonary Embolism Is Highly Dependent upon Age. <i>Thrombosis and Haemostasis</i> , 1998 , 80, 527-527	7	11