Petr Widimsky

List of Publications by Citations

Source: https://exaly.com/author-pdf/328566/petr-widimsky-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

67 45,233 303 212 h-index g-index citations papers 6.04 52,854 321 7.2 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
303	2017 ESC Guidelines for the management of acute myocardial infarction in patients presenting with ST-segment elevation: The Task Force for the management of acute myocardial infarction in patients presenting with ST-segment elevation of the European Society of Cardiology (ESC).	9.5	4237
302	ESC Guidelines for the management of acute myocardial infarction in patients presenting with ST-segment elevation. <i>European Heart Journal</i> , 2012 , 33, 2569-619	9.5	3978
301	2007 Guidelines for the Management of Arterial Hypertension: The Task Force for the Management of Arterial Hypertension of the European Society of Hypertension (ESH) and of the European Society of Cardiology (ESC). <i>Journal of Hypertension</i> , 2007 , 25, 1105-87	1.9	3825
300	Guidelines on the diagnosis and management of acute pulmonary embolism: the Task Force for the Diagnosis and Management of Acute Pulmonary Embolism of the European Society of Cardiology (ESC). <i>European Heart Journal</i> , 2008 , 29, 2276-315	9.5	2125
299	Guidelines on myocardial revascularization. European Heart Journal, 2010, 31, 2501-55	9.5	2070
298	ESC/EAS Guidelines for the management of dyslipidaemias: the Task Force for the management of dyslipidaemias of the European Society of Cardiology (ESC) and the European Atherosclerosis Society (EAS). <i>European Heart Journal</i> , 2011 , 32, 1769-818	9.5	2020
297	Universal definition of myocardial infarction. <i>Circulation</i> , 2007 , 116, 2634-53	16.7	1953
296	Management of acute myocardial infarction in patients presenting with persistent ST-segment elevation: the Task Force on the Management of ST-Segment Elevation Acute Myocardial Infarction of the European Society of Cardiology. <i>European Heart Journal</i> , 2008 , 29, 2909-45	9.5	1774
295	2007 Guidelines for the management of arterial hypertension: The Task Force for the Management of Arterial Hypertension of the European Society of Hypertension (ESH) and of the European Society of Cardiology (ESC). <i>European Heart Journal</i> , 2007 , 28, 1462-536	9.5	1418
294	ESC guidelines for the diagnosis and treatment of acute and chronic heart failure 2008: the Task Force for the diagnosis and treatment of acute and chronic heart failure 2008 of the European Society of Cardiology. Developed in collaboration with the Heart Failure Association of the ESC	12.3	1355
293	(HFA) and endorsed by the European Society of Intensive Care Medicine (ESICM). European Journal Radial versus femoral access for coronary angiography and intervention in patients with acute coronary syndromes (RIVAL): a randomised, parallel group, multicentre trial. Lancet, The, 2011, 377, 14	10 9 -20	1350
292	2017 ESC Guidelines on the Diagnosis and Treatment of Peripheral Arterial Diseases, in collaboration with the European Society for Vascular Surgery (ESVS): Document covering atherosclerotic disease of extracranial carotid and vertebral, mesenteric, renal, upper and lower extremity arteriesEndorsed by: the European Stroke Organization (ESO)The Task Force for the	9.5	1274
291	Rivaroxaban with or without Aspirin in Stable Cardiovascular Disease. New England Journal of y Medicine, 2017, 377, 1319-1330-ty for Vascular Surgery. European Heart Journal, 2018, 39, 763-816	59.2	1122
290	Guidelines for the management of atrial fibrillation: the Task Force for the Management of Atrial Fibrillation of the European Society of Cardiology (ESC). <i>Europace</i> , 2010 , 12, 1360-420	3.9	1120
289	European guidelines on cardiovascular disease prevention in clinical practice: full text. Fourth Joint Task Force of the European Society of Cardiology and other societies on cardiovascular disease prevention in clinical practice (constituted by representatives of nine societies and by invited		75 ¹
288	Double-dose versus standard-dose clopidogrel and high-dose versus low-dose aspirin in individuals undergoing percutaneous coronary intervention for acute coronary syndromes (CURRENT-OASIS 7): a randomised factorial trial. <i>Lancet, The</i> , 2010 , 376, 1233-43	40	624
287	Dose comparisons of clopidogrel and aspirin in acute coronary syndromes. <i>New England Journal of Medicine</i> , 2010 , 363, 930-42	59.2	582

(2019-2009)

286	Early versus delayed invasive intervention in acute coronary syndromes. <i>New England Journal of Medicine</i> , 2009 , 360, 2165-75	59.2	578
285	Thrombin-receptor antagonist vorapaxar in acute coronary syndromes. <i>New England Journal of Medicine</i> , 2012 , 366, 20-33	59.2	57°
284	Effect of platelet inhibition with cangrelor during PCI on ischemic events. <i>New England Journal of Medicine</i> , 2013 , 368, 1303-13	59.2	560
283	Guidelines for pre-operative cardiac risk assessment and perioperative cardiac management in non-cardiac surgery. <i>European Heart Journal</i> , 2009 , 30, 2769-812	9.5	545
282	Routine vs selective invasive strategies in patients with acute coronary syndromes: a collaborative meta-analysis of randomized trials. <i>JAMA - Journal of the American Medical Association</i> , 2005 , 293, 2908-	· 17 ·4	534
281	Facilitated PCI in patients with ST-elevation myocardial infarction. <i>New England Journal of Medicine</i> , 2008 , 358, 2205-17	59.2	497
280	Intravenous platelet blockade with cangrelor during PCI. <i>New England Journal of Medicine</i> , 2009 , 361, 2330-41	59.2	480
279	Reperfusion therapy for ST elevation acute myocardial infarction in Europe: description of the current situation in 30 countries. <i>European Heart Journal</i> , 2010 , 31, 943-57	9.5	426
278	Pretreatment with prasugrel in non-ST-segment elevation acute coronary syndromes. <i>New England Journal of Medicine</i> , 2013 , 369, 999-1010	59.2	424
277	Randomized trial of primary PCI with or without routine manual thrombectomy. <i>New England Journal of Medicine</i> , 2015 , 372, 1389-98	59.2	396
276	European guidelines on cardiovascular disease prevention in clinical practice: executive summary. Fourth Joint Task Force of the European Society of Cardiology and other societies on cardiovascular disease prevention in clinical practice (constituted by representatives of nine		309
275	Bleeding in acute coronary syndromes and percutaneous coronary interventions: position paper by the Working Group on Thrombosis of the European Society of Cardiology. <i>European Heart Journal</i> , 2011 , 32, 1854-64	9.5	273
274	Early and late benefits of prasugrel in patients with acute coronary syndromes undergoing percutaneous coronary intervention: a TRITON-TIMI 38 (TRial to Assess Improvement in Therapeutic Outcomes by Optimizing Platelet Inhibition with Prasugrel-Thrombolysis In Myocardial	15.1	269
273	Infarction) analysis. <i>Journal of the American College of Cardiology</i> , 2008 , 51, 2028-33 One-year coronary bypass graft patency: a randomized comparison between off-pump and on-pump surgery angiographic results of the PRAGUE-4 trial. <i>Circulation</i> , 2004 , 110, 3418-23	16.7	199
272	Reperfusion therapy for ST elevation acute myocardial infarction 2010/2011: current status in 37 ESC countries. <i>European Heart Journal</i> , 2014 , 35, 1957-70	9.5	193
271	Incidence of and outcomes associated with ventricular tachycardia or fibrillation in patients undergoing primary percutaneous coronary intervention. <i>JAMA - Journal of the American Medical Association</i> , 2009 , 301, 1779-89	27.4	190
270	Expert consensus document from the European Society of Cardiology on catheter-based renal denervation. <i>European Heart Journal</i> , 2013 , 34, 2149-57	9.5	184
269	Safety of Proton Pump Inhibitors Based on a Large, Multi-Year, Randomized Trial of Patients Receiving Rivaroxaban or Aspirin. <i>Gastroenterology</i> , 2019 , 157, 682-691.e2	13.3	181

268	2010 Focused Update of ESC Guidelines on device therapy in heart failure: an update of the 2008 ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure and the 2007 ESC Guidelines for cardiac and resynchronization therapy. Developed with the special contribution of	3.9	158
267	Guidelines for pre-operative cardiac risk assessment and perioperative cardiac management in ¹⁵²⁶⁻³⁶ non-cardiac surgery: the Task Force for Preoperative Cardiac Risk Assessment and Perioperative Cardiac Management in Non-cardiac Surgery of the European Society of Cardiology (ESC) and	2.3	158
266	Off-pump versus on-pump coronary surgery: final results from a prospective randomized study PRAGUE-4. <i>Annals of Thoracic Surgery</i> , 2004 , 77, 789-93	2.7	158
265	Ticagrelor in Patients with Stable Coronary Disease and Diabetes. <i>New England Journal of Medicine</i> , 2019 , 381, 1309-1320	59.2	156
264	Randomized comparison of renal denervation versus intensified pharmacotherapy including spironolactone in true-resistant hypertension: six-month results from the Prague-15 study. <i>Hypertension</i> , 2015 , 65, 407-13	8.5	150
263	Long-Term Prognosis of Patients With Takotsubo Syndrome. <i>Journal of the American College of Cardiology</i> , 2018 , 72, 874-882	15.1	134
262	Low-dose vs standard-dose unfractionated heparin for percutaneous coronary intervention in acute coronary syndromes treated with fondaparinux: the FUTURA/OASIS-8 randomized trial. <i>JAMA - Journal of the American Medical Association</i> , 2010 , 304, 1339-49	27.4	130
261	Prasugrel Versus Ticagrelor in Patients With Acute Myocardial Infarction Treated With Primary Percutaneous Coronary Intervention: Multicenter Randomized PRAGUE-18 Study. <i>Circulation</i> , 2016 , 134, 1603-1612	16.7	128
260	Left Atrial Appendage Closure Versus Direct Oral Anticoagulants in High-Risk Patients With Atrial Fibrillation. <i>Journal of the American College of Cardiology</i> , 2020 , 75, 3122-3135	15.1	123
259	2010 focused update of ESC Guidelines on device therapy in heart failure: an update of the 2008 ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure and the 2007 ESC Guidelines for cardiac and resynchronization therapy. Developed with the special contribution of	12.3	118
258	Absorb bioresorbable vascular scaffold versus everolimus-eluting metallic stent in ST-segment elevation myocardial infarction: 1-year results of a propensity score matching comparison: the BVS-EXAMINATION Study (bioresorbable vascular scaffold-a clinical evaluation of everolimus	5	117
257	Design and rationale of CURRENT-OASIS 7: a randomized, 2 x 2 factorial trial evaluating optimal dosing strategies for clopidogrel and aspirin in patients with ST and non-ST-elevation acute coronary syndromes managed with an early invasive strategy. <i>American Heart Journal</i> , 2008 , 156, 1080-	4.9 1088.e	117 1
256	Antithrombotic therapy and outcomes of patients with atrial fibrillation following primary percutaneous coronary intervention: results from the APEX-AMI trial. <i>European Heart Journal</i> , 2009 , 30, 2019-28	9.5	111
255	Clopidogrel pre-treatment in stable angina: for all patients > 6 h before elective coronary angiography or only for angiographically selected patients a few minutes before PCI? A randomized multicentre trial PRAGUE-8. <i>European Heart Journal</i> , 2008 , 29, 1495-503	9.5	109
254	Bioresorbable vascular scaffolds in acute ST-segment elevation myocardial infarction: a prospective multicentre study 'Prague 19'. <i>European Heart Journal</i> , 2014 , 35, 787-94	9.5	105
253	Otamixaban for the treatment of patients with non-ST-elevation acute coronary syndromes (SEPIA-ACS1 TIMI 42): a randomised, double-blind, active-controlled, phase 2 trial. <i>Lancet, The</i> , 2009 , 374, 787-95	40	102
252	1-Year Outcomes of Patients Undergoing Primary Angioplasty for Myocardial Infarction Treated With Prasugrel Versus Ticagrelor. <i>Journal of the American College of Cardiology</i> , 2018 , 71, 371-381	15.1	100
251	Effect of radial versus femoral access on radiation dose and the importance of procedural volume: a substudy of the multicenter randomized RIVAL trial. <i>JACC: Cardiovascular Interventions</i> , 2013 , 6, 258-6	6	99

Rationale, Design and Baseline Characteristics of Participants in the Cardiovascular Outcomes for 250 People Using Anticoagulation Strategies (COMPASS) Trial. Canadian Journal of Cardiology, **2017**, 33, 1027^{3} : $^{8}1035^{97}$ Baseline characteristics and hospital mortality in the Acute Heart Failure Database (AHEAD) Main 10.8 249 92 registry. Critical Care, 2011, 15, R291 Comparison of cardiac surgery with left atrial surgical ablation vs. cardiac surgery without atrial ablation in patients with coronary and/or valvular heart disease plus atrial fibrillation: final results 248 9.5 90 of the PRAGUE-12 randomized multicentre study. European Heart Journal, 2012, 33, 2644-52 Prasugrel versus clopidogrel for patients with unstable angina or non-ST-segment elevation myocardial infarction with or without angiography: a secondary, prespecified analysis of the 87 247 40 TRILOGY ACS trial. *Lancet, The*, **2013**, 382, 605-13 Primary angioplasty in acute myocardial infarction with right bundle branch block: should new onset right bundle branch block be added to future quidelines as an indication for reperfusion 246 87 9.5 therapy?. European Heart Journal, 2012, 33, 86-95 Intracoronary injection of autologous bone marrow-derived mononuclear cells in patients with large anterior acute myocardial infarction: a prematurely terminated randomized study. Journal of 83 15.1 the American College of Cardiology, 2007, 49, 2373-4 Rivaroxaban in patients stabilized after a ST-segment elevation myocardial infarction: results from the ATLAS ACS-2-TIMI-51 trial (Anti-Xa Therapy to Lower Cardiovascular Events in Addition to 80 244 15.1 Standard Therapy in Subjects with Acute Coronary Syndrome-Thrombolysis In Myocardial Cardiac arrhythmias in acute coronary syndromes: position paper from the joint EHRA, ACCA, and 243 3.9 77 EAPCI task force. *Europace*, **2014**, 16, 1655-73 Antithrombotic therapy with fondaparinux in relation to interventional management strategy in patients with ST- and non-ST-segment elevation acute coronary syndromes: an individual 16.7 76 242 patient-level combined analysis of the Fifth and Sixth Organization to Assess Strategies in Ischemic Clinical outcome of patients with and without diabetes mellitus after percutaneous coronary intervention with the resolute zotarolimus-eluting stent: 2-year results from the prospectively 241 74 pooled analysis of the international global RESOLUTE program. JACC: Cardiovascular Interventions, Long-term outcomes of patients with acute myocardial infarction presenting to hospitals without catheterization laboratory and randomized to immediate thrombolysis or interhospital transport 240 9.5 74 for primary percutaneous coronary intervention. Five years' follow-up of the PRAGUE-2 Trial. How to treat patients with ST-elevation acute myocardial infarction and multi-vessel disease?. 67 239 9.5 European Heart Journal, **2011**, 32, 396-403 Routine immediate extubation for off-pump coronary artery bypass grafting without thoracic 238 67 2.7 epidural analgesia. Annals of Thoracic Surgery, 2002, 74, 1544-7 Btent 4 Life Targeting PCI at all who will benefit the most. EuroIntervention, 2009, 4, 555-557 67 237 3.1 Disagreements between central clinical events committee and site investigator assessments of myocardial infarction endpoints in an international clinical trial: review of the PURSUIT study. 236 65 Current Controlled Trials in Cardiovascular Medicine, 2001, 2, 187-194 Pantoprazole to Prevent Gastroduodenal Events in Patients Receiving Rivaroxaban and/or Aspirin 62 235 13.3 in a Randomized, Double-Blind, Placebo-Controlled Trial. Gastroenterology, 2019, 157, 403-412.e5 Role of Adding Spironolactone and Renal Denervation in True Resistant Hypertension: One-Year 234 8.5 60 Outcomes of Randomized PRAGUE-15 Study. Hypertension, 2016, 67, 397-403 Procedural volume and outcomes with radial or femoral access for coronary angiography and 233 60 intervention. Journal of the American College of Cardiology, 2014, 63, 954-63

232	Severe left ventricular dyssynchrony is associated with poor prognosis in patients with moderate systolic heart failure undergoing coronary artery bypass grafting. <i>Journal of the American College of Cardiology</i> , 2007 , 50, 1315-23	15.1	60
231	Systematic adjudication of myocardial infarction end-points in an international clinical trial. <i>Current Controlled Trials in Cardiovascular Medicine</i> , 2001 , 2, 180-186		59
230	Rivaroxaban Plus Aspirin Versus Aspirin in Relation to Vascular Risk in the COMPASS Trial. <i>Journal of the American College of Cardiology</i> , 2019 , 73, 3271-3280	15.1	56
229	Eligibility for renal denervation: experience at 11 European expert centers. <i>Hypertension</i> , 2014 , 63, 1319	9825	55
228	Images in cardiovascular medicine. Early tissue distribution of bone marrow mononuclear cells after transcoronary transplantation in a patient with acute myocardial infarction. <i>Circulation</i> , 2005 , 112, e63-5	5 16.7	54
227	Role of Combination Antiplatelet and Anticoagulation Therapy in Diabetes Mellitus and Cardiovascular Disease: Insights From the COMPASS Trial. <i>Circulation</i> , 2020 , 141, 1841-1854	16.7	53
226	Effect of prasugrel pre-treatment strategy in patients undergoing percutaneous coronary intervention for NSTEMI: the ACCOAST-PCI study. <i>Journal of the American College of Cardiology</i> , 2014 , 64, 2563-2571	15.1	53
225	Meta-analysis of randomized controlled trials of renal denervation in treatment-resistant hypertension. <i>Blood Pressure</i> , 2015 , 24, 263-74	1.7	51
224	Long-term survival following acute heart failure: the Acute Heart Failure Database Main registry (AHEAD Main). <i>European Journal of Internal Medicine</i> , 2013 , 24, 151-60	3.9	51
223	Use of glycoprotein IIb/IIIa inhibitors in primary percutaneous coronary intervention: insights from the APEX-AMI trial. <i>European Heart Journal</i> , 2010 , 31, 1708-16	9.5	51
222	A comparison of the VASP index between patients with hemodynamically complicated and uncomplicated acute myocardial infarction. <i>Catheterization and Cardiovascular Interventions</i> , 2010 , 75, 158-66	2.7	51
221	Shock index: a simple clinical parameter for quick mortality risk assessment in acute myocardial infarction. <i>Canadian Journal of Cardiology</i> , 2011 , 27, 739-42	3.8	49
220	1-year survival in a randomized trial of facilitated reperfusion: results from the FINESSE (Facilitated Intervention with Enhanced Reperfusion Speed to Stop Events) trial. <i>JACC: Cardiovascular Interventions</i> , 2009 , 2, 909-16	5	48
219	Efficacy and safety of fondaparinux versus enoxaparin in patients with acute coronary syndromes treated with glycoprotein IIb/IIIa inhibitors or thienopyridines: results from the OASIS 5 (Fifth Organization to Assess Strategies in Ischemic Syndromes) trial. <i>Journal of the American College of</i>	15.1	47
218	Rivaroxaban, Aspirin, or Both to Prevent Early Coronary Bypass Graft Occlusion: The COMPASS-CABG Study. <i>Journal of the American College of Cardiology</i> , 2019 , 73, 121-130	15.1	46
217	Anticoagulation with otamixaban and ischemic events in non-ST-segment elevation acute coronary syndromes: the TAO randomized clinical trial. <i>JAMA - Journal of the American Medical Association</i> , 2013 , 310, 1145-55	27.4	45
216	Cardiac arrest in takotsubo syndrome: results from the InterTAK Registry. <i>European Heart Journal</i> , 2019 , 40, 2142-2151	9.5	42
215	Use, patient selection and outcomes of P2Y12 receptor inhibitor treatment in patients with STEMI based on contemporary European registries. European Heart Journal - Cardiovascular Pharmacotherapy 2016 2 152-67	6.4	40

(2008-2016)

214	P2Y12 receptor inhibitors in patients with non-ST-elevation acute coronary syndrome in the real world: use, patient selection, and outcomes from contemporary European registries. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2016 , 2, 229-43	6.4	40
213	Design and rationale of the radial versus femoral access for coronary intervention (RIVAL) trial: a randomized comparison of radial versus femoral access for coronary angiography or intervention in patients with acute coronary syndromes. <i>American Heart Journal</i> , 2011 , 161, 254-260.e1-4	4.9	40
212	AHEAD scoreLong-term risk classification in acute heart failure. <i>International Journal of Cardiology</i> , 2016 , 202, 21-6	3.2	39
211	Outcomes Associated With Cardiogenic Shock in Takotsubo Syndrome. <i>Circulation</i> , 2019 , 139, 413-415	16.7	39
210	Radial versus femoral access for elderly patients with acute coronary syndrome undergoing coronary angiography and intervention: insights from the RIVAL trial. <i>American Heart Journal</i> , 2015 , 170, 880-6	4.9	39
209	Platelet activity and aspirin efficacy after off-pump compared with on-pump coronary artery bypass surgery: results from the prospective randomized trial PRAGUE 11-Coronary Artery Bypass and REactivity of Thrombocytes (CABARET). <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2008 , 136, 1054	1.5 -60	39
208	The additional value of patient-reported health status in predicting 1-year mortality after invasive coronary procedures: a report from the Euro Heart Survey on Coronary Revascularisation. <i>Heart</i> , 2007 , 93, 339-44	5.1	39
207	The incidence, treatment strategies and outcomes of acute coronary syndromes in the "reperfusion network" of different hospital types in the Czech Republic: results of the Czech evaluation of acute coronary syndromes in hospitalized patients (CZECH) registry. <i>International Journal of Cardiology</i> ,	3.2	39
206	One-year outcomes of patients with the zotarolimus-eluting coronary stent: RESOLUTE International Registry. <i>EuroIntervention</i> , 2012 , 7, 1181-8	3.1	39
205	Clinical Features and Outcomes of Patients With Malignancy and Takotsubo Syndrome: Observations From the International Takotsubo Registry. <i>Journal of the American Heart Association</i> , 2019 , 8, e010881	6	36
204	Bleeding events with abciximab in acute coronary syndromes without early revascularization: An analysis of GUSTO IV-ACS. <i>American Heart Journal</i> , 2004 , 147, 865-73	4.9	35
203	Implementation of primary angioplasty in Europe: stent for life initiative progress report. <i>EuroIntervention</i> , 2012 , 8, 35-42	3.1	35
202	Interventional left atrial appendage closure vs novel anticoagulation agents in patients with atrial fibrillation indicated for long-term anticoagulation (PRAGUE-17 study). <i>American Heart Journal</i> , 2017 , 183, 108-114	4.9	32
201	Prognostic value of TNF-related apoptosis inducing ligand (TRAIL) in acute coronary syndrome patients. <i>PLoS ONE</i> , 2013 , 8, e53860	3.7	32
200	Enoxaparin in primary and facilitated percutaneous coronary intervention A formal prospective nonrandomized substudy of the FINESSE trial (Facilitated INtervention with Enhanced Reperfusion Speed to Stop Events). <i>JACC: Cardiovascular Interventions</i> , 2010 , 3, 203-12	5	32
199	Reperfusion therapy of acute ischaemic stroke and acute myocardial infarction: similarities and differences. <i>European Heart Journal</i> , 2014 , 35, 147-55	9.5	31
198	Routine upfront abciximab versus standard periprocedural therapy in patients undergoing primary percutaneous coronary intervention for cardiogenic shock: The PRAGUE-7 Study. An open randomized multicentre study. <i>Acute Cardiac Care</i> , 2011 , 13, 116-22		31
197	Next day discharge after successful primary angioplasty for acute ST elevation myocardial infarction. An open randomized study "Prague-5". <i>International Heart Journal</i> , 2008 , 49, 653-9	1.8	31

196	Pericardial involvement during the course of myocardial infarction. A long-term clinical and echocardiographic study. <i>Chest</i> , 1995 , 108, 89-93	5.3	30
195	Uric acid, allopurinol therapy, and mortality in patients with acute heart failureresults of the Acute HEart FAilure Database registry. <i>Journal of Critical Care</i> , 2012 , 27, 737.e11-24	4	28
194	High-risk patients with ST-elevation myocardial infarction derive greatest absolute benefit from primary percutaneous coronary intervention: results from the Primary Coronary Angioplasty Trialist versus thrombolysis (PCAT)-2 collaboration. <i>American Heart Journal</i> , 2011 , 161, 500-507.e1	4.9	28
193	Oral anticoagulation in patients with non-valvular atrial fibrillation and a CHA2DS2-VASc score of 1: a current opinion of the European Society of Cardiology Working Group on Cardiovascular Pharmacotherapy and European Society of Cardiology Council on Stroke. <i>European Heart Journal</i>	6.4	26
192	Impact of overlapping newer generation drug-eluting stents on clinical and angiographic outcomes: pooled analysis of five trials from the international Global RESOLUTE Program. <i>Heart</i> , 2013 , 99, 626-33	5.1	26
191	The incidence and outcomes of acute coronary syndromes in a central European country: results of the CZECH-2 registry. <i>International Journal of Cardiology</i> , 2014 , 173, 204-8	3.2	25
190	Glucose levels compared with diabetes history in the risk assessment of patients with acute myocardial infarction. <i>American Heart Journal</i> , 2009 , 157, 763-70	4.9	25
189	Randomized comparison of endothelial progenitor cells capture stent versus cobalt-chromium stent for treatment of ST-elevation myocardial infarction. Six-month clinical, angiographic, and IVUS follow-up. <i>Catheterization and Cardiovascular Interventions</i> , 2010 , 76, 627-31	2.7	25
188	Clinical outcomes for prasugrel versus clopidogrel in patients with unstable angina or non-ST-elevation myocardial infarction: an analysis from the TRITON-TIMI 38 trial. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2014 , 3, 363-72	4.3	24
187	Intraventricular Thrombus Formation and Embolism in Takotsubo Syndrome: Insights From the International Takotsubo Registry. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2020 , 40, 279-287	9.4	24
186	Platelet glycoprotein GP VI 13254C allele is an independent risk factor of premature myocardial infarction. <i>Thrombosis Research</i> , 2010 , 125, e61-4	8.2	23
185	Factors influencing clopidogrel efficacy in patients with stable coronary artery disease undergoing elective percutaneous coronary intervention: statin's advantage and the smoking "paradox". <i>Journal of Cardiovascular Pharmacology</i> , 2009 , 53, 368-72	3.1	23
184	Efficacy and safety of trimetazidine after percutaneous coronary intervention (ATPCI): a randomised, double-blind, placebo-controlled trial. <i>Lancet, The</i> , 2020 , 396, 830-838	40	23
183	Bleeding and New Cancer Diagnosis in Patients With Atherosclerosis. <i>Circulation</i> , 2019 , 140, 1451-1459	16.7	22
182	A comparison of prasugrel at the time of percutaneous coronary intervention or as pretreatment at the time of diagnosis in patients with non-ST-segment elevation myocardial infarction: design and rationale for the ACCOAST study. <i>American Heart Journal</i> , 2011 , 161, 650-656.e1	4.9	22
181	Coexistence and outcome of coronary artery disease in Takotsubo syndrome. <i>European Heart Journal</i> , 2020 , 41, 3255-3268	9.5	20
180	Impact of Access Site on Bleeding and Ischemic Events in Patients With Non-ST-Segment Elevation Myocardial Infarction Treated With Prasugrel: The ACCOAST Access Substudy. <i>JACC: Cardiovascular Interventions</i> , 2016 , 9, 897-907	5	20
179	Renal denervation in comparison with intensified pharmacotherapy in true resistant hypertension: 2-year outcomes of randomized PRAGUE-15 study. <i>Journal of Hypertension</i> , 2017 , 35, 1093-1099	1.9	19

178	Platelet gene polymorphisms and risk of bleeding in patients undergoing elective coronary angiography: a genetic substudy of the PRAGUE-8 trial. <i>Atherosclerosis</i> , 2010 , 212, 548-52	3.1	19	
177	Mortality implications of primary percutaneous coronary intervention treatment delays: insights from the Assessment of Pexelizumab in Acute Myocardial Infarction trial. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2011 , 4, 183-92	5.8	19	
176	Radial versus femoral access, bleeding and ischemic events in patients with non-ST-segment elevation acute coronary syndrome managed with an invasive strategy. <i>American Heart Journal</i> , 2013 , 165, 583-590.e1	4.9	18	
175	Clinical outcomes of the Resolute zotarolimus-eluting stent in patients with in-stent restenosis: 2-year results from a pooled analysis. <i>JACC: Cardiovascular Interventions</i> , 2013 , 6, 905-13	5	18	
174	Myocardial positive pre-ejection velocity accurately detects presence of viable myocardium, predicts recovery of left ventricular function and bears a prognostic value after surgical revascularization. <i>European Heart Journal</i> , 2007 , 28, 1366-73	9.5	18	
173	Prevalence of stress-induced myocardial stunning (Tako-Tsubo cardiomyopathy) among patients undergoing emergency coronary angiography for suspected acute myocardial infarction. <i>International Journal of Cardiology</i> , 2007 , 120, 411-3	3.2	18	
172	Stent for Life: how this initiative began?. EuroIntervention, 2012, 8 Suppl P, P8-10	3.1	18	
171	Prevalence and clinical significance of liver function abnormalities in patients with acute heart failure. <i>Biomedical Papers of the Medical Faculty of the University Palacky&#x0301;, Olomouc, Czechoslovakia,</i> 2015 , 159, 429-36	1.7	18	
170	Age-Related Variations in Takotsubo Syndrome. <i>Journal of the American College of Cardiology</i> , 2020 , 75, 1869-1877	15.1	17	
169	Gull de prlitica clilica de la ESC para el manejo del infarto agudo de miocardio en pacientes con elevacili del segmento ST. <i>Revista Espanola De Cardiologia</i> , 2013 , 66, 53.e1-53.e46	1.5	17	
168	Performance of the resolute zotarolimus-eluting stent in small vessels. <i>Catheterization and Cardiovascular Interventions</i> , 2014 , 84, 17-23	2.7	17	
167	Incidence and outcomes associated with early heart failure pharmacotherapy in patients with ongoing cardiogenic shock. <i>Critical Care Medicine</i> , 2014 , 42, 281-8	1.4	17	
166	Stent thrombosisrisk assessment and prevention. <i>Cardiovascular Therapeutics</i> , 2010 , 28, e92-100	3.3	17	
165	ABSORB bioresorbable vascular scaffold vs. everolimus-eluting metallic stent in ST-segment elevation myocardial infarction (BVS EXAMINATION study): 2-Year results from a propensity score matched comparison. <i>International Journal of Cardiology</i> , 2016 , 214, 483-4	3.2	17	
164	Risk factors and clinical outcomes in chronic coronary and peripheral artery disease: An analysis of the randomized, double-blind COMPASS trial. <i>European Journal of Preventive Cardiology</i> , 2020 , 27, 296	-307	17	
163	The role of cardiologists in stroke prevention and treatment: position paper of the European Society of Cardiology Council on Stroke. <i>European Heart Journal</i> , 2018 , 39, 1567-1573	9.5	16	
162	Usefulness and safety of vorapaxar in patients with non-ST-segment elevation acute coronary syndrome undergoing percutaneous coronary intervention (from the TRACER Trial). <i>American Journal of Cardiology</i> , 2014 , 114, 665-73	3	16	
161	Positive influence of being overweight/obese on long term survival in patients hospitalised due to acute heart failure. <i>PLoS ONE</i> , 2015 , 10, e0117142	3.7	16	

160	High leukocyte count and interleukin-10 predict high on-treatment-platelet-reactivity in patients treated with clopidogrel. <i>Journal of Thrombosis and Thrombolysis</i> , 2012 , 33, 349-54	5.1	16
159	Long-term follow-up after bioresorbable vascular scaffold implantation in STEMI patients: PRAGUE-19 study update. <i>EuroIntervention</i> , 2016 , 12, 23-9	3.1	16
158	Impact of aspirin on takotsubo syndrome: a propensity score-based analysis of the InterTAK Registry. <i>European Journal of Heart Failure</i> , 2020 , 22, 330-337	12.3	16
157	Both selective and nonselective His bundle, but not myocardial, pacing preserve ventricular electrical synchrony assessed by ultra-high-frequency ECG. <i>Heart Rhythm</i> , 2020 , 17, 607-614	6.7	16
156	Clinical Predictors and Prognostic Impact of Recovery of Wall Motion Abnormalities in Takotsubo Syndrome: Results From the International Takotsubo Registry. <i>Journal of the American Heart Association</i> , 2019 , 8, e011194	6	15
155	Hemodynamic effects of sildenafil citrate and isosorbide mononitrate in men with coronary artery disease and erectile dysfunction. <i>Journal of Sexual Medicine</i> , 2005 , 2, 407-14	1.1	15
154	Diabetic patients with acute coronary syndromes in contemporary European registries: characteristics and outcomes. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2017 , 3, 198-27	13.4	14
153	Impact of prasugrel pretreatment and timing of coronary artery bypass grafting on clinical outcomes of patients with non-ST-segment elevation myocardial infarction: From the A Comparison of Prasugrel at PCI or Time of Diagnosis of Non-ST-Elevation Myocardial Infarction	4.9	14
152	Incidence, treatment, and outcomes of atrial fibrillation complicating non-ST-segment elevation acute coronary syndromes. <i>International Journal of Cardiology</i> , 2013 , 168, 2510-7	3.2	14
151	Complications after intracoronary stem cell transplantation in idiopathic dilated cardiomyopathy. <i>International Journal of Cardiology</i> , 2006 , 111, 178-9	3.2	14
150	Diurnal variation of soluble E- and P-selectin, and intercellular adhesion molecule-1 in patients with and without coronary artery disease. <i>Cardiology</i> , 2004 , 102, 194-9	1.6	14
149	Off-pump versus on-pump coronary artery bypass grafting surgery in high-risk patients: PRAGUE-6 trial at 30 days and 1 year. <i>Biomedical Papers of the Medical Faculty of the University Palacky&#x0301;, Olomouc, Czechoslovakia</i> , 2016 , 160, 263-70	1.7	14
148	Transfer times and outcomes in patients with ST-segment-elevation myocardial infarction undergoing interhospital transfer for primary percutaneous coronary intervention: APEX-AMI insights. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2012 , 5, 437-44	5.8	13
147	Reimplantation of anomalous right coronary artery arising from the pulmonary trunk leading to normal coronary flow reserve late after surgery. <i>Annals of Thoracic Surgery</i> , 2003 , 76, 1287-9	2.7	13
146	Feasibility and safety of direct catheter-based thrombectomy in the treatment of acute ischaemic stroke. Cooperation among cardiologists, neurologists and radiologists. Prospective registry PRAGUE-16. <i>EuroIntervention</i> , 2017 , 13, 131-136	3.1	13
145	How to set up an effective national primary angioplasty network: lessons learned from five European countries. <i>EuroIntervention</i> , 2009 , 5, 299, 301-309	3.1	13
144	Predictors of bleeding in patients with acute coronary syndromes treated with prasugrel. <i>Heart</i> , 2015 , 101, 1219-24	5.1	12
143	Acute heart failure registry from high-volume university hospital ED: comparing European and US data. <i>American Journal of Emergency Medicine</i> , 2012 , 30, 695-705	2.9	12

142	Renal disease and acute coronary syndrome. <i>Heart</i> , 2010 , 96, 86-92	5.1	12
141	Primary angioplasty vs. thrombolysis: the end of the controversy?. <i>European Heart Journal</i> , 2010 , 31, 634-6	9.5	12
140	Optimal pretreatment timing for high load dosing (600 mg) of clopidogrel before planned percutaneous coronary intervention for maximal antiplatelet effectiveness. <i>International Journal of Cardiology</i> , 2010 , 144, 255-7	3.2	12
139	High loading dose of clopidogrel is unable to satisfactorily inhibit platelet reactivity in patients with glycoprotein IIIA gene polymorphism: a genetic substudy of PRAGUE-8 trial. <i>Blood Coagulation and Fibrinolysis</i> , 2009 , 20, 257-62	1	12
138	Electrocardiographic changes can precede the development of myocardial hypertrophy in the setting of hypertrophic cardiomyopathy. <i>International Journal of Cardiology</i> , 1989 , 23, 335-41	3.2	12
137	Pharmacodynamic effect of clopidogrel in patients undergoing transcatheter aortic valve implantation. <i>BioMed Research International</i> , 2013 , 2013, 386074	3	11
136	Real-world safety and effectiveness outcomes of a zotarolimus-eluting stent: final 3-year report of the RESOLUTE International study. <i>Journal of Interventional Cardiology</i> , 2013 , 26, 515-23	1.8	11
135	Catheter-based interventions for acute ischaemic stroke. <i>European Heart Journal</i> , 2016 , 37, 3081-3089	9.5	10
134	Expert consensus statement of the Czech Society of Cardiology and the Czech Society of Hypertension on catheter-based sympathetic renal denervation procedures (RDN) in the Czech Republic. <i>Cor Et Vasa</i> , 2012 , 54, e108-e112	0.3	10
133	Prediction of short- and long-term mortality in takotsubo syndrome: the InterTAK Prognostic Score. <i>European Journal of Heart Failure</i> , 2019 , 21, 1469-1472	12.3	9
132	Interval From Initiation of Prasugrel to Coronary Angiography in Patients With Non-ST-Segment Elevation Myocardial Infarction. <i>Journal of the American College of Cardiology</i> , 2019 , 73, 906-914	15.1	9
131	Design and rationale of the PRAGUE-12 trial: a large, prospective, randomized, multicenter trial that compares cardiac surgery with left atrial surgical ablation with cardiac surgery without ablation in patients with coronary and/or valvular heart disease plus atrial fibrillation. <i>Clinical</i>	3.3	9
130	Risk of in-hospital mortality identified according to the typology of patients with acute heart failure: classification tree analysis on data from the Acute Heart Failure Database-Main registry. Journal of Critical Care, 2013 , 28, 250-8	4	9
129	Intracoronary transplantation of bone marrow stem cells: background, techniques, and limitations. <i>Country Review Ukraine</i> , 2006 , 8, H16-H22		9
128	Effect of papaverine administration on myocardial echocontrast distribution. <i>American Heart Journal</i> , 1987 , 114, 1248-9	4.9	9
127	Echocardiographic picture in diabetes mellitus. <i>International Heart Journal</i> , 1984 , 25, 969-77		9
126	Influence of primary coronary intervention on myocardial collagen metabolism and left ventricle remodeling predicted by collagen metabolism markers. <i>International Heart Journal</i> , 2005 , 46, 949-59	1.8	9
125	An international survey of clinical practice during primary percutaneous coronary intervention for ST-elevation myocardial infarction with a focus on aspiration thrombectomy. <i>EuroIntervention</i> , 2013 , 8, 1143-8	3.1	9

124	Comparison of outcomes in ST-segment depression and ST-segment elevation myocardial infarction patients treated with emergency PCI: data from a multicentre registry. <i>Cardiovascular Journal of Africa</i> , 2012 , 23, 495-500	0.7	9
123	Five-year outcomes in cardiac surgery patients with atrial fibrillation undergoing concomitant surgical ablation versus no ablation. The long-term follow-up of the PRAGUE-12 Study. <i>Heart Rhythm</i> , 2019 , 16, 1334-1340	6.7	8
122	Serum Dickkopf-1 signaling and calcium deposition in aortic valve are significantly related to the presence of concomitant coronary atherosclerosis in patients with symptomatic calcified aortic stenosis. <i>Journal of Translational Medicine</i> , 2015 , 13, 63	8.5	8
121	Direct Catheter-Based Thrombectomy for Acute Ischemic Stroke: Outcomes of Consecutive Patients Treated in Interventional Cardiology Centers in Close Cooperation With Neurologists. Journal of the American College of Cardiology, 2015, 66, 487-8	15.1	8
120	Enteric-coated aspirin in cardiac patients: Is it less effective than plain aspirin?. <i>Cor Et Vasa</i> , 2018 , 60, e165-e168	0.3	8
119	ECG in patients with acute heart failure can predict in-hospital and long-term mortality. <i>Internal and Emergency Medicine</i> , 2014 , 9, 283-91	3.7	8
118	Catheter-based renal denervation versus intensified medical treatment in patients with resistant hypertension: Rationale and design of a multicenter randomized study-PRAGUE-15. <i>Cor Et Vasa</i> , 2014 , 56, e235-e239	0.3	8
117	Long-term outcomes of patients receiving zotarolimus-eluting stents in ST elevation myocardial infarction, non-ST elevation acute coronary syndrome, and stable angina: data from the Resolute program. <i>International Journal of Cardiology</i> , 2013 , 168, 3522-6	3.2	8
116	Impact of body mass index on long-term clinical outcomes after second-generation drug eluting stent implantation: Insights from the international global RESOLUTE program. <i>Catheterization and Cardiovascular Interventions</i> , 2015 , 85, 952-8	2.7	8
115	Contemporary registries on P2Y12 inhibitors in patients with acute coronary syndromes in Europe: overview and methodological considerations. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2015 , 1, 232-44	6.4	8
114	Predictors of complete arrhythmia free survival in patients undergoing surgical ablation for atrial fibrillation. PRAGUE-12 randomized study sub-analysis. <i>International Journal of Cardiology</i> , 2014 , 172, 419-22	3.2	8
113	Gender differences in total cholesterol levels in patients with acute heart failure and its importance for short and long time prognosis. <i>Biomedical Papers of the Medical Faculty of the University Palacky&#x0301;, Olomouc, Czechoslovakia</i> , 2012 , 156, 21-8	1.7	8
112	A randomized, double-blind, placebo-controlled trial to assess the efficAcy and safety of Trimetazidine in patients with angina pectoris having been treated by percutaneous coronary intervention (ATPCI study): Rationale, design, and baseline characteristics. <i>American Heart Journal</i> ,	4.9	7
111	2019 , 210, 98-107 Transcatheter aortic valve implantation: long-term clinical outcome and valve durability. <i>Expert Review of Medical Devices</i> , 2015 , 12, 529-35	3.5	7
110	Neointimal coverage and late apposition of everolimus-eluting bioresorbable scaffolds implanted in the acute phase of myocardial infarction: OCT data from the PRAGUE-19 study. <i>Heart and Vessels</i> , 2016 , 31, 841-5	2.1	7
109	The use of revascularization strategies in patients with acute coronary syndromes admitted to hospitals without catheterization facilities: Results from the ALERT-CZ registry. <i>Cor Et Vasa</i> , 2013 , 55, e207-e211	0.3	7
108	Double-Dose Versus Standard-Dose Clopidogrel According to Smoking Status Among Patients With Acute Coronary Syndromes Undergoing Percutaneous Coronary Intervention. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	7
107	One-Year Clinical and Computed Tomography Angiographic Outcomes After Bioresorbable Vascular Scaffold Implantation During Primary Percutaneous Coronary Intervention for ST-Segment-Elevation Myocardial Infarction: The PRAGUE-19 Study. <i>Circulation: Cardiovascular</i>	6	7

106	Summary of the 2012 ESC Guidelines for the management of acute myocardial infarction in patients presenting with ST-segment elevations. Prepared by the Czech Society of Cardiology. <i>Cor Et Vasa</i> , 2012 , 54, e273-e289	0.3	7
105	Renal function assessed using cystatin C and antiplatelet efficacy of clopidogrel assessed using the vasodilator-stimulated phosphoprotein index in patients having percutaneous coronary intervention. <i>American Journal of Cardiology</i> , 2012 , 109, 620-3	3	7
104	Acute myocardial infarction complicated by early onset of heart failure: safety and feasibility of interhospital transfer for coronary angioplasty. Subanalysis of Killip II-IV patients from the PRAGUE-1 study. <i>Journal of Interventional Cardiology</i> , 2003 , 16, 201-8	1.8	7
103	Left Atrial Appendage Closure versus Non-Warfarin Oral Anticoagulation in Atrial Fibrillation: 4-Year Outcomes of PRAGUE-17. <i>Journal of the American College of Cardiology</i> , 2021 , 79, 1-1	15.1	7
102	Prevalence and predictors of coronary artery disease in patients undergoing carotid artery stenting. <i>Coronary Artery Disease</i> , 2019 , 30, 204-210	1.4	7
101	The year in cardiology 2018: acute coronary syndromes. <i>European Heart Journal</i> , 2019 , 40, 271-282	9.5	7
100	Hyperuricemia treatment in acute heart failure patients does not improve their long-term prognosis: A propensity score matched analysis from the AHEAD registry. <i>Clinical Cardiology</i> , 2019 , 42, 720-727	3.3	6
99	Potential role of invariant natural killer T cells in outcomes of acute myocardial infarction. <i>International Journal of Cardiology</i> , 2015 , 187, 663-5	3.2	6
98	Absorb bioresorbable stents for the treatment of coronary artery disease. <i>Expert Review of Medical Devices</i> , 2015 , 12, 545-57	3.5	6
97	Bioresorbable scaffold implantation in STEMI patients: 5 years imaging subanalysis of PRAGUE-19 study. <i>Journal of Translational Medicine</i> , 2020 , 18, 33	8.5	6
96	THE RELATIONSHIP BETWEEN SHORT AND LONGITERM ANTIPLATELET THERAPY USE AND STENT THROMBOSIS FOLLOWING PERCUTANEOUS CORONARY INTERVENTION WITH THE RESOLUTE ZOTAROLIMUS ELUTING STENT. <i>Journal of the American College of Cardiology</i> , 2013 , 61, E1862	15.1	6
95	Acute coronary syndromes with ongoing myocardial ischemia (ACS with OMI) versus acute coronary syndromes without ongoing ischemia (ACS without OMI). The new classification of acute coronary syndromes should replace old classification based on ST segment elevation presence or	0.3	6
94	An analysis of TRITON-TIMI 38, based on the 12 month recommended length of therapy in the European label for prasugrel. <i>Current Medical Research and Opinion</i> , 2014 , 30, 2193-205	2.5	6
93	ST elevation myocardial infarction treated with bioresorbable vascular scaffold: rationale and first cases. <i>European Heart Journal</i> , 2013 , 34, 2073	9.5	6
92	Does previous hypertension affect outcome in acute heart failure?. <i>European Journal of Internal Medicine</i> , 2011 , 22, 591-6	3.9	6
91	Clopidogrel up-titration versus standard dose in patients with high residual platelet reactivity after percutaneous coronary intervention: a single-center pilot randomised study. <i>International Journal of Cardiology</i> , 2011 , 150, 231-2	3.2	6
90	Low prevalence and variable clinical presentation of troponin I and troponin T gene mutations in hypertrophic cardiomyopathy. <i>Genetic Testing and Molecular Biomarkers</i> , 2009 , 13, 647-50	1.6	6
89	Variable penetration of primary angioplasty in Europewhat determines the implementation rate?. <i>EuroIntervention</i> , 2012 , 8 Suppl P, P18-26	3.1	6

88	Incidence and predictors of unplanned non-target lesion revascularisation up to three years after drug-eluting stent implantation: insights from a pooled analysis of the RESOLUTE Global Clinical Trial Program. <i>EuroIntervention</i> , 2016 , 12, 465-72	3.1	6
87	MiR-126-3p and MiR-223-3p as Biomarkers for Prediction of Thrombotic Risk in Patients with Acute Myocardial Infarction and Primary Angioplasty. <i>Journal of Personalized Medicine</i> , 2021 , 11,	3.6	6
86	The influence of age on clinical outcomes in patients treated with the resolute zotarolimus-eluting stent. <i>Catheterization and Cardiovascular Interventions</i> , 2016 , 87, 253-61	2.7	6
85	Incidence, treatment strategies and outcomes of acute coronary syndrome with and without ongoing myocardial ischaemia: results from the CZECH-3 registry. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2019 , 8, 687-694	4.3	6
84	Cardiovascular care of patients with stroke and high risk of stroke: The need for interdisciplinary action: A consensus report from the European Society of Cardiology Cardiovascular Round Table. <i>European Journal of Preventive Cardiology</i> , 2020 , 27, 682-692	3.9	6
83	Interdisciplinary management of acute ischaemic stroke: Current evidence training requirements for endovascular stroke treatment. Position Paper from the ESC Council on Stroke and the European Association for Percutaneous Cardiovascular Interventions with the support of the	9.5	6
82	"Stent 4 Life" targeting PCI at all who will benefit the most. A joint project between EAPCI, Euro-PCR, EUCOMED and the ESC Working Group on Acute Cardiac Care. <i>EuroIntervention</i> , 2009 , 4, 555, 557	3.1	6
81	The impact of age and Killip class on outcomes of primary percutaneous coronary intervention. Insight from the PRAGUE-1 and -2 trials and registry. <i>EuroIntervention</i> , 2007 , 2, 481-6	3.1	6
80	Degenerative changes and immune response after transcatheter aortic valve implantation. Comparison with surgical aortic valve replacement. <i>Journal of Cardiology</i> , 2017 , 69, 483-488	3	5
79	Technical and safety aspects of renal denervation. <i>Cor Et Vasa</i> , 2014 , 56, e228-e234	0.3	5
78	Acute myocardial infarction complicated by shock: outcome analysis based on initial electrocardiogram. <i>Scandinavian Cardiovascular Journal</i> , 2014 , 48, 13-9	2	5
77	Corrigendum to: Reperfusion therapy for ST elevation acute myocardial infarction 2010/2011: current status in 37 ESC countries. <i>European Heart Journal</i> , 2014 , 35, 2697-2697	9.5	5
76	Clopidogrel resistance "Live" - the risk of stent thrombosis should be evaluated before procedures. <i>Thrombosis Journal</i> , 2009 , 7, 6	5.6	5
75	An embolus in the right atrium caught in the Chiari network and resistant to thrombolysis. <i>Journal of Thrombosis and Thrombolysis</i> , 2010 , 30, 114-8	5.1	5
74	Direct catheter-based thrombectomy in acute ischaemic stroke performed collaboratively by cardiologists, neurologists and radiologists: the single-centre pilot experience (PRAGUE-16 study). <i>EuroIntervention</i> , 2014 , 10, 869-75	3.1	5
73	The importance of time: Time delays in acute stroke. <i>Cor Et Vasa</i> , 2016 , 58, e225-e232	0.3	5
72	Worse prognosis of real-world patients with acute heart failure from the Czech AHEAD registry in comparison to patients from the RELAX-AHF trial. <i>ESC Heart Failure</i> , 2017 , 4, 8-15	3.7	4
71	Lack of association between clopidogrel responsiveness tested using point-of-care assay and prognosis of patients with coronary artery disease. <i>Journal of Thrombosis and Thrombolysis</i> , 2013 , 36, 1-6	5.1	4

(2020-2009)

70	Improving outcomes in patients undergoing percutaneous coronary intervention: role of prasugrel. <i>Vascular Health and Risk Management</i> , 2009 , 5, 475-81	4.4	4
69	The potential value of histological analysis of thrombi extracted through mechanical thrombectomy during acute ischemic stroke treatment. <i>Anatolian Journal of Cardiology</i> , 2020 , 23, 254-2	259 ⁸	4
68	Clinical results with the Resolute zotarolimus-eluting stent in total coronary occlusions. <i>EuroIntervention</i> , 2015 , 11, 650-7	3.1	4
67	Czech Republic and low COVID-19 mortality in the heart of Europe: possible explanations. <i>European Heart Journal</i> , 2020 , 41, 3876-3879	9.5	4
66	Stable Clinical Outcomes When a Stroke Thrombectomy Program Is Started in an Experienced Cardiology Cath Lab. <i>JACC: Cardiovascular Interventions</i> , 2021 , 14, 785-792	5	4
65	Optimal timing of initiation of oral P2Y12-receptor antagonist therapy in patients with non-ST elevation acute coronary syndromes. Lessons learnt from the ACCOAST-trial. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2016 , 5, 282-8	4.3	3
64	Ischaemic stroke and ST-segment elevation myocardial infarction: fast-track single-stop approach. <i>European Heart Journal</i> , 2015 , 36, 2348-55	9.5	3
63	Clinical outcomes of acute ischemic stroke patients treated by direct catheter-based trombectomy depending on their baseline characteristics. <i>Cor Et Vasa</i> , 2018 , 60, e30-e34	0.3	3
62	Two-year follow-up after bioresorbable vascular scaffold implantation in STEMI patients - Results from PRAGUE-19 study. <i>International Journal of Cardiology</i> , 2016 , 209, 20-1	3.2	3
61	Trends in epidemiology and the treatment of acute coronary syndromes in the Czech Republic: Comparison of the CZECH-1 and CZECH-2 registries. <i>Cor Et Vasa</i> , 2014 , 56, e285-e290	0.3	3
60	Protocols of antithrombotic therapy in a University Cardiocenter. Cor Et Vasa, 2013, 55, e201-e206	0.3	3
59	Variants in miRNA regulating cardiac growth are not a common cause of hypertrophic cardiomyopathy. <i>Cardiology</i> , 2015 , 130, 137-42	1.6	3
58	Patterns of long-term thienopyridine therapy and outcomes in patients with acute coronary syndrome treated with coronary stenting: Observations from the TIMI-38 Coronary Stent Registry. <i>Clinical Cardiology</i> , 2014 , 37, 293-9	3.3	3
57	Stent for Life Initiative: where are we standing and where are we going?. European Heart Journal: Acute Cardiovascular Care, 2012, 1, 48-9	4.3	3
56	Comparison of cationic propyl gallate and adenosine diphosphate for the measurement of aspirin effectivity with optical aggregometry. <i>Translational Research</i> , 2007 , 150, 246-52	11	3
55	The comparison of platelet activity between patients with patent vs. occluded coronary artery bypass grafts. <i>Thrombosis Research</i> , 2007 , 120, 523-9	8.2	3
54	Pericardial Effusion as a Consequence of Acute Myocardial Infarction. <i>Echocardiography</i> , 1999 , 16, 317-3	3205	3
53	LUCAS II Device for Cardiopulmonary Resuscitation in a Nonselective Out-of-Hospital Cardiac Arrest Population Leads to Worse 30-Day Survival Rate Than Manual Chest Compressions. <i>Journal of Emergency Medicine</i> , 2020 , 59, 673-679	1.5	3

52	Ethnic comparison in takotsubo syndrome: novel insights from the International Takotsubo Registry. <i>Clinical Research in Cardiology</i> , 2021 , 1	6.1	3
51	Prognostic impact of acute pulmonary triggers in patients with takotsubo syndrome: new insights from the International Takotsubo Registry. <i>ESC Heart Failure</i> , 2021 , 8, 1924-1932	3.7	3
50	Frequency, clinical and angiographic characteristics, and outcomes of high-risk non-ST-segment elevation acute coronary syndromes patients with left circumflex culprit lesions. <i>International Journal of Cardiology</i> , 2016 , 203, 708-13	3.2	2
49	Severe left ventricular systolic dysfunction is independently associated with high on-clopidogrel platelet reactivity. <i>American Journal of Cardiovascular Drugs</i> , 2014 , 14, 313-8	4	2
48	Acute myocardial infarction due to the left main coronary artery occlusion: electrocardiograhic patterns, angiographic findings, revascularization and in-hospital outcomes. <i>Cor Et Vasa</i> , 2012 , 54, e3-e ⁻²	7 ^{0.3}	2
47	Evolving strategies in the management of acute coronary syndromes with oral antiplatelet agents. <i>Cor Et Vasa</i> , 2012 , 54, e32-e38	0.3	2
46	Clopidogrel before elective percutaneous coronary intervention. <i>Journal of Clinical Pharmacology</i> , 2010 , 50, 373-9	2.9	2
45	RESISTANCE TO CLOPIDOGREL ASSESSED BY VASP PHOSPHORYLATION IS A NEGATIVE PROGNOSTIC FACTOR IN PATIENTS UNDERGOING ELECTIVE PCI FOR STABLE CORONARY ARTERY DISEASE: ANALYSIS FROM LABORATORY SUBSTUDY OF PRAGUE 8 TRIAL. <i>Journal of the American</i>	15.1	2
44	The time has come for new, more precise guidelines in the treatment of high-risk acute coronary syndromes with heparin. <i>Circulation Journal</i> , 2008 , 72, 1674-9	2.9	2
43	Inter-hospital transport for primary angioplasty does not compromise left ventricular function: six-month echocardiographic follow-up of the PRAGUE 1 Study. <i>International Heart Journal</i> , 2003 , 44, 313-22		2
42	Stent thrombosis in acute coronary syndromes: Patient-related factors and operator-related factors. <i>Anatolian Journal of Cardiology</i> , 2020 , 24, 274-279	0.8	2
41	Heart rate as an independent predictor of long term mortality of acute heart failure patients in sinus rhythm according to their ejection fraction: data from the AHEAD registry. <i>European Journal of Internal Medicine</i> , 2020 , 78, 88-94	3.9	1
40	Trends in the treatment and outcomes of elderly patients with acute coronary syndrome: Results from the CZECH registries. <i>Cor Et Vasa</i> , 2018 , 60, e66-e69	0.3	1
39	Transportation to primary percutaneous coronary intervention, compared with on-site fibrinolysis, is a strong independent predictor of functional status after myocardial infarction: 5-year follow-up of the PRAGUE-2 trial. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2014 , 3, 105-9	4.3	1
38	Acute revascularization in ST-segment-elevation myocardial infarction. <i>Current Atherosclerosis Reports</i> , 2014 , 16, 412	6	1
37	Antiplatelet therapy in patients after an acute coronary syndrome. Comparison of the Czech and Slovak Republics. Results of the ATHRO registry. <i>Cor Et Vasa</i> , 2014 , 56, e320-e324	0.3	1
36	Circulating osteoprotegerin and Dickkopf-1 changed significantly after surgical aortic valve replacement but remained without any significant differences after transcatheter aortic valve implantation. <i>International Journal of Cardiology</i> , 2012 , 158, 300-1	3.2	1
35	Platelet-derived chemokines, PF-4 and RANTES, are significantly increased in hemodynamically significant degenerative aortic stenosis. <i>International Journal of Cardiology</i> , 2011 , 152, 273-5	3.2	1

(2020-2007)

34	Near-normal coronary angiography in a patient, who is entirely asymptomatic 24 years after successful intracoronary thrombolysis for ST elevation myocardial infarction. Follow-up of the historically first Czech intracoronary thrombolysis patient. <i>Acute Cardiac Care</i> , 2007 , 9, 239-42		1
33	Left atrial appendage closure - ready for widespread clinical use?. EuroIntervention, 2020, 16, e701-e702	23.1	1
32	Revaskularizace myokardu. Perkutfin[koronfin[intervence a aortokoronfin[bypass. <i>Cor Et Vasa</i> , 2011 , 53, 3-24	0.3	1
31	When will acute stroke interventions be as widely available as primary PCI?. <i>EuroIntervention</i> , 2017 , 13, 1269-1272	3.1	1
30	Modified Strategies for Invasive Management of Acute Coronary Syndrome during the COVID-19 Pandemic. <i>Journal of Clinical Medicine</i> , 2020 , 10,	5.1	1
29	The Bioresorbable Stent in Perspective-How Much of an Advance is It?. <i>Interventional Cardiology Review</i> , 2014 , 9, 23-25	4.2	1
28	Endovascular thrombectomy 2020: open issues. European Heart Journal Supplements, 2020, 22, M13-M1	8 1.5	1
27	Risk of a coronary event in patients after ischemic stroke or transient ischemic attack. <i>Anatolian Journal of Cardiology</i> , 2021 , 25, 152-155	0.8	1
26	Low-dose rivaroxaban plus aspirin in patients with polypharmacy and multimorbidity: an analysis from the COMPASS trial. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021 ,	6.4	1
25	Optical coherence tomography in STEMI with bioresorbable scaffold: possible cause of coronary flow impairment? A sub-study from the Prague 19 trial. <i>Heart and Vessels</i> , 2018 , 33, 1282-1287	2.1	1
24	The effect of left atrial appendage closure on heart failure biomarkers: A PRAGUE-17 trial subanalysis. <i>Journal of Cardiovascular Electrophysiology</i> , 2021 , 32, 2645-2654	2.7	1
23	The mortality benefit seen with the newer more potent oral P2Y12 inhibitors prasugrel and ticagrelor over clopidogrel is dependent on the underlying risk: A class effect as suggested by a meta-regression analysis. <i>Cor Et Vasa</i> , 2018 , 60, e127-e132	0.3	O
22	Resolute zotarolimus-eluting coronary stent system for the treatment of coronary artery disease. <i>Expert Review of Medical Devices</i> , 2014 , 11, 247-57	3.5	0
21	Ischemic Events Occur Early in Patients Undergoing Percutaneous Coronary Intervention and Are Reduced With Cangrelor: Findings From CHAMPION PHOENIX <i>Circulation: Cardiovascular Interventions</i> , 2021 , CIRCINTERVENTIONS120010390	6	O
20	Cardiovascular consequences of discontinuing low-dose rivaroxaban in people with chronic coronary or peripheral artery disease. <i>Heart</i> , 2021 , 107, 1130-1137	5.1	0
19	Clinical and radiological factors predicting stroke outcome after successful mechanical intervention in anterior circulation <i>European Heart Journal Supplements</i> , 2022 , 24, B48-B52	1.5	Ο
18	Outcomes of patients hospitalized for suspected acute coronary syndrome, in whom the diagnosis was not confirmed: Results from the CZECH-1 and CZECH-2 registries. <i>Cor Et Vasa</i> , 2015 , 57, e1-e5	0.3	
17	Otto Klein from Prague University Hospital performed the world first diagnostic cardiac catheterization in 11 Czech patients in 1929. <i>European Heart Journal</i> , 2020 , 41, 1323-1325	9.5	

16	Antithrombotic therapy of patients with atrial fibrillation discharged after major non-cardiac surgery. 1-year follow-up. Sub-analysis of PRAGUE 14 study. <i>PLoS ONE</i> , 2017 , 12, e0177519	3.7
15	La iniciativa Stent for Life en Europa. <i>Revista Espanola De Cardiologia Suplementos</i> , 2011 , 11, 2-5	0.2
14	Patient characteristics, treatment strategy, outcomes, and hospital costs of acute coronary syndrome: 3 years of data from a large high-volume centre in Central Europe <i>European Heart Journal Supplements</i> , 2022 , 24, B3-B9	1.5
13	Direct transfer of acute stroke patients to angiography suites equipped with flat-detector computed tomography: literature review and initial single-centre experience <i>European Heart Journal Supplements</i> , 2022 , 24, B42-B47	1.5
12	Cellular therapy of coronary heart disease: a review of concepts, limitations, prospects. Part Two. Stem cells, prospects of cullular therapy. <i>Cor Et Vasa</i> , 2006 , 48, 234-241	0.3
11	Left ventricular remodelling adaptation or maladaptation?. Cor Et Vasa, 2006, 48, 441-446	0.3
10	Electrocardiogram changes due to myocardial infarction in a patient with selective His bundle pacing. <i>Kardiologia Polska</i> , 2019 , 77, 237	0.9
9	Treatment of ST elevation acute myocardial infarction in Europe. Cor Et Vasa, 2010, 52, 22-23	0.3
8	Measuring of platelet activity and efficacy of antiplatelet therapy. Cor Et Vasa, 2010, 52, 15-20	0.3
7	Aspirin resistance after coronary artery bypass grafting. <i>Cor Et Vasa</i> , 2010 , 52, 52-58	0.3
6	History of cardiovascular research at the Charles University. <i>European Heart Journal Supplements</i> , 2020 , 22, F1-F5	1.5
5	Current cardiovascular research at the Charles University: the 'PRAGUE' trials and beyond. <i>European Heart Journal Supplements</i> , 2020 , 22, F6-F13	1.5
4	The prognostic significance of periprocedural infarction in the era of potent antithrombotic therapy. The PRAGUE-18 substudy. <i>International Journal of Cardiology</i> , 2020 , 319, 1-6	3.2
3	Jiri Widimsky MD. <i>European Heart Journal</i> , 2021 , 42, 1285-1286	9.5
2	How many years it will take to implement the new stroke guidelines for the benefit of all suitable patients with acute ischemic stroke in Europe?. <i>Cor Et Vasa</i> , 2016 , 58, e212-e214	0.3
1	Stroke thrombectomy (´– thrombolysis), and not thrombolysis alone, should be the gold standard for stroke treatment <i>EuroIntervention</i> , 2022 , 17, e1367-e1368	3.1