

Thomas van Groen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3286934/publications.pdf>

Version: 2024-02-01

54
papers

3,443
citations

218592

26
h-index

161767

54
g-index

58
all docs

58
docs citations

58
times ranked

3308
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Connections between the retrosplenial cortex and the hippocampal formation in the rat: A review. <i>Hippocampus</i> , 1992, 2, 1-11. | 0.9 | 337 |
| 2 | Connections of the retrosplenial granular a cortex in the rat. <i>Journal of Comparative Neurology</i> , 1990, 300, 593-606. | 0.9 | 318 |
| 3 | Connections of the retrosplenial granular b cortex in the rat. <i>Journal of Comparative Neurology</i> , 2003, 463, 249-263. | 0.9 | 284 |
| 4 | Connections of the retrosplenial dysgranular cortex in the rat. <i>Journal of Comparative Neurology</i> , 1992, 315, 200-216. | 0.9 | 277 |
| 5 | The entorhinal cortex of the mouse: Organization of the projection to the hippocampal formation. <i>Hippocampus</i> , 2003, 13, 133-149. | 0.9 | 270 |
| 6 | Transformation of Diffuse β -Amyloid Precursor Protein and β -Amyloid Deposits to Plaques in the Thalamus After Transient Occlusion of the Middle Cerebral Artery in Rats. <i>Stroke</i> , 2005, 36, 1551-1556. | 1.0 | 159 |
| 7 | Projections from the laterodorsal nucleus of the thalamus to the limbic and visual cortices in the rat. <i>Journal of Comparative Neurology</i> , 1992, 324, 427-448. | 0.9 | 137 |
| 8 | Reduction of Alzheimer's Disease Amyloid Plaque Load in Transgenic Mice by D3, a β -Enantiomeric Peptide Identified by Mirror Image Phage Display. <i>ChemMedChem</i> , 2008, 3, 1848-1852. | 1.6 | 115 |
| 9 | Role of the anterodorsal and anteroventral nuclei of the thalamus in spatial memory in the rat. <i>Behavioural Brain Research</i> , 2002, 132, 19-28. | 1.2 | 113 |
| 10 | Oral Treatment with the β -Enantiomeric Peptide D3 Improves the Pathology and Behavior of Alzheimer's Disease Transgenic Mice. <i>ACS Chemical Neuroscience</i> , 2010, 1, 639-648. | 1.7 | 107 |
| 11 | Deposition of mouse amyloid β in human APP/PS1 double and single AD model transgenic mice. <i>Neurobiology of Disease</i> , 2006, 23, 653-662. | 2.1 | 94 |
| 12 | The role of the laterodorsal nucleus of the thalamus in spatial learning and memory in the rat. <i>Behavioural Brain Research</i> , 2002, 136, 329-337. | 1.2 | 89 |
| 13 | Retrosplenial cortex lesions of area Rgb (but not of area Rga) impair spatial learning and memory in the rat. <i>Behavioural Brain Research</i> , 2004, 154, 483-491. | 1.2 | 76 |
| 14 | Species differences in the projections from the entorhinal cortex to the hippocampus. <i>Brain Research Bulletin</i> , 2002, 57, 553-556. | 1.4 | 74 |
| 15 | β 2A adrenergic receptor promotes amyloidogenesis through disrupting APP-SorLA interaction. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 17296-17301. | 3.3 | 63 |
| 16 | Transgenic AD model mice, effects of potential anti-AD treatments on inflammation and pathology. <i>Brain Research Reviews</i> , 2005, 48, 370-378. | 9.1 | 60 |
| 17 | In vitro and in vivo Staining Characteristics of Small, Fluorescent, β 42 Binding β -Enantiomeric Peptides in Transgenic AD Mouse Models. <i>ChemMedChem</i> , 2009, 4, 276-282. | 1.6 | 60 |
| 18 | Age-related brain pathology in <i>Octodon degu</i> : Blood vessel, white matter and Alzheimer-like pathology. <i>Neurobiology of Aging</i> , 2011, 32, 1651-1661. | 1.5 | 58 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Neurodevelopmental impairment following neonatal hyperoxia in the mouse. <i>Neurobiology of Disease</i> , 2013, 50, 69-75. | 2.1 | 55 |
| 20 | Species differences in hippocampal commissural connections: Studies in rat, guinea pig, rabbit, and cat. <i>Journal of Comparative Neurology</i> , 1988, 267, 322-334. | 0.9 | 52 |
| 21 | Entorhinal cortex of the mouse: Cytoarchitectonical organization. <i>Hippocampus</i> , 2001, 11, 397-407. | 0.9 | 47 |
| 22 | Old rats remember old tricks; memories of the water maze persist for 12 months. <i>Behavioural Brain Research</i> , 2002, 136, 247-255. | 1.2 | 44 |
| 23 | The A β oligomer eliminating D-enantiomeric peptide RD2 improves cognition without changing plaque pathology. <i>Scientific Reports</i> , 2017, 7, 16275. | 1.6 | 42 |
| 24 | QIAD assay for quantitating a compound's efficacy in elimination of toxic A β oligomers. <i>Scientific Reports</i> , 2015, 5, 13222. | 1.6 | 39 |
| 25 | Ghrelin agonist does not foster insulin resistance but improves cognition in an Alzheimer's disease mouse model. <i>Scientific Reports</i> , 2015, 5, 11452. | 1.6 | 38 |
| 26 | Treatment with D3 Removes Amyloid Deposits, Reduces Inflammation, and Improves Cognition in Aged A β PP/PS1 Double Transgenic Mice. <i>Journal of Alzheimer's Disease</i> , 2013, 34, 609-620. | 1.2 | 35 |
| 27 | Observational research rigour alone does not justify causal inference. <i>European Journal of Clinical Investigation</i> , 2016, 46, 985-993. | 1.7 | 30 |
| 28 | A Small Molecule Inhibitor of Plasminogen Activator Inhibitor-1 Reduces Brain Amyloid- β Load and Improves Memory in an Animal Model of Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2018, 64, 447-457. | 1.2 | 29 |
| 29 | Treatment of traumatic brain injury with 17 β -ethinylestradiol-3-sulfate in a rat model. <i>Journal of Neurosurgery</i> , 2017, 127, 23-31. | 0.9 | 28 |
| 30 | Altered phosphorylation, electrophysiology, and behavior on attenuation of PDE4B action in hippocampus. <i>BMC Neuroscience</i> , 2017, 18, 77. | 0.8 | 25 |
| 31 | Increase of Positive Net Charge and Conformational Rigidity Enhances the Efficacy of D-Enantiomeric Peptides Designed to Eliminate Cytotoxic A β Species. <i>ACS Chemical Neuroscience</i> , 2016, 7, 1088-1096. | 1.7 | 24 |
| 32 | Treatment with A β 42 Binding d-Amino Acid Peptides Reduce Amyloid Deposition and Inflammation in APP/PS1 Double Transgenic Mice. <i>Advances in Protein Chemistry and Structural Biology</i> , 2012, 88, 133-152. | 1.0 | 21 |
| 33 | Blood-brain barrier penetration of an A β -targeted, arginine-rich, d-enantiomeric peptide. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2016, 1858, 2717-2724. | 1.4 | 21 |
| 34 | Reductive stress promotes protein aggregation and impairs neurogenesis. <i>Redox Biology</i> , 2020, 37, 101739. | 3.9 | 21 |
| 35 | Optimization of D-Peptides for A β Monomer Binding Specificity Enhances Their Potential to Eliminate Toxic A β Oligomers. <i>ACS Chemical Neuroscience</i> , 2017, 8, 1889-1900. | 1.7 | 20 |
| 36 | Dietary composition affects the development of cognitive deficits in WT and Tg AD model mice. <i>Experimental Gerontology</i> , 2016, 86, 39-49. | 1.2 | 18 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | The SINE Compound KPT-350 Blocks Dystrophic Pathologies in DMD Zebrafish and Mice. <i>Molecular Therapy</i> , 2020, 28, 189-201. | 3.7 | 17 |
| 38 | Dysregulated clock gene expression and abnormal diurnal regulation of hippocampal inhibitory transmission and spatial memory in amyloid precursor protein transgenic mice. <i>Neurobiology of Disease</i> , 2021, 158, 105454. | 2.1 | 15 |
| 39 | Transgenic AD Model Mice, Effects of Potential Anti-AD Treatments on Inflammation, and Pathology. <i>Journal of Alzheimer's Disease</i> , 2011, 24, 301-313. | 1.2 | 14 |
| 40 | Inhibition of amyloid A β aggregation by high pressures or specific<sc>d</sc>-enantiomeric peptides. <i>Chemical Communications</i> , 2018, 54, 3294-3297. | 2.2 | 13 |
| 41 | Memory-enhancing and brain protein expression-stimulating effects of novel calcium antagonist in Alzheimer's disease transgenic female mice. <i>Pharmacological Research</i> , 2016, 113, 781-787. | 3.1 | 11 |
| 42 | Retinal changes in the Tg-SwDI mouse model of Alzheimer's disease. <i>Neuroscience</i> , 2017, 354, 43-53. | 1.1 | 11 |
| 43 | Vitamin A and retinoic acid combination attenuates neonatal hyperoxia-induced neurobehavioral impairment in adult mice. <i>Neurobiology of Learning and Memory</i> , 2017, 141, 209-216. | 1.0 | 11 |
| 44 | Behavioral and SCN neurophysiological disruption in the Tg-SwDI mouse model of Alzheimer's disease. <i>Neurobiology of Disease</i> , 2018, 114, 194-200. | 2.1 | 11 |
| 45 | Cyclic O ₃ exposure synergizes with aging leading to memory impairment in male APOE ϵ 3, but not APOE ϵ 4, targeted replacement mice. <i>Neurobiology of Aging</i> , 2019, 81, 9-21. | 1.5 | 11 |
| 46 | ROR γ t-Expressing Pathogenic CD4+ T Cells Cause Brain Inflammation during Chronic Colitis. <i>Journal of Immunology</i> , 2022, 208, 2054-2066. | 0.4 | 11 |
| 47 | A Novel 1,4-Dihydropyridine Derivative Improves Spatial Learning and Memory and Modifies Brain Protein Expression in Wild Type and Transgenic APPSweDI Mice. <i>PLoS ONE</i> , 2015, 10, e0127686. | 1.1 | 10 |
| 48 | Mildronate improves cognition and reduces amyloid β pathology in transgenic Alzheimer's disease mice. <i>Journal of Neuroscience Research</i> , 2014, 92, 338-346. | 1.3 | 8 |
| 49 | Dominant-Negative Attenuation of cAMP-Selective Phosphodiesterase PDE4D Action Affects Learning and Behavior. <i>International Journal of Molecular Sciences</i> , 2020, 21, 5704. | 1.8 | 6 |
| 50 | Axonal tract tracing for delineating interacting brain regions: implications for Alzheimer's disease-associated memory. <i>Future Neurology</i> , 2014, 9, 89-98. | 0.9 | 3 |
| 51 | Widespread Doublecortin Expression in the Cerebral Cortex of the Octodon degus. <i>Frontiers in Neuroanatomy</i> , 2021, 15, 656882. | 0.9 | 3 |
| 52 | Subchronic administration of auranofin reduced amyloid- β plaque pathology in a transgenic APPNL-G-F/NL-G-F mouse model. <i>Brain Research</i> , 2020, 1746, 147022. | 1.1 | 2 |
| 53 | Transformation of diffuse beta-amyloid precursor protein and beta-amyloid deposits to plaques in the thalamus following transient occlusion of the middle cerebral artery in rats. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2005, 25, S213-S213. | 2.4 | 2 |
| 54 | Entorhinal cortex of the mouse: Cytoarchitectonical organization. <i>Hippocampus</i> , 2001, 11, 397-407. | 0.9 | 1 |