Francesc D Marco

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/3287855/francesc-d-marco-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

262 88 10,143 52 h-index g-index citations papers 6.6 12,048 5.46 276 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
262	Rectal colonization by resistant bacteria increases the risk of infection by the colonizing strain in critically ill patients with cirrhosis <i>Journal of Hepatology</i> , 2022 ,	13.4	3
261	Changes in the gut microbiota and risk of colonization by multidrug-resistant bacteria, infection and death in critical care patients <i>Clinical Microbiology and Infection</i> , 2022 ,	9.5	1
260	Infective Endocarditis: New Challenges in a Classic Disease <i>Seminars in Respiratory and Critical Care Medicine</i> , 2022 , 43, 150-172	3.9	
259	Impact of empirical antibiotic regimens on mortality in neutropenic patients with bloodstream infection presenting with septic shock. <i>Antimicrobial Agents and Chemotherapy</i> , 2021 , AAC0174421	5.9	4
258	Emphysematous Hepatitis. New England Journal of Medicine, 2021, 385, e58	59.2	
257	Recommendations for antibiotic selection for severe nosocomial infections. <i>Revista Espanola De Quimioterapia</i> , 2021 , 34, 511-524	1.6	1
256	Antibiotic-resistant microorganisms in patients with bloodstream infection of intraabdominal origin: risk factors and impact on mortality. <i>Infection</i> , 2021 , 49, 693-702	5.8	5
255	Risk Factors for Mortality in Hematopoietic Stem Cell Transplantation Recipients with Bloodstream Infection: Points To Be Addressed by Future Guidelines. <i>Transplantation and Cellular Therapy</i> , 2021 , 27, 501.e1-501.e6		O
254	Clinical Characteristics and Outcome of Bloodstream Infections in HIV-Infected Patients with Cancer and Febrile Neutropenia: A Case-Control Study. <i>Infectious Diseases and Therapy</i> , 2021 , 10, 955-97	76 ^{.2}	O
253	Machine Learning to Assess the Risk of Multidrug-Resistant Gram-Negative Bacilli Infections in Febrile Neutropenic Hematological Patients. <i>Infectious Diseases and Therapy</i> , 2021 , 10, 971-983	6.2	1
252	Effectiveness of vancomycin plus cloxacillin compared with vancomycin, cloxacillin and daptomycin single therapies in the treatment of methicillin-resistant and methicillin-susceptible Staphylococcus aureus in a rabbit model of experimental endocarditis. <i>Journal of Antimicrobial Chemotherapy</i> , 2021	5.1	1
251	Changing epidemiology of catheter-related bloodstream infections in neutropenic oncohematological patients. <i>PLoS ONE</i> , 2021 , 16, e0251010	3.7	4
250	High prevalence and mortality due to Histoplasma capsulatum in the Brazilian Amazon: An autopsy study. <i>PLoS Neglected Tropical Diseases</i> , 2021 , 15, e0009286	4.8	2
249	Predicting Pseudomonas aeruginosa susceptibility phenotypes from whole genome sequence resistome analysis. <i>Clinical Microbiology and Infection</i> , 2021 , 27, 1631-1637	9.5	6
248	Oral decontamination with colistin plus neomycin in solid organ transplant recipients colonized by multidrug-resistant Enterobacterales: a multicentre, randomized, controlled, open-label, parallel-group clinical trial. <i>Clinical Microbiology and Infection</i> , 2021 , 27, 856-863	9.5	5
247	Impact of Inflammatory Response Modifiers on the Incidence of Hospital-Acquired Infections in Patients with COVID-19. <i>Infectious Diseases and Therapy</i> , 2021 , 10, 1407-1418	6.2	2
246	Molecular characterization of multidrug resistant Enterobacterales strains isolated from liver and kidney transplant recipients in Spain. <i>Scientific Reports</i> , 2021 , 11, 11875	4.9	2

245	Incidence of co-infections and superinfections in hospitalized patients with COVID-19: a retrospective cohort study. <i>Clinical Microbiology and Infection</i> , 2021 , 27, 83-88	9.5	280
244	Dissemination of NDM-producing Klebsiella pneumoniae and Escherichia coli high-risk clones in Catalan healthcare institutions. <i>Journal of Antimicrobial Chemotherapy</i> , 2021 , 76, 345-354	5.1	5
243	Salvage Treatment with Cefiderocol Regimens in Two Intravascular Foreign Body Infections by MDR Gram-Negative Pathogens, Involving Non-Removable Devices. <i>Infectious Diseases and Therapy</i> , 2021 , 10, 575-581	6.2	3
242	Prevalence of Colorectal Neoplasms Among Patients With Enterococcus faecalis Endocarditis in the GAMES Cohort (2008-2017). <i>Mayo Clinic Proceedings</i> , 2021 , 96, 132-146	6.4	8
241	Evaluation of Vitek-MSIand Microflex LTIcommercial systems for identification of Acinetobacter calcoaceticus-baumannii complex. <i>Enfermedades Infecciosas Y Microbiolog</i> a Claica, 2021 , 39, 9-13	0.9	1
240	Factors Associated With Short-Term Eradication of Rectal Colonization by KPC-2 Producing in an Outbreak Setting. <i>Frontiers in Microbiology</i> , 2021 , 12, 630826	5.7	2
239	Emergence of Resistance to Novel Cephalosporin-Lactamase Inhibitor Combinations through the Modification of the Pseudomonas aeruginosa MexCD-OprJ Efflux Pump. <i>Antimicrobial Agents and Chemotherapy</i> , 2021 , 65, e0008921	5.9	8
238	Evaluation of Vitek-MSIand Microflex LTIcommercial systems for identification of Acinetobacter calcoaceticusBaumannii complex. <i>Enfermedades Infecciosas Y Microbiologia Clinica (English Ed)</i> , 2021 , 39, 9-13	0.1	
237	Clonal Spread and Intra- and Inter-Species Plasmid Dissemination Associated With Carbapenemase-Producing Enterobacterales During a Hospital Outbreak in Barcelona, Spain. <i>Frontiers in Microbiology</i> , 2021 , 12, 781127	5.7	1
236	A Contemporary Picture of Enterococcal Endocarditis. <i>Journal of the American College of Cardiology</i> , 2020 , 75, 482-494	15.1	21
235	Assessment of a Loop-Mediated Isothermal Amplification (LAMP) Assay for the Rapid Detection of Pathogenic Bacteria from Respiratory Samples in Patients with Hospital-Acquired Pneumonia. <i>Microorganisms</i> , 2020 , 8,	4.9	12
234	Inappropriate Empirical Antibiotic Treatment in High-risk Neutropenic Patients With Bacteremia in the Era of Multidrug Resistance. <i>Clinical Infectious Diseases</i> , 2020 , 70, 1068-1074	11.6	28
233	Recommendations of the Spanish Antibiogram Committee (COESANT) for selecting antimicrobial agents and concentrations for in vitro susceptibility studies using automated systems. Enfermedades Infecciosas Y Microbiolog Claica, 2020, 38, 182-187	0.9	0
232	Relationship between Vancomycin MIC and Virulence Gene Expression in Clonal Complexes of Methicillin-Susceptible Staphylococcus aureus Strains Isolated from Left-Sided Endocarditis. <i>Antimicrobial Agents and Chemotherapy</i> , 2020 , 64,	5.9	2
231	An evidence-based bundle improves the quality of care and outcomes of patients with candidaemia. <i>Journal of Antimicrobial Chemotherapy</i> , 2020 , 75, 730-737	5.1	11
230	Recommendations of the Spanish Antibiogram Committee (COESANT) for selecting antimicrobial agents and concentrations for in vitro susceptibility studies using automated systems. <i>Enfermedades Infecciosas Y Microbiologia Clinica (English Ed)</i> , 2020 , 38, 182-187	0.1	
229	Adherence to Human Colon Cells by Multidrug Resistant Strains Isolated From Solid Organ Transplant Recipients With a Focus on. <i>Frontiers in Cellular and Infection Microbiology</i> , 2020 , 10, 447	5.9	3
228	Cloxacillin or fosfomycin plus daptomycin combinations are more active than cloxacillin monotherapy or combined with gentamicin against MSSA in a rabbit model of experimental endocarditis. <i>Journal of Antimicrobial Chemotherapy</i> , 2020 , 75, 3586-3592	5.1	6

227	Changing epidemiology of bloodstream infection in a 25-years hematopoietic stem cell transplant program: current challenges and pitfalls on empiric antibiotic treatment impacting outcomes. <i>Bone Marrow Transplantation</i> , 2020 , 55, 603-612	4.4	16
226	Factors associated with the development of septic shock in patients with candidemia: a post hoc analysis from two prospective cohorts. <i>Critical Care</i> , 2020 , 24, 117	10.8	10
225	Biofilm formation by multidrug resistant Enterobacteriaceae strains isolated from solid organ transplant recipients. <i>Scientific Reports</i> , 2019 , 9, 8928	4.9	29
224	Endocarditis Caused by Highly Penicillin-Resistant Viridans Group Streptococci: Still Room for Vancomycin-Based Regimens. <i>Antimicrobial Agents and Chemotherapy</i> , 2019 , 63,	5.9	6
223	Mortality due to Cryptococcus neoformans and Cryptococcus gattii in low-income settings: an autopsy study. <i>Scientific Reports</i> , 2019 , 9, 7493	4.9	26
222	Role of age and comorbidities in mortality of patients with infective endocarditis. <i>European Journal of Internal Medicine</i> , 2019 , 64, 63-71	3.9	20
221	Evaluation of the Magicplex Depsis Real-Time Test for the Rapid Diagnosis of Bloodstream Infections in Adults. <i>Frontiers in Cellular and Infection Microbiology</i> , 2019 , 9, 56	5.9	13
220	Association between Pseudomonas aeruginosa O-antigen serotypes, resistance profiles and high-risk clones: results from a Spanish nationwide survey. <i>Journal of Antimicrobial Chemotherapy</i> , 2019 , 74, 3217-3220	5.1	10
219	Perioperative prophylaxis with ertapenem reduced infections caused by extended-spectrum betalactamase-producting Enterobacteriaceae after kidney transplantation. <i>BMC Nephrology</i> , 2019 , 20, 274	2.7	3
218	Cutaneous infection by Phaeoacremonium parasiticum. <i>Revista Iberoamericana De Micologia</i> , 2019 , 36, 90-92	1.6	1
217	Clinical characteristics and prognosis of infections caused by OXA-48 carbapenemase-producing Enterobacteriaceae in patients treated with ceftazidime-avibactam. <i>International Journal of Antimicrobial Agents</i> , 2019 , 53, 520-524	14.3	41
216	Outpatient Parenteral Antibiotic Treatment for Infective Endocarditis: A Prospective Cohort Study From the GAMES Cohort. <i>Clinical Infectious Diseases</i> , 2019 , 69, 1690-1700	11.6	25
215	Emergence of Resistance to Quinolones and Lactam Antibiotics in Enteroaggregative and Enterotoxigenic Causing Traveler Diarrhea. <i>Antimicrobial Agents and Chemotherapy</i> , 2019 , 63,	5.9	22
214	The Combination of Daptomycin and Fosfomycin Has Synergistic, Potent, and Rapid Bactericidal Activity against Methicillin-Resistant Staphylococcus aureus in a Rabbit Model of Experimental Endocarditis. <i>Antimicrobial Agents and Chemotherapy</i> , 2018 , 62,	5.9	28
213	Gentamicin may have no effect on mortality of staphylococcal prosthetic valve endocarditis. Journal of Infection and Chemotherapy, 2018 , 24, 555-562	2.2	12
212	Activity of ceftazidime-avibactam against carbapenemase-producing Enterobacteriaceae from urine specimens obtained during the infection-carbapenem resistance evaluation surveillance trial (iCREST) in Spain. <i>International Journal of Antimicrobial Agents</i> , 2018 , 51, 511-515	14.3	19
211	Clinical experience with ceftolozane/tazobactam in patients with serious infections due to resistant Pseudomonas aeruginosa. <i>Journal of Global Antimicrobial Resistance</i> , 2018 , 13, 165-170	3.4	18
210	Efficacy and safety of fosfomycin plus imipenem versus vancomycin for complicated bacteraemia and endocarditis due to methicillin-resistant Staphylococcus aureus: a randomized clinical trial. <i>Clinical Microbiology and Infection</i> , 2018 , 24, 673-676	9.5	9

209	Risk factors for mortality in patients with acute leukemia and bloodstream infections in the era of multiresistance. <i>PLoS ONE</i> , 2018 , 13, e0199531	3.7	32
208	Twenty-year trend in mortality among hospitalized patients with pneumococcal community-acquired pneumonia. <i>PLoS ONE</i> , 2018 , 13, e0200504	3.7	18
207	Epidemiology, risk factors, and impact of bacterial infections on outcomes for pancreatic grafts. <i>Clinical Transplantation</i> , 2018 , 32, e13333	3.8	4
206	Assessment of in vivo versus in vitro biofilm formation of clinical methicillin-resistant Staphylococcus aureus isolates from endotracheal tubes. <i>Scientific Reports</i> , 2018 , 8, 11906	4.9	12
205	Short-Term Peripheral Venous Catheter-Related Bloodstream Infections: Evidence for Increasing Prevalence of Gram-Negative Microorganisms from a 25-Year Prospective Observational Study. <i>Antimicrobial Agents and Chemotherapy</i> , 2018 , 62,	5.9	14
204	Outcome of Enterococcus faecalis infective endocarditis according to the length of antibiotic therapy: Preliminary data from a cohort of 78 patients. <i>PLoS ONE</i> , 2018 , 13, e0192387	3.7	17
203	Infective Endocarditis in Patients With Bicuspid Aortic Valve or Mitral Valve Prolapse. <i>Journal of the American College of Cardiology</i> , 2018 , 71, 2731-2740	15.1	40
202	Epidemiology, Clinical Features, and Outcome of Infective Endocarditis due to Abiotrophia Species and Granulicatella Species: Report of 76 Cases, 2000-2015. <i>Clinical Infectious Diseases</i> , 2018 , 66, 104-111	l ^{11.6}	29
201	Serotypes and genotypes of S. pneumoniae isolates from adult invasive disease in Spain: A 5-year prospective surveillance after pediatric PCV13 licensure. The ODIN study. <i>Vaccine</i> , 2018 , 36, 7993-8000	4.1	5
200	HACEK infective endocarditis: Epidemiology, clinical features, and outcome: A case-control study. <i>International Journal of Infectious Diseases</i> , 2018 , 76, 120-125	10.5	11
199	The changing epidemiology of invasive pneumococcal disease after PCV13 vaccination in a country with intermediate vaccination coverage. <i>Vaccine</i> , 2018 , 36, 7744-7752	4.1	25
198	Evaluation of ceftazidime/avibactam for serious infections due to multidrug-resistant and extensively drug-resistant Pseudomonas aeruginosa. <i>Journal of Global Antimicrobial Resistance</i> , 2018 , 15, 136-139	3.4	28
197	Influence of empirical double-active combination antimicrobial therapy compared with active monotherapy on mortality in patients with septic shock: a propensity score-adjusted and matched analysis-authorsRresponse. <i>Journal of Antimicrobial Chemotherapy</i> , 2018 , 73, 1732-1733	5.1	
196	Management of Infection and Febrile Neutropenia in Patients with Solid Cancer. <i>Enfermedades Infecciosas Y Microbiolog</i> Clūica, 2017 , 35, 451-460	0.9	9
195	Evaluation of a rapid immunochromatographic test for the detection of OXA-48 carbapenemase. Diagnostic Microbiology and Infectious Disease, 2017, 87, 266-267	2.9	5
194	Influence of vancomycin minimum inhibitory concentration on the outcome of methicillin-susceptible Staphylococcus aureus left-sided infective endocarditis treated with antistaphylococcal Elactam antibiotics: a prospective cohort study by the International	9.5	8
193	Comparison of the Vitek MS and Bruker Matrix-Assisted Laser Desorption Ionization-Time of Flight Mass Spectrometry Systems for Identification of Rhodococcus equi and Dietzia spp. <i>Journal of Clinical Microbiology</i> , 2017 , 55, 2255-2260	9.7	13
192	Echinocandins Compared to Fluconazole for Candidemia of a Urinary Tract Source: A Propensity Score Analysis. <i>Clinical Infectious Diseases</i> , 2017 , 64, 1374-1379	11.6	17

191	AUC/MIC Pharmacodynamic Target Is Not a Good Predictor of Vancomycin Efficacy in Methicillin-Resistant Staphylococcus aureus Experimental Endocarditis. <i>Antimicrobial Agents and Chemotherapy</i> , 2017 , 61,	5.9	7
190	Relationship Between Enterococcus faecalis Infective Endocarditis and Colorectal Neoplasm: Preliminary Results From a Cohort of 154 Patients. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2017 , 70, 451-458	0.7	16
189	Prevalence of Extended-Spectrum-Lactamase- and/or Carbapenemase-Producing Escherichia coli Isolated from Yellow-Legged Gulls from Barcelona, Spain. <i>Antimicrobial Agents and Chemotherapy</i> , 2017 , 61,	5.9	24
188	Clinical experience with ceftazidime/avibactam in patients with severe infections, including meningitis and lung abscesses, caused by extensively drug-resistant Pseudomonas aeruginosa. <i>International Journal of Antimicrobial Agents</i> , 2017 , 49, 266-268	14.3	23
187	Successful treatment of three severe MDR or XDR Pseudomonas aeruginosa infections with ceftolozane/tazobactam. <i>Future Microbiology</i> , 2017 , 12, 1323-1326	2.9	11
186	Influence of empirical double-active combination antimicrobial therapy compared with active monotherapy on mortality in patients with septic shock: a propensity score-adjusted and matched analysis. <i>Journal of Antimicrobial Chemotherapy</i> , 2017 , 72, 3443-3452	5.1	14
185	Molecular methods for septicemia diagnosis. <i>Enfermedades Infecciosas Y Microbiolog</i> a Cl a ica, 2017 , 35, 586-592	0.9	8
184	Molecular methods for septicemia diagnosis. <i>Enfermedades Infecciosas Y Microbiologia Clinica</i> (English Ed), 2017 , 35, 586-592	0.1	1
183	Etest [®] versus broth microdilution for ceftaroline MIC determination with Staphylococcus aureus: results from PREMIUM, a European multicentre study. <i>Journal of Antimicrobial Chemotherapy</i> , 2017 , 72, 431-436	5.1	15
182	Time to blood culture positivity as a predictor of clinical outcomes and severity in adults with bacteremic pneumococcal pneumonia. <i>PLoS ONE</i> , 2017 , 12, e0182436	3.7	15
181	Clinical characteristics, treatment and outcomes of MRSA bacteraemia in the elderly. <i>Journal of Infection</i> , 2016 , 72, 309-16	18.9	4
180	Management of infection and febrile neutropenia in patients with solid cancer. <i>Clinical and Translational Oncology</i> , 2016 , 18, 557-70	3.6	9
179	Development of a new protocol for rapid bacterial identification and susceptibility testing directly from urine samples. <i>Clinical Microbiology and Infection</i> , 2016 , 22, 561.e1-6	9.5	36
178	Risk factors for the isolation of a third generation cephalosporin resistant strain in patients with community-acquired Enterobacteriaceae bacteraemia. <i>Journal of Infection</i> , 2016 , 72, 268-71	18.9	1
177	Fosfomycin plus Lactams as Synergistic Bactericidal Combinations for Experimental Endocarditis Due to Methicillin-Resistant and Glycopeptide-Intermediate Staphylococcus aureus. <i>Antimicrobial Agents and Chemotherapy</i> , 2016 , 60, 478-86	5.9	22
176	Rapid Diagnosis of Staphylococcal Catheter-Related Bacteraemia in Direct Blood Samples by Real-Time PCR. <i>PLoS ONE</i> , 2016 , 11, e0161684	3.7	15
175	Antimicrobial susceptibility among important pathogens collected as part of the Tigecycline Evaluation and Surveillance Trial (T.E.S.T.) in Spain, 2004-2014. <i>Journal of Global Antimicrobial Resistance</i> , 2016 , 6, 50-56	3.4	8
174	Validated Risk Score for Predicting 6-Month Mortality in Infective Endocarditis. <i>Journal of the American Heart Association</i> , 2016 , 5, e003016	6	64

(2015-2016)

173	Predictive and prognostic factors in patients with blood-culture-positive community-acquired pneumococcal pneumonia. <i>European Respiratory Journal</i> , 2016 , 48, 797-807	13.6	24
172	Impact of antibiotic resistance on the development of recurrent and relapsing symptomatic urinary tract infection in kidney recipients. <i>American Journal of Transplantation</i> , 2015 , 15, 1021-7	8.7	54
171	Biofilm Formation and Quorum-Sensing-Molecule Production by Clinical Isolates of Serratia liquefaciens. <i>Applied and Environmental Microbiology</i> , 2015 , 81, 3306-15	4.8	31
170	Enterococcal endocarditis revisited. <i>Future Microbiology</i> , 2015 , 10, 1215-40	2.9	22
169	Performance of EUCAST and CLSI approaches for co-amoxiclav susceptibility testing conditions for clinical categorization of a collection of Escherichia coli isolates with characterized resistance phenotypes. <i>Journal of Antimicrobial Chemotherapy</i> , 2015 , 70, 2306-10	5.1	10
168	Infective endocarditis in patients with an implanted transcatheter aortic valve: Clinical characteristics and outcome of a new entity. <i>Journal of Infection</i> , 2015 , 70, 565-76	18.9	22
167	Activity of ceftazidime-avibactam against fluoroquinolone-resistant Enterobacteriaceae and Pseudomonas aeruginosa. <i>Antimicrobial Agents and Chemotherapy</i> , 2015 , 59, 3059-65	5.9	16
166	Epidemiology and outcome of bacteraemia in neutropenic patients in a single institution from 1991-2012. <i>Epidemiology and Infection</i> , 2015 , 143, 734-40	4.3	18
165	The Effect of Macrolide Resistance on the Presentation and Outcome of Patients Hospitalized for Streptococcus pneumoniae Pneumonia. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2015 , 191, 1265-72	10.2	50
164	Dermatitis by Dermatophilus congolensis. Clinical Microbiology and Infection, 2015, 21, e73-4	9.5	3
163	Impact of urinary tract infections on short-term kidney graft outcome. <i>Clinical Microbiology and Infection</i> , 2015 , 21, 1104.e1-8	9.5	35
162	Left-sided infective endocarditis in patients with liver cirrhosis. <i>Journal of Infection</i> , 2015 , 71, 627-41	18.9	9
161	Multicenter study of epidemiological cutoff values and detection of resistance in Candida spp. to anidulafungin, caspofungin, and micafungin using the Sensititre YeastOne colorimetric method. <i>Antimicrobial Agents and Chemotherapy</i> , 2015 , 59, 6725-32	5.9	47
160	Rapid detection of Elactamases directly from positive blood cultures using a loop-mediated isothermal amplification (LAMP)-based assay. <i>International Journal of Antimicrobial Agents</i> , 2015 , 46, 355-6	14.3	16
159	Isolation of VIM-2-producing Pseudomonas monteilii clinical strains disseminated in a tertiary hospital in northern Spain. <i>Antimicrobial Agents and Chemotherapy</i> , 2015 , 59, 1334-6	5.9	20
158	Impact of early valve surgery on outcome of Staphylococcus aureus prosthetic valve infective endocarditis: analysis in the International Collaboration of Endocarditis-Prospective Cohort Study. <i>Clinical Infectious Diseases</i> , 2015 , 60, 741-9	11.6	61
157	Candida norvegensis fungemia in a liver transplant recipient. <i>Revista Iberoamericana De Micologia</i> , 2015 , 32, 115-7	1.6	4
156	Clinical characteristics and outcome of elderly patients with community-onset bacteremia. <i>Journal of Infection</i> , 2015 , 70, 135-43	18.9	29

155	Molecular characterization of blaNDM-5 carried on an IncFII plasmid in an Escherichia coli isolate from a nontraveler patient in Spain. <i>Antimicrobial Agents and Chemotherapy</i> , 2015 , 59, 659-62	5.9	57
154	Current Epidemiology and Outcome of Infective Endocarditis: A Multicenter, Prospective, Cohort Study. <i>Medicine (United States)</i> , 2015 , 94, e1816	1.8	85
153	Letter by Pericas et al Regarding Article, "Infective Endocarditis After Transcatheter Aortic Valve Implantation: Results From a Large Multicenter Registry". <i>Circulation</i> , 2015 , 132, e370-1	16.7	2
152	Epidemiology and prognosis of coagulase-negative staphylococcal endocarditis: impact of vancomycin minimum inhibitory concentration. <i>PLoS ONE</i> , 2015 , 10, e0125818	3.7	14
151	Characteristics and Outcome of Streptococcus pneumoniae Endocarditis in the XXI Century: A Systematic Review of 111 Cases (2000-2013). <i>Medicine (United States)</i> , 2015 , 94, e1562	1.8	32
150	Neglecting enterococci may lead to a misinterpretation of the consequences of last changes in endocarditis prophylaxis American Heart Association guidelines. <i>Journal of the American College of Cardiology</i> , 2015 , 66, 2156	15.1	5
149	Bacteraemia and antibiotic-resistant pathogens in community acquired pneumonia: risk and prognosis. <i>European Respiratory Journal</i> , 2015 , 45, 1353-63	13.6	33
148	One-year outcome following biological or mechanical valve replacement for infective endocarditis. <i>International Journal of Cardiology</i> , 2015 , 178, 117-23	3.2	16
147	Evaluation of the eazyplex SuperBug CRE system for rapid detection of carbapenemases and ESBLs in clinical Enterobacteriaceae isolates recovered at two Spanish hospitals. <i>Journal of Antimicrobial Chemotherapy</i> , 2015 , 70, 1047-50	5.1	50
146	Extended spectrum Elactamase-producing Escherichia coli faecal carriage in Spanish travellers returning from tropical and subtropical countries. <i>Clinical Microbiology and Infection</i> , 2014 , 20, O636-9	9.5	16
145	Effect of meropenem administration in extended infusion on the clinical outcome of febrile neutropenia: a retrospective observational study. <i>Journal of Antimicrobial Chemotherapy</i> , 2014 , 69, 255	6 ⁵ 6 ¹ 2	27
144	Evaluation of a loop-mediated isothermal amplification-based methodology to detect carbapenemase carriage in Acinetobacter clinical isolates. <i>Antimicrobial Agents and Chemotherapy</i> , 2014 , 58, 7538-40	5.9	20
143	Health Care-Associated Infective Endocarditis: a Growing Entity that Can Be Prevented. <i>Current Infectious Disease Reports</i> , 2014 , 16, 439	3.9	6
142	Changes in the treatment of Enterococcus faecalis infective endocarditis in Spain in the last 15 years: from ampicillin plus gentamicin to ampicillin plus ceftriaxone. <i>Clinical Microbiology and Infection</i> , 2014 , 20, O1075-83	9.5	56
141	Efficacy and safety of fosfomycin plus imipenem as rescue therapy for complicated bacteremia and endocarditis due to methicillin-resistant Staphylococcus aureus: a multicenter clinical trial. <i>Clinical Infectious Diseases</i> , 2014 , 59, 1105-12	11.6	57
140	Community-onset bacteraemia of unknown origin: clinical characteristics, epidemiology and outcome. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2014 , 33, 1973-80	5.3	16
139	Time to positivity and detection of growth in anaerobic blood culture vials predict the presence of Candida glabrata in candidemia: a two-center European cohort study. <i>Journal of Clinical Microbiology</i> , 2014 , 52, 3082-4	9.7	17
138	Detection of extended-spectrum Elactamase- and/or carbapenemase-producing Enterobacteriaceae directly from positive blood culture using a commercialised microarray technique. International Journal of Antimicrobial Agents, 2014, 44, 88-9	14.3	6

137	Staphylococcus aureus bloodstream infection: a pooled analysis of five prospective, observational studies. <i>Journal of Infection</i> , 2014 , 68, 242-51	18.9	139
136	Effect of vancomycin minimal inhibitory concentration on the outcome of methicillin-susceptible Staphylococcus aureus endocarditis. <i>Clinical Infectious Diseases</i> , 2014 , 58, 1668-75	11.6	49
135	Enterococcal endocarditis in the beginning of the 21st century: analysis from the International Collaboration on Endocarditis-Prospective Cohort Study. <i>Clinical Microbiology and Infection</i> , 2013 , 19, 1140-7	9.5	87
134	Epidemiology and prognostic determinants of bacteraemic catheter-acquired urinary tract infection in a single institution from 1991 to 2010. <i>Journal of Infection</i> , 2013 , 67, 282-7	18.9	24
133	Incidence and outcome of early Candida peritonitis after liver and pancreas transplantation. <i>Mycoses</i> , 2013 , 56, 162-7	5.2	11
132	Risk factors for pericardial effusion in native valve infective endocarditis and its influence on outcome. <i>American Journal of Cardiology</i> , 2013 , 112, 1646-51	3	13
131	HACEK infective endocarditis: characteristics and outcomes from a large, multi-national cohort. <i>PLoS ONE</i> , 2013 , 8, e63181	3.7	108
130	Epidemiology and prognostic determinants of bacteremic acute pyelonephritis in women. <i>Journal of Infection</i> , 2013 , 66, 193-6	18.9	2
129	Epidemiological cutoff values for fluconazole, itraconazole, posaconazole, and voriconazole for six Candida species as determined by the colorimetric Sensititre YeastOne method. <i>Journal of Clinical Microbiology</i> , 2013 , 51, 2691-5	9.7	33
128	Predictive factors for early mortality among patients with methicillin-resistant Staphylococcus aureus bacteraemia. <i>Journal of Antimicrobial Chemotherapy</i> , 2013 , 68, 1423-30	5.1	35
127	Early in vitro and in vivo development of high-level daptomycin resistance is common in mitis group Streptococci after exposure to daptomycin. <i>Antimicrobial Agents and Chemotherapy</i> , 2013 , 57, 2319-25	5.9	36
126	Usefulness of time-to-positivity in aerobic and anaerobic vials to predict the presence of Candida glabrata in patients with candidaemia. <i>Journal of Antimicrobial Chemotherapy</i> , 2013 , 68, 2839-41	5.1	11
125	High-dose daptomycin plus fosfomycin is safe and effective in treating methicillin-susceptible and methicillin-resistant Staphylococcus aureus endocarditis. <i>Antimicrobial Agents and Chemotherapy</i> , 2012 , 56, 4511-5	5.9	94
124	Epidemiology and prognostic determinants of bacteraemic biliary tract infection. <i>Journal of Antimicrobial Chemotherapy</i> , 2012 , 67, 1508-13	5.1	36
123	Pulmonary complications of pneumococcal community-acquired pneumonia: incidence, predictors, and outcomes. <i>Clinical Microbiology and Infection</i> , 2012 , 18, 1134-42	9.5	42
122	A comparative study of two different methods of sample preparation for positive blood cultures for the rapid identification of bacteria using MALDI-TOF MS. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2012 , 31, 1353-8	5.3	51
121	Epidemiology, species distribution and in vitro antifungal susceptibility of fungaemia in a Spanish multicentre prospective survey. <i>Journal of Antimicrobial Chemotherapy</i> , 2012 , 67, 1181-7	5.1	107
120	Comparison of three statistical methods for establishing tentative wild-type population and epidemiological cutoff values for echinocandins, amphotericin B, flucytosine, and six Candida species as determined by the colorimetric Sensititre YeastOne method. <i>Journal of Clinical</i>	9.7	40

119	Clinical characteristics and outcome of infective endocarditis involving implantable cardiac devices. JAMA - Journal of the American Medical Association, 2012, 307, 1727-35	27.4	191
118	Influence of multidrug resistance and appropriate empirical therapy on the 30-day mortality rate of Pseudomonas aeruginosa bacteremia. <i>Antimicrobial Agents and Chemotherapy</i> , 2012 , 56, 4833-7	5.9	114
117	Efficacy of linezolid compared to vancomycin in an experimental model of pneumonia induced by methicillin-resistant Staphylococcus aureus in ventilated pigs. <i>Critical Care Medicine</i> , 2012 , 40, 162-8	1.4	32
116	Clinical utility of daptomycin in infective endocarditis caused by Gram-positive cocci. <i>International Journal of Antimicrobial Agents</i> , 2011 , 38, 365-70	14.3	23
115	Comparative activities of daptomycin and several agents against staphylococcal blood isolates. Glycopeptide tolerance. <i>Diagnostic Microbiology and Infectious Disease</i> , 2011 , 70, 373-9	2.9	16
114	Efficacy and safety of outpatient parenteral antibiotic therapy for infective endocarditis: a ten-year prospective study. <i>Enfermedades Infecciosas Y Microbiolog</i> ā Clāica, 2011 , 29, 587-92	0.9	44
113	Candida species bloodstream infection: epidemiology and outcome in a single institution from 1991 to 2008. <i>Journal of Hospital Infection</i> , 2011 , 77, 157-61	6.9	99
112	Cefotaxime resistance and outcome of Klebsiella spp bloodstream infection. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2011 , 30, 1599-605	5.3	10
111	Serotypes and clones causing invasive pneumococcal disease before the use of new conjugate vaccines in Catalonia, Spain. <i>Journal of Infection</i> , 2011 , 63, 151-62	18.9	38
110	Epidemiology and clinical outcomes of bloodstream infections among lupus patients. <i>Lupus</i> , 2011 , 20, 965-71	2.6	21
109	Comparative activity of carbapenem testing: the COMPACT study. <i>Journal of Antimicrobial Chemotherapy</i> , 2011 , 66, 1070-8	5.1	32
108	Prospective multicenter study of the epidemiology, molecular identification, and antifungal susceptibility of Candida parapsilosis, Candida orthopsilosis, and Candida metapsilosis isolated from patients with candidemia. <i>Antimicrobial Agents and Chemotherapy</i> , 2011 , 55, 5590-6	5.9	106
107	First outbreak of a plasmid-mediated carbapenem-hydrolyzing OXA-48 beta-lactamase in Klebsiella pneumoniae in Spain. <i>Antimicrobial Agents and Chemotherapy</i> , 2011 , 55, 4398-401	5.9	106
106	Changing epidemiology of central venous catheter-related bloodstream infections: increasing prevalence of Gram-negative pathogens. <i>Journal of Antimicrobial Chemotherapy</i> , 2011 , 66, 2119-25	5.1	60
105	Evaluation of three automated systems for susceptibility testing of enterobacteria containing qnrB, qnrS, and/or aac(61):-Ib-cr. <i>Journal of Clinical Microbiology</i> , 2011 , 49, 3343-5	9.7	6
104	First description of an Escherichia coli strain producing NDM-1 carbapenemase in Spain. <i>Antimicrobial Agents and Chemotherapy</i> , 2011 , 55, 4402-4	5.9	75
103	Methicillin-susceptible Staphylococcus aureus endocarditis isolates are associated with clonal complex 30 genotype and a distinct repertoire of enterotoxins and adhesins. <i>Journal of Infectious Diseases</i> , 2011 , 204, 704-13	7	114
102	An experimental model of pneumonia induced by methicillin-resistant Staphylococcus aureus in ventilated piglets. <i>European Respiratory Journal</i> , 2010 , 36, 901-6	13.6	12

(2008-2010)

101	Tn1546 structures and multilocus sequence typing of vanA-containing enterococci of animal, human and food origin. <i>Journal of Antimicrobial Chemotherapy</i> , 2010 , 65, 1570-5	5.1	27
100	Influence of empiric therapy with a beta-lactam alone or combined with an aminoglycoside on prognosis of bacteremia due to gram-negative microorganisms. <i>Antimicrobial Agents and Chemotherapy</i> , 2010 , 54, 3590-6	5.9	94
99	Candida spp. bloodstream infection: influence of antifungal treatment on outcome. <i>Journal of Antimicrobial Chemotherapy</i> , 2010 , 65, 562-8	5.1	20
98	Daptomycin is effective for treatment of experimental endocarditis due to methicillin-resistant and glycopeptide-intermediate Staphylococcus epidermidis. <i>Antimicrobial Agents and Chemotherapy</i> , 2010 , 54, 2781-6	5.9	12
97	Klebsiella pneumoniae infection in solid organ transplant recipients: epidemiology and antibiotic resistance. <i>Transplantation Proceedings</i> , 2010 , 42, 2941-3	1.1	58
96	Community-acquired methicillin-resistant Staphylococcus aureus meningitis complicated by cerebral infarction. Role of antibiotic combination of linezolid plus levofloxacin. <i>Internal Medicine</i> , 2010 , 49, 1971-4	1.1	5
95	Analysis of 4758 Escherichia coli bacteraemia episodes: predictive factors for isolation of an antibiotic-resistant strain and their impact on the outcome. <i>Journal of Antimicrobial Chemotherapy</i> , 2009 , 63, 568-74	5.1	143
94	Genotypic versus phenotypic characterization, with respect to beta-lactam susceptibility, of Haemophilus influenzae isolates exhibiting decreased susceptibility to beta-lactam resistance markers. <i>Antimicrobial Agents and Chemotherapy</i> , 2009 , 53, 267-70	5.9	15
93	Heterogeneous vancomycin-intermediate susceptibility phenotype in bloodstream methicillin-resistant Staphylococcus aureus isolates from an international cohort of patients with infective endocarditis: prevalence, genotype, and clinical significance. <i>Journal of Infectious Diseases</i> ,	7	107
92	2009 , 200, 1355-66 Development of imipenem resistance in an Aeromonas veronii biovar sobria clinical isolate recovered from a patient with cholangitis. <i>Journal of Medical Microbiology</i> , 2009 , 58, 451-455	3.2	37
91	Addition of gentamicin or rifampin does not enhance the effectiveness of daptomycin in treatment of experimental endocarditis due to methicillin-resistant Staphylococcus aureus. <i>Antimicrobial Agents and Chemotherapy</i> , 2009 , 53, 4172-7	5.9	55
90	Evolution of antimicrobial resistance in enteroaggregative Escherichia coli and enterotoxigenic Escherichia coli causing traveller diarrhoea. <i>Journal of Antimicrobial Chemotherapy</i> , 2009 , 64, 343-7	5.1	48
89	Influence of antipseudomonal agents on Pseudomonas aeruginosa colonization and acquisition of resistance in critically ill medical patients. <i>Intensive Care Medicine</i> , 2009 , 35, 439-47	14.5	24
88	Two chromosomally located qnrB variants, qnrB6 and the new qnrB16, in Citrobacter spp. isolates causing bacteraemia. <i>Clinical Microbiology and Infection</i> , 2009 , 15, 1132-8	9.5	14
87	Previous ciprofloxacin exposure is associated with resistance to beta-lactam antibiotics in subsequent Pseudomonas aeruginosa bacteremic isolates. <i>American Journal of Infection Control</i> , 2009 , 37, 753-8	3.8	23
86	Quinolone resistance among Shigella spp. isolated from travellers returning from India. <i>Clinical Microbiology and Infection</i> , 2008 , 14, 279-81	9.5	33
85	Risk factors for infection with extended-spectrum and AmpC beta-lactamase-producing gram-negative rods in renal transplantation. <i>American Journal of Transplantation</i> , 2008 , 8, 1000-5	8.7	62
84	Treatment of critically ill patients with candidemia. <i>International Journal of Antimicrobial Agents</i> , 2008 , 32 Suppl 2, S93-7	14.3	14

83	Success of ampicillin plus ceftriaxone rescue therapy for a relapse of Enterococcus faecalis native-valve endocarditis and in vitro data on double beta-lactam activity. <i>Scandinavian Journal of Infectious Diseases</i> , 2008 , 40, 968-72		10
82	Influence of vancomycin minimum inhibitory concentration on the treatment of methicillin-resistant Staphylococcus aureus bacteremia. <i>Clinical Infectious Diseases</i> , 2008 , 46, 193-200	11.6	603
81	Genotypic diversity of coagulase-negative staphylococci causing endocarditis: a global perspective. Journal of Clinical Microbiology, 2008 , 46, 1780-4	9.7	30
80	Daptomycin is effective in treatment of experimental endocarditis due to methicillin-resistant and glycopeptide-intermediate Staphylococcus aureus. <i>Antimicrobial Agents and Chemotherapy</i> , 2008 , 52, 2538-43	5.9	55
79	Phylogenetic analysis of viridans group streptococci causing endocarditis. <i>Journal of Clinical Microbiology</i> , 2008 , 46, 3087-90	9.7	26
78	Emergence of coagulase-negative staphylococci as a cause of native valve endocarditis. <i>Clinical Infectious Diseases</i> , 2008 , 46, 232-42	11.6	125
77	Effect of antimicrobial therapy on mortality in 377 episodes of Enterobacter spp. bacteraemia. Journal of Antimicrobial Chemotherapy, 2008 , 62, 397-403	5.1	34
76	Bloodstream infections among human immunodeficiency virus-infected adult patients: epidemiology and risk factors for mortality. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2008 , 27, 969-76	5.3	31
75	Immune reconstitution syndrome after voriconazole treatment for cryptococcal meningitis in a liver transplant recipient. <i>Liver Transplantation</i> , 2008 , 14, 1671-4	4.5	20
74	Microbial and clinical determinants of time-to-positivity in patients with bacteraemia. <i>Clinical Microbiology and Infection</i> , 2007 , 13, 709-16	9.5	54
73	Trends in antimicrobial resistance in Campylobacter spp. causing traveler diarrhea. <i>Apmis</i> , 2007 , 115, 218-24	3.4	28
72	Epidemiology and outcome of primary community-acquired bacteremia in adult patients. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2007 , 26, 453-7	5.3	21
71	Efficacy of telavancin in the treatment of experimental endocarditis due to glycopeptide-intermediate Staphylococcus aureus. <i>Antimicrobial Agents and Chemotherapy</i> , 2007 , 51, 2373-7	5.9	43
70	Brief communication: treatment of Enterococcus faecalis endocarditis with ampicillin plus ceftriaxone. <i>Annals of Internal Medicine</i> , 2007 , 146, 574-9	8	136
69	Epidemiology and outcomes of multiple antibiotic-resistant bacterial infection in renal transplantation. <i>Transplantation Proceedings</i> , 2007 , 39, 2222-4	1.1	86
68	Evaluaci preoperatoria del riesgo en la endocarditis infecciosa con el modelo EuroScore. Datos iniciales. <i>Cirugia Cardiovascular</i> , 2007 , 14, 37-40	0.1	
67	Prior use of carbapenems may be a significant risk factor for extended-spectrum beta-lactamase-producing Escherichia coli or Klebsiella spp. in patients with bacteraemia. <i>Journal of Antimicrobial Chemotherapy</i> , 2006 , 58, 1082-5	5.1	41
66	Class 1 Integrons in Salmonella Strains causing traveler ß diarrhea. <i>Antimicrobial Agents and Chemotherapy</i> , 2006 , 50, 1612-3	5.9	6

(2003-2006)

65	Acquisition of multidrug-resistant Serratia marcescens by critically ill patients who consumed tap water during receipt of oral medication. <i>Infection Control and Hospital Epidemiology</i> , 2006 , 27, 774-7	2	18
64	Relationship of phylogenetic background, biofilm production, and time to detection of growth in blood culture vials with clinical variables and prognosis associated with Escherichia coli bacteremia. <i>Journal of Clinical Microbiology</i> , 2006 , 44, 1468-74	9.7	58
63	Hospitalized community-acquired pneumonia due to Streptococcus pneumoniae: Has resistance to antibiotics decreased?. <i>Chest</i> , 2006 , 130, 800-6	5.3	33
62	Comparison of antimicrobial cycling and mixing strategies in two medical intensive care units. <i>Critical Care Medicine</i> , 2006 , 34, 329-36	1.4	82
61	Usefulness of teicoplanin for preventing methicillin-resistant Staphylococcus aureus infections in orthopedic surgery. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2006 , 25, 35-8	5.3	27
60	Enterococcal endocarditis: 107 cases from the international collaboration on endocarditis merged database. <i>American Journal of Medicine</i> , 2005 , 118, 759-66	2.4	118
59	Clinical characterization of breakthrough bacteraemia: a survey of 392 episodes. <i>Journal of Internal Medicine</i> , 2005 , 258, 172-80	10.8	25
58	Evidence for a reserpine-affected mechanism of resistance to tetracycline in Neisseria gonorrhoeae. <i>Apmis</i> , 2005 , 113, 670-4	3.4	5
57	Bacterial and fungal bloodstream isolates from 796 hematopoietic stem cell transplant recipients between 1991 and 2000. <i>Annals of Hematology</i> , 2005 , 84, 40-6	3	75
56	Emergence of endocarditis due to group D streptococci: findings derived from the merged database of the International Collaboration on Endocarditis. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2005 , 24, 12-6	5.3	72
55	Native valve endocarditis due to Candida glabrata treated without valvular replacement: a potential role for caspofungin in the induction and maintenance treatment. <i>Clinical Infectious Diseases</i> , 2004 , 39, e70-3	11.6	31
54	Mechanism of resistance to several antimicrobial agents in Salmonella Clinical isolates causing traveler diarrhea. <i>Antimicrobial Agents and Chemotherapy</i> , 2004 , 48, 3934-9	5.9	37
53	In vitro antagonism between beta-lactam and macrolide in Streptococcus pneumoniae: how important is the antibiotic order?. <i>International Journal of Antimicrobial Agents</i> , 2004 , 24, 178-80	14.3	6
52	Activity of telithromycin against erythromycin-susceptible and -resistant Streptococcus pneumoniae isolates from adults with invasive infections. <i>International Journal of Antimicrobial Agents</i> , 2004 , 24, 616-8	14.3	5
51	Bacteraemia in adults due to glucose non-fermentative Gram-negative bacilli other than P. aeruginosa. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2003 , 96, 227-34	2.7	30
50	Infective endocarditis not related to intravenous drug abuse in HIV-1-infected patients: report of eight cases and review of the literature. <i>Clinical Microbiology and Infection</i> , 2003 , 9, 45-54	9.5	28
49	In vitro activity of gemifloxacin against clinical isolates of Neisseria gonorrhoeae with and without mutations in the gyrA gene. <i>International Journal of Antimicrobial Agents</i> , 2003 , 22, 73-6	14.3	14
48	Trends in frequency and in vitro susceptibilities to antifungal agents, including voriconazole and anidulafungin, of Candida bloodstream isolates. Results from a six-year study (1996-2001). Diagnostic Microbiology and Infectious Disease, 2003 , 46, 259-64	2.9	43

47	Lack of vancomycin tolerance in Streptococcus pneumoniae strains isolated in Barcelona, Spain, from 1999 to 2001. <i>Antimicrobial Agents and Chemotherapy</i> , 2003 , 47, 1976-8	5.9	4
46	Addition of a macrolide to a beta-lactam-based empirical antibiotic regimen is associated with lower in-hospital mortality for patients with bacteremic pneumococcal pneumonia. <i>Clinical Infectious Diseases</i> , 2003 , 36, 389-95	11.6	295
45	Is azithromycin the first-choice macrolide for treatment of community-acquired pneumonia?. <i>Clinical Infectious Diseases</i> , 2003 , 36, 1239-45	11.6	24
44	Correlation between the activity of different fluoroquinolones and the presence of mechanisms of quinolone resistance in epidemiologically related and unrelated strains of methicillin-susceptible and -resistant Staphylococcus aureus. <i>Clinical Microbiology and Infection</i> , 2002 , 8, 781-90	9.5	24
43	Short-term effectiveness of ceftriaxone single dose in the initial treatment of acute uncomplicated pyelonephritis in women. A randomised controlled trial. <i>Emergency Medicine Journal</i> , 2002 , 19, 19-22	1.5	29
42	In vitro antimicrobial susceptibility of clinical isolates of Aeromonas caviae, Aeromonas hydrophila and Aeromonas veronii biotype sobria. <i>Journal of Antimicrobial Chemotherapy</i> , 2002 , 49, 701-2	5.1	62
41	Distribution of beta-lactamases in Acinetobacter baumannii clinical isolates and the effect of Syn 2190 (AmpC inhibitor) on the MICs of different beta-lactam antibiotics. <i>Journal of Antimicrobial Chemotherapy</i> , 2002 , 50, 261-4	5.1	26
40	Activity of clinafloxacin, compared with six other quinolones, against Acinetobacter baumannii clinical isolates. <i>Journal of Antimicrobial Chemotherapy</i> , 2002 , 49, 471-7	5.1	30
39	Streptococcus agalactiae infective endocarditis: analysis of 30 cases and review of the literature, 1962-1998. <i>Clinical Infectious Diseases</i> , 2002 , 34, 1576-84	11.6	93
38	In vitro activity of clinafloxacin in comparison with other quinolones against Stenotrophomonas maltophilia clinical isolates in the presence and absence of reserpine. <i>Diagnostic Microbiology and Infectious Disease</i> , 2002 , 42, 123-8	2.9	16
37	High prevalence of nalidixic acid resistant, ciprofloxacin susceptible phenotype among clinical isolates of Escherichia coli and other Enterobacteriaceae. <i>Diagnostic Microbiology and Infectious Disease</i> , 2002 , 42, 257-61	2.9	37
36	Aortocardiac fistulas complicating infective endocarditis. <i>American Journal of Cardiology</i> , 2001 , 87, 652-4, A10	3	40
35	Antimicrobial susceptibilities of 1,730 Haemophilus influenzae respiratory tract isolates in Spain in 1998-1999. <i>Antimicrobial Agents and Chemotherapy</i> , 2001 , 45, 3226-8	5.9	49
34	Frequency of selection of fluoroquinolone-resistant mutants of Neisseria gonorrhoeae exposed to gemifloxacin and four other quinolones. <i>Journal of Antimicrobial Chemotherapy</i> , 2001 , 48, 545-8	5.1	10
33	Sudden death in Staphylococcus aureus-associated infective endocarditis due to perforation of a free-wall myocardial abscess. <i>Scandinavian Journal of Infectious Diseases</i> , 2001 , 33, 622-5		13
32	Streptococcus pneumoniae in community-acquired respiratory tract infections in Spain: the impact of serotype and geographical, seasonal and clinical factors on its susceptibility to the most commonly prescribed antibiotics. The Spanish Surveillance Group for Respiratory Pathogens.	5.1	30
31	Pathogenic significance of methicillin resistance for patients with Staphylococcus aureus bacteremia. <i>Clinical Infectious Diseases</i> , 2000 , 30, 368-73	11.6	219
30	In vitro activities of 22 antimicrobial agents against Listeria monocytogenes strains isolated in Barcelona, Spain. The Collaborative Study Group of Listeriosis of Barcelona. <i>Diagnostic Microbiology and Infectious Disease</i> , 2000 , 38, 259-61	2.9	31

29	Pneumonia acquired in the community through drug-resistant Streptococcus pneumoniae. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1999 , 159, 1835-42	10.2	147
28	Severe community-acquired pneumonia. Risk factors and follow-up epidemiology. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1999 , 160, 923-9	10.2	237
27	Prevotella oralis homograft-valve endocarditis complicated by aortic-root abscess, intracardiac fistula, and complete heart block. <i>Clinical Infectious Diseases</i> , 1999 , 28, 685-6	11.6	6
26	Increase in incidence of resistance to ampicillin, chloramphenicol and trimethoprim in clinical isolates of Salmonella serotype Typhimurium with investigation of molecular epidemiology and mechanisms of resistance. <i>Journal of Medical Microbiology</i> , 1999 , 48, 367-374	3.2	35
25	In vitro activity of a new triazole antifungal agent, Sch 56592, against clinical isolates of filamentous fungi. <i>Mycopathologia</i> , 1998 , 141, 73-7	2.9	40
24	Biopsy forceps disinfection technique does not influence Helicobacter pylori culture. <i>American Journal of Gastroenterology</i> , 1998 , 93, 1450-2	0.7	7
23	Influence of human immunodeficiency virus 1 infection and degree of immunosuppression in the clinical characteristics and outcome of infective endocarditis in intravenous drug users. <i>Archives of Internal Medicine</i> , 1998 , 158, 2043-50		51
22	Increased resistance to quinolones in Campylobacter jejuni: a genetic analysis of gyrA gene mutations in quinolone-resistant clinical isolates. <i>Microbiology and Immunology</i> , 1998 , 42, 223-6	2.7	81
21	Development of in-vivo resistance after quinolone treatment of gonococcal urethritis. <i>Journal of Antimicrobial Chemotherapy</i> , 1997 , 39, 841	5.1	7
20	Anti-Legionella activity of trovafloxacin compared with seven other antimicrobial agents including an intermethod evaluation. <i>Diagnostic Microbiology and Infectious Disease</i> , 1997 , 29, 55-7	2.9	13
19	Risk factors for oxacillin/methicillin resistance in coagulase-negative staphylococci. <i>Journal of Hospital Infection</i> , 1997 , 35, 295-9	6.9	8
18	Platelet activation In mice and human Helicobacter pylori infection. <i>Journal of Clinical Investigation</i> , 1997 , 100, 996-1005	15.9	77
17	Prognostic factors in meningococcal disease. Development of a bedside predictive model and scoring system. Barcelona Meningococcal Disease Surveillance Group. <i>JAMA - Journal of the American Medical Association</i> , 1997 , 278, 491-6	27.4	56
16	Prevention and Control of Nosocomial Infections in Spain: Current Problems and Future Trends. <i>Infection Control and Hospital Epidemiology</i> , 1996 , 17, 617-622	2	2
15	Prevention and control of nosocomial infections in Spain: current problems and future trends. <i>Infection Control and Hospital Epidemiology</i> , 1996 , 17, 617-22	2	1
14	Comparison of rufloxacin and norfloxacin effects on faecal flora. <i>Journal of Antimicrobial Chemotherapy</i> , 1995 , 35, 895-901	5.1	8
13	High frequency of mutations at codon 83 of the gyrA gene of quinolone-resistant clinical isolates of Escherichia coli. <i>Journal of Antimicrobial Chemotherapy</i> , 1995 , 36, 737-8	5.1	15
12	Two different dosages of cefotaxime in the treatment of spontaneous bacterial peritonitis in cirrhosis: Results of a prospective, randomized, multicenter study. <i>Hepatology</i> , 1995 , 21, 674-679	11.2	121

11	plasma expanders by cell wall products of Bacillus stearothermophilus. <i>Infection Control and Hospital Epidemiology</i> , 1995 , 16, 335-9	2	
10	Antimicrobial resistance of Shigella isolates causing traveler® diarrhea. <i>Antimicrobial Agents and Chemotherapy</i> , 1994 , 38, 2668-70	5.9	36
9	Antimicrobial activity of FK-037, a new broad-spectrum cephalosporin. International in vitro comparison with cefepime and ceftazidime. <i>Diagnostic Microbiology and Infectious Disease</i> , 1994 , 18, 167-73	2.9	11
8	Association between double mutation in gyrA gene of ciprofloxacin-resistant clinical isolates of Escherichia coli and MICs. <i>Antimicrobial Agents and Chemotherapy</i> , 1994 , 38, 2477-9	5.9	196
7	In vitro antimicrobial production of beta-lactamases, aminoglycoside-modifying enzymes, and chloramphenicol acetyltransferase by and susceptibility of clinical isolates of Acinetobacter baumannii. <i>Antimicrobial Agents and Chemotherapy</i> , 1993 , 37, 138-41	5.9	104
6	Prosthetic valve endocarditis caused by Corynebacterium pilosum. <i>Infection</i> , 1991 , 19, 247-9	5.8	5
5	Norfloxacin prevents spontaneous bacterial peritonitis recurrence in cirrhosis: results of a double-blind, placebo-controlled trial. <i>Hepatology</i> , 1990 , 12, 716-24	11.2	468
4	Pulmonary infiltrates in immunocompromised patients. Diagnostic value of telescoping plugged catheter and bronchoalveolar lavage. <i>Chest</i> , 1989 , 95, 130-5	5.3	59
3	Multiple organ involvement by Legionella pneumophila in a fatal case of LegionnairesRdisease. Journal of Infectious Diseases, 1989 , 159, 809	7	26
2	Rapid detection of gastric Campylobacter pylori colonization by a simple biochemical test. <i>Journal of Clinical Microbiology</i> , 1989 , 27, 2604-5	9.7	15
1	MagicplexTM Sepsis real-time test for the rapid diagnosis of bloodstream infections in adults		1