

Tullio Torelli

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3289029/publications.pdf>

Version: 2024-02-01

40
papers

1,039
citations

361413
20
h-index

414414
32
g-index

42
all docs

42
docs citations

42
times ranked

1081
citing authors

#	ARTICLE	IF	CITATIONS
1	First-line therapy with dacomitinib, an orally available pan-HER tyrosine kinase inhibitor, for locally advanced or metastatic penile squamous cell carcinoma: results of an open-label, single-arm, single-centre, phase 2 study. <i>BJU International</i> , 2018, 121, 348-356.	2.5	70
2	Neoadjuvant sorafenib, gemcitabine, and cisplatin administration preceding cystectomy in patients with muscle-invasive urothelial bladder carcinoma: An open-label, single-arm, single-center, phase 2 study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018, 36, 8.e1-8.e8.	1.6	8
3	Laparoscopic Retroperitoneal Lymph Node Dissection for Clinical Stage I Nonseminomatous Germ Cell Tumors of the Testis: Safety and Efficacy Analyses at a High Volume Center. <i>Journal of Urology</i> , 2018, 199, 741-747.	0.4	21
4	Surgery of locally advanced and metastatic kidney cancer after tyrosine kinase inhibitors therapy: single institute experience. <i>Tumori</i> , 2018, 104, 388-393.	1.1	2
5	Etoposide, Methotrexate, and Dactinomycin Alternating With Cyclophosphamide and Vincristine (EMACO) for Male Patients With HCG-expressing, Chemoresistant Germ Cell Tumors. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2017, 40, 60-65.	1.3	4
6	Treatment of Carcinoma In Situ of the Glans Penis With Topical Imiquimod Followed by Carbon Dioxide Laser Excision. <i>Clinical Genitourinary Cancer</i> , 2017, 15, e483-e487.	1.9	7
7	Prognostic Factors of Adjuvant Taxane, Cisplatin, and 5-Fluorouracil Chemotherapy for Patients With Penile Squamous Cell Carcinoma After Regional Lymphadenectomy. <i>Clinical Genitourinary Cancer</i> , 2016, 14, 518-523.	1.9	28
8	Laparoscopic Postchemotherapy Retroperitoneal Lymph-Node Dissection Can Be a Standard Option in Defined Nonseminomatous Germ Cell Tumor Patients. <i>Journal of Endourology</i> , 2016, 30, 1112-1119.	2.1	20
9	A Combination of Cisplatin and 5-Fluorouracil With a Taxane in Patients Who Underwent Lymph Node Dissection for Nodal Metastases From Squamous Cell Carcinoma of the Penis: Treatment Outcome and Survival Analyses in Neoadjuvant and Adjuvant Settings. <i>Clinical Genitourinary Cancer</i> , 2016, 14, 323-330.	1.9	59
10	Quality of Life and Pain Control following Laparoscopic Retroperitoneal Lymph Node Dissection in Early-stage Nonseminoma. <i>Tumori</i> , 2015, 101, 650-656.	1.1	6
11	Relationship between lymph node ratio and cancer-specific survival in a contemporary series of patients with penile cancer and lymph node metastases. <i>BJU International</i> , 2015, 116, 727-733.	2.5	23
12	Postchemotherapy Lymphadenectomy in Patients With Metastatic Urothelial Carcinoma: Long-Term Efficacy and Implications for Trial Design. <i>Clinical Genitourinary Cancer</i> , 2015, 13, 80-86.e1.	1.9	17
13	Clinical Outcome in Testicular Sex Cord Stromal Tumors: Testis Sparing vs Radical Orchiectomy and Management of Advanced Disease. <i>Urology</i> , 2015, 85, 402-406.	1.0	47
14	Prognostic reclassification of patients with intermediate-risk metastatic germ cell tumors: Implications for clinical practice, trial design, and molecular interrogation. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015, 33, 332.e19-332.e24.	1.6	12
15	Clinical Outcomes of Metastatic Poor Prognosis Germ Cell Tumors: Current Perspective From a Referral Center. <i>Clinical Genitourinary Cancer</i> , 2015, 13, 385-391.e1.	1.9	4
16	Radiotherapy or chemotherapy for clinical stage IIA and IIB seminoma: a systematic review and meta-analysis of patient outcomes. <i>Annals of Oncology</i> , 2015, 26, 657-668.	1.2	71
17	Immunohistochemistry to Enhance Prognostic Allocation and Guide Decision-Making of Patients With Advanced Urothelial Cancer Receiving First-Line Chemotherapy. <i>Clinical Genitourinary Cancer</i> , 2015, 13, 171-177.e1.	1.9	9
18	A Prognostic Model Including Pre- and Postsurgical Variables to Enhance Risk Stratification of Primary Mediastinal Nonseminomatous Germ Cell Tumors: The 27-Year Experience of a Referral Center. <i>Clinical Genitourinary Cancer</i> , 2015, 13, 87-93.e1.	1.9	27

#	ARTICLE	IF	CITATIONS
19	Long-Term Efficacy and Safety Outcomes of Modified (Simplified) MVAC (Methotrexate/Vinblastine/Doxorubicin/Cisplatin) as Frontline Therapy for Unresectable or Metastatic Urothelial Cancer. <i>Clinical Genitourinary Cancer</i> , 2014, 12, 203-209.e1.	1.9	15
20	Interim Fluorine-18 Fluorodeoxyglucose Positron Emission Tomography for Early Metabolic Assessment of Therapeutic Response to Chemotherapy for Metastatic Transitional Cell Carcinoma. <i>Clinical Genitourinary Cancer</i> , 2014, 12, 433-439.	1.9	24
21	Combination of Paclitaxel, Cisplatin, and Gemcitabine (TPG) for Multiple Relapses or Platinum-Resistant Germ Cell Tumors: Long-Term Outcomes. <i>Clinical Genitourinary Cancer</i> , 2014, 12, 63-69.e1.	1.9	27
22	The Relationship between Characteristics of Inguinal Lymph Nodes and Pelvic Lymph Node Involvement in Penile Squamous Cell Carcinoma: A Single Institution Experience. <i>Journal of Urology</i> , 2014, 191, 977-982.	0.4	75
23	Activity of pazopanib in chemo-resistant patients with germ cell tumors (GCT): First results of the open-label, single-group, phase II PAZOTEST-01 trial.. <i>Journal of Clinical Oncology</i> , 2014, 32, 376-376.	1.6	5
24	Modified cisplatin, etoposide, and ifosfamide (PEI) salvage therapy for male germ cell tumors: long-term efficacy and safety outcomes. <i>Annals of Oncology</i> , 2013, 24, 2887-2892.	1.2	14
25	Persistent CD30 Expression by Embryonal Carcinoma in the Treatment Time Course: Prognostic Significance of a Worthwhile Target for Personalized Treatment. <i>Journal of Urology</i> , 2013, 190, 1919-1924.	0.4	36
26	Prostatic metastases from testicular nonseminomatous germ cell cancer: two case reports and a review of the literature. <i>Tumori</i> , 2013, 99, e203-7.	1.1	1
27	CT-guided percutaneous cryoablation of renal masses in selected patients. <i>Radiologia Medica</i> , 2012, 117, 593-605.	7.7	7
28	Is there a role for targeted therapies in the collecting ducts of Bellini carcinoma? Efficacy data from a retrospective analysis of 7 cases. <i>Clinical and Experimental Nephrology</i> , 2012, 16, 464-467.	1.6	33
29	973 LAPAROSCOPIC RETROPERITONEAL LYMPH-NODE DISSECTION (L-RPLND): EVOLUTION TOWARDS A SINGLE-STRATEGY MANAGEMENT IN CLINICAL STAGE I (CS I) NON-SEMINOMATOUS GERM-CELL TUMORS OF THE TESTIS (NSGCTT). <i>Journal of Urology</i> , 2011, 185, .	0.4	1
30	Concordance and Prediction Ability of Original and Reviewed Vascular Invasion and Other Prognostic Parameters of Clinical Stage I Nonseminomatous Germ Cell Testicular Tumors After Retroperitoneal Lymph Node Dissection. <i>Journal of Urology</i> , 2011, 186, 1298-1302.	0.4	21
31	Towards the definition of the best management and prognostic factors of teratoma with malignant transformation: a single institution case series and new proposal. <i>BJU International</i> , 2011, 107, 1088-1094.	2.5	54
32	Proof of Activity of Anti-“Epidermal Growth Factor Receptor” Targeted Therapy for Relapsed Squamous Cell Carcinoma of the Penis. <i>Journal of Clinical Oncology</i> , 2011, 29, e650-e652.	1.6	74
33	Retroperitoneal Lymph Node Dissection with No Adjuvant Chemotherapy in Clinical Stage I Nonseminomatous Germ Cell Tumours: Long-Term Outcome and Analysis of Risk Factors of Recurrence. <i>European Urology</i> , 2010, 58, 912-918.	1.9	47
34	Long-term results of a combination of paclitaxel, cisplatin and gemcitabine for salvage therapy in male germ cell tumours. <i>BJU International</i> , 2009, 104, 340-346.	2.5	34
35	Long-Term Followup and Clinical Characteristics of Testicular Leydig Cell Tumor: Experience With 24 Cases. <i>Journal of Urology</i> , 2006, 176, 2040-2043.	0.4	47
36	Neoadjuvant CMV Chemotherapy plus Radical Cystectomy in Locally Advanced Bladder Cancer: The Impact of Pathologic Response on Long-Term Results. <i>Tumori</i> , 1996, 82, 463-469.	1.1	7

#	ARTICLE	IF	CITATIONS
37	Five-Year Results of Neoadjuvant Cisplatin, Methotrexate and Vinblastine Chemotherapy plus Radical Cystectomy in Locally Advanced Bladder Cancer. <i>European Urology</i> , 1995, 28, 102-107.	1.9	13
38	Systemic Preoperative Chemotherapy with Cisplatin, Methotrexate and Vinblastine for Locally Advanced Bladder Cancer: Local Tumor Response and Early Followup Results. <i>Journal of Urology</i> , 1991, 145, 741-743.	0.4	40
39	Micturitional dysfunction after anterior resection for rectal cancer. <i>Diseases of the Colon and Rectum</i> , 1988, 31, 707-709.	1.3	20
40	Sacral Chordoma and Rehabilitative Treatment of Urinary Disorders. <i>Tumori</i> , 1988, 74, 475-478.	1.1	7