

# Lamiaa A Shaala

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3289358/publications.pdf>

Version: 2024-02-01

61  
papers

1,464  
citations

236612

25  
h-index

344852

36  
g-index

63  
all docs

63  
docs citations

63  
times ranked

1856  
citing authors

#	ARTICLE	IF	CITATIONS
1	Characterization of Bioactive Compounds from the Red Sea Tunicate-Derived Fungus <i>Penicillium commune</i> DY004. <i>Letters in Organic Chemistry</i> , 2022, 19, 144-149.	0.2	2
2	Cytotoxic Phenylpropanoid Derivatives and Alkaloids from the Flowers of <i>Pancreaticum maritimum</i> L.. <i>Plants</i> , 2022, 11, 476.	1.6	6
3	Asperopiperazines A and B: Antimicrobial and Cytotoxic Dipeptides from a Tunicate-Derived Fungus <i>Aspergillus</i> sp. DY001. <i>Marine Drugs</i> , 2022, 20, 451.	2.2	5
4	Magnificines A and B, Antimicrobial Marine Alkaloids Featuring a Tetrahydrooxazolo[3,2-a]azepine-2,5(3H,6H)-dione Backbone from the Red Sea Sponge <i>Negombata magnifica</i> . <i>Marine Drugs</i> , 2021, 19, 214.	2.2	6
5	Psammaceratin A: A Cytotoxic Psammaplysins Dimer Featuring an Unprecedented (2Z,3Z)-2,3-Bis(aminomethylene)succinamide Backbone from the Red Sea Sponge <i>Pseudoceratina arabica</i> . <i>Marine Drugs</i> , 2021, 19, 433.	2.2	8
6	Fusaripyridines A and B; Highly Oxygenated Antimicrobial Alkaloid Dimers Featuring an Unprecedented 1,4-Bis(2-hydroxy-1,2-dihydropyridin-2-yl)butane-2,3-dione Core from the Marine Fungus <i>Fusarium</i> sp. LY019. <i>Marine Drugs</i> , 2021, 19, 505.	2.2	10
7	Hemimycalins Câ€“E; Cytotoxic and Antimicrobial Alkaloids with Hydantoin and 2-Iminoimidazolidin-4-one Backbones from the Red Sea Marine Sponge <i>Hemimycale</i> sp.. <i>Marine Drugs</i> , 2021, 19, 691.	2.2	9
8	Antimicrobial Chlorinated 3-Phenylpropanoic Acid Derivatives from the Red Sea Marine Actinomycete <i>Streptomyces coelicolor</i> LY001. <i>Marine Drugs</i> , 2020, 18, 450.	2.2	24
9	Pseudoceratonic Acid and Molokaâ€™miamine Derivatives from the Red Sea Verongiïd Sponge <i>Pseudoceratina arabica</i> . <i>Marine Drugs</i> , 2020, 18, 525.	2.2	11
10	Secondary Metabolites of the Genus <i>Didemnum</i> : A Comprehensive Review of Chemical Diversity and Pharmacological Properties. <i>Marine Drugs</i> , 2020, 18, 307.	2.2	14
11	Bioactive Diketopiperazines and Nucleoside Derivatives from a Sponge-Derived <i>Streptomyces</i> Species. <i>Marine Drugs</i> , 2019, 17, 584.	2.2	19
12	New Source of 3D Chitin Scaffolds: The Red Sea Demosponge <i>Pseudoceratina arabica</i> ( <i>Pseudoceratinidae</i> , <i>Verongiïda</i> ). <i>Marine Drugs</i> , 2019, 17, 92.	2.2	36
13	Cytotoxic Psammaplysins Analogues from the Verongid Red Sea Sponge <i>Aplysinella</i> Species. <i>Biomolecules</i> , 2019, 9, 841.	1.8	21
14	The demosponge <i>Pseudoceratina purpurea</i> as a new source of fibrous chitin. <i>International Journal of Biological Macromolecules</i> , 2018, 112, 1021-1028.	3.6	31
15	Jizanpeptins, Cyanobacterial Protease Inhibitors from a <i>Symploca</i> sp. Cyanobacterium Collected in the Red Sea. <i>Journal of Natural Products</i> , 2018, 81, 1417-1425.	1.5	17
16	First Report on Chitin in a Non-Verongiïd Marine Demosponge: The <i>Mycale euplectellioides</i> Case. <i>Marine Drugs</i> , 2018, 16, 68.	2.2	26
17	Discovery of chitin in skeletons of non-verongiïd Red Sea demosponges. <i>PLoS ONE</i> , 2018, 13, e0195803.	1.1	31
18	<i>Catha edulis</i> Forsk. (Khat): Evaluation of its antidepressant-like Activity. <i>Pharmacognosy Magazine</i> , 2017, 13, 354.	0.3	17

#	ARTICLE	IF	CITATIONS
19	Red Sea Sponges of the Genus Hyrtios as a Source of Symbiotic Fungi with Antimicrobial Activities. Records of Pharmaceutical and Biomedical Sciences, 2017, 1, 73-80.	0.1	0
20	Evaluation of the antiproliferative and cytotoxic activities of marine invertebrates-derived fungi. Pakistan Journal of Pharmaceutical Sciences, 2017, 30, 1001-1006.	0.2	3
21	Biologically active compounds from the red sea sponge Suberea sp. Pakistan Journal of Pharmaceutical Sciences, 2017, 30, 2389-2392.	0.2	1
22	Cytotoxic Compounds from the Saudi Red Sea Sponge Xestospongia testudinaria. Marine Drugs, 2016, 14, 82.	2.2	16
23	New Cerebroside and Nucleoside Derivatives from a Red Sea Strain of the Marine Cyanobacterium Moorea producens. Molecules, 2016, 21, 324.	1.7	15
24	Bioactive 2(1H)-Pyrazinones and Diketopiperazine Alkaloids from a Tunicate-Derived Actinomycete Streptomyces sp.. Molecules, 2016, 21, 1116.	1.7	30
25	Callyptide A, a new cytotoxic peptide from the Red Sea marine sponge <i>Callyspongia</i> species. Natural Product Research, 2016, 30, 2783-2790.	1.0	20
26	Bioactive Secondary Metabolites from the Red Sea Marine Verongid Sponge Suberea Species. Marine Drugs, 2015, 13, 1621-1631.	2.2	40
27	Bioactive Hydantoin Alkaloids from the Red Sea Marine Sponge Hemimycale arabica. Marine Drugs, 2015, 13, 6609-6619.	2.2	36
28	Evaluation of the Anti-Inflammatory, Antioxidant and Immunomodulatory Effects of the Organic Extract of the Red Sea Marine Sponge Xestospongia testudinaria against Carrageenan Induced Rat Paw Inflammation. PLoS ONE, 2015, 10, e0138917.	1.1	26
29	Two new polyacetylene derivatives from the Red Sea sponge <i>Xestospongia</i> sp.. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2015, 70, 297-303.	0.6	18
30	Calotroposides H <sup>14</sup> N, new cytotoxic oxypregnane oligoglycosides from the root bark of Calotropis procera. Steroids, 2015, 96, 63-72.	0.8	22
31	New purine alkaloids from the Red Sea marine tunicate Symplegma rubra. Phytochemistry Letters, 2015, 13, 212-217.	0.6	8
32	Identification and Bioactivity of Compounds from the Fungus Penicillium sp. CYE-87 Isolated from a Marine Tunicate. Marine Drugs, 2015, 13, 1698-1709.	2.2	46
33	Ehrenasterol and biemnic acid; new bioactive compounds from the Red Sea sponge Biemna ehrenbergi. Phytochemistry Letters, 2015, 12, 296-301.	0.6	28
34	2,3-Seco-2,3-dioxo-lyngbyatoxin A from a Red Sea strain of the marine cyanobacterium <i>Moorea producens</i> . Natural Product Research, 2015, 29, 703-709.	1.0	13
35	Bioactive alkaloids from the Red Sea marine Verongid sponge Pseudoceratina arabica. Tetrahedron, 2015, 71, 7837-7841.	1.0	25
36	Theonellamide G, a Potent Antifungal and Cytotoxic Bicyclic Glycopeptide from the Red Sea Marine Sponge Theonella swinhoei. Marine Drugs, 2014, 12, 1911-1923.	2.2	63

#	ARTICLE	IF	CITATIONS
37	Didemnaketals F and G, New Bioactive Spiroketal from a Red Sea Ascidian <i>Didemnum</i> Species. <i>Marine Drugs</i> , 2014, 12, 5021-5034.	2.2	16
38	Red Sea <i>Suberea mollis</i> Sponge Extract Protects against CCl <sub>4</sub> -Induced Acute Liver Injury in Rats via an Antioxidant Mechanism. <i>Evidence-based Complementary and Alternative Medicine</i> , 2014, 2014, 1-9.	0.5	25
39	Non-Alkaloidal Compounds from the Bulbs of the Egyptian Plant <i>Pancreatium maritimum</i> . <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2014, 69, 92-98.	0.6	11
40	Proceraside A, a new cardiac glycoside from the root barks of <i>Calotropis procera</i> with <i>in vitro</i> anticancer effects. <i>Natural Product Research</i> , 2014, 28, 1322-1327.	1.0	27
41	Urgineaglyceride A: a new monoacylglycerol from the Egyptian <i>Drimia maritima</i> bulbs. <i>Natural Product Research</i> , 2014, 28, 1583-1590.	1.0	7
42	Didemnacerides A and B: two new glycerides from Red Sea ascidian <i>Didemnum</i> species. <i>Natural Product Research</i> , 2014, 28, 1591-1597.	1.0	6
43	Loranthin: A new polyhydroxylated flavanocoumarin from <i>Plicosepalus acacia</i> with significant free radical scavenging and antimicrobial activity. <i>Phytochemistry Letters</i> , 2013, 6, 113-117.	0.6	24
44	Malyngamide 4, a new lipopeptide from the Red Sea marine cyanobacterium <i>Moorea producens</i> (formerly <i>Lyngbya majuscula</i> ). <i>Phytochemistry Letters</i> , 2013, 6, 183-188.	0.6	35
45	Apratoxin H and Apratoxin A Sulfoxide from the Red Sea Cyanobacterium <i>Moorea producens</i> . <i>Journal of Natural Products</i> , 2013, 76, 1781-1788.	1.5	88
46	New Alkaloids from <i>Pancreatium maritimum</i> . <i>Planta Medica</i> , 2013, 79, 1480-1484.	0.7	29
47	Bioactive Compounds from the Red Sea Marine Sponge <i>Hirtios</i> Species. <i>Marine Drugs</i> , 2013, 11, 1061-1070.	2.2	28
48	Bioactive Compounds from the Marine Sponge-derived Fungus <i>Penicillium</i> Species. <i>Planta Medica</i> , 2013, 79, .	0.7	1
49	Isolation and Anti-infective Activity Screening of Marine Invertebrates-Associated Fungi. <i>Planta Medica</i> , 2013, 79, .	0.7	0
50	New ursane-type triterpenes from the root bark of <i>Calotropis procera</i> . <i>Phytochemistry Letters</i> , 2012, 5, 490-495.	0.6	46
51	Subreamolline A as a Potent Breast Cancer Migration, Invasion and Proliferation Inhibitor and Bioactive Dibrominated Alkaloids from the Red Sea Sponge <i>Pseudoceratina arabica</i> . <i>Marine Drugs</i> , 2012, 10, 2492-2508.	2.2	42
52	Laboratory-cultured Red Sea cyanobacteria as a source of biologically active natural products. <i>Planta Medica</i> , 2012, 78, .	0.7	0
53	Brominated Arginine-Derived Alkaloids from the Red Sea Sponge <i>Suberea mollis</i> . <i>Journal of Natural Products</i> , 2011, 74, 1517-1520.	1.5	33
54	Cyclic Depsipeptides, Grassypeptolides D and E and Ibu-epidemethoxylyngbyastatin 3, from a Red Sea <i>Leptolyngbya</i> Cyanobacterium. <i>Journal of Natural Products</i> , 2011, 74, 1677-1685.	1.5	67

#	ARTICLE	IF	CITATIONS
55	Design of semisynthetic analogues and 3D-QSAR study of eunicellin-based diterpenoids as prostate cancer migration and invasion inhibitors. <i>European Journal of Medicinal Chemistry</i> , 2011, 46, 1122-1130.	2.6	19
56	Pachycladins A-E, Prostate Cancer Invasion and Migration Inhibitory Eunicellin-Based Diterpenoids from the Red Sea Soft Coral <i>Cladiella pachyclados</i> . <i>Journal of Natural Products</i> , 2010, 73, 848-853.	1.5	79
57	Sipholane Triterpenoids: Chemistry, Reversal of ABCB1/P-Glycoprotein-Mediated Multidrug Resistance, and Pharmacophore Modeling. <i>Journal of Natural Products</i> , 2009, 72, 1291-1298.	1.5	51
58	Bioactive Brominated Metabolites from the Red Sea Sponge <i>Pseudoceratina arabica</i> . <i>Journal of Natural Products</i> , 2008, 71, 1472-1474.	1.5	27
59	Bioactive Brominated Metabolites from the Red Sea Sponge <i>Suberea mollis</i> . <i>Journal of Natural Products</i> , 2008, 71, 1464-1467.	1.5	61
60	Subereaphenol A, a new Cytotoxic and Antimicrobial Dibrominated Phenol from the Red Sea Sponge <i>Suberea Mollis</i> . <i>Natural Product Communications</i> , 2008, 3, 1934578X0800300.	0.2	5
61	Antimycobacterial Scalarane-Based Sesterterpenes from the Red Sea Sponge <i>Hyrtioserecta</i> . <i>Journal of Natural Products</i> , 2005, 68, 1782-1784.	1.5	32