

Matthew J Maurer

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3289469/matthew-j-maurer-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

271
papers

8,194
citations

44
h-index

87
g-index

278
ext. papers

9,733
ext. citations

4.1
avg, IF

5.38
L-index

#	Paper	IF	Citations
271	Outcomes in refractory diffuse large B-cell lymphoma: results from the international SCHOLAR-1 study. <i>Blood</i> , 2017 , 130, 1800-1808	2.2	653
270	Phase II trial of temsirolimus (CCI-779) in recurrent glioblastoma multiforme: a North Central Cancer Treatment Group Study. <i>Journal of Clinical Oncology</i> , 2005 , 23, 5294-304	2.2	608
269	Early Relapse of Follicular Lymphoma After Rituximab Plus Cyclophosphamide, Doxorubicin, Vincristine, and Prednisone Defines Patients at High Risk for Death: An Analysis From the National LymphoCare Study. <i>Journal of Clinical Oncology</i> , 2015 , 33, 2516-22	2.2	438
268	ALK-negative anaplastic large cell lymphoma is a genetically heterogeneous disease with widely disparate clinical outcomes. <i>Blood</i> , 2014 , 124, 1473-80	2.2	294
267	Phase II trial of vorinostat in recurrent glioblastoma multiforme: a north central cancer treatment group study. <i>Journal of Clinical Oncology</i> , 2009 , 27, 2052-8	2.2	277
266	Event-free survival at 24 months is a robust end point for disease-related outcome in diffuse large B-cell lymphoma treated with immunochemotherapy. <i>Journal of Clinical Oncology</i> , 2014 , 32, 1066-73	2.2	220
265	Rates and outcomes of follicular lymphoma transformation in the immunochemotherapy era: a report from the University of Iowa/MayoClinic Specialized Program of Research Excellence Molecular Epidemiology Resource. <i>Journal of Clinical Oncology</i> , 2013 , 31, 3272-8	2.2	206
264	Low-dose, single-agent temsirolimus for relapsed mantle cell lymphoma: a phase 2 trial in the North Central Cancer Treatment Group. <i>Cancer</i> , 2008 , 113, 508-14	6.4	193
263	A prospective study of quality of life in adults with newly diagnosed high-grade gliomas: the impact of the extent of resection on quality of life and survival. <i>Neurosurgery</i> , 2005 , 57, 495-504; discussion 495-504	3.2	168
262	Vitamin D insufficiency and prognosis in non-Hodgkin's lymphoma. <i>Journal of Clinical Oncology</i> , 2010 , 28, 4191-8	2.2	164
261	Non-Hodgkin lymphoma subtype distribution, geodemographic patterns, and survival in the US: A longitudinal analysis of the National Cancer Data Base from 1998 to 2011. <i>American Journal of Hematology</i> , 2015 , 90, 790-5	7.1	160
260	Dose-Adjusted EPOCH-R Compared With R-CHOP as Frontline Therapy for Diffuse Large B-Cell Lymphoma: Clinical Outcomes of the Phase III Intergroup Trial Alliance/CALGB 50303. <i>Journal of Clinical Oncology</i> , 2019 , 37, 1790-1799	2.2	156
259	Prospective study of quality of life in adults with newly diagnosed high-grade gliomas. <i>Journal of Neuro-Oncology</i> , 2006 , 76, 283-91	4.8	144
258	Tumorgrafts as in vivo surrogates for women with ovarian cancer. <i>Clinical Cancer Research</i> , 2014 , 20, 1288-97	12.9	143
257	Early event status informs subsequent outcome in newly diagnosed follicular lymphoma. <i>American Journal of Hematology</i> , 2016 , 91, 1096-1101	7.1	137
256	A polymorphism in the complement component C1qA correlates with prolonged response following rituximab therapy of follicular lymphoma. <i>Clinical Cancer Research</i> , 2008 , 14, 6697-703	12.9	133
255	The ratios of CD8+ T cells to CD4+CD25+ FOXP3+ and FOXP3- T cells correlate with poor clinical outcome in human serous ovarian cancer. <i>PLoS ONE</i> , 2013 , 8, e80063	3.7	132

254	APOBEC3B upregulation and genomic mutation patterns in serous ovarian carcinoma. <i>Cancer Research</i> , 2013 , 73, 7222-31	10.1	123
253	Epratuzumab with rituximab, cyclophosphamide, doxorubicin, vincristine, and prednisone chemotherapy in patients with previously untreated diffuse large B-cell lymphoma. <i>Blood</i> , 2011 , 118, 4053-61	2.2	123
252	Oncolytic measles virus expressing the sodium iodide symporter to treat drug-resistant ovarian cancer. <i>Cancer Research</i> , 2015 , 75, 22-30	10.1	120
251	Utility of routine post-therapy surveillance imaging in diffuse large B-cell lymphoma. <i>Journal of Clinical Oncology</i> , 2014 , 32, 3506-12	2.2	118
250	Elevated serum IL-10 levels in diffuse large B-cell lymphoma: a mechanism of aberrant JAK2 activation. <i>Blood</i> , 2012 , 119, 2844-53	2.2	117
249	Validation of neuroradiologic response assessment in gliomas: measurement by RECIST, two-dimensional, computer-assisted tumor area, and computer-assisted tumor volume methods. <i>Neuro-Oncology</i> , 2006 , 8, 156-65	1	101
248	Vitamin D insufficiency and prognosis in chronic lymphocytic leukemia. <i>Blood</i> , 2011 , 117, 1492-8	2.2	100
247	Prognostic significance of host immune gene polymorphisms in follicular lymphoma survival. <i>Blood</i> , 2007 , 109, 5439-46	2.2	94
246	A simplified scoring system in de novo follicular lymphoma treated initially with immunochemotherapy. <i>Blood</i> , 2018 , 132, 49-58	2.2	90
245	Cause of Death in Follicular Lymphoma in the First Decade of the Rituximab Era: A Pooled Analysis of French and US Cohorts. <i>Journal of Clinical Oncology</i> , 2019 , 37, 144-152	2.2	80
244	Chromosomal imbalances detected by array comparative genomic hybridization in human oligodendrogliomas and mixed oligoastrocytomas. <i>Genes Chromosomes and Cancer</i> , 2005 , 42, 68-77	5	80
243	Defining cure in multiple myeloma: a comparative study of outcomes of young individuals with myeloma and curable hematologic malignancies. <i>Blood Cancer Journal</i> , 2018 , 8, 26	7	68
242	Statin use and prognosis in patients with diffuse large B-cell lymphoma and follicular lymphoma in the rituximab era. <i>Journal of Clinical Oncology</i> , 2010 , 28, 412-7	2.2	65
241	Diagnosis-to-Treatment Interval Is an Important Clinical Factor in Newly Diagnosed Diffuse Large B-Cell Lymphoma and Has Implication for Bias in Clinical Trials. <i>Journal of Clinical Oncology</i> , 2018 , 36, 1603-1610	2.2	63
240	Bevacizumab May Differentially Improve Ovarian Cancer Outcome in Patients with Proliferative and Mesenchymal Molecular Subtypes. <i>Clinical Cancer Research</i> , 2017 , 23, 3794-3801	12.9	62
239	Smoking, alcohol use, obesity, and overall survival from non-Hodgkin lymphoma: a population-based study. <i>Cancer</i> , 2010 , 116, 2993-3000	6.4	61
238	Host immune gene polymorphisms in combination with clinical and demographic factors predict late survival in diffuse large B-cell lymphoma patients in the pre-rituximab era. <i>Blood</i> , 2008 , 112, 2694-702	2.2	60
237	Prognostic significance of pretreatment serum cytokines in classical Hodgkin lymphoma. <i>Clinical Cancer Research</i> , 2013 , 19, 6812-9	12.9	58

236	Elevated serum free light chains are associated with event-free and overall survival in two independent cohorts of patients with diffuse large B-cell lymphoma. <i>Journal of Clinical Oncology</i> , 2011 , 29, 1620-6	2.2	56
235	Pooled Clustering of High-Grade Serous Ovarian Cancer Gene Expression Leads to Novel Consensus Subtypes Associated with Survival and Surgical Outcomes. <i>Clinical Cancer Research</i> , 2017 , 23, 4077-4085 ^{12.9}		54
234	Genomic analysis of marginal zone and lymphoplasmacytic lymphomas identified common and disease-specific abnormalities. <i>Modern Pathology</i> , 2012 , 25, 651-60	9.8	54
233	Detection of endometrial cancer via molecular analysis of DNA collected with vaginal tampons. <i>Gynecologic Oncology</i> , 2015 , 137, 14-22	4.9	52
232	Inherited determinants of ovarian cancer survival. <i>Clinical Cancer Research</i> , 2010 , 16, 995-1007	12.9	50
231	Expression of Myc, but not pSTAT3, is an adverse prognostic factor for diffuse large B-cell lymphoma treated with epratuzumab/R-CHOP. <i>Blood</i> , 2012 , 120, 4400-6	2.2	49
230	Constitutive Interferon Pathway Activation in Tumors as an Efficacy Determinant Following Oncolytic Virotherapy. <i>Journal of the National Cancer Institute</i> , 2018 , 110, 1123-1132	9.7	49
229	The oncogenic transcription factor IRF4 is regulated by a novel CD30/NF- κ B positive feedback loop in peripheral T-cell lymphoma. <i>Blood</i> , 2015 , 125, 3118-27	2.2	47
228	Pretreatment circulating serum cytokines associated with follicular and diffuse large B-cell lymphoma: a clinic-based case-control study. <i>Cytokine</i> , 2012 , 60, 882-9	4	46
227	Randomized phase II study of interleukin-12 in combination with rituximab in previously treated non-Hodgkin's lymphoma patients. <i>Clinical Cancer Research</i> , 2006 , 12, 6056-63	12.9	44
226	Monoclonal and polyclonal serum free light chains and clinical outcome in chronic lymphocytic leukemia. <i>Blood</i> , 2011 , 118, 2821-6	2.2	43
225	A pilot study of epratuzumab and rituximab in combination with cyclophosphamide, doxorubicin, vincristine, and prednisone chemotherapy in patients with previously untreated, diffuse large B-cell lymphoma. <i>Cancer</i> , 2006 , 107, 2826-32	6.4	41
224	Complementary and alternative medicine use among long-term lymphoma survivors: a pilot study. <i>American Journal of Hematology</i> , 2009 , 84, 795-8	7.1	40
223	Progression-free survival at 24 months (PFS24) and subsequent outcome for patients with diffuse large B-cell lymphoma (DLBCL) enrolled on randomized clinical trials. <i>Annals of Oncology</i> , 2018 , 29, 1822-1827 ^{10.3}		39
222	Treatment strategies, outcomes and prognostic factors in 291 patients with secondary CNS involvement by diffuse large B-cell lymphoma. <i>European Journal of Cancer</i> , 2018 , 93, 57-68	7.5	37
221	APOBEC3G Expression Correlates with T-Cell Infiltration and Improved Clinical Outcomes in High-grade Serous Ovarian Carcinoma. <i>Clinical Cancer Research</i> , 2016 , 22, 4746-55	12.9	37
220	Clinical heterogeneity of diffuse large B cell lymphoma following failure of front-line immunochemotherapy. <i>British Journal of Haematology</i> , 2017 , 179, 50-60	4.5	37
219	Regulatory T cells, inherited variation, and clinical outcome in epithelial ovarian cancer. <i>Cancer Immunology, Immunotherapy</i> , 2015 , 64, 1495-504	7.4	36

218	Elevated serum levels of IL-2R, IL-1RA, and CXCL9 are associated with a poor prognosis in follicular lymphoma. <i>Blood</i> , 2015 , 125, 992-8	2.2	36
217	The Functional Assessment of Cancer Therapy - General (FACT-G) is valid for monitoring quality of life in patients with non-Hodgkin lymphoma. <i>Leukemia and Lymphoma</i> , 2013 , 54, 290-7	1.9	36
216	53BP1 as a potential predictor of response in PARP inhibitor-treated homologous recombination-deficient ovarian cancer. <i>Gynecologic Oncology</i> , 2019 , 153, 127-134	4.9	35
215	International Assessment of Event-Free Survival at 24 Months and Subsequent Survival in Peripheral T-Cell Lymphoma. <i>Journal of Clinical Oncology</i> , 2017 , 35, 4019-4026	2.2	35
214	PatternCNV: a versatile tool for detecting copy number changes from exome sequencing data. <i>Bioinformatics</i> , 2014 , 30, 2678-80	7.2	35
213	Cohort Profile: The Lymphoma Specialized Program of Research Excellence (SPORE) Molecular Epidemiology Resource (MER) Cohort Study. <i>International Journal of Epidemiology</i> , 2017 , 46, 1753-1754i	7.8	35
212	Phase I and pharmacological study of cytarabine and tanespimycin in relapsed and refractory acute leukemia. <i>Haematologica</i> , 2011 , 96, 1619-26	6.6	35
211	Germline variation in complement genes and event-free survival in follicular and diffuse large B-cell lymphoma. <i>American Journal of Hematology</i> , 2012 , 87, 880-5	7.1	32
210	Multi-institutional phase 2 study of the farnesyltransferase inhibitor tipifarnib (R115777) in patients with relapsed and refractory lymphomas. <i>Blood</i> , 2011 , 118, 4882-9	2.2	32
209	Inferior survival in high-grade B-cell lymphoma with and/or rearrangements is not associated with gene rearrangements. <i>Haematologica</i> , 2018 , 103, 1899-1907	6.6	31
208	Elevated pretreatment serum levels of interferon-inducible protein-10 (CXCL10) predict disease relapse and prognosis in diffuse large B-cell lymphoma patients. <i>American Journal of Hematology</i> , 2012 , 87, 865-9	7.1	31
207	A phase I trial of immunostimulatory CpG 7909 oligodeoxynucleotide and 90 yttrium ibritumomab tiuxetan radioimmunotherapy for relapsed B-cell non-Hodgkin lymphoma. <i>American Journal of Hematology</i> , 2013 , 88, 589-93	7.1	30
206	Personalized risk prediction for event-free survival at 24 months in patients with diffuse large B-cell lymphoma. <i>American Journal of Hematology</i> , 2016 , 91, 179-84	7.1	30
205	A Phase II Trial of the Oral mTOR Inhibitor Everolimus (RAD001) in Relapsed Aggressive Non-Hodgkin Lymphoma (NHL).. <i>Blood</i> , 2007 , 110, 121-121	2.2	29
204	Utility of progranulin and serum leukocyte protease inhibitor as diagnostic and prognostic biomarkers in ovarian cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013 , 22, 1730-5	4	28
203	Diagnostic accuracy of a defined immunophenotypic and molecular genetic approach for peripheral T/NK-cell lymphomas. A North American PTCL study group project. <i>American Journal of Surgical Pathology</i> , 2014 , 38, 768-75	6.7	28
202	Poly(adenosine diphosphate ribose) polymerase inhibitors induce autophagy-mediated drug resistance in ovarian cancer cells, xenografts, and patient-derived xenograft models. <i>Cancer</i> , 2020 , 126, 894-907	6.4	27
201	CXCR5 polymorphisms in non-Hodgkin lymphoma risk and prognosis. <i>Cancer Immunology, Immunotherapy</i> , 2013 , 62, 1475-84	7.4	26

200	Late Relapses in Patients With Diffuse Large B-Cell Lymphoma Treated With Immunochemotherapy. <i>Journal of Clinical Oncology</i> , 2019 , 37, 1819-1827	2.2	25
199	Plasma immune analytes in patients with epithelial ovarian cancer. <i>Cytokine</i> , 2015 , 73, 108-113	4	25
198	Elevated serum free light chains are associated with inferior event free and overall survival in Hodgkin lymphoma. <i>American Journal of Hematology</i> , 2011 , 86, 998-1000	7.1	25
197	Transthoracic Echocardiography versus Computed Tomography for Ascending Aortic Measurements in Patients with Bicuspid Aortic Valve. <i>Journal of the American Society of Echocardiography</i> , 2017 , 30, 625-635	5.8	24
196	EGFR as a prognostic biomarker and therapeutic target in ovarian cancer: evaluation of patient cohort and literature review. <i>Genes and Cancer</i> , 2017 , 8, 589-599	2.9	24
195	Translation initiation complex eIF4F is a therapeutic target for dual mTOR kinase inhibitors in non-Hodgkin lymphoma. <i>Oncotarget</i> , 2015 , 6, 9488-501	3.3	24
194	The DNA Cytosine Deaminase APOBEC3B is a Molecular Determinant of Platinum Responsiveness in Clear Cell Ovarian Cancer. <i>Clinical Cancer Research</i> , 2020 , 26, 3397-3407	12.9	23
193	Online Physician Reviews Do Not Reflect Patient Satisfaction Survey Responses. <i>Mayo Clinic Proceedings</i> , 2018 , 93, 453-457	6.4	22
192	Genetic polymorphisms in oxidative stress-related genes are associated with outcomes following treatment for aggressive B-cell non-Hodgkin lymphoma. <i>American Journal of Hematology</i> , 2014 , 89, 639-45	7.1	20
191	Elevated soluble IL-2R α , IL-8, and MIP-1 α levels are associated with inferior outcome and are independent of MIPI score in patients with mantle cell lymphoma. <i>American Journal of Hematology</i> , 2014 , 89, E223-7	7.1	20
190	Large-scale evaluation of common variation in regulatory T cell-related genes and ovarian cancer outcome. <i>Cancer Immunology Research</i> , 2014 , 2, 332-40	12.5	20
189	Phase I/II trial of pyrazoloacridine and carboplatin in patients with recurrent glioma: a North Central Cancer Treatment Group trial. <i>Investigational New Drugs</i> , 2005 , 23, 495-503	4.3	20
188	Experience with Axicabtagene Ciloleucel (Axi-cel) in Patients with Secondary CNS Involvement: Results from the US Lymphoma CAR T Consortium. <i>Blood</i> , 2019 , 134, 763-763	2.2	20
187	Amplification of 9p24.1 in diffuse large B-cell lymphoma identifies a unique subset of cases that resemble primary mediastinal large B-cell lymphoma. <i>Blood Cancer Journal</i> , 2019 , 9, 73	7	19
186	Genome-Wide Association Study of Event-Free Survival in Diffuse Large B-Cell Lymphoma Treated With Immunochemotherapy. <i>Journal of Clinical Oncology</i> , 2015 , 33, 3930-7	2.2	19
185	History of autoimmune conditions and lymphoma prognosis. <i>Blood Cancer Journal</i> , 2018 , 8, 73	7	19
184	Impact of concurrent indolent lymphoma on the clinical outcome of newly diagnosed diffuse large B-cell lymphoma. <i>Blood</i> , 2019 , 134, 1289-1297	2.2	19
183	A phase 2 study of gemcitabine and epirubicin for the treatment of pleural mesothelioma: a North Central Cancer Treatment Study, N0021. <i>Cancer</i> , 2008 , 112, 1772-9	6.4	19

182	Inherited variants in regulatory T cell genes and outcome of ovarian cancer. <i>PLoS ONE</i> , 2013 , 8, e53903	3.7	19
181	18-Fluoro-deoxyglucose positron emission tomography report interpretation as predictor of outcome in diffuse large B-cell lymphoma including analysis of indeterminate reports. <i>Leukemia and Lymphoma</i> , 2010 , 51, 439-46	1.9	18
180	Elevated serum monoclonal and polyclonal free light chains and interferon inducible protein-10 predicts inferior prognosis in untreated diffuse large B-cell lymphoma. <i>American Journal of Hematology</i> , 2014 , 89, 417-22	7.1	16
179	Maintenance rituximab or observation after frontline treatment with bendamustine-rituximab for follicular lymphoma. <i>British Journal of Haematology</i> , 2019 , 184, 524-535	4.5	16
178	Loss of TNFAIP3 enhances MYD88-driven signaling in non-Hodgkin lymphoma. <i>Blood Cancer Journal</i> , 2018 , 8, 97	7	16
177	Cytokine gene polymorphisms and progression-free survival in classical Hodgkin lymphoma by EBV status: results from two independent cohorts. <i>Cytokine</i> , 2013 , 64, 523-31	4	15
176	An HLA-DR-degenerate epitope pool detects insulin-like growth factor binding protein 2-specific immunity in patients with cancer. <i>Cancer Research</i> , 2008 , 68, 4893-901	10.1	15
175	Prognostic and therapeutic significance of phosphorylated STAT3 and protein tyrosine phosphatase-6 in peripheral-T cell lymphoma. <i>Blood Cancer Journal</i> , 2018 , 8, 110	7	15
174	Human Pegivirus infection and lymphoma risk and prognosis: a North American study. <i>British Journal of Haematology</i> , 2018 , 182, 644-653	4.5	15
173	ALK-positive anaplastic large-cell lymphoma in adults: an individual patient data pooled analysis of 263 patients. <i>Haematologica</i> , 2019 , 104, e562-e565	6.6	14
172	Elevated monoclonal and polyclonal serum immunoglobulin free light chain as prognostic factors in B- and T-cell non-Hodgkin lymphoma. <i>American Journal of Hematology</i> , 2014 , 89, 1116-20	7.1	14
171	Serine protease inhibitor Kazal type 1 (SPINK1) drives proliferation and anoikis resistance in a subset of ovarian cancers. <i>Oncotarget</i> , 2015 , 6, 35737-54	3.3	14
170	Outcomes among North American patients with diffuse large B-cell lymphoma are independent of tumor Epstein-Barr virus positivity or immunosuppression. <i>Haematologica</i> , 2018 , 103, 297-303	6.6	14
169	Assessment of published models and prognostic variables in epithelial ovarian cancer at Mayo Clinic. <i>Gynecologic Oncology</i> , 2015 , 137, 77-85	4.9	12
168	Widespread use of complementary and alternative medicine among non-Hodgkin lymphoma survivors. <i>Leukemia and Lymphoma</i> , 2015 , 56, 434-9	1.9	12
167	A degenerate HLA-DR epitope pool of HER-2/neu reveals a novel in vivo immunodominant epitope, HER-2/neu88-102. <i>Clinical Cancer Research</i> , 2010 , 16, 825-34	12.9	12
166	Human Pegivirus Infection and Lymphoma Risk: A Systematic Review and Meta-analysis. <i>Clinical Infectious Diseases</i> , 2020 , 71, 1221-1228	11.6	12
165	Associations between elevated pre-treatment serum cytokines and peripheral blood cellular markers of immunosuppression in patients with lymphoma. <i>American Journal of Hematology</i> , 2017 , 92, 752-758	7.1	11

164	A susceptibility locus for classical Hodgkin lymphoma at 8q24 near MYC/PVT1 predicts patient outcome in two independent cohorts. <i>British Journal of Haematology</i> , 2018 , 180, 286-290	4.5	11
163	Cytomegalovirus infection does not impact on survival or time to first treatment in patients with chronic lymphocytic leukemia. <i>American Journal of Hematology</i> , 2016 , 91, 776-81	7.1	11
162	Inherited genetic variation and overall survival following follicular lymphoma. <i>American Journal of Hematology</i> , 2012 , 87, 724-6	7.1	11
161	Phase II trial of carmustine, cisplatin, and oral etoposide chemotherapy before radiotherapy for grade 3 astrocytoma (anaplastic astrocytoma): results of North Central Cancer Treatment Group trial 98-72-51. <i>International Journal of Radiation Oncology Biology Physics</i> , 2005 , 61, 380-6	4	11
160	Detection of extranodal and spleen involvement by FDG-PET imaging predicts adverse survival in untreated follicular lymphoma. <i>American Journal of Hematology</i> , 2019 , 94, 786-793	7.1	10
159	High level MYC amplification in B-cell lymphomas: is it a marker of aggressive disease?. <i>Blood Cancer Journal</i> , 2020 , 10, 5	7	10
158	Quality of life at diagnosis predicts overall survival in patients with aggressive lymphoma. <i>Hematological Oncology</i> , 2018 , 36, 749-756	1.3	10
157	Identification of a broad coverage HLA-DR degenerate epitope pool derived from carcinoembryonic antigen. <i>Cancer Immunology, Immunotherapy</i> , 2010 , 59, 161-71	7.4	10
156	Impact of metformin use on the outcomes of newly diagnosed diffuse large B-cell lymphoma and follicular lymphoma. <i>British Journal of Haematology</i> , 2019 , 186, 820-828	4.5	9
155	The utility of prognostic indices, early events, and histological subtypes on predicting outcomes in non-follicular indolent B-cell lymphomas. <i>American Journal of Hematology</i> , 2019 , 94, 658-666	7.1	9
154	Variability of performance status assessment between patients with hematologic malignancies and their physicians. <i>Leukemia and Lymphoma</i> , 2018 , 59, 695-701	1.9	9
153	Prevalence, clinical characteristics and prognosis of EBV-positive follicular lymphoma. <i>American Journal of Hematology</i> , 2019 , 94, E62-E64	7.1	9
152	Targeting of inflammatory pathways with R2CHOP in high-risk DLBCL. <i>Leukemia</i> , 2021 , 35, 522-533	10.7	9
151	Expression of LMO2 is associated with t(14;18)/IGH-BCL2 fusion but not BCL6 translocations in diffuse large B-cell lymphoma. <i>American Journal of Clinical Pathology</i> , 2010 , 134, 278-81	1.9	8
150	Minimal relapse risk and early normalization of survival for patients with Burkitt lymphoma treated with intensive immunochemotherapy: an international study of 264 real-world patients. <i>British Journal of Haematology</i> , 2020 , 189, 661-671	4.5	8
149	The association of physical activity before and after lymphoma diagnosis with survival outcomes. <i>American Journal of Hematology</i> , 2018 , 93, 1543-1550	7.1	8
148	Leveraging gene expression subgroups to classify DLBCL patients and select for clinical benefit from a novel agent. <i>Blood</i> , 2020 , 135, 1008-1018	2.2	7
147	Bortezomib consolidation or maintenance following immunochemotherapy and autologous stem cell transplantation for mantle cell lymphoma: CALGB/Alliance 50403. <i>American Journal of Hematology</i> , 2020 , 95, 583-593	7.1	7

146	FCGR2A and FCGR3A polymorphisms in classical Hodgkin lymphoma by Epstein-Barr virus status. <i>Leukemia and Lymphoma</i> , 2013 , 54, 2571-3	1.9	7
145	Immunostaining to identify molecular subtypes of diffuse large B-cell lymphoma in a population-based epidemiologic study in the pre-rituximab era. <i>International Journal of Molecular Epidemiology and Genetics</i> , 2011 , 2, 245-52	0.9	7
144	FCGR3A/2A polymorphisms and diffuse large B-cell lymphoma outcome treated with immunochemotherapy: a meta-analysis on 1134 patients from two prospective cohorts. <i>Hematological Oncology</i> , 2017 , 35, 447-455	1.3	6
143	Comparison of the NCCN-IPI, the IPI and PIT scores as prognostic tools in peripheral T-cell lymphomas. <i>British Journal of Haematology</i> , 2019 , 186, e24-e27	4.5	6
142	Frequency, risk factors, and outcomes of central nervous system relapse in lymphoma patients treated with dose-adjusted EPOCH plus rituximab. <i>American Journal of Hematology</i> , 2017 , 92, 1156-1162	7.1	6
141	Accuracy of 18-F FDG PET/CT to detect bone marrow clearance in patients with peripheral T-cell lymphoma - tissue remains the issue. <i>Leukemia and Lymphoma</i> , 2017 , 58, 2342-2348	1.9	5
140	Bortezomib Maintenance (BM) or Consolidation (BC) Following Aggressive Immunochemotherapy and Autologous Stem Cell Transplant (ASCT) for Untreated Mantle Cell Lymphoma (MCL): 8 Year Follow up of CALGB 50403 (Alliance). <i>Blood</i> , 2018 , 132, 146-146	2.2	5
139	Impact of Organ Function-Based Clinical Trial Eligibility Criteria in Patients With Diffuse Large B-Cell Lymphoma: Who Gets Left Behind?. <i>Journal of Clinical Oncology</i> , 2021 , 39, 1641-1649	2.2	5
138	Surveillance imaging during first remission in follicular lymphoma does not impact overall survival. <i>Cancer</i> , 2021 , 127, 3390-3402	6.4	5
137	LIM domain only 2 protein expression, LMO2 germline genetic variation, and overall survival in diffuse large B-cell lymphoma in the pre-rituximab era. <i>Leukemia and Lymphoma</i> , 2012 , 53, 1105-12	1.9	4
136	PET Scan Results of NCCTG N0489: Epratuzumab and Rituximab in Combination with Cyclophosphamide, Doxorubicin, Vincristine and Prednisone Chemotherapy (ER-CHOP) in Patients with Previously Untreated Diffuse Large B-Cell Lymphoma.. <i>Blood</i> , 2009 , 114, 137-137	2.2	4
135	Treatment Patterns and Outcomes of DLBCL after Failure of Front-Line Immunochemotherapy. <i>Blood</i> , 2015 , 126, 2683-2683	2.2	4
134	Utility of Progression-Free Survival at 24 Months (PFS24) to Predict Subsequent Outcome for Patients with Diffuse Large B-Cell Lymphoma (DLBCL) Enrolled on Randomized Clinical Trials: Findings from a Surrogate Endpoint in Aggressive Lymphoma (SEAL) Analysis of Individual Patient Data from 5853 Patients. <i>Blood</i> , 2016 , 128, 3027-3027	2.2	4
133	Time from Diagnosis to Initiation of Treatment of DLBCL and Implication for Potential Selection Bias in Clinical Trials. <i>Blood</i> , 2016 , 128, 3034-3034	2.2	4
132	Changes in Quality of Life in Indolent Non-Hodgkin Lymphoma 3 Years after Diagnosis. <i>Blood</i> , 2017 , 130, 917-917	2.2	4
131	Somatic copy number gains in MYC, BCL2, and BCL6 identifies a subset of aggressive alternative-DH/TH DLBCL patients. <i>Blood Cancer Journal</i> , 2020 , 10, 117	7	4
130	Impact of R-CHOP dose intensity on survival outcomes in diffuse large B-cell lymphoma: a systematic review. <i>Blood Advances</i> , 2021 , 5, 2426-2437	7.8	4
129	Aortic Stenosis Progression, Cardiac Damage, and Survival: Comparison Between Bicuspid and Tricuspid Aortic Valves. <i>JACC: Cardiovascular Imaging</i> , 2021 , 14, 1113-1126	8.4	4

128	Overcoming platinum resistance in ovarian cancer by targeting pregnancy-associated plasma protein-A. <i>PLoS ONE</i> , 2019 , 14, e0224564	3.7	4
127	Effect of antibiotic use on outcomes in patients with Hodgkin lymphoma treated with immune checkpoint inhibitors. <i>Leukemia and Lymphoma</i> , 2021 , 62, 247-251	1.9	4
126	Event-free survival at 24 months captures central nervous system relapse of systemic diffuse large B-cell lymphoma in the immunochemotherapy era. <i>British Journal of Haematology</i> , 2018 , 183, 149-152	4.5	3
125	Vulnerable Elders Survey-13 (VES-13) Predicts 1-Year Mortality Risk in Newly Diagnosed Non-Hodgkin Lymphoma (NHL). <i>Blood</i> , 2019 , 134, 69-69	2.2	3
124	In-Vivo Activation Of STAT3 In Angioimmunoblastic T Cell Lymphoma, PTCL Not Otherwise Specified, and ALK Negative Anaplastic Large Cell Lymphoma: Implications For Therapy. <i>Blood</i> , 2013 , 122, 844-844	2.2	3
123	Lenalidomide Combined with R-CHOP (R2CHOP) Overcomes Negative Prognostic Impact of ABC Molecular Subtype in Newly Diagnosed Diffuse Large B-Cell Lymphoma. <i>Blood</i> , 2016 , 128, 3035-3035	2.2	3
122	High-Dose Methotrexate Is Not Associated with Reduction in CNS Relapse in Patients with Aggressive B-Cell Lymphoma: An International Retrospective Study of 2300 High-Risk Patients. <i>Blood</i> , 2021 , 138, 181-181	2.2	3
121	Brexucabtagene Autoleucel for Relapsed/Refractory Mantle Cell Lymphoma: Real World Experience from the US Lymphoma CAR T Consortium. <i>Blood</i> , 2021 , 138, 744-744	2.2	3
120	Cardiovascular Diseases That Have Emerged From the Darkness. <i>Journal of the American Heart Association</i> , 2021 , 10, e021095	6	3
119	Biomarkers for Risk Stratification in Patients With Previously Untreated Follicular Lymphoma Receiving Anti-CD20-based Biological Therapy. <i>American Journal of Surgical Pathology</i> , 2021 , 45, 384-393	6.7	3
118	Pretreatment Hemoglobin Adds Prognostic Information To The NCCN-IPI In Patients With Diffuse Large B-Cell Lymphoma Treated With Anthracycline-Containing Chemotherapy. <i>Clinical Epidemiology</i> , 2019 , 11, 987-996	5.9	3
117	Co-expression patterns of chimeric antigen receptor (CAR)-T cell target antigens in primary and recurrent ovarian cancer. <i>Gynecologic Oncology</i> , 2021 , 160, 520-529	4.9	3
116	Low Plasma Omega-3 Fatty Acid Levels May Predict Inferior Prognosis in Untreated Diffuse Large B-Cell Lymphoma: A New Modifiable Dietary Biomarker?. <i>Nutrition and Cancer</i> , 2018 , 70, 1088-1090	2.8	3
115	Treatment patterns and outcomes of patients with relapsed or refractory follicular lymphoma receiving three or more lines of systemic therapy (LEO CREWE): a multicentre cohort study.. <i>Lancet Haematology</i> , 2022 , 9, e289-e300	14.6	3
114	Fluorodeoxyglucose-Positron Emission Tomography Predicts Bone Marrow Involvement in the Staging of Follicular Lymphoma. <i>Oncologist</i> , 2020 , 25, 689-695	5.7	2
113	Association of elevated serumfree light chains with chronic lymphocytic leukemia and monoclonal B-cell lymphocytosis. <i>Blood Cancer Journal</i> , 2019 , 9, 59	7	2
112	Clinical Characteristics and Outcomes of an Analysis of a Single Institution Experience of the 2017 World Health Organization (WHO) Classification of Post-Transplant Lymphoproliferative Disorders (PTLD). <i>Blood</i> , 2018 , 132, 456-456	2.2	2
111	Age and Time to Progression Predict Overall Survival (OS) in Patients with Diffuse Large B-Cell Lymphoma (DLBCL) Who Progress Following Frontline Immunochemotherapy (IC). <i>Blood</i> , 2019 , 134, 400-400	2.2	2

110	Estimates and Timing of Therapy Initiation during the First Decade for Patients with Follicular Lymphoma Who Were Observed at Diagnosis. <i>Blood</i> , 2020 , 136, 7-8	2.2	2
109	Genetic Polymorphisms In Genes Involved In R-CHOP Metabolism and Event-Free and Overall Survival In Diffuse Large B-Cell Lymphoma. <i>Blood</i> , 2010 , 116, 996-996	2.2	2
108	IPI24: An International Study To Create An IPI For The Event-Free Survival At 24 Months (EFS24) Endpoint For DLBCL In The Immunochemotherapy Era. <i>Blood</i> , 2013 , 122, 362-362	2.2	2
107	Prognostic Impact of Morphology, MYC Gene Partner and BCL2/BCL6 Translocation Status in "High Grade B-Cell Lymphomas with MYC and BCL2 and/or BCL6 Rearrangements". <i>Blood</i> , 2016 , 128, 1750-1750 ^{2,2}	2.2	2
106	An International Collaborative Study of Outcome and Prognostic Factors in Patients with Secondary CNS Involvement By Diffuse Large B-Cell Lymphoma. <i>Blood</i> , 2016 , 128, 1874-1874	2.2	2
105	QOL at 3 years after diagnosis in aggressive lymphoma survivors.. <i>Journal of Clinical Oncology</i> , 2015 , 33, 9586-9586	2.2	2
104	Statistical analysis of comparative tumor growth repeated measures experiments in the ovarian cancer patient derived xenograft (PDX) setting. <i>Scientific Reports</i> , 2021 , 11, 8076	4.9	2
103	The association of health behaviors with quality of life in lymphoma survivors. <i>Leukemia and Lymphoma</i> , 2021 , 62, 271-280	1.9	2
102	Clinicopathologic Characteristics, Treatment, and Outcomes of Post-transplant Lymphoproliferative Disorders: A Single-institution Experience Using 2017 WHO Diagnostic Criteria. <i>HemaSphere</i> , 2021 , 5, e640	0.3	2
101	Cardiac Scintigraphy and Screening for Transthyretin Cardiac Amyloidosis: Caveat Emptor. <i>Circulation</i> , 2021 , 144, 1005-1007	16.7	2
100	Host genetic variation in tumor necrosis factor and nuclear factor- B pathways and overall survival in mantle cell lymphoma: A discovery and replication study. <i>American Journal of Hematology</i> , 2019 , 94, E153-E155	7.1	1
99	Survival prediction based on inherited gene variation analysis. <i>Methods in Molecular Biology</i> , 2013 , 1049, 53-64	1.4	1
98	Association of Health Behaviors and Quality of Life in Lymphoma Survivors. <i>Blood</i> , 2018 , 132, 4838-4838	2.2	1
97	Relapses after Achieving EFS24 in Patients with Diffuse Large B-Cell Lymphoma in the Rituximab Era. <i>Blood</i> , 2018 , 132, 454-454	2.2	1
96	Short Time between Progression after Immunochemotherapy and Initiation of Salvage Therapy (PTI) Is Associated with Inferior Long-Term Outcomes in Patients with Relapsed/Refractory DLBCL. <i>Blood</i> , 2018 , 132, 4204-4204	2.2	1
95	Mortality of Patients with Multiple Myeloma after the Introduction of Novel Therapies in the United States. <i>Blood</i> , 2019 , 134, 72-72	2.2	1
94	Cardiac Outcomes in a Prospective Cohort of Adult Non-Hodgkin Lymphoma Survivors. <i>Blood</i> , 2011 , 118, 2656-2656	2.2	1
93	Newly Diagnosed Diffuse Large B-Cell Lymphoma Patients Treated with Immunochemotherapy Who Are Alive and Progression Free 12 Months After Diagnosis Have a Subsequent Overall Survival Similar to That of the General Population. <i>Blood</i> , 2012 , 120, 1540-1540	2.2	1

92	Rates and Outcomes of Follicular Lymphoma Transformation in the Rituximab Era: A Report From the University of Iowa/Mayo Clinic SPORE Molecular Epidemiology Resource. <i>Blood</i> , 2012 , 120, 1546-1546 ^{2,2}	1
91	Incidence and Outcomes of Treatment Refractory Diffuse Large B-Cell Lymphoma in the Immunochemotherapy Era. <i>Blood</i> , 2015 , 126, 3992-3992	2.2 1
90	Vitamin D Insufficiency Is Associated with an Increased Risk of Early Clinical Failure in Follicular Lymphoma. <i>Blood</i> , 2016 , 128, 1104-1104	2.2 1
89	Treatment and Clinical Outcomes of High Grade B-Cell Lymphomas with MYC and BCL2 and/or BCL6 Rearrangements (Double Hit/Triple Hit Lymphomas). <i>Blood</i> , 2016 , 128, 155-155	2.2 1
88	Similar Phenotypes Demonstrated upon Initial Diagnosis and at Time of Recurrence in Relapsed DLBCL. <i>Blood</i> , 2016 , 128, 5299-5299	2.2 1
87	Prevalence and clinical correlates of vulnerable status using the Vulnerable Elders Survey 13 (VES-13) in newly diagnosed adult non-Hodgkin lymphoma (NHL) patients: A LEO cross-sectional analysis.. <i>Journal of Clinical Oncology</i> , 2018 , 36, 10042-10042	2.2 1
86	Event-Free Survival at 24 Months (EFS24) Becomes an Important Clinical Endpoint in Newly Diagnosed Mantle Cell Lymphoma in the New Era. <i>Blood</i> , 2021 , 138, 2429-2429	2.2 1
85	Barriers to Enrollment in Clinical Trials in Patients with Aggressive B-Cell Non-Hodgkin Lymphoma That Progressed after Anti-CD19 CART Cell Therapy. <i>Blood</i> , 2021 , 138, 2527-2527	2.2 1
84	A Phase I Trial of CpG-7909, Rituximab Immunotherapy, and Y90 Zevalin Radioimmunotherapy for Patients (Pts) with Previously Treated CD20+ Non-Hodgkin Lymphoma (NHL).. <i>Blood</i> , 2007 , 110, 124-124 ^{2,2}	1
83	Clinical Significance of Testicular FDG-PET/CT Uptake in Aggressive Lymphomas. <i>Blood</i> , 2018 , 132, 5401-5401	1
82	Event-Free Survival at 24 Months Following Autologous Stem Cell Transplant in Diffuse Large B-Cell Lymphoma. <i>Blood</i> , 2019 , 134, 2896-2896	2.2 1
81	EBV(+) Diffuse Large B Cell Lymphoma Is Infrequent in Upper Central United States and Lacks Unique Clinical Characteristics or Adverse Prognosis Compared to EBV (–) Counterparts: Results From University of Iowa/Mayo Clinic SPORE. <i>Blood</i> , 2012 , 120, 1604-1604	2.2 1
80	Diagnostic Accuracy of a Defined Immunophenotypic and Molecular Genetic Approach for Peripheral T/NK-Cell Lymphomas: A North American PTCL Study Group Project. <i>Blood</i> , 2012 , 120, 1545-1545 ^{2,2}	1
79	Whole-Exome Analysis Of DLBCL Tumors Reveals a Unique Genetic Signature Associated With Aggressive Disease. <i>Blood</i> , 2013 , 122, 499-499	2.2 1
78	A Genome-Wide Association Study (GWAS) Of Event-Free Survival In Diffuse Large B-Cell Lymphoma (DLBCL) Treated With Rituximab and Anthracycline-Based Chemotherapy: A Lysa and Iowa/Mayo Clinic SPORE Multistage Study. <i>Blood</i> , 2013 , 122, 76-76	2.2 1
77	Compliance with cancer screening and influenza vaccination guidelines in non-Hodgkin lymphoma survivors. <i>Journal of Cancer Survivorship</i> , 2020 , 14, 316-321	5.1 1
76	JAK2 activation promotes tumorigenesis in ALK-negative anaplastic large cell lymphoma via regulating oncogenic STAT1-PVT1 lncRNA axis. <i>Blood Cancer Journal</i> , 2021 , 11, 56	7 1
75	Relapsed/Refractory International Prognostic Index (R/R-IPI): An international prognostic calculator for relapsed/refractory diffuse large B-cell lymphoma. <i>American Journal of Hematology</i> , 2021 , 96, 599-605 ^{7,1}	1

74	Anthracycline treatment, cardiovascular risk factors and the cumulative incidence of cardiovascular disease in a cohort of newly diagnosed lymphoma patients from the modern treatment era. <i>American Journal of Hematology</i> , 2021 , 96, 979-988	7.1	1
73	Patterns of therapy initiation during the first decade for patients with follicular lymphoma who were observed at diagnosis in the rituximab era. <i>Blood Cancer Journal</i> , 2021 , 11, 133	7	1
72	POD24 in MZL: a means to an end or an end point in itself?. <i>Blood</i> , 2019 , 134, 787-788	2.2	1
71	Describing Treatment of Primary Mediastinal Large B Cell Lymphoma Using Rigorously Defined Molecular Classification: A Retrospective Analysis. <i>Blood</i> , 2020 , 136, 35-36	2.2	0
70	Clonal Somatic Mutations Are a Biomarker for Inferior Prognosis in Diffuse Large B-Cell Lymphoma. <i>Blood</i> , 2020 , 136, 26-27	2.2	0
69	Clinical Validation of MCL35 in Mantle Cell Lymphoma Patients \geq 5 Years Receiving Bendamustine-Rituximab. <i>Blood</i> , 2021 , 138, 3517-3517	2.2	0
68	Novel Salvage Regimens Lead to Better Response and Survival in Relapsed Refractory Classic Hodgkin Lymphoma after Autologous Stem Cell Transplant. <i>Blood</i> , 2021 , 138, 878-878	2.2	0
67	The Impact of Trial Eligibility Criteria on Outcomes in a Nationwide Cohort of Newly Diagnosed DLBCL Patients Treated with R-CHOP. <i>Blood</i> , 2021 , 138, 53-53	2.2	0
66	Event-Free and Overall Survival in over 6,000 Patients Treated with Frontline Immunochemotherapy for Follicular Lymphoma between 2002-2018: First Report from the International FLIPI24 Consortium. <i>Blood</i> , 2021 , 138, 3527-3527	2.2	0
65	Type of tissue biopsy and outcomes in diffuse large B-cell lymphoma (DLBCL).. <i>Journal of Clinical Oncology</i> , 2021 , 39, e13569-e13569	2.2	0
64	Body mass index and survival of patients with lymphoma. <i>Leukemia and Lymphoma</i> , 2021 , 62, 2671-2678	1.9	0
63	Testicular FDG-PET/CT uptake threshold in aggressive lymphomas. <i>American Journal of Hematology</i> , 2021 , 96, E81-E83	7.1	0
62	Proposed Cardiac End Points for Clinical Trials in Immunoglobulin Light Chain Amyloidosis: Report From the Amyloidosis Forum Cardiac Working Group.. <i>Circulation: Heart Failure</i> , 2022 , CIRCHEARTFAILURE121009038	7.6	0
61	PET2 response associated with survival in newly diagnosed diffuse large B-cell lymphoma: results of two independent prospective cohorts.. <i>Blood Cancer Journal</i> , 2022 , 12, 78	7	0
60	The potential of serum light chains in diffuse large B-cell lymphoma. <i>Leukemia and Lymphoma</i> , 2013 , 54, 1857-8	1.9	
59	Clinical trials in lymphoma		
58	Reply to J.R. Carver et al. <i>Journal of Clinical Oncology</i> , 2010 , 28, e612-e612	2.2	
57	Reply to C. Barker et al and H. Asai et al. <i>Journal of Clinical Oncology</i> , 2010 , 28, e427-e428	2.2	

56	Global Transcriptional States of Follicular Lymphoma B Cells Highlight Distinct Groups of Tumor Identity Associated with Somatic Alterations and Tumor Microenvironment. <i>Blood</i> , 2020 , 136, 21-22	2.2
55	Body Mass Index and Survival of Patients with Lymphoma. <i>Blood</i> , 2020 , 136, 2-3	2.2
54	Causes of Death in Non-Follicular Indolent B-Cell Lymphoma in the Rituximab Era. <i>Blood</i> , 2020 , 136, 36-37	2.2
53	The Expression of Chromosome Region Maintenance Protein 1 (CRM1) in Large Cell Lymphoma. <i>Blood</i> , 2020 , 136, 39-40	2.2
52	Quality of Life after Diagnosis in Survivors of Aggressive Lymphomas. <i>Blood</i> , 2020 , 136, 15-16	2.2
51	Efficacy of front-line immunochemotherapy for follicular lymphoma: a network meta-analysis of randomized controlled trials.. <i>Blood Cancer Journal</i> , 2022 , 12, 1	7
50	Follicular Lymphoma Tumor-Cell Transcriptional Programs Associate with Distinct Somatic Alterations and Tumor-Immune Microenvironments. <i>Blood</i> , 2021 , 138, 1327-1327	2.2
49	Mismatch-Repair Deficiency in Follicular Lymphoma Tumors Is Common and Associated with a Favorable Overall Survival. <i>Blood</i> , 2021 , 138, 3523-3523	2.2
48	Evaluation of Eligibility Criteria in First-Line Clinical Trials for Follicular Lymphoma: A MER/LEO Database Analysis. <i>Blood</i> , 2021 , 138, 338-338	2.2
47	Time to Refractory Status Defines Subsets of Primary Refractory Diffuse Large B-Cell Lymphoma with Distinct Outcomes. <i>Blood</i> , 2021 , 138, 2524-2524	2.2
46	PET2 Response Associated with Survival in Newly Diagnosed Diffuse Large B-Cell Lymphoma: Results of Two Independent Prospective Cohorts. <i>Blood</i> , 2021 , 138, 2508-2508	2.2
45	Integration of Tumor Transcriptomic, Genomic, and Immune Profiles Reveals Distinct Populations of Low-Grade B-Cell Lymphomas with Poor Outcome. <i>Blood</i> , 2021 , 138, 808-808	2.2
44	Germline Single Nucleotide Polymorphisms (SNPs) in IL1A, IL6, IL10, and IFNGR2 in Combination with Clinical with Demographic Factors Predict Overall Survival in Diffuse Large B-Cell Lymphoma (DLBCL).. <i>Blood</i> , 2006 , 108, 2028-2028	2.2
43	Smoking, Obesity and Overall Survival in Non-Hodgkin Lymphoma (NHL): A Population-Based Study.. <i>Blood</i> , 2006 , 108, 4649-4649	2.2
42	Cytokine Gene Polymorphisms and Overall Survival in Follicular Lymphoma: Results from a Large Population-Based Study.. <i>Blood</i> , 2006 , 108, 820-820	2.2
41	Host Immunogenetic Single Nucleotide Polymorphisms (SNPs) Predict Overall Survival in Small Lymphocytic Lymphoma.. <i>Blood</i> , 2006 , 108, 2396-2396	2.2
40	Host Genetic Variation in the Cell Cycle and NF- κ B Pathways and Overall Survival in Mantle Cell Lymphoma.. <i>Blood</i> , 2007 , 110, 1582-1582	2.2
39	Polymorphisms in One-Carbon Metabolism Genes and Overall Survival in Diffuse Large B-Cell Lymphoma (DLBCL).. <i>Blood</i> , 2007 , 110, 1568-1568	2.2

38	Compliance with Age-Appropriate Screening for Malignancies and Influenza Vaccination in 3-Year Lymphoma Survivors. <i>Blood</i> , 2018 , 132, 4791-4791	2.2
37	Epstein-Barr Virus Status in Diffuse Large B Cell Lymphoma Post-Transplant Lymphoproliferative Disorder. <i>Blood</i> , 2018 , 132, 2979-2979	2.2
36	Patterns of Care and Outcomes in Mantle Cell Lymphoma in the Modern Immunochemotherapy Era. <i>Blood</i> , 2018 , 132, 4140-4140	2.2
35	Genetic Risk Factors for Cardiovascular Disease in Adult Lymphoma Patients. <i>Blood</i> , 2019 , 134, 5215-5215	2.2
34	Genomic Landscape Including Novel Mutational Drivers in Relapsed/Refractory Diffuse Large B Cell Lymphoma. <i>Blood</i> , 2019 , 134, 919-919	2.2
33	Clustering of Transcriptomic Signatures in Newly Diagnosed Diffuse Large B-Cell Lymphoma Identifies Two High-Risk Subgroups Which Increase in Prevalence at Relapse. <i>Blood</i> , 2019 , 134, 923-923	2.2
32	Treatment and Lifestyle Risk Factors for Cardiovascular Disease Post Lymphoma Diagnosis: A Prospective Study in the Modern Treatment Era. <i>Blood</i> , 2019 , 134, 422-422	2.2
31	Study of the Subclonal Mutations in Primary Diffuse Large B-Cell Lymphoma. <i>Blood</i> , 2015 , 126, 131-131	2.2
30	Tissue Is the Issue: Accuracy of PET Imaging to Detect Bone Marrow Clearance in Patients with Peripheral T-Cell Lymphoma. <i>Blood</i> , 2015 , 126, 3947-3947	2.2
29	Lymphocyte-to-Monocyte Ratio at Diagnosis and Survival in De Novo Double/Triple Hit Diffuse Large B-Cell Lymphoma. <i>Blood</i> , 2015 , 126, 3885-3885	2.2
28	Event-Free Survival at 12 Months and Subsequent Overall Survival in Patients with Peripheral T-Cell Lymphoma. <i>Blood</i> , 2015 , 126, 1501-1501	2.2
27	Natural History of Central Nervous System Relapse in Diffuse Large B Cell Lymphoma in the Immunochemotherapy Era. <i>Blood</i> , 2015 , 126, 1456-1456	2.2
26	Outcomes of DLBCL Patients Entering Surveillance (without maintenance) after Immunochemotherapy in a Large Observational Study. <i>Blood</i> , 2016 , 128, 3036-3036	2.2
25	An International Assessment of Event-Free Survival at 24 Months (EFS24) and Subsequent Survival in Peripheral T-Cell Lymphoma. <i>Blood</i> , 2016 , 128, 920-920	2.2
24	No Association of EBV or Immunosuppression Status with Outcomes in US Patients with Diffuse Large B-Cell Lymphoma Treated in the Immunochemotherapy Era. <i>Blood</i> , 2016 , 128, 107-107	2.2
23	Whole-Exome Analysis Reveals Novel Somatic Genomic Alterations Associated with Cell of Origin in Diffuse Large B-Cell Lymphoma. <i>Blood</i> , 2016 , 128, 2935-2935	2.2
22	Vitamin D Deficiency Is Associated with Inferior Event-Free and Overall Survival in Diffuse Large B-Cell Lymphoma. <i>Blood</i> , 2009 , 114, 1952-1952	2.2
21	MYC Translocations Are Associated with Poor Overall Survival in DLBCL Patients in Both the Chemotherapy and Immunochemotherapy Eras. <i>Blood</i> , 2009 , 114, 443-443	2.2

20	Germline Variation in Complement Genes and Event-Free Survival in Follicular Lymphoma.. <i>Blood</i> , 2009 , 114, 440-440	2.2
19	Pretreatment Serum Cytokines Predict Early Disease Relapse and a Poor Prognosis In Diffuse Large B-Cell Lymphoma (DLBCL) Patients. <i>Blood</i> , 2010 , 116, 991-991	2.2
18	Pretreatment Serum Cytokines Predict Early Disease Relapse and A Poor Prognosis In Newly Diagnosed Classical Hodgkin Lymphoma (cHL) Patients. <i>Blood</i> , 2011 , 118, 429-429	2.2
17	Elevated Serum IL-10 Levels in Patients with Diffuse Large B Cell Lymphoma: A Mechanism of Aberrant JAK2 Kinase Activation. <i>Blood</i> , 2011 , 118, 960-960	2.2
16	Elevated Monoclonal Free Light Chains Are a Serum Marker of ABC Type Diffuse Large B-Cell Lymphoma. <i>Blood</i> , 2011 , 118, 1591-1591	2.2
15	Impact of Obesity and Genetic Variation in Energy Balance and Metabolism Genes On Prognosis in Diffuse Large B-Cell Lymphoma (DLBCL) and Follicular Lymphoma (FL). <i>Blood</i> , 2012 , 120, 684-684	2.2
14	Expression of MYC but Not pSTAT3 Is an Adverse Prognostic Factor for Diffuse Large B Cell Lymphoma (DLBCL) Treated with Epratuzumab/R-CHOP. <i>Blood</i> , 2012 , 120, 1575-1575	2.2
13	Germline Genetic Variation and Risk of Follicular Lymphoma Transformation in the Modern Treatment Era. <i>Blood</i> , 2012 , 120, 149-149	2.2
12	Non-Follicular Low Grade B-Cell Lymphomas: Patterns of Presentation and Management with Comparative Prognostic Utility of IPI and FLIPI. <i>Blood</i> , 2012 , 120, 1563-1563	2.2
11	Host Genetics and Risk of Cardiovascular Disease in a Prospective Cohort of Adult Non-Hodgkin Lymphoma Survivors. <i>Blood</i> , 2012 , 120, 1573-1573	2.2
10	Expression but Not Promoter Hypermethylation of the Tyrosine Phosphatase PTPN6 Is Associated with Activated STAT3 and Inferior Prognosis in Diffuse Large B Cell Lymphoma Molecular Subtypes.. <i>Blood</i> , 2012 , 120, 2655-2655	2.2
9	Prognostic Value of Six Germline Single Nucleotide Polymorphisms At the REL, HLA-DRA, GATA3 and PVT1 Loci Identified in a Classical Hodgkin Lymphoma Genome-Wide Association Study: A Meta-Analysis of 601 Patients for Progression-Free Survival From Two Independent Studies. <i>Blood</i> , 2012 , 120, 2487-2487	2.2
8	CXCR5 Polymorphisms in Non-Hodgkin Lymphoma (NHL) Risk and Prognosis.. <i>Blood</i> , 2012 , 120, 2702-2702	2.2
7	Elevated Soluble IL-2Ra Levels Are Associated With Inferior Outcome and Is Independent Of MIPI Score in Patients With Mantle Cell Lymphoma. <i>Blood</i> , 2013 , 122, 4256-4256	2.2
6	Variability Of Performance Status Assessment Between Patients With Hematologic Malignancies and Their Physicians. <i>Blood</i> , 2013 , 122, 1703-1703	2.2
5	Tumor Monocyte Cross Talk Promotes Chemotherapy Resistance In Lymphoma. <i>Blood</i> , 2013 , 122, 1774-1774	2.2
4	The significance of gradient expression of chromosome region maintenance protein 1 (exportin1) in large cell lymphoma. <i>Haematologica</i> , 2021 , 106, 2261-2264	6.6
3	Reversing the restrictive trend in diffuse large B-cell lymphoma trial eligibility: it's time to open the gates!. <i>British Journal of Haematology</i> , 2021 , 193, 697-698	4.5

2	Prognostic impact of depth of response in Waldenström macroglobulinemia patients treated with fixed duration chemoimmunotherapy.. <i>Journal of Clinical Oncology</i> , 2021 , 39, 8049-8049	2.2
1	Reply to the letter to the editor Progression-free survival at 24 months (PFS24) and subsequent outcome for patients with diffuse large B-cell lymphoma (DLBCL) in the real-world setting by van der Galië et al. <i>Annals of Oncology</i> , 2019 , 30, 153	10.3