Thomas Strm

List of Publications by Citations

Source: https://exaly.com/author-pdf/3289967/thomas-strom-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

1,680 14 35 37 h-index g-index citations papers 2,262 8.7 4.6 37 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
35	A protocol of no sedation for critically ill patients receiving mechanical ventilation: a randomised trial. <i>Lancet, The</i> , 2010 , 375, 475-80	40	614
34	Comfort and patient-centred care without excessive sedation: the eCASH concept. <i>Intensive Care Medicine</i> , 2016 , 42, 962-71	14.5	203
33	Liberation From Mechanical Ventilation in Critically Ill Adults: AnIOfficial American College of Chest Physicians/American Thoracic Society Clinical Practice Guideline: Inspiratory Pressure Augmentation During Spontaneous Breathing Trials, [Protocols Minimizing Sedation, and	5.3	161
32	An Official American Thoracic Society/American College of Chest Physicians Clinical Practice Guideline: Liberation from Mechanical Ventilation in Critically Ill Adults. Rehabilitation Protocols, Ventilator Liberation Protocols, and Cuff Leak Tests. American Journal of Respiratory and Critical	10.2	136
31	Official Executive Summary of an American Thoracic Society/American College of Chest Physicians Clinical Practice Guideline: Liberation from Mechanical Ventilation in Critically Ill Adults. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2017 , 195, 115-119	10.2	72
30	Dynamic and explainable machine learning prediction of mortality in patients in the intensive care unit: a retrospective study of high-frequency data in electronic patient records. <i>The Lancet Digital Health</i> , 2020 , 2, e179-e191	14.4	70
29	Nonsedation or Light Sedation in Critically Ill, Mechanically Ventilated Patients. <i>New England Journal of Medicine</i> , 2020 , 382, 1103-1111	59.2	62
28	Long-term psychological effects of a no-sedation protocol in critically ill patients. <i>Critical Care</i> , 2011 , 15, R293	10.8	57
27	Analgesia and sedation in patients with ARDS. Intensive Care Medicine, 2020, 46, 2342-2356	14.5	52
26	Enoxaparin, effective dosage for intensive care patients: double-blinded, randomised clinical trial. <i>Critical Care</i> , 2010 , 14, R41	10.8	48
25	Liberation From Mechanical Ventilation in Critically Ill Adults: Executive Summary of an Official American College of Chest Physicians/American Thoracic Society Clinical Practice Guideline. <i>Chest</i> , 2017 , 151, 160-165	5.3	40
24	Low-dose hydrocortisone in patients with COVID-19 and severe hypoxia (COVID STEROID) trial-Protocol and statistical analysis plan. <i>Acta Anaesthesiologica Scandinavica</i> , 2020 , 64, 1365-1375	1.9	22
23	Non-sedation versus sedation with a daily wake-up trial in critically ill patients receiving mechanical ventilation (NONSEDA Trial): study protocol for a randomised controlled trial. <i>Trials</i> , 2014 , 15, 499	2.8	18
22	Low-dose hydrocortisone in patients with COVID-19 and severe hypoxia: The COVID STEROID randomised, placebo-controlled trial. <i>Acta Anaesthesiologica Scandinavica</i> , 2021 , 65, 1421-1430	1.9	15
21	Allocation of patients with liver cirrhosis and organ failure to intensive care: Systematic review and a proposal for clinical practice. <i>World Journal of Gastroenterology</i> , 2015 , 21, 8964-73	5.6	12
20	Higher vs lower doses of dexamethasone in patients with COVID-19 and severe hypoxia (COVID STEROID 2) trial: Protocol and statistical analysis plan. <i>Acta Anaesthesiologica Scandinavica</i> , 2021 , 65, 834-845	1.9	12
19	Dexamethasone 12 mg versus 6 mg for patients with COVID-19 and severe hypoxaemia: a pre-planned, secondary Bayesian analysis of the COVID STEROID 2 trial. <i>Intensive Care Medicine</i> , 2021 , 48, 45	14.5	11

18	Sedation and renal impairment in critically ill patients: a post hoc analysis of a randomized trial. <i>Critical Care</i> , 2011 , 15, R119	10.8	10
17	Sedation and analgesia in mechanical ventilation. <i>Seminars in Respiratory and Critical Care Medicine</i> , 2014 , 35, 441-50	3.9	9
16	Higher vs Lower Doses of Dexamethasone in Patients with COVID-19 and Severe Hypoxia (COVID STEROID 2) trial: Protocol for a secondary Bayesian analysis. <i>Acta Anaesthesiologica Scandinavica</i> , 2021 , 65, 702-710	1.9	8
15	Sedation in the ICU. <i>Danish Medical Journal</i> , 2012 , 59, B4458	3.8	8
14	Danish national sedation strategy. Targeted therapy of discomfort associated with critical illness. Danish Society of Intensive Care Medicine (DSIT) and the Danish Society of Anesthesiology and Intensive Care Medicine (DASAIM). <i>Danish Medical Journal</i> , 2015 , 62, C5052	3.8	8
13	Effect of non-sedation on post-traumatic stress and psychological health in survivors of critical illness-A substudy of the NONSEDA randomized trial. <i>Acta Anaesthesiologica Scandinavica</i> , 2020 , 64, 1	13 6 :914	13 ⁶
12	Antidepressant or Antipsychotic Overdose in the Intensive Care Unit - Identification of Patients at Risk. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2016 , 119, 110-4	3.1	5
11	Effect of Nonsedation on Cognitive Function in Survivors of Critical Illness. <i>Critical Care Medicine</i> , 2020 , 48, 1790-1798	1.4	4
10	Patient-important outcomes other than mortality in recent ICU trials: Protocol for a scoping review. <i>Acta Anaesthesiologica Scandinavica</i> , 2021 , 65, 1002-1007	1.9	4
9	Effect of non-sedation on physical function in survivors of critical illness - A substudy of the NONSEDA randomized trial. <i>Journal of Critical Care</i> , 2021 , 62, 58-64	4	3
8	Health-related quality of life and days alive without life support or out of hospital: Protocol. <i>Acta Anaesthesiologica Scandinavica</i> , 2021 ,	1.9	2
7	Serum melatonin concentration in critically ill patients randomized to sedation or non-sedation. <i>Annals of Intensive Care</i> , 2021 , 11, 40	8.9	2
6	Non-sedation-Does it improve health-related quality of life after critical illness? A 3-month follow-up sub-study of the NONSEDA trial. <i>Acta Anaesthesiologica Scandinavica</i> , 2020 , 65, 481	1.9	2
5	Development of a core outcome set for general intensive care unit patients - a protocol <i>Acta Anaesthesiologica Scandinavica</i> , 2021 ,	1.9	1
4	Long-term outcomes of dexamethasone 12 mg versus 6 mg in patients with COVID-19 and severe hypoxaemia <i>Intensive Care Medicine</i> , 2022 , 1	14.5	1
3	Congenital diaphragmatic hernia presenting with symptoms within the first day of life; outcomes from a non-ECMO centre in Denmark. <i>BMC Pediatrics</i> , 2020 , 20, 196	2.6	Ο
2	Sedation versus no sedation in the intensive-care unit [AuthorsUreply. Lancet, The, 2010, 375, 1160	40	
1	Failure of non-sedation strategy in critically ill, mechanically ventilated patients - a retrospective, post-hoc analysis of the NONSEDA trial <i>Journal of Critical Care</i> , 2021 , 68, 66-71	4	_