List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3290585/publications.pdf Version: 2024-02-01



MINC ZHONC

#	Article	IF	CITATIONS
1	LncRNA GLCC1 promotes colorectal carcinogenesis and glucose metabolism by stabilizing c-Myc. Nature Communications, 2019, 10, 3499.	12.8	233
2	Circular RNA <i>TLK1</i> Aggravates Neuronal Injury and Neurological Deficits after Ischemic Stroke via miR-335-3p/TIPARP. Journal of Neuroscience, 2019, 39, 7369-7393.	3.6	164
3	A Positive Feed-Forward Loop between LncRNA-CYTOR and Wnt/β-Catenin Signaling Promotes Metastasis of Colon Cancer. Molecular Therapy, 2018, 26, 1287-1298.	8.2	144
4	High levels of SIRT1 expression enhance tumorigenesis and associate with a poor prognosis of colorectal carcinoma patients. Scientific Reports, 2014, 4, 7481.	3.3	140
5	<i>F. nucleatum</i> targets lncRNA ENO1-IT1 to promote glycolysis and oncogenesis in colorectal cancer. Gut, 2021, 70, 2123-2137.	12.1	136
6	Long non-coding RNA NEAT1 promotes colorectal cancer progression by competitively binding miR-34a with SIRT1 and enhancing the Wnt/l²-catenin signaling pathway. Cancer Letters, 2019, 440-441, 11-22.	7.2	117
7	miR-30a Suppresses Cell Migration and Invasion Through Downregulation of PIK3CD in Colorectal Carcinoma. Cellular Physiology and Biochemistry, 2013, 31, 209-218.	1.6	94
8	Short-term outcomes of complete mesocolic excision versus D2 dissection in patients undergoing laparoscopic colectomy for right colon cancer (RELARC): a randomised, controlled, phase 3, superiority trial. Lancet Oncology, The, 2021, 22, 391-401.	10.7	84
9	The clinical impact of ICOS signal in colorectal cancer patients. Oncolmmunology, 2016, 5, e1141857.	4.6	66
10	Long noncoding RNA BFAL1 mediates enterotoxigenic Bacteroides fragilis-related carcinogenesis in colorectal cancer via the RHEB/mTOR pathway. Cell Death and Disease, 2019, 10, 675.	6.3	59
11	CCL5-deficiency enhances intratumoral infiltration of CD8+ T cells in colorectal cancer. Cell Death and Disease, 2018, 9, 766.	6.3	51
12	RING-Finger Protein 6 Amplification Activates JAK/STAT3 Pathway by Modifying SHP-1 Ubiquitylation and Associates with Poor Outcome in Colorectal Cancer. Clinical Cancer Research, 2018, 24, 1473-1485.	7.0	49
13	MicroRNA-590-5p Inhibits Intestinal Inflammation by Targeting YAP. Journal of Crohn's and Colitis, 2018, 12, 993-1004.	1.3	40
14	<p>LACTB Regulates PIK3R3 to Promote Autophagy and Inhibit EMT and Proliferation Through the PI3K/AKT/mTOR Signaling Pathway in Colorectal Cancer</p> . Cancer Management and Research, 2020, Volume 12, 5181-5200.	1.9	37
15	MicroRNA-187 inhibits tumor growth and invasion by directly targeting CD276 in colorectal cancer. Oncotarget, 2016, 7, 44266-44276.	1.8	35
16	The distinct role of strand-specific miR-514b-3p and miR-514b-5p in colorectal cancer metastasis. Cell Death and Disease, 2018, 9, 687.	6.3	34
17	Risk SNP-induced lncRNA-SLCC1 drives colorectal cancer through activating glycolysis signaling. Signal Transduction and Targeted Therapy, 2021, 6, 70.	17.1	34
18	High expression of Rab3D predicts poor prognosis and associates with tumor progression in colorectal cancer. International Journal of Biochemistry and Cell Biology, 2016, 75, 53-62.	2.8	31

#	Article	IF	CITATIONS
19	Increased proton-sensing receptor GPR4 signalling promotes colorectal cancer progression by activating the hippo pathway. EBioMedicine, 2019, 48, 264-276.	6.1	31
20	miR-508 Defines the Stem-like/Mesenchymal Subtype in Colorectal Cancer. Cancer Research, 2018, 78, 1751-1765.	0.9	30
21	MiR-27b directly targets Rab3D to inhibit the malignant phenotype in colorectal cancer. Oncotarget, 2018, 9, 3830-3841.	1.8	27
22	ATAD2 Overexpression Identifies Colorectal Cancer Patients with Poor Prognosis and Drives Proliferation of Cancer Cells. Gastroenterology Research and Practice, 2015, 2015, 1-8.	1.5	26
23	Vitamin A deficiency causes islet dysfunction by inducing islet stellate cell activation via cellular retinol binding protein 1. International Journal of Biological Sciences, 2020, 16, 947-956.	6.4	26
24	Promotion of Tumor Growth by ADAMTS4 in Colorectal Cancer: Focused on Macrophages. Cellular Physiology and Biochemistry, 2018, 46, 1693-1703.	1.6	23
25	Factor V Leiden and thrombosis in patients with inflammatory bowel disease (IBD): A meta-analysis. Thrombosis Research, 2011, 128, 403-409.	1.7	19
26	MiR-216a inhibits proliferation and promotes apoptosis of human airway smooth muscle cells by targeting JAK2. Journal of Asthma, 2019, 56, 938-946.	1.7	19
27	miR-193b directly targets STMN1 and inhibits the malignant phenotype in colorectal cancer. American Journal of Cancer Research, 2016, 6, 2463-2475.	1.4	19
28	Elevated expression of ECT2 predicts unfavorable prognosis in patients with colorectal cancer. Biomedicine and Pharmacotherapy, 2015, 73, 135-139.	5.6	18
29	Rab27A promotes cellular apoptosis and ROS production by regulating the miRNAâ€124â€3p/STAT3/RelA signalling pathway in ulcerative colitis. Journal of Cellular and Molecular Medicine, 2020, 24, 11330-11342.	3.6	18
30	GPR126 regulates colorectal cancer cell proliferation by mediating HDAC2 and GLI2 expression. Cancer Science, 2021, 112, 1798-1810.	3.9	18
31	Robotic colorectal cancer surgery in China: a nationwide retrospective observational study. Surgical Endoscopy and Other Interventional Techniques, 2020, 35, 6591-6603.	2.4	17
32	Metallopanstimulin-1 (MPS-1) mediates the promotion effect of leptin on colorectal cancer through activation of JNK/c-Jun signaling pathway. Cell Death and Disease, 2019, 10, 655.	6.3	16
33	A 16q22.1 variant confers susceptibility to colorectal cancer as a distal regulator of ZFP90. Oncogene, 2020, 39, 1347-1360.	5.9	15
34	Up-regulated CKS2 promotes tumor progression and predicts a poor prognosis in human colorectal cancer. American Journal of Cancer Research, 2015, 5, 2708-18.	1.4	15
35	Decreased expression of interleukin-36α predicts poor prognosis in colorectal cancer patients. International Journal of Clinical and Experimental Pathology, 2014, 7, 8077-81.	0.5	14
36	SIRT1 induces the accumulation of TAMs at colorectal cancer tumor sites via the CXCR4/CXCL12 axis. Cellular Immunology, 2022, 371, 104458.	3.0	14

#	Article	IF	CITATIONS
37	Odontogenic ameloblast-associated protein (ODAM) inhibits human colorectal cancer growth by promoting PTEN elevation and inactivating PI3K/AKT signaling. Biomedicine and Pharmacotherapy, 2016, 84, 601-607.	5.6	12
38	Prognostic value of regulator of G-protein signaling 6 in colorectal cancer. Biomedicine and Pharmacotherapy, 2015, 76, 147-152.	5.6	11
39	Increased epoxyeicosatrienoic acids may be part of a protective mechanism in human ulcerative colitis, with increased CYP2J2 and reduced soluble epoxide hydrolase expression. Prostaglandins and Other Lipid Mediators, 2018, 136, 9-14.	1.9	10
40	CD16 expression on neutrophils predicts treatment efficacy of capecitabine in colorectal cancer patients. BMC Immunology, 2020, 21, 46.	2.2	10
41	Lymphadenectomy Around Inferior Mesenteric Artery in Low-Tie vs High-Tie Laparoscopic Anterior Resection: Short- and Long-Term Outcome of a Cohort of 614 Rectal Cancers. Cancer Management and Research, 2021, Volume 13, 3963-3971.	1.9	10
42	Increased expression of Rab5A predicts metastasis and poor prognosis in colorectal cancer patients. International Journal of Clinical and Experimental Pathology, 2015, 8, 6974-80.	0.5	10
43	Overexpressed ACP5 has prognostic value in colorectal cancer and promotes cell proliferation and tumorigenesis via FAK/PI3K/AKT signaling pathway. American Journal of Cancer Research, 2019, 9, 22-35.	1.4	9
44	Protective effects of Clec11a in islets against lipotoxicity via modulation of proliferation and lipid metabolism in mice. Experimental Cell Research, 2019, 384, 111613.	2.6	6
45	Long noncoding RNA TCONS_00026334 is involved in suppressing the progression of colorectal cancer by regulating miRâ€'548n/TP53INP1 signaling pathway. Cancer Medicine, 2020, 9, 8639-8649.	2.8	6
46	Patientâ€derived organoids in cellulosic sponge model chemotherapy response of metastatic colorectal cancer. Clinical and Translational Medicine, 2021, 11, e285.	4.0	6
47	AIM2 Inhibits BRAF-Mutant Colorectal Cancer Growth in a Caspase-1-Dependent Manner. Frontiers in Cell and Developmental Biology, 2021, 9, 588278.	3.7	6
48	rs17501976 polymorphism of CLDN1 gene is associated with decreased risk of colorectal cancer in a Chinese population. International Journal of Clinical and Experimental Medicine, 2015, 8, 1247-52.	1.3	6
49	Jagged-1 attenuates LPS-induced apoptosis and ROS in rat intestinal epithelial cells. International Journal of Clinical and Experimental Pathology, 2018, 11, 3994-4003.	0.5	6
50	Patients with Parkinson's disease predict a lower incidence of colorectal cancer. BMC Geriatrics, 2021, 21, 564.	2.7	5
51	Low levels of TSC22 enhance tumorigenesis by inducing cell proliferation in colorectal cancer. Biochemical and Biophysical Research Communications, 2018, 497, 1062-1067.	2.1	4
52	MIN score predicts primary response to infliximab/adalimumab and vedolizumab therapy in patients with inflammatory bowel diseases. Genomics, 2021, 113, 1988-1998.	2.9	4
53	Diverting stoma with anterior resection for rectal cancer: does it reduce overall anastomotic leakage and leaks requiring laparotomy?. International Journal of Clinical and Experimental Medicine, 2015, 8, 13045-55.	1.3	4
54	D3 Versus D2 Lymphadenectomy in Right Hemicolectomy: A Systematic Review and Meta-analysis. Surgical Innovation, 2022, 29, 416-425.	0.9	3

#	Article	IF	CITATIONS
55	Monopolar Electrosurgical Scissors Versus Harmonic Scalpel in Robotic Anterior Resection of Rectal Cancer: A Retrospective Cohort Study. Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A, 2019, 29, 880-885.	1.0	2
56	Coexisting primary central nervous system non-Hodgkin's lymphoma and colorectal adenocarcinoma: A case report. Oncology Letters, 2014, 7, 994-996.	1.8	1
57	Investigation of the bioequivalence of two lansoprazole formulations in healthy Chinese volunteers after a single oral administration. Artificial Cells, Nanomedicine and Biotechnology, 2017, 45, 1425-1430.	2.8	1
58	Laparoscopic bowel resection combined with infliximab treatment (LaRIC) versus infliximab for terminal ileitis in Crohn's disease: a randomised, controlled, open-label trial. BMJ Open, 2020, 10, e038429.	1.9	1
59	Expression of Neovascular Associated Factors PEDF and αB-crystallin in Human Lens Epithelial Cells. Current Eye Research, 2020, 45, 1385-1389.	1.5	0
60	Expression of CHD5 may serve as an independent biomarker of prognosis in colorectal cancer via immunohistochemical staining. International Journal of Clinical and Experimental Pathology, 2018, 11, 2792-2798.	0.5	0
61	Short-term outcomes of laparoscopy-assisted versus open surgery for low rectal cancer (LASRE): A multicenter, randomized, controlled trial Journal of Clinical Oncology, 2022, 40, 3516-3516.	1.6	Ο