Susie Hoffman

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3291144/publications.pdf

Version: 2024-02-01

201674 161849 2,997 68 27 54 h-index citations g-index papers 69 69 69 2962 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Risk Factors for Falls as a Cause of Hip Fracture in Women. New England Journal of Medicine, 1991, 324, 1326-1331.	27.0	788
2	Stress, social support and pregnancy outcome: a reassessment based on recent research. Paediatric and Perinatal Epidemiology, 1996, 10, 380-405.	1.7	230
3	Risk Factors for Hip Fracture. New England Journal of Medicine, 1987, 316, 404-406.	27.0	133
4	Risk Factors for Hip Fracture in Black Women. New England Journal of Medicine, 1994, 330, 1555-1559.	27.0	131
5	ISSUES IN CARRYING OUT EPIDEMIOLOGIC RESEARCH IN THE ELDERLY. American Journal of Epidemiology, 1989, 130, 857-866.	3.4	110
6	Gender Role and Relationship Norms among Young Adults in South Africa: Measuring the Context of Masculinity and HIV Risk. Journal of Urban Health, 2006, 83, 709-722.	3.6	103
7	Advanced HIV Disease at Entry into HIV Care and Initiation of Antiretroviral Therapy During 2006-2011: Findings From Four Sub-Saharan African Countries. Clinical Infectious Diseases, 2014, 58, 432-441.	5.8	92
8	The Problem of Late ART Initiation in Sub-Saharan Africa: A Transient Aspect of Scale-up or a Long-term Phenomenon?. Journal of Health Care for the Poor and Underserved, 2013, 24, 359-383.	0.8	91
9	Relationships between condoms, hormonal methods, and sexual pleasure and satisfaction: an exploratory analysis from the Women's Well-Being and Sexuality Study. Sexual Health, 2008, 5, 321.	0.9	7 3
10	Intimate partner violence and safer sex negotiation: effects of a gender-specific intervention. Archives of Sexual Behavior, 2003, 32, 499-511.	1.9	64
11	The Future of the Female Condom. Perspectives on Sexual and Reproductive Health, 2004, 36, 120-126.	3.3	59
12	A Clinical Home for Preexposure Prophylaxis. Journal of the International Association of Providers of AIDS Care, 2016, 15, 59-65.	1.5	58
13	Beyond the male condom: the evolution of gender-specific HIV interventions for women. Annual Review of Sex Research, 2003, 14, 114-36.	0.5	58
14	Men, Multiple Sexual Partners, and Young Adults' Sexual Relationships: Understanding the Role of Gender in the Study of Risk. Journal of Urban Health, 2006, 83, 695-708.	3.6	52
15	Gender norms in South Africa: implications for HIV and pregnancy prevention among African and Indian women students at a South African tertiary institution. Culture, Health and Sexuality, 2009, 11, 139-157.	1.8	50
16	Factors associated with initiation of antiretroviral therapy in the advanced stages of HIV infection in six Ethiopian HIV clinics, 2012 to 2013. Journal of the International AIDS Society, 2016, 19, 20637.	3.0	48
17	HIV/STD Risk and Sexual Strategies Among Women Family Planning Clients in New York: Project FIO. AIDS and Behavior, 2002, 6, 1-13.	2.7	47
18	Covert Use, Vaginal Lubrication, and Sexual Pleasure: A Qualitative Study of Urban U.S. Women in a Vaginal Microbicide Clinical Trial. Archives of Sexual Behavior, 2010, 39, 748-760.	1.9	44

#	Article	IF	CITATIONS
19	Immigration and HIV/AIDS in the New York Metropolitan Area. Journal of Urban Health, 2006, 83, 43-58.	3.6	43
20	A Cognitive Analysis of College Students' Explanations for Engaging in Unprotected Sexual Intercourse. Archives of Sexual Behavior, 2010, 39, 1121-1131.	1.9	43
21	The Acceptability of the Female Condom: Perspectives of Family Planning Providers in New York City, South Africa, and Nigeria. Journal of Urban Health, 2001, 78, 658-668.	3.6	39
22	HIV-Related Stigma, Social Support, and Psychological Distress Among Individuals Initiating ART in Ethiopia. AIDS and Behavior, 2018, 22, 3815-3825.	2.7	39
23	Family Planning Providers' Perspectives On Dual Protection. Perspectives on Sexual and Reproductive Health, 2003, 35, 71-78.	3.3	36
24	The Mpondombili Project: Preventing HIV/AIDS and Unintended Pregnancy among Rural South African School-Going Adolescents. Reproductive Health Matters, 2006, 14, 113-122.	1.2	35
25	Adverse Mental Health Outcomes Associated With Emotional Abuse in Young Rural South African Women. Journal of Interpersonal Violence, 2012, 27, 862-880.	2.0	35
26	Acceptability of tenofovir gel as a vaginal microbicide by US male participants in a Phase I clinical trial (HPTN 050). AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2007, 19, 1026-1031.	1.2	32
27	Advanced disease at enrollment in HIV care in four sub-Saharan African countries. Aids, 2014, 28, 2429-2438.	2.2	32
28	Everywhere you go, everyone is saying condom, condom. But are they being used consistently? Reflections of South African male students about male and female condom use. Health Education Research, 2011, 26, 859-871.	1.9	28
29	Revisiting "Success― Posttrial Analysis of a Gender-Specific HIV/STD Prevention Intervention. AIDS and Behavior, 2006, 10, 41-51.	2.7	24
30	Identifying Perceived Barriers along the HIV Care Continuum. Journal of the International Association of Providers of AIDS Care, 2016, 15, 291-300.	1.5	24
31	Knowledge and Attitudes About Preexposure Prophylaxis (PrEP) Among Sexually Active Men Who Have Sex with Men and Who Participate in New York City Gay Pride Events. LGBT Health, 2014, 1, 93-97.	3.4	22
32	Gender-focused HIV and pregnancy prevention for school-going adolescents: The <i>Mpondombili </i> pilot intervention in KwaZulu-Natal, South Africa. Journal of HIV/AIDS and Social Services, 2016, 15, 29-47.	0.7	22
33	The future of the female condom. Perspectives on Sexual and Reproductive Health, 2004, 36, 120-6.	3.3	21
34	Promoting Female Condom Use Among Female University Students in KwaZulu-Natal, South Africa: Results of a Randomized Behavioral Trial. AIDS and Behavior, 2015, 19, 1129-1140.	2.7	18
35	Contexts of risk and networks of protection: NYC West Indian immigrants' perceptions of migration and vulnerability to sexually transmitted diseases. Culture, Health and Sexuality, 2011, 13, 513-528.	1.8	17
36	Disclosure History Among Persons Initiating Antiretroviral Treatment at Six HIV Clinics in Oromia, Ethiopia, 2012–2013. AIDS and Behavior, 2017, 21, 70-81.	2.7	15

3

#	Article	IF	CITATIONS
37	"l did not see a need to get tested before, everything was going well with my health― a qualitative study of HIV-testing decision-making in KwaZulu-Natal, South Africa. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2018, 30, 32-39.	1.2	15
38	HIV/STI risk by migrant status among workers in an urban high-end entertainment centre in Eastern China. Health Education Research, 2011, 26, 283-295.	1.9	14
39	Gender Differences and Psychosocial Factors Associated with Quality of Life Among ART Initiators in Oromia, Ethiopia. AIDS and Behavior, 2016, 20, 1682-1691.	2.7	14
40	Sexual and reproductive health risk behaviours among South African university students: results from a representative campus-wide survey. African Journal of AIDS Research, 2017, 16, 1-10.	0.9	14
41	Immediate Blood Draw for CD4+ Cell Count Is Associated with Linkage to Care in Durban, South Africa: Findings from Pathways to Engagement in HIV Care. PLoS ONE, 2016, 11, e0162085.	2.5	13
42	Anal use of the female condom: does uncertainty justify provider inaction?. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2009, 21, 1185-1194.	1.2	12
43	Project REACH: a provider-delivered dual protection intervention for women using family planning services in New York City. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2011, 23, 467-475.	1.2	12
44	HIV Care and Treatment Beliefs among Patients Initiating Antiretroviral Treatment (ART) in Oromia, Ethiopia. AIDS and Behavior, 2016, 20, 998-1008.	2.7	12
45	Brief Report: Stigma and HIV Care Continuum Outcomes Among Ethiopian Adults Initiating ART. Journal of Acquired Immune Deficiency Syndromes (1999), 2017, 76, 382-387.	2.1	12
46	Female condom promotion needed. Lancet Infectious Diseases, The, 2008, 8, 348.	9.1	11
47	A Randomized Controlled Trial to Evaluate a Structural Intervention to Promote the Female Condom in New York State. AIDS and Behavior, 2012, 16, 1121-1132.	2.7	11
48	Microbicide Acceptability: Insights For Future Directions From Providers and Policy Makers. AIDS Education and Prevention, 2008, 20, 188-202.	1.1	10
49	Social Support and Violence-prone Relationships as Predictors of Disclosure of HIV Status Among Newly Diagnosed HIV-positive South Africans. AIDS and Behavior, 2018, 22, 3287-3295.	2.7	10
50	Women's Perceptions of HIV- and Sexuality-Related Stigma in Relation to PrEP: Qualitative Findings from the Masibambane Study, Durban, South Africa. AIDS and Behavior, 2022, 26, 2881-2890.	2.7	10
51	Psychological distress, health and treatment-related factors among individuals initiating ART in Oromia, Ethiopia. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2018, 30, 338-342.	1.2	9
52	Title is missing!. AIDS and Behavior, 2000, 4, 389-398.	2.7	7
53	The Relationship Between Distance and Post-operative Visit Attendance Following Medical Male Circumcision in Nyanza Province, Kenya. AIDS and Behavior, 2016, 20, 2529-2537.	2.7	7
54	The development and validation of a tool to assess nurse performance in dual protection counseling. Patient Education and Counseling, 2009, 76, 265-271.	2.2	5

#	Article	IF	CITATIONS
55	Household decision-making power and the mental health and well-being of women initiating antiretroviral treatment in Oromia, Ethiopia. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2018, 30, 211-218.	1.2	5
56	Perceived male partner attitudes toward the female condom predict female university students' use of the female condom. International Journal of STD and AIDS, 2020, 31, 753-762.	1.1	4
57	HIV combination prevention and declining orphanhood among adolescents, Rakai, Uganda, 2001–18: an observational community cohort study. Lancet HIV,the, 2022, 9, e32-e41.	4.7	4
58	HCT as a Point of Entry for HIV Prevention and Treatment - Profile of Men and Women Presenting at HCT Centers in Durban, South Africa. AIDS Research and Human Retroviruses, 2014, 30, A113-A113.	1.1	3
59	"You tell him that â€~baby, I am protecting myself'― Women's agency and constraint around willingn to use pre-exposure prophylaxis in the Masibambane Study. Women's Health, 2022, 18, 174550572210871.	iess 1.5	3
60	Young men's HIV risks in South Africa: the importance of multiple risk behaviors. Aids, 2006, 20, 1467-1468.	2.2	2
61	An Approach to Developing a Prediction Model of Fertility Intent Among HIV-Positive Women and Men in Cape Town, South Africa: A Case Study. AIDS and Behavior, 2017, 21, 597-609.	2.7	2
62	Psychosocial Factors Associated with Food Insufficiency Among People Living with HIV/AIDS (PLWH) Initiating ART in Ethiopia. AIDS and Behavior, 2019, 23, 3052-3057.	2.7	2
63	Linkage to Care Following an HIV Diagnosis in Three Public Sector Clinics in eThekwini (Durban), South Africa: Findings from a Prospective Cohort Study. AIDS and Behavior, 2020, 24, 1181-1196.	2.7	2
64	Predictors of antiretroviral therapy initiation in eThekwini (Durban), South Africa: Findings from a prospective cohort study. PLoS ONE, 2021, 16, e0246744.	2.5	2
65	Implementing PrEP Services in Diverse Health Care Settings. Journal of Acquired Immune Deficiency Syndromes (1999), 2022, 90, S114-S128.	2.1	2
66	â€These people who dig roots in the forests cannot treat HIV': Women and men in Durban, South Africa, reflect on traditional medicine and antiretroviral drugs. Global Public Health, 2018, 13, 115-127.	2.0	1
67	Pre-exposure Prophylaxis Use Among Crystal Methamphetamine-Using MSM Who Receive Community-Based Harm Reduction Services in New York City: A Retrospective Chart Review. Journal of the Association of Nurses in AIDS Care, 2020, 31, 701-709.	1.0	1
68	Incident HIV Infection among Young Men Associated with Female Sexual Partner Types Identified Through Latent Class Analysis (LCA), Rakai, Uganda. Journal of Acquired Immune Deficiency Syndromes (1999), 2022, Publish Ahead of Print, .	2.1	O