
## Nathan R Rose

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3291439/publications.pdf Version: 2024-02-01



NATHAN P POSE

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Self-limiting fall armyworm: a new approach in development for sustainable crop protection and resistance management. BMC Biotechnology, 2022, 22, 5.  | 3.3  | 9         |
| 2  | Biochemical Identification of Nonmethylated DNA by BioCAP-Seq. Methods in Molecular Biology, 2018, 1766, 15-29.  | 0.9  | 2         |
| 3  | RYBP stimulates PRC1 to shape chromatin-based communication between Polycomb repressive complexes. ELife, 2016, 5, .   | 6.0  | 111       |
| 4  | Studies on the Glutathione-Dependent Formaldehyde-Activating Enzyme from Paracoccus denitrificans. PLoS ONE, 2015, 10, e0145085.   | 2.5  | 10        |
| 5  | Targeting Polycomb systems to regulate gene expression: modifications to a complex story. Nature<br>Reviews Molecular Cell Biology, 2015, 16, 643-649.   | 37.0 | 314       |
| 6  | Evaluation of Baylis–Hillman Routes to 3-(Aminomethyl)coumarin Derivatives. Synthetic<br>Communications, 2014, 44, 251-258.  | 2.1  | 4         |
| 7  | Understanding the relationship between DNA methylation and histone lysine methylation. Biochimica<br>Et Biophysica Acta - Gene Regulatory Mechanisms, 2014, 1839, 1362-1372.                           | 1.9  | 430       |
| 8  | 5-Carboxy-8-hydroxyquinoline is a broad spectrum 2-oxoglutarate oxygenase inhibitor which causes iron translocation. Chemical Science, 2013, 4, 3110.  | 7.4  | 142       |
| 9  | Selective Small Molecule Probes for the Hypoxia Inducible Factor (HIF) Prolyl Hydroxylases. ACS<br>Chemical Biology, 2013, 8, 1488-1496.   | 3.4  | 105       |
| 10 | ls JmjC Oxygenase Catalysis Limited to Demethylation?. Angewandte Chemie - International Edition, 2013,<br>52, 7709-7713.  | 13.8 | 32        |
| 11 | KDM2B links the Polycomb Repressive Complex 1 (PRC1) to recognition of CpG islands. ELife, 2012, 1, e00205.  | 6.0  | 414       |
| 12 | Plant Growth Regulator Daminozide Is a Selective Inhibitor of Human KDM2/7 Histone Demethylases.<br>Journal of Medicinal Chemistry, 2012, 55, 6639-6643.   | 6.4  | 125       |
| 13 | Conversion of Cysteine into Dehydroalanine Enables Access to Synthetic Histones Bearing Diverse<br>Postâ€Translational Modifications. Angewandte Chemie - International Edition, 2012, 51, 1835-1839.  | 13.8 | 172       |
| 14 | Linking of 2â€Oxoglutarate and Substrate Binding Sites Enables Potent and Highly Selective Inhibition of<br>JmjC Histone Demethylases. Angewandte Chemie - International Edition, 2012, 51, 1631-1634. | 13.8 | 64        |
| 15 | Inhibition of 2-oxoglutarate dependent oxygenases. Chemical Society Reviews, 2011, 40, 4364.   | 38.1 | 336       |
| 16 | The oncometabolite 2â€hydroxyglutarate inhibits histone lysine demethylases. EMBO Reports, 2011, 12,<br>463-469.   | 4.5  | 851       |
| 17 | Inhibition of the histone demethylase JMJD2E by 3-substituted pyridine 2,4-dicarboxylates. Organic and<br>Biomolecular Chemistry, 2011, 9, 127-135.  | 2.8  | 52        |
|    |  |      |           |

18 Inhibition of Histone Demethylases by 4â€Carboxyâ€2,2â€2â€Bipyridyl Compounds. ChemMedChem, 2011, 6, 7593764. 76

NATHAN R ROSE

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 19 | Structural and Evolutionary Basis for the Dual Substrate Selectivity of Human KDM4 Histone<br>Demethylase Family. Journal of Biological Chemistry, 2011, 286, 41616-41625.                           | 3.4  | 143       |
| 20 | Monitoring the Activity of 2â€Oxoglutarate Dependent Histone Demethylases by NMR Spectroscopy:<br>Direct Observation of Formaldehyde. ChemBioChem, 2010, 11, 506-510.                                | 2.6  | 51        |
| 21 | Development of homogeneous luminescence assays for histone demethylase catalysis and binding.<br>Analytical Biochemistry, 2010, 404, 86-93.  | 2.4  | 66        |
| 22 | Quantitative High-Throughput Screening Identifies 8-Hydroxyquinolines as Cell-Active Histone<br>Demethylase Inhibitors. PLoS ONE, 2010, 5, e15535.   | 2.5  | 194       |
| 23 | PHF8, a gene associated with cleft lip/palate and mental retardation, encodes for an Nε-dimethyl lysine<br>demethylase. Human Molecular Genetics, 2010, 19, 217-222.                                 | 2.9  | 153       |
| 24 | 2-Oxoglutarate oxygenases are inhibited by a range of transition metals. Metallomics, 2010, 2, 397.  | 2.4  | 26        |
| 25 | Selective Inhibitors of the JMJD2 Histone Demethylases: Combined Nondenaturing Mass Spectrometric<br>Screening and Crystallographic Approaches. Journal of Medicinal Chemistry, 2010, 53, 1810-1818. | 6.4  | 146       |
| 26 | A miniaturized screen for inhibitors of Jumonji histone demethylases. Molecular BioSystems, 2010, 6,<br>357-364.   | 2.9  | 84        |
| 27 | Inhibition of the histone lysine demethylase JMJD2A by ejection of structural Zn(ii). Chemical Communications, 2009, , 6376.   | 4.1  | 77        |
| 28 | Inhibitor Scaffolds for 2-Oxoglutarate-Dependent Histone Lysine Demethylases. Journal of Medicinal<br>Chemistry, 2008, 51, 7053-7056.  | 6.4  | 221       |
| 29 | Crystal structures of histone demethylase JMJD2A reveal basis for substrate specificity. Nature, 2007, 448, 87-91.   | 27.8 | 297       |