## **Anthony Callanan**

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/3291531/anthony-callanan-publications-by-year.pdf

**Version:** 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

71	1,633	22	38
papers	citations	h-index	g-index
72	1,898	4.3	5.18
ext. papers	ext. citations	avg, IF	L-index

#	Paper	IF	Citations
71	Human biliary epithelial cells from discarded donor livers rescue bile duct structure and function in a mouse model of biliary disease <i>Cell Stem Cell</i> , <b>2022</b> , 29, 355-371.e10	18	2
70	Electrospun fibre diameter and its effects on vascular smooth muscle cells. <i>Journal of Materials Science: Materials in Medicine</i> , <b>2021</b> , 32, 131	4.5	2
69	Electrospinning Fabrication Methods to Incorporate Laminin in Polycaprolactone for Kidney Tissue Engineering. <i>Tissue Engineering and Regenerative Medicine</i> , <b>2021</b> , 1	4.5	3
68	Recent advancements in the bioprinting of vascular grafts. <i>Biofabrication</i> , <b>2021</b> , 13,	10.5	6
67	Architected fibrous scaffolds for engineering anisotropic tissues. <i>Biofabrication</i> , <b>2021</b> , 13,	10.5	6
66	Influence of surface topography on PCL electrospun scaffolds for liver tissue engineering. <i>Journal of Materials Chemistry B</i> , <b>2021</b> , 9, 8081-8093	7.3	2
65	Production and Preparation of Porcine Urinary Bladder Matrix (UBM) for Urinary Bladder Tissue-Engineering Purposes. <i>Advances in Experimental Medicine and Biology</i> , <b>2021</b> , 1345, 119-128	3.6	1
64	Response differences of HepG2 and Primary Mouse Hepatocytes to morphological changes in electrospun PCL scaffolds. <i>Scientific Reports</i> , <b>2021</b> , 11, 3059	4.9	3
63	A modified 3D printer as a hybrid bioprinting-electrospinning system for use in vascular tissue engineering applications. <i>Medical Engineering and Physics</i> , <b>2021</b> , 94, 52-60	2.4	4
62	Controlling Electrospun Polymer Morphology for Tissue Engineering Demonstrated Using hepG2 Cell Line. <i>Journal of Visualized Experiments</i> , <b>2020</b> ,	1.6	6
61	Integrational Technologies for the Development of Three-Dimensional Scaffolds as Platforms in Cartilage Tissue Engineering. <i>ACS Omega</i> , <b>2020</b> , 5, 12623-12636	3.9	8
60	High-throughput production of silk fibroin-based electrospun fibers as biomaterial for skin tissue engineering applications. <i>Materials Science and Engineering C</i> , <b>2020</b> , 112, 110939	8.3	37
59	The use of antifreeze proteins to modify pore structure in directionally frozen alginate sponges for cartilage tissue engineering. <i>Biomedical Physics and Engineering Express</i> , <b>2020</b> , 6, 055016	1.5	3
58	Rapid fabrication and screening of tailored functional 3D biomaterials. <i>Materials Science and Engineering C</i> , <b>2020</b> , 108, 110489	8.3	8
57	Modulating electrospun polycaprolactone scaffold morphology and composition to alter endothelial cell proliferation and angiogenic gene response. <i>PLoS ONE</i> , <b>2020</b> , 15, e0240332	3.7	5
56	A Review of Validation Methods for the Intracranial Response of FEHM to Blunt Impacts. <i>Applied Sciences (Switzerland)</i> , <b>2020</b> , 10, 7227	2.6	2
55	Multiscale SAXS/WAXD characterisation of the deformation mechanisms of electrospun PCL scaffolds. <i>Polymer</i> , <b>2020</b> , 203, 122775	3.9	5

## (2018-2020)

54	Hybrid cardiovascular sourced extracellular matrix scaffolds as possible platforms for vascular tissue engineering. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , <b>2020</b> , 108, 91	0 <sup>3</sup> 924	18
53	Modulating electrospun polycaprolactone scaffold morphology and composition to alter endothelial cell proliferation and angiogenic gene response <b>2020</b> , 15, e0240332		
52	Modulating electrospun polycaprolactone scaffold morphology and composition to alter endothelial cell proliferation and angiogenic gene response <b>2020</b> , 15, e0240332		
51	Modulating electrospun polycaprolactone scaffold morphology and composition to alter endothelial cell proliferation and angiogenic gene response <b>2020</b> , 15, e0240332		
50	Modulating electrospun polycaprolactone scaffold morphology and composition to alter endothelial cell proliferation and angiogenic gene response <b>2020</b> , 15, e0240332		
49	Blended electrospinning with human liver extracellular matrix for engineering new hepatic microenvironments. <i>Scientific Reports</i> , <b>2019</b> , 9, 6293	4.9	42
48	A soft 3D polyacrylate hydrogel recapitulates the cartilage niche and allows growth-factor free tissue engineering of human articular cartilage. <i>Acta Biomaterialia</i> , <b>2019</b> , 90, 146-156	10.8	16
47	A combinatorial approach: Cryo-printing and electrospinning hybrid scaffolds for cartilage tissue engineering. <i>Bioprinting</i> , <b>2019</b> , 16, e00056	7	14
46	Nozzle-free electrospinning of Polyvinylpyrrolidone/Poly(glycerol sebacate) fibrous scaffolds for skin tissue engineering applications. <i>Medical Engineering and Physics</i> , <b>2019</b> , 71, 56-67	2.4	25
45	Influence of aorta extracellular matrix in electrospun polycaprolactone scaffolds. <i>Journal of Applied Polymer Science</i> , <b>2019</b> , 136, 48181	2.9	12
44	From Tension to Compression: Asymmetric Mechanical Behaviour of Trabecular Bone's Organic Phase. <i>Annals of Biomedical Engineering</i> , <b>2018</b> , 46, 801-809	4.7	3
43	A Non-woven Path: Electrospun Poly(lactic acid) Scaffolds for Kidney Tissue Engineering. <i>Tissue Engineering and Regenerative Medicine</i> , <b>2018</b> , 15, 301-310	4.5	27
42	Mechanical characterisation of directionally frozen polycaprolactone scaffolds using 1,4-dioxane and glacial acetic acid for articular cartilage tissue engineering. <i>Biomedical Physics and Engineering Express</i> , <b>2018</b> , 4, 057004	1.5	8
41	From scaffold to structure: the synthetic production of cell derived extracellular matrix for liver tissue engineering. <i>Biomedical Physics and Engineering Express</i> , <b>2018</b> , 4, 065015	1.5	16
40	On the optimization of low-cost FDM 3D printers for accurate replication of patient-specific abdominal aortic aneurysm geometry. 3D Printing in Medicine, 2018, 4, 2	5	28
39	3D human liver tissue from pluripotent stem cells displays stable phenotype in vitro and supports compromised liver function in vivo. <i>Archives of Toxicology</i> , <b>2018</b> , 92, 3117-3129	5.8	60
38	Novel phase separated polycaprolactone/collagen scaffolds for cartilage tissue engineering. <i>Biomedical Materials (Bristol)</i> , <b>2018</b> , 13, 051001	3.5	28
37	Fabrication of 3D cryo-printed scaffolds using low-temperature deposition manufacturing for cartilage tissue engineering. <i>Bioprinting</i> , <b>2018</b> , 10, e00033	7	14

36	Optimization of SDS exposure on preservation of ECM characteristics in whole organ decellularization of rat kidneys. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , <b>2017</b> , 105, 1352-1360	3.5	39
35	A Drug-Induced Hybrid Electrospun Poly-Capro-Lactone: Cell-Derived Extracellular Matrix Scaffold for Liver Tissue Engineering. <i>Tissue Engineering - Part A</i> , <b>2017</b> , 23, 650-662	3.9	40
34	The effect of electrospun polycaprolactone scaffold morphology on human kidney epithelial cells. <i>Biomedical Materials (Bristol)</i> , <b>2017</b> , 13, 015006	3.5	30
33	Acrylate-based materials for heart valve scaffold engineering. <i>Biomaterials Science</i> , <b>2017</b> , 6, 154-167	7.4	10
32	Secreted Endothelial Cell Factors Immobilized on Collagen Scaffolds Enhance the Recipient Endothelial Cell Environment. <i>BioResearch Open Access</i> , <b>2016</b> , 5, 61-71	2.4	1
31	Arrays of 3D double-network hydrogels for the high-throughput discovery of materials with enhanced physical and biological properties. <i>Acta Biomaterialia</i> , <b>2016</b> , 34, 104-112	10.8	14
30	Development of a Bladder Bioreactor for Tissue Engineering in Urology. <i>Methods in Molecular Biology</i> , <b>2016</b> , 1502, 213-21	1.4	2
29	On the potential of hydrated storage for naturally derived ECMs and associated effects on mechanical and cellular performance. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , <b>2014</b> , 102, 89-97	3.5	8
28	Combinatorial scaffold morphologies for zonal articular cartilage engineering. <i>Acta Biomaterialia</i> , <b>2014</b> , 10, 2065-75	10.8	101
27	The effects of stent interaction on porcine urinary bladder matrix employed as stent-graft materials. <i>Journal of Biomechanics</i> , <b>2014</b> , 47, 1885-93	2.9	13
26	Development of a rotational cell-seeding system for tubularized extracellular matrix (ECM) scaffolds in vascular surgery. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , <b>2014</b> , 102, 781-8	3.5	13
25	Evaluation of xenogenic extracellular matrices as adjuvant scaffolds for the treatment of stress urinary incontinence. <i>International Urogynecology Journal</i> , <b>2013</b> , 24, 2105-10	2	4
24	Responsive poly (Eglutamic acid) fibres for biomedical applications. <i>Journal of Materials Chemistry B</i> , <b>2013</b> , 1, 1397-1401	7.3	11
23	Comparison of methods for whole-organ decellularization in tissue engineering of bioartificial organs. <i>Tissue Engineering - Part B: Reviews</i> , <b>2013</b> , 19, 194-208	7.9	112
22	Effects of fiber orientation on the frictional properties and damage of regenerative articular cartilage surfaces. <i>Tissue Engineering - Part A</i> , <b>2013</b> , 19, 2300-10	3.9	44
21	Cell-seeded extracellular matrices for bladder reconstruction: an ex vivo comparative study of their biomechanical properties. <i>International Journal of Artificial Organs</i> , <b>2013</b> , 36, 251-8	1.9	7
20	Anisotropic fibrous scaffolds for articular cartilage regeneration. <i>Tissue Engineering - Part A</i> , <b>2012</b> , 18, 2073-83	3.9	117
19	Use of the photoelastic method and finite element analysis in the assessment of wall strain in abdominal aortic aneurysm models. <i>Journal of Biomechanics</i> , <b>2012</b> , 45, 1759-68	2.9	22

18	Mechanical characterisation of unidirectional and cross-directional multilayered urinary bladder matrix (UBM) scaffolds. <i>Medical Engineering and Physics</i> , <b>2012</b> , 34, 1368-74	2.4	16
17	Finite element and photoelastic modelling of an abdominal aortic aneurysm: a comparative study. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , <b>2012</b> , 15, 1111-9	2.1	4
16	Evaluation of viability and proliferative activity of human urothelial cells cultured onto xenogenic tissue-engineered extracellular matrices. <i>Urology</i> , <b>2011</b> , 77, 1007.e1-7	1.6	34
15	Construction and evaluation of urinary bladder bioreactor for urologic tissue-engineering purposes. <i>Urology</i> , <b>2011</b> , 78, 954-60	1.6	22
14	Augmentation cystoplasty and extracellular matrix scaffolds: an ex vivo comparative study with autogenous detubularised ileum. <i>PLoS ONE</i> , <b>2011</b> , 6, e20323	3.7	9
13	Porcine extracellular matrix scaffolds in reconstructive urology: An ex vivo comparative study of their biomechanical properties. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , <b>2011</b> , 4, 375-	- <b>8</b> 2 <sup>I</sup>	14
12	In vivo feasibility case study for evaluating abdominal aortic aneurysm tissue properties and rupture potential using acoustic radiation force impulse imaging. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , <b>2011</b> , 4, 507-13	4.1	11
11	The effect of vessel material properties and pulsatile wall motion on the fixation of a proximal stent of an endovascular graft. <i>Medical Engineering and Physics</i> , <b>2011</b> , 33, 106-11	2.4	13
10	Xenogenic extracellular matrices as potential biomaterials for interposition grafting in urological surgery. <i>Journal of Urology</i> , <b>2010</b> , 184, 2246-53	2.5	36
9	Acoustic radiation force impulse imaging on ex vivo abdominal aortic aneurysm model. <i>Ultrasound in Medicine and Biology</i> , <b>2010</b> , 36, 821-32	3.5	13
8	New pulsatile hydrostatic pressure bioreactor for vascular tissue-engineered constructs. <i>Artificial Organs</i> , <b>2010</b> , 34, 153-8	2.6	25
7	ECM-based materials in cardiovascular applications: Inherent healing potential and augmentation of native regenerative processes. <i>International Journal of Molecular Sciences</i> , <b>2009</b> , 10, 4375-417	6.3	75
6	Realistic Temporal Variations of Shear Stress Modulate MMP-2 and MCP-1 Expression in Arteriovenous Vascular Access. <i>Cellular and Molecular Bioengineering</i> , <b>2009</b> , 2, 591-605	3.9	15
5	Extracellular matrices as advanced scaffolds for vascular tissue engineering. <i>Bio-Medical Materials and Engineering</i> , <b>2009</b> , 19, 333-48	1	13
4	Vessel asymmetry as an additional diagnostic tool in the assessment of abdominal aortic aneurysms. <i>Journal of Vascular Surgery</i> , <b>2009</b> , 49, 443-54	3.5	103
3	Fibrin: a natural biodegradable scaffold in vascular tissue engineering. <i>Cells Tissues Organs</i> , <b>2008</b> , 188, 333-46	2.1	139
2	3-D numerical simulation of blood flow through models of the human aorta. <i>Journal of Biomechanical Engineering</i> , <b>2005</b> , 127, 767-75	2.1	89
1	Modulation of Tissue Microenvironment Following Myocardial Infarction. <i>Advanced NanoBiomed Research</i> ,2200005	О	_