

Anna Rising

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3291929/anna-rising-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

70
papers

2,655
citations

26
h-index

51
g-index

77
ext. papers

3,201
ext. citations

7.6
avg. IF

5.19
L-index

#	Paper	IF	Citations
70	A Novel Approach for the Production of Aggregation-Prone Proteins Using the Spidroin-Derived NT* Tag.. <i>Methods in Molecular Biology</i> , 2022 , 2406, 113-130	1.4	1
69	An Image-Analysis-Based Method for the Prediction of Recombinant Protein Fiber Tensile Strength.. <i>Materials</i> , 2022 , 15,	3.5	1
68	Artificial and natural silk materials have high mechanical property variability regardless of sample size.. <i>Scientific Reports</i> , 2022 , 12, 3507	4.9	2
67	A "spindle and thread" mechanism unblocks p53 translation by modulating N-terminal disorder.. <i>Structure</i> , 2022 ,	5.2	1
66	The dimerization mechanism of the N-terminal domain of spider silk proteins is conserved despite extensive sequence divergence.. <i>Journal of Biological Chemistry</i> , 2022 , 101913	5.4	1
65	Engineered Spider Silk Proteins for Biomimetic Spinning of Fibers with Toughness Equal to Dragline Silks (Adv. Funct. Mater. 23/2022). <i>Advanced Functional Materials</i> , 2022 , 32, 2270134	15.6	0
64	Artificial spider silk supports and guides neurite extension in vitro. <i>FASEB Journal</i> , 2021 , 35, e21896	0.9	1
63	AA amyloid in human food chain is a possible biohazard. <i>Scientific Reports</i> , 2021 , 11, 21069	4.9	2
62	Tyrosine residues mediate supercontraction in biomimetic spider silk. <i>Communications Materials</i> , 2021 , 2,	6	6
61	In Vitro Study of Human Immune Responses to Hyaluronic Acid Hydrogels, Recombinant Spidroins and Human Neural Progenitor Cells of Relevance to Spinal Cord Injury Repair. <i>Cells</i> , 2021 , 10,	7.9	2
60	Citrullination Alters the Antibacterial and Anti-Inflammatory Functions of the Host Defense Peptide Canine Cathelicidin K9CATH In Vitro. <i>Journal of Immunology</i> , 2021 , 207, 974-984	5.3	
59	Expression of the human molecular chaperone domain Bri2 BRICHOS on a gram per liter scale with an E. coli fed-batch culture. <i>Microbial Cell Factories</i> , 2021 , 20, 150	6.4	2
58	Impact of synthetic surfactant CHF5633 with SP-B and SP-C analogues on lung function and inflammation in rabbit model of acute respiratory distress syndrome. <i>Physiological Reports</i> , 2021 , 9, e14700	2.6	6
57	Native-like Flow Properties of an Artificial Spider Silk Dope. <i>ACS Biomaterials Science and Engineering</i> , 2021 , 7, 462-471	5.5	4
56	Recombinant Spider Silk Protein Matrices Facilitate Differentiation of Neural Stem Cells Into Mature and Functional Neurons. <i>Frontiers in Materials</i> , 2021 , 7,	4	1
55	High-yield production of a super-soluble miniature spidroin for biomimetic high-performance materials. <i>Materials Today</i> , 2021 ,	21.8	5
54	Doing What Spiders Cannot-A Road Map to Supreme Artificial Silk Fibers. <i>ACS Nano</i> , 2021 , 15, 1952-1959	16.7	16

53	Structure-Function Relationship of Artificial Spider Silk Fibers Produced by Straining Flow Spinning. <i>Biomacromolecules</i> , 2020 , 21, 2116-2124	6.9	16
52	Tensile properties of synthetic pyriform spider silk fibers depend on the number of repetitive units as well as the presence of N- and C-terminal domains. <i>International Journal of Biological Macromolecules</i> , 2020 , 154, 765-772	7.9	11
51	High-yield Production of Amyloid- β Peptide Enabled by a Customized Spider Silk Domain. <i>Scientific Reports</i> , 2020 , 10, 235	4.9	16
50	High intracellular stability of the spidroin N-terminal domain in spite of abundant amyloidogenic segments revealed by in-cell hydrogen/deuterium exchange mass spectrometry. <i>FEBS Journal</i> , 2020 , 287, 2823-2833	5.7	4
49	Properties of Biomimetic Artificial Spider Silk Fibers Tuned by PostSpin Bath Incubation. <i>Molecules</i> , 2020 , 25,	4.8	8
48	Synthetic surfactant with a recombinant surfactant protein C analogue improves lung function and attenuates inflammation in a model of acute respiratory distress syndrome in adult rabbits. <i>Respiratory Research</i> , 2019 , 20, 245	7.3	10
47	Efficient delipidation of a recombinant lung surfactant lipopeptide analogue by liquid-gel chromatography. <i>PLoS ONE</i> , 2019 , 14, e0226072	3.7	0
46	Natural Derived Surfactant Preparation As a Carrier of Polymyxin E for Treatment of Pseudomonas aeruginosa Pneumonia in a Near-Term Rabbit Model. <i>Journal of Aerosol Medicine and Pulmonary Drug Delivery</i> , 2019 , 32, 110-118	3.8	8
45	Production and Properties of Triple Chimeric Spidroins. <i>Biomacromolecules</i> , 2018 , 19, 2825-2833	6.9	14
44	A spidroin-derived solubility tag enables controlled aggregation of a designed amyloid protein. <i>FEBS Journal</i> , 2018 , 285, 1873-1885	5.7	22
43	Mass Spectrometry Reveals the Direct Action of a Chemical Chaperone. <i>Journal of Physical Chemistry Letters</i> , 2018 , 9, 4082-4086	6.4	16
42	Novel expression of a functional trimeric fragment of human SP-A with efficacy in neutralisation of RSV. <i>Immunobiology</i> , 2017 , 222, 111-118	3.4	16
41	Biomimetic spinning of artificial spider silk from a chimeric minispidroin. <i>Nature Chemical Biology</i> , 2017 , 13, 262-264	11.7	143
40	Mass spectrometry captures structural intermediates in protein fiber self-assembly. <i>Chemical Communications</i> , 2017 , 53, 3319-3322	5.8	12
39	Efficient protein production inspired by how spiders make silk. <i>Nature Communications</i> , 2017 , 8, 15504	17.4	48
38	Degree of Biomimicry of Artificial Spider Silk Spinning Assessed by NMR Spectroscopy. <i>Angewandte Chemie</i> , 2017 , 129, 12745-12749	3.6	3
37	Degree of Biomimicry of Artificial Spider Silk Spinning Assessed by NMR Spectroscopy. <i>Angewandte Chemie - International Edition</i> , 2017 , 56, 12571-12575	16.4	15
36	Systemic AA amyloidosis in the red fox (<i>Vulpes vulpes</i>). <i>Protein Science</i> , 2017 , 26, 2312-2318	6.3	2

35	Efficient passage of human pluripotent stem cells on spider silk matrices under xeno-free conditions. <i>Cellular and Molecular Life Sciences</i> , 2016 , 73, 1479-88	10.3	6
34	Silk Spinning in Silkworms and Spiders. <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3	78
33	Transmissible amyloid. <i>Journal of Internal Medicine</i> , 2016 , 280, 153-63	10.8	16
32	Toward spinning artificial spider silk. <i>Nature Chemical Biology</i> , 2015 , 11, 309-15	11.7	210
31	Specific chaperones and regulatory domains in control of amyloid formation. <i>Journal of Biological Chemistry</i> , 2015 , 290, 26430-6	5.4	27
30	Diversified Structural Basis of a Conserved Molecular Mechanism for pH-Dependent Dimerization in Spider Silk N-Terminal Domains. <i>ChemBioChem</i> , 2015 , 16, 1720-4	3.8	29
29	Carbonic anhydrase generates a pH gradient in Bombyx mori silk glands. <i>Insect Biochemistry and Molecular Biology</i> , 2015 , 65, 100-6	4.5	30
28	Controlled assembly: a prerequisite for the use of recombinant spider silk in regenerative medicine?. <i>Acta Biomaterialia</i> , 2014 , 10, 1627-31	10.8	24
27	Recombinant spider silk genetically functionalized with affinity domains. <i>Biomacromolecules</i> , 2014 , 15, 1696-706	6.9	45
26	Spider silk for xeno-free long-term self-renewal and differentiation of human pluripotent stem cells. <i>Biomaterials</i> , 2014 , 35, 8496-502	15.6	34
25	Sequential pH-driven dimerization and stabilization of the N-terminal domain enables rapid spider silk formation. <i>Nature Communications</i> , 2014 , 5, 3254	17.4	96
24	Evaluation of Functionalized Spider Silk Matrices: Choice of Cell Types and Controls are Important for Detecting Specific Effects. <i>Frontiers in Bioengineering and Biotechnology</i> , 2014 , 2, 50	5.8	6
23	Carbonic anhydrase generates CO ₂ and H ⁺ that drive spider silk formation via opposite effects on the terminal domains. <i>PLoS Biology</i> , 2014 , 12, e1001921	9.7	109
22	Morphology and composition of the spider major ampullate gland and dragline silk. <i>Biomacromolecules</i> , 2013 , 14, 2945-52	6.9	37
21	Invited review current progress and limitations of spider silk for biomedical applications. <i>Biopolymers</i> , 2012 , 97, 468-78	2.2	64
20	Control of amyloid assembly by autoregulation. <i>Biochemical Journal</i> , 2012 , 447, 185-92	3.8	13
19	pH-dependent dimerization of spider silk N-terminal domain requires relocation of a wedged tryptophan side chain. <i>Journal of Molecular Biology</i> , 2012 , 422, 477-87	6.5	61
18	Recombinant spider silk matrices for neural stem cell cultures. <i>Biomaterials</i> , 2012 , 33, 7712-7	15.6	55

17	Full-length minor ampullate spidroin gene sequence. <i>PLoS ONE</i> , 2012 , 7, e52293	3.7	58
16	Spider silk proteins: recent advances in recombinant production, structure-function relationships and biomedical applications. <i>Cellular and Molecular Life Sciences</i> , 2011 , 68, 169-84	10.3	144
15	Functionalisation of recombinant spider silk with conjugated polyelectrolytes. <i>Journal of Materials Chemistry</i> , 2011 , 21, 2909		18
14	Self-assembly of spider silk proteins is controlled by a pH-sensitive relay. <i>Nature</i> , 2010 , 465, 236-8	50.4	328
13	A pH-dependent dimer lock in spider silk protein. <i>Journal of Molecular Biology</i> , 2010 , 404, 328-36	6.5	47
12	Recombinant spider silk as matrices for cell culture. <i>Biomaterials</i> , 2010 , 31, 9575-85	15.6	89
11	Tissue Response to Subcutaneously Implanted Recombinant Spider Silk: An in Vivo Study. <i>Materials</i> , 2009 , 2, 1908-1922	3.5	65
10	Structural properties of recombinant nonrepetitive and repetitive parts of major ampullate spidroin 1 from <i>Euprosthenoops australis</i> : implications for fiber formation. <i>Biochemistry</i> , 2008 , 47, 3407-17 ²		113
9	Macroscopic fibers self-assembled from recombinant miniature spider silk proteins. <i>Biomacromolecules</i> , 2007 , 8, 1695-701	6.9	144
8	Major ampullate spidroins from <i>Euprosthenoops australis</i> : multiplicity at protein, mRNA and gene levels. <i>Insect Molecular Biology</i> , 2007 , 16, 551-61	3.4	39
7	N-terminal nonrepetitive domain common to dragline, flagelliform, and cylindrical spider silk proteins. <i>Biomacromolecules</i> , 2006 , 7, 3120-4	6.9	122
6	Transient Expression of a Major Ampullate Spidroin 1 Gene Fragment from sp. in Mammalian Cells. <i>Cancer Genomics and Proteomics</i> , 2006 , 3, 83-87	3.3	6
5	Spider silk proteins--mechanical property and gene sequence. <i>Zoological Science</i> , 2005 , 22, 273-81	0.8	124
4	The JNK interacting protein JIP-1 and insulin like growth factor II genes are co-expressed in human embryonic tumours. <i>Anticancer Research</i> , 2005 , 25, 1075-8	2.3	1
3	Expression of JNK interacting protein JIP-1 is down-regulated in liver from mouse embryos with a disrupted insulin-like growth factor II gene. <i>In Vivo</i> , 2004 , 18, 643-7	2.3	1
2	Recombinant spider silk protein matrices facilitate multi-analysis of calcium-signaling in neural stem cell-derived AMPA-responsive neurons		1
1	Engineered Spider Silk Proteins for Biomimetic Spinning of Fibers with Toughness Equal to Dragline Silks. <i>Advanced Functional Materials</i> , 2200986	15.6	0