

Fellippo Ramos Verri

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/329202/publications.pdf>

Version: 2024-02-01

84
papers

1,963
citations

236612

25
h-index

288905

40
g-index

84
all docs

84
docs citations

84
times ranked

1783
citing authors

#	ARTICLE	IF	CITATIONS
1	Evaluation of cement-retained versus screw-retained implant-supported restorations for marginal bone loss. <i>Journal of Prosthetic Dentistry</i> , 2016, 115, 419-427.	1.1	121
2	Dental implants in patients with osteoporosis: a systematic review with meta-analysis. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2018, 47, 480-491.	0.7	113
3	Stress analysis in bone tissue around single implants with different diameters and veneering materials: A 3-D finite element study. <i>Materials Science and Engineering C</i> , 2013, 33, 4700-4714.	3.8	69
4	Immediate implant placement into fresh extraction sockets versus delayed implants into healed sockets: A systematic review and meta-analysis. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2017, 46, 1162-1177.	0.7	68
5	Evaluation of the Influence of Location of Osseointegrated Implants Associated with Mandibular Removable Partial Dentures. <i>Implant Dentistry</i> , 2008, 17, 278-287.	1.7	62
6	Biomechanical influence of crown-to-implant ratio on stress distribution over internal hexagon short implant: 3-D finite element analysis with statistical test. <i>Journal of Biomechanics</i> , 2015, 48, 138-145.	0.9	61
7	Comparison of external and internal implant-abutment connections for implant supported prostheses. A systematic review and meta-analysis. <i>Journal of Dentistry</i> , 2018, 70, 14-22.	1.7	61
8	Complete overdentures retained by mini implants: A systematic review. <i>Journal of Dentistry</i> , 2017, 57, 4-13.	1.7	60
9	Influence of Length and Diameter of Implants Associated With Distal Extension Removable Partial Dentures. <i>Implant Dentistry</i> , 2007, 16, 270-280.	1.7	55
10	Finite element analysis on influence of implant surface treatments, connection and bone types. <i>Materials Science and Engineering C</i> , 2016, 63, 292-300.	3.8	54
11	Influence of low-level laser therapy on the healing of human bone maxillofacial defects: A systematic review. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2017, 169, 83-89.	1.7	54
12	Influence of Tapered and External Hexagon Connections on Bone Stresses Around Tilted Dental Implants: Three-Dimensional Finite Element Method With Statistical Analysis. <i>Journal of Periodontology</i> , 2014, 85, 261-269.	1.7	53
13	Platform-switching implants and bone preservation: a systematic review and meta-analysis. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2016, 45, 332-345.	0.7	53
14	Effect of crown-to-implant ratio on peri-implant stress: A finite element analysis. <i>Materials Science and Engineering C</i> , 2014, 45, 234-240.	3.8	52
15	Should the restoration of adjacent implants be splinted or nonsplinted? A systematic review and meta-analysis. <i>Journal of Prosthetic Dentistry</i> , 2019, 121, 41-51.	1.1	47
16	Short implants versus longer implants with maxillary sinus lift. A systematic review and meta-analysis. <i>Brazilian Oral Research</i> , 2018, 32, e86.	0.6	44
17	Care and Cleaning of Maxillofacial Prostheses. <i>Journal of Craniofacial Surgery</i> , 2010, 21, 1270-1273.	0.3	40
18	Effect of different types of prosthetic platforms on stress-distribution in dental implant-supported prostheses. <i>Materials Science and Engineering C</i> , 2017, 71, 35-42.	3.8	35

#	ARTICLE	IF	CITATIONS
19	Effects of platelet-rich plasma in association with bone grafts in maxillary sinus augmentation: a systematic review and meta-analysis. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2016, 45, 517-525.	0.7	34
20	Analysis of the biomechanical behavior of short implants: The photo-elasticity method. <i>Materials Science and Engineering C</i> , 2015, 55, 187-192.	3.8	32
21	Finite element analysis of implant-supported prosthesis with pontic and cantilever in the posterior maxilla. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2017, 20, 663-670.	0.9	30
22	Biomechanical analysis of different implant-abutments interfaces in different bone types: An in silico analysis. <i>Materials Science and Engineering C</i> , 2018, 90, 645-650.	3.8	29
23	Ceramic versus metal-ceramic implant-supported prostheses: A systematic review and meta-analysis. <i>Journal of Prosthetic Dentistry</i> , 2019, 121, 879-886.e4.	1.1	29
24	CAD/CAM vs Conventional Technique for Fabrication of Implant-Supported Frameworks: A Systematic Review and Meta-analysis of In Vitro Studies. <i>International Journal of Prosthodontics</i> , 2019, 32, 182-192.	0.7	28
25	Influence of parafunctional loading and prosthetic connection on stress distribution: A 3D finite element analysis. <i>Journal of Prosthetic Dentistry</i> , 2015, 114, 644-651.	1.1	27
26	Three-dimensional finite element analysis of stress distribution in retention screws of different crown-implant ratios. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2015, 18, 689-696.	0.9	27
27	Bilateral balanced occlusion compared to other occlusal schemes in complete dentures: A systematic review. <i>Journal of Oral Rehabilitation</i> , 2018, 45, 344-354.	1.3	27
28	A 3-D Finite Element Study of the Influence of Crown-Implant Ratio on Stress Distribution. <i>Brazilian Dental Journal</i> , 2013, 24, 635-641.	0.5	26
29	Photoelastic Analysis of Stress Distribution With Different Implant Systems. <i>Journal of Oral Implantology</i> , 2014, 40, 117-122.	0.4	26
30	Stress Analysis in Platform-Switching Implants: A 3-Dimensional Finite Element Study. <i>Journal of Oral Implantology</i> , 2012, 38, 587-594.	0.4	25
31	Can the modeling for simplification of a dental implant surface affect the accuracy of 3D finite element analysis?. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2016, 19, 1665-1672.	0.9	25
32	Three-Dimensional Finite Element Analysis of Varying Diameter and Connection Type in Implants with High Crown-Implant Ratio. <i>Brazilian Dental Journal</i> , 2018, 29, 36-42.	0.5	24
33	Three-Dimensional Finite Element Analysis of Anterior Single Implant-Supported Prostheses with Different Bone Anchorages. <i>Scientific World Journal</i> , The, 2015, 2015, 1-10.	0.8	23
34	Comparison between computer-guided and freehand dental implant placement surgery: A systematic review and meta-analysis. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2021, 50, 242-250.	0.7	23
35	Evaluation of Different Retention Systems on a Distal Extension Removable Partial Denture Associated With an Osseointegrated Implant. <i>Journal of Craniofacial Surgery</i> , 2010, 21, 727-734.	0.3	22
36	Evaluation of the effect of an offset implant configuration in the posterior maxilla with external hexagon implant platform: A 3-dimensional finite element analysis. <i>Journal of Prosthetic Dentistry</i> , 2017, 118, 363-371.	1.1	22

#	ARTICLE	IF	CITATIONS
37	Clinical viability of single implant-retained mandibular overdentures: a systematic review and meta-analysis. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2018, 47, 1166-1177.	0.7	22
38	Clinical effect of the high insertion torque on dental implants: A systematic review and meta-analysis. <i>Journal of Prosthetic Dentistry</i> , 2021, 126, 490-496.	1.1	20
39	Comparison between flapless and open-flap implant placement: a systematic review and meta-analysis. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2020, 49, 1220-1231.	0.7	20
40	Effect of bone quality and bone loss level around internal and external connection implants: A finite element analysis study. <i>Journal of Prosthetic Dentistry</i> , 2021, 125, 137.e1-137.e10.	1.1	20
41	Splinted and Nonsplinted Crowns with Different Implant Lengths in the Posterior Maxilla by Three-Dimensional Finite Element Analysis. <i>Journal of Healthcare Engineering</i> , 2018, 2018, 1-7.	1.1	19
42	Retention System and Splinting on Morse Taper Implants in the Posterior Maxilla by 3D Finite Element Analysis. <i>Brazilian Dental Journal</i> , 2018, 29, 30-35.	0.5	19
43	The Effect of Offset Implant Configuration on Bone Stress Distribution: A Systematic Review. <i>Journal of Prosthodontics</i> , 2015, 24, 93-99.	1.7	18
44	Narrow-diameter implants versus regular-diameter implants for rehabilitation of the anterior region: a systematic review and meta-analysis. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2021, 50, 674-682.	0.7	18
45	Influence of the Implant Diameter With Different Sizes of Hexagon: Analysis by 3-Dimensional Finite Element Method. <i>Journal of Oral Implantology</i> , 2013, 39, 425-431.	0.4	17
46	Survival of dental implants placed in HIV-positive patients: a systematic review. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2018, 47, 1336-1342.	0.7	15
47	Three-dimensional finite element analysis of glass fiber and cast metal posts with different alloys for reconstruction of teeth without ferrule. <i>Journal of Medical Engineering and Technology</i> , 2017, 41, 644-651.	0.8	14
48	Effect of the Parafunctional Occlusal Loading and Crown Height on Stress Distribution. <i>Brazilian Dental Journal</i> , 2014, 25, 554-560.	0.5	13
49	Evaluation of Bone Insertion Level of Support Teeth in Class I Mandibular Removable Partial Denture Associated With an Osseointegrated Implant: A Study Using Finite Element Analysis. <i>Implant Dentistry</i> , 2011, 20, 192-201.	1.7	12
50	Prevalence of removable partial dentures users treated at the Aracatuba Dental School "UNESP. <i>Gerodontology</i> , 2012, 29, 140-144.	0.8	12
51	Clinical comparison between crestal and subcrestal dental implants: A systematic review and meta-analysis. <i>Journal of Prosthetic Dentistry</i> , 2022, 127, 408-417.	1.1	12
52	Biomechanical Three-Dimensional Finite Element Analysis of Single Implant-Supported Protheseses in the Anterior Maxilla, with Different Surgical Techniques and Implant Types. <i>International Journal of Oral and Maxillofacial Implants</i> , 2017, 32, e191-e198.	0.6	11
53	Influence of Implant Inclination Associated With Mandibular Class I Removable Partial Denture. <i>Journal of Craniofacial Surgery</i> , 2011, 22, 663-668.	0.3	10
54	Comparison of the Use of Titanium-Zirconium Alloy and Titanium Alloy in Dental Implants: A Systematic Review and Meta-Analysis. <i>Journal of Oral Implantology</i> , 2018, 44, 305-312.	0.4	10

#	ARTICLE	IF	CITATIONS
55	Are implant-supported removable partial dentures a suitable treatment for partially edentulous patients? A systematic review and meta-analysis. <i>Journal of Prosthetic Dentistry</i> , 2023, 129, 538-546.	1.1	9
56	Influence of Ridge Inclination and Implant Localization on the Association of Mandibular Kennedy Class I Removable Partial Denture. <i>Journal of Craniofacial Surgery</i> , 2011, 22, 871-875.	0.3	8
57	Vertical and Horizontal Misfit Analysis of 3-unit FDP Fabricated with Different Techniques and CAD/CAM Systems. <i>Brazilian Dental Journal</i> , 2018, 29, 342-346.	0.5	8
58	Evaluation of the accuracy and stress distribution of 3-unit implant supported prostheses obtained by different manufacturing methods. <i>Materials Science and Engineering C</i> , 2019, 102, 66-74.	3.8	8
59	Removable Partial Denture in Combination with a Milled Fixed Partial Prosthesis as Interim Restorations in Long-term Treatment. <i>Journal of Prosthodontics</i> , 2010, 19, 77-80.	1.7	7
60	Avaliação da Qualidade do Sono em Grupos com Diferentes Níveis de Desordem Temporomandibular. <i>Pesquisa Brasileira Em Odontopediatria E Clínica Integrada</i> , 2008, 8, 165-169.	0.7	7
61	Esthetic Interim Acrylic Resin Prosthesis Reinforced with Metal Casting. <i>Journal of Prosthodontics</i> , 2009, 18, 541-544.	1.7	6
62	Influence of bicortical techniques in internal connection placed in premaxillary area by 3D finite element analysis. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2017, 20, 193-200.	0.9	6
63	Rehabilitation With Mandibular Implant-Retained Complete Overdenture Using the Association of Two Retention Systems. <i>Journal of Craniofacial Surgery</i> , 2016, 27, e620-e622.	0.3	4
64	Biomechanical effect of an occlusal device for patients with an implant-supported fixed dental prosthesis under parafunctional loading: A 3D finite element analysis. <i>Journal of Prosthetic Dentistry</i> , 2021, 126, 223.e1-223.e8.	1.1	4
65	Effect of Splinting of Tilted External Hexagon Implants on 3-Unit Implant-Supported Prostheses in the Posterior Maxilla: A 3D Finite Element Analysis. <i>Journal of Prosthodontics</i> , 2022, 31, 697-704.	1.7	4
66	Care Required When Using Bisphosphonates in Dental Surgical Practice. <i>Journal of Craniofacial Surgery</i> , 2010, 21, 1966-1970.	0.3	3
67	Influence of diameter and intraradicular post in the stress distribution. Finite element analysis. <i>Universidade Estadual Paulista Revista De Odontologia</i> , 2016, 45, 171-176.	0.3	3
68	Immediate Dental Implant Placement After Removal of Complex Odontoma. <i>Journal of Craniofacial Surgery</i> , 2017, 28, e737-e738.	0.3	3
69	Surface Characterization of a Glass Fiber Post after Nonthermal Plasma Treatment with Hexamethyldisiloxane. <i>Journal of Adhesive Dentistry</i> , 2017, , 525-533.	0.3	3
70	Photoelastic analysis of the influence of residual ridge inclination in conjugated class I mandibular prostheses with different attachment systems. <i>Acta Odontologica Scandinavica</i> , 2013, 71, 984-988.	0.9	2
71	Existence of and Predisposing Factors for Implant Periapical Lesions. <i>Journal of Craniofacial Surgery</i> , 2015, 26, 319-322.	0.3	2
72	A technique for removing a fractured 1-piece titanium abutment. <i>Journal of Prosthetic Dentistry</i> , 2018, 119, 305-306.	1.1	2

#	ARTICLE	IF	CITATIONS
73	Use of Resin-Based Provisional Material to Create the Posterior Palatal Seal in Complete Denture Definitive Impressions. <i>Journal of Prosthodontics</i> , 2019, 28, e18-e20.	1.7	2
74	Quality Assessment of Systematic Reviews on Platform-Switching vs Platform-Matched Implants: An Overview. <i>Journal of Oral Implantology</i> , 2020, 46, 153-162.	0.4	2
75	Clinical Evidence for Treatment of Class II Periodontal Furcation Defects. Systematic Review and Meta-analysis. <i>Journal of the International Academy of Periodontology</i> , 2020, 22, 117-128.	0.7	2
76	Technique for Indexing an Immediate Loading Implant Position for a Provisional Restoration. <i>Journal of Oral Implantology</i> , 2011, 37, 267-271.	0.4	1
77	Removable Partial Denture After Gunshot Injury. <i>Journal of Craniofacial Surgery</i> , 2017, 28, e381-e383.	0.3	1
78	An impression technique for patients with fixed orthodontic appliances. <i>Journal of Prosthetic Dentistry</i> , 2018, 120, 483-484.	1.1	1
79	Response to the Letter to the Editor on "Comparison between flapless and open-flap implant placement: a systematic review and meta-analysis". <i>International Journal of Oral and Maxillofacial Surgery</i> , 2019, 48, 416-418.	0.7	1
80	Effect of the acrylic occlusal device on the stress distribution in the external hexagon implant in situations of dental tightening. A 3D finite element analysis. <i>Research, Society and Development</i> , 2021, 10, e33610615601.	0.0	1
81	Response to Letter to the Editor regarding "de Souza Batista et al. Should the restoration of adjacent implants be splinted or nonsplinted? A systematic review and meta-analysis. <i>J Prosthet Dent</i> 2019;121:41-51". <i>Journal of Prosthetic Dentistry</i> , 2020, 124, 819.	1.1	0
82	A 3D finite element analysis of bone tissue in three-unit implant-supported prostheses configurations through varying configuration factors (single-unit and splinted crowns in straight-line and offset) <i>TJ ETQq0 0 0 rgBT/Overlock 10 Tf 50 3 Development</i> , 2021, 10, e56510515336.	0.0	0
83	Bone marrow aspirate: a viable source of stem cells for bone regeneration. A systematic review. <i>Research, Society and Development</i> , 2021, 10, e94101119265.	0.0	0
84	Different bone anchorages for Morse taper implants with different lengths in maxilla anterior: An in silico analysis. <i>Research, Society and Development</i> , 2021, 10, e57010917729.	0.0	0