

# Fellippo Ramos Verri

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/329202/fellippo-ramos-verri-publications-by-year.pdf>

**Version:** 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

78  
papers

1,242  
citations

20  
h-index

31  
g-index

84  
ext. papers

1,566  
ext. citations

2.8  
avg, IF

4.61  
L-index

#	Paper	IF	Citations
78	Clinical effect of the high insertion torque on dental implants: A systematic review and meta-analysis. <i>Journal of Prosthetic Dentistry</i> , <b>2021</b> , 126, 490-496	4	6
77	Biomechanical effect of an occlusal device for patients with an implant-supported fixed dental prosthesis under parafunctional loading: A 3D finite element analysis. <i>Journal of Prosthetic Dentistry</i> , <b>2021</b> , 126, 223.e1-223.e8	4	1
76	Are implant-supported removable partial dentures a suitable treatment for partially edentulous patients? A systematic review and meta-analysis. <i>Journal of Prosthetic Dentistry</i> , <b>2021</b> ,	4	2
75	Narrow-diameter implants versus regular-diameter implants for rehabilitation of the anterior region: a systematic review and meta-analysis. <i>International Journal of Oral and Maxillofacial Surgery</i> , <b>2021</b> , 50, 674-682	2.9	2
74	Comparison between computer-guided and freehand dental implant placement surgery: A systematic review and meta-analysis. <i>International Journal of Oral and Maxillofacial Surgery</i> , <b>2021</b> , 50, 242-250	2.9	6
73	Effect of bone quality and bone loss level around internal and external connection implants: A finite element analysis study. <i>Journal of Prosthetic Dentistry</i> , <b>2021</b> , 125, 137.e1-137.e10	4	3
72	Quality Assessment of Systematic Reviews on Platform-Switching vs Platform-Matched Implants: An Overview. <i>Journal of Oral Implantology</i> , <b>2020</b> , 46, 153-162	1.2	0
71	Comparison between flapless and open-flap implant placement: a systematic review and meta-analysis. <i>International Journal of Oral and Maxillofacial Surgery</i> , <b>2020</b> , 49, 1220-1231	2.9	8
70	Clinical comparison between crestal and subcrestal dental implants: A systematic review and meta-analysis. <i>Journal of Prosthetic Dentistry</i> , <b>2020</b> ,	4	2
69	Response to Letter to the Editor regarding "de Souza Batista et al. Should the restoration of adjacent implants be splinted or nonsplinted? A systematic review and meta-analysis. <i>J Prosthet Dent</i> 2019;121:41-51". <i>Journal of Prosthetic Dentistry</i> , <b>2020</b> , 124, 819	4	
68	Clinical Evidence for Treatment of Class II Periodontal Furcation Defects. Systematic Review and Meta-analysis. <i>Journal of the International Academy of Periodontology</i> , <b>2020</b> , 22, 117-128	0.9	1
67	CAD/CAM vs Conventional Technique for Fabrication of Implant-Supported Frameworks: A Systematic Review and Meta-analysis of In Vitro Studies. <i>International Journal of Prosthodontics</i> , <b>2019</b> , 32, 182-192	1.9	12
66	Evaluation of the accuracy and stress distribution of 3-unit implant supported prostheses obtained by different manufacturing methods. <i>Materials Science and Engineering C</i> , <b>2019</b> , 102, 66-74	8.3	3
65	Should the restoration of adjacent implants be splinted or nonsplinted? A systematic review and meta-analysis. <i>Journal of Prosthetic Dentistry</i> , <b>2019</b> , 121, 41-51	4	25
64	Response to the Letter to the Editor on "Comparison between flapless and open-flap implant placement: a systematic review and meta-analysis". <i>International Journal of Oral and Maxillofacial Surgery</i> , <b>2019</b> , 48, 416-418	2.9	1
63	Ceramic versus metal-ceramic implant-supported prostheses: A systematic review and meta-analysis. <i>Journal of Prosthetic Dentistry</i> , <b>2019</b> , 121, 879-886.e4	4	18
62	Use of Resin-Based Provisional Material to Create the Posterior Palatal Seal in Complete Denture Definitive Impressions. <i>Journal of Prosthodontics</i> , <b>2019</b> , 28, e18-e20	3.9	1

61	Comparison of the Use of Titanium-Zirconium Alloy and Titanium Alloy in Dental Implants: A Systematic Review and Meta-Analysis. <i>Journal of Oral Implantology</i> , <b>2018</b> , 44, 305-312	1.2	5
60	Clinical viability of single implant-retained mandibular overdentures: a systematic review and meta-analysis. <i>International Journal of Oral and Maxillofacial Surgery</i> , <b>2018</b> , 47, 1166-1177	2.9	19
59	Bilateral balanced occlusion compared to other occlusal schemes in complete dentures: A systematic review. <i>Journal of Oral Rehabilitation</i> , <b>2018</b> , 45, 344-354	3.4	15
58	An impression technique for patients with fixed orthodontic appliances. <i>Journal of Prosthetic Dentistry</i> , <b>2018</b> , 120, 483-484	4	0
57	Survival of dental implants placed in HIV-positive patients: a systematic review. <i>International Journal of Oral and Maxillofacial Surgery</i> , <b>2018</b> , 47, 1336-1342	2.9	7
56	Dental implants in patients with osteoporosis: a systematic review with meta-analysis. <i>International Journal of Oral and Maxillofacial Surgery</i> , <b>2018</b> , 47, 480-491	2.9	66
55	A technique for removing a fractured 1-piece titanium abutment. <i>Journal of Prosthetic Dentistry</i> , <b>2018</b> , 119, 305-306	4	1
54	Three-Dimensional Finite Element Analysis of Varying Diameter and Connection Type in Implants with High Crown-Implant Ratio. <i>Brazilian Dental Journal</i> , <b>2018</b> , 29, 36-42	1.9	17
53	Biomechanical analysis of different implant-abutments interfaces in different bone types: An in silico analysis. <i>Materials Science and Engineering C</i> , <b>2018</b> , 90, 645-650	8.3	12
52	Retention System and Splinting on Morse Taper Implants in the Posterior Maxilla by 3D Finite Element Analysis. <i>Brazilian Dental Journal</i> , <b>2018</b> , 29, 30-35	1.9	8
51	Comparison of external and internal implant-abutment connections for implant supported prostheses. A systematic review and meta-analysis. <i>Journal of Dentistry</i> , <b>2018</b> , 70, 14-22	4.8	36
50	Vertical and Horizontal Misfit Analysis of 3-unit FDP Fabricated with Different Techniques and CAD/CAM Systems. <i>Brazilian Dental Journal</i> , <b>2018</b> , 29, 342-346	1.9	3
49	Splinted and Nonsplinted Crowns with Different Implant Lengths in the Posterior Maxilla by Three-Dimensional Finite Element Analysis. <i>Journal of Healthcare Engineering</i> , <b>2018</b> , 2018, 3163096	3.7	8
48	Short implants versus longer implants with maxillary sinus lift. A systematic review and meta-analysis. <i>Brazilian Oral Research</i> , <b>2018</b> , 32, e86	2.6	19
47	Evaluation of the effect of an offset implant configuration in the posterior maxilla with external hexagon implant platform: A 3-dimensional finite element analysis. <i>Journal of Prosthetic Dentistry</i> , <b>2017</b> , 118, 363-371	4	10
46	Finite element analysis of implant-supported prosthesis with pontic and cantilever in the posterior maxilla. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , <b>2017</b> , 20, 663-670	2.1	13
45	Immediate implant placement into fresh extraction sockets versus delayed implants into healed sockets: A systematic review and meta-analysis. <i>International Journal of Oral and Maxillofacial Surgery</i> , <b>2017</b> , 46, 1162-1177	2.9	42
44	Removable Partial Denture After Gunshot Injury: Five Year Follow-Up. <i>Journal of Craniofacial Surgery</i> , <b>2017</b> , 28, e381-e383	1.2	1

43	Influence of low-level laser therapy on the healing of human bone maxillofacial defects: A systematic review. <i>Journal of Photochemistry and Photobiology B: Biology</i> , <b>2017</b> , 169, 83-89	6.7	43
42	Immediate Dental Implant Placement After Removal of Complex Odontoma. <i>Journal of Craniofacial Surgery</i> , <b>2017</b> , 28, e737-e738	1.2	0
41	Three-dimensional finite element analysis of glass fiber and cast metal posts with different alloys for reconstruction of teeth without ferrule. <i>Journal of Medical Engineering and Technology</i> , <b>2017</b> , 41, 644-651	1.8	8
40	Biomechanical Three-Dimensional Finite Element Analysis of Single Implant-Supported Protheses in the Anterior Maxilla, with Different Surgical Techniques and Implant Types. <i>International Journal of Oral and Maxillofacial Implants</i> , <b>2017</b> , 32, e191-e198	2.8	3
39	Effect of different types of prosthetic platforms on stress-distribution in dental implant-supported protheses. <i>Materials Science and Engineering C</i> , <b>2017</b> , 71, 35-42	8.3	24
38	Influence of bicortical techniques in internal connection placed in premaxillary area by 3D finite element analysis. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , <b>2017</b> , 20, 193-200	2.1	3
37	Complete overdentures retained by mini implants: A systematic review. <i>Journal of Dentistry</i> , <b>2017</b> , 57, 4-13	4.8	38
36	Rehabilitation With Mandibular Implant-Retained Complete Overdenture Using the Association of Two Retention Systems. <i>Journal of Craniofacial Surgery</i> , <b>2016</b> , 27, e620-e622	1.2	4
35	Can the modeling for simplification of a dental implant surface affect the accuracy of 3D finite element analysis?. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , <b>2016</b> , 19, 1665-72	2.1	16
34	Evaluation of cement-retained versus screw-retained implant-supported restorations for marginal bone loss: A systematic review and meta-analysis. <i>Journal of Prosthetic Dentistry</i> , <b>2016</b> , 115, 419-27	4	92
33	Finite element analysis on influence of implant surface treatments, connection and bone types. <i>Materials Science and Engineering C</i> , <b>2016</b> , 63, 292-300	8.3	36
32	Platform-switching implants and bone preservation: a systematic review and meta-analysis. <i>International Journal of Oral and Maxillofacial Surgery</i> , <b>2016</b> , 45, 332-45	2.9	39
31	Effects of platelet-rich plasma in association with bone grafts in maxillary sinus augmentation: a systematic review and meta-analysis. <i>International Journal of Oral and Maxillofacial Surgery</i> , <b>2016</b> , 45, 517-25	2.9	26
30	Influence of diameter and intraradicular post in the stress distribution. Finite element analysis. <i>Universidade Estadual Paulista Revista De Odontologia</i> , <b>2016</b> , 45, 171-176	1.3	1
29	The effect of offset implant configuration on bone stress distribution: a systematic review. <i>Journal of Prosthodontics</i> , <b>2015</b> , 24, 93-9	3.9	17
28	Analysis of the biomechanical behavior of short implants: The photo-elasticity method. <i>Materials Science and Engineering C</i> , <b>2015</b> , 55, 187-92	8.3	25
27	Influence of parafunctional loading and prosthetic connection on stress distribution: a 3D finite element analysis. <i>Journal of Prosthetic Dentistry</i> , <b>2015</b> , 114, 644-51	4	15
26	Three-dimensional finite element analysis of stress distribution in retention screws of different crown-implant ratios. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , <b>2015</b> , 18, 689-96	2.1	20

25	Biomechanical influence of crown-to-implant ratio on stress distribution over internal hexagon short implant: 3-D finite element analysis with statistical test. <i>Journal of Biomechanics</i> , <b>2015</b> , 48, 138-45	2.9	45
24	Existence of and predisposing factors for implant periapical lesions. <i>Journal of Craniofacial Surgery</i> , <b>2015</b> , 26, 319-22	1.2	2
23	Three-Dimensional Finite Element Analysis of Anterior Single Implant-Supported Prosthesis with Different Bone Anchorages. <i>Scientific World Journal, The</i> , <b>2015</b> , 2015, 321528	2.2	14
22	Effect of crown-to-implant ratio on peri-implant stress: a finite element analysis. <i>Materials Science and Engineering C</i> , <b>2014</b> , 45, 234-40	8.3	36
21	Influence of tapered and external hexagon connections on bone stresses around tilted dental implants: three-dimensional finite element method with statistical analysis. <i>Journal of Periodontology</i> , <b>2014</b> , 85, 261-9	4.6	40
20	Photoelastic analysis of stress distribution with different implant systems. <i>Journal of Oral Implantology</i> , <b>2014</b> , 40, 117-22	1.2	18
19	Effect of the parafunctional occlusal loading and crown height on stress distribution. <i>Brazilian Dental Journal</i> , <b>2014</b> , 25, 554-60	1.9	7
18	Stress analysis in bone tissue around single implants with different diameters and veneering materials: a 3-D finite element study. <i>Materials Science and Engineering C</i> , <b>2013</b> , 33, 4700-14	8.3	50
17	Photoelastic analysis of the influence of residual ridge inclination in conjugated class I mandibular prostheses with different attachment systems. <i>Acta Odontologica Scandinavica</i> , <b>2013</b> , 71, 984-8	2.2	2
16	Influence of the implant diameter with different sizes of hexagon: analysis by 3-dimensional finite element method. <i>Journal of Oral Implantology</i> , <b>2013</b> , 39, 425-31	1.2	10
15	A 3-D finite element study of the influence of crown-implant ratio on stress distribution. <i>Brazilian Dental Journal</i> , <b>2013</b> , 24, 635-41	1.9	19
14	Prevalence of removable partial dentures users treated at the Aracatuba Dental School-UNESP. <i>Gerodontology</i> , <b>2012</b> , 29, 140-4	2.8	11
13	Stress analysis in platform-switching implants: a 3-dimensional finite element study. <i>Journal of Oral Implantology</i> , <b>2012</b> , 38, 587-94	1.2	21
12	Evaluation of bone insertion level of support teeth in class I mandibular removable partial denture associated with an osseointegrated implant: a study using finite element analysis. <i>Implant Dentistry</i> , <b>2011</b> , 20, 192-201	2.4	10
11	Influence of ridge inclination and implant localization on the association of mandibular Kennedy class I removable partial denture. <i>Journal of Craniofacial Surgery</i> , <b>2011</b> , 22, 871-5	1.2	8
10	Influence of implant inclination associated with mandibular class I removable partial denture. <i>Journal of Craniofacial Surgery</i> , <b>2011</b> , 22, 663-8	1.2	9
9	Technique for indexing an immediate loading implant position for a provisional restoration. <i>Journal of Oral Implantology</i> , <b>2011</b> , 37, 267-71	1.2	0
8	Removable partial denture in combination with a milled fixed partial prosthesis as interim restorations in long-term treatment. <i>Journal of Prosthodontics</i> , <b>2010</b> , 19, 77-80	3.9	3

7	Care and cleaning of maxillofacial prostheses. <i>Journal of Craniofacial Surgery</i> , <b>2010</b> , 21, 1270-3	1.2	21
6	Care required when using bisphosphonates in dental surgical practice. <i>Journal of Craniofacial Surgery</i> , <b>2010</b> , 21, 1966-70	1.2	2
5	Evaluation of different retention systems on a distal extension removable partial denture associated with an osseointegrated implant. <i>Journal of Craniofacial Surgery</i> , <b>2010</b> , 21, 727-34	1.2	19
4	Esthetic interim acrylic resin prosthesis reinforced with metal casting. <i>Journal of Prosthodontics</i> , <b>2009</b> , 18, 541-4	3.9	5
3	Evaluation of the influence of location of osseointegrated implants associated with mandibular removable partial dentures. <i>Implant Dentistry</i> , <b>2008</b> , 17, 278-87	2.4	50
2	Avaliaço da Qualidade do Sono em Grupos com Diferentes Nveis de Desordem Temporomandibular. <i>Pesquisa Brasileira Em Odontopediatria E Clinica Integrada</i> , <b>2008</b> , 8, 165-169	0.7	5
1	Influence of length and diameter of implants associated with distal extension removable partial dentures. <i>Implant Dentistry</i> , <b>2007</b> , 16, 270-80	2.4	50