

Friðgeir Grímsson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3293160/publications.pdf>

Version: 2024-02-01

79

papers

1,669

citations

279798

23

h-index

361022

35

g-index

86

all docs

86

docs citations

86

times ranked

1310

citing authors

#	ARTICLE	IF	CITATIONS
1	Pliocene <i>Lythrum</i> (loosestrife, Lythraceae) pollen from Portugal and the Neogene establishment of European lineages. <i>Review of Palaeobotany and Palynology</i> , 2022, 296, 104548.	1.5	5
2	The first xiphydriid wood wasp in Cretaceous amber (Hymenoptera: Xiphydriidae) and a potential association with Cycadales. <i>Fossil Record</i> , 2022, 24, 445-453.	1.4	2
3	Was the kateretid beetle <i>Pelretes</i> really a Cretaceous angiosperm pollinator?. <i>Nature Plants</i> , 2022, 8, 38-40.	9.3	7
4	Hagenia from the early Miocene of Ethiopia: Evidence for possible niche evolution?. <i>Ecology and Evolution</i> , 2021, 11, 5164-5186.	1.9	6
5	The last meal of an Eocene pollen-feeding fly. <i>Current Biology</i> , 2021, 31, 2020-2026.e4.	3.9	8
6	How to extract and analyze pollen from internal organs and exoskeletons of fossil insects. <i>STAR Protocols</i> , 2021, 2, 100923.	1.2	3
7	Ecological dynamic equilibrium in an early Miocene (21.73â€“Ma) forest, Ethiopia. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2020, 539, 109425.	2.3	14
8	Eocene palms from central Myanmar in a South-East Asian and global perspective: evidence from the palynological record. <i>Botanical Journal of the Linnean Society</i> , 2020, 194, 177-206.	1.6	17
9	Large giraffids (Mammalia, Ruminantia) from the new late Miocene fossiliferous locality of Kemiklitepe-E (Western Anatolia, Turkey). <i>Palaeobiodiversity and Palaeoenvironments</i> , 2020, 101, 853-867.	1.5	0
10	Palaeodietary traits of large mammals from the middle Miocene of GraÃnica (Bugojno Basin,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 382	1.5	
11	Reinhard Zetter, an appreciation. <i>Grana</i> , 2020, 59, 1-6.	0.8	0
12	The single-grain method: adding TEM to the equation. <i>Grana</i> , 2020, 59, 44-57.	0.8	6
13	Combined LM and SEM study of the middle Miocene (Sarmatian) palynoflora from the Lavanttal Basin, Austria: Part V. Magnoliophyta 3 â€“ Myrtales to Ericales. <i>Grana</i> , 2020, 59, 127-193.	0.8	24
14	Fossil Giraffidae (Mammalia, Artiodactyla) from the early Turolian of Kavakdere (Central Anatolia,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 2	0.2	
15	Origin and divergence of Afro-Indian Picrodendraceae: linking pollen morphology, dispersal modes, fossil records, molecular dating and paleogeography. <i>Grana</i> , 2019, 58, 227-275.	0.8	9
16	Pollen morphology of the African <i>Sclerosperma</i> (Arecaceae). <i>Grana</i> , 2019, 58, 99-113.	0.8	9
17	<i>Sclerosperma</i> fossils from the late Oligocene of Chilga, north-western Ethiopia. <i>Grana</i> , 2019, 58, 81-98.	0.8	4
18	The first Loranthaceae fossils from Africa. <i>Grana</i> , 2018, 57, 249-259.	0.8	7

#	ARTICLE	IF	CITATIONS
19	A Winteraceae pollen tetrad from the early Paleocene of western Greenland, and the fossil record of Winteraceae in Laurasia and Gondwana. <i>Journal of Biogeography</i> , 2018, 45, 567-581.	3.0	15
20	Evolution of pollen morphology in Loranthaceae. <i>Grana</i> , 2018, 57, 16-116.	0.8	25
21	Palynology: History and Systematic Aspects. , 2018, , 3-21.		5
22	Illustrated Pollen Terminology. , 2018, ,		202
23	Ornamentation. , 2018, , 295-378.		1
24	Glossary of Palynological Terms. , 2018, , 439-448.		1
25	Pollen Morphology and Ultrastructure. , 2018, , 37-65.		12
26	How to Describe and Illustrate Pollen Grains. , 2018, , 85-95.		0
27	Misinterpretations in Palynology. , 2018, , 67-84.		1
28	Pollen- and Dispersal Units. , 2018, , 131-154.		1
29	Shape and Polarity. , 2018, , 155-205.		0
30	Taxonomic description of <i>< i>in situ</i></i> bee pollen from the middle Eocene of Germany. <i>Grana</i> , 2017, 56, 37-70.	0.8	15
31	Taxonomy and palaeoecology of two widespread western Eurasian Neogene sclerophyllous oak species: <i>Quercus drymeja</i> Unger and <i>Q. mediterranea</i> Unger. <i>Review of Palaeobotany and Palynology</i> , 2017, 241, 98-128.	1.5	35
32	Miocene palynofloras of the Tünelnaz lignite mine, Muğla, southwest Anatolia: Taxonomy, palaeoecology and local vegetation change. <i>Review of Palaeobotany and Palynology</i> , 2017, 243, 1-36.	1.5	34
33	Bibionidae (Diptera) from the late Miocene of Hrótagil (Máskollsdalur), Iceland. <i>Palaontologische Zeitschrift</i> , 2017, 91, 195-205.	1.6	2
34	Pollen morphology of extant Winteraceae: a study allowing SEM-based affiliation of its fossil representatives. <i>Acta Palaeobotanica</i> , 2017, 57, 339-396.	0.7	6
35	Eocene Loranthaceae pollen pushes back divergence ages for major splits in the family. <i>PeerJ</i> , 2017, 5, e3373.	2.0	14
36	Tiny pollen grains: first evidence of Saururaceae from the Late Cretaceous of western North America. <i>PeerJ</i> , 2017, 5, e3434.	2.0	10

#	ARTICLE		IF	CITATIONS
37	Cretaceous and Paleogene Fagaceae from North America and Greenland: evidence for a Late Cretaceous split between <i>Fagus</i> and the remaining Fagaceae. <i>Acta Palaeobotanica</i> , 2016, 56, 247-305.	0.7	52	
38	Before the “Big Chill”: Patterns of plant-insect associations from the Neogene of Iceland. <i>Global and Planetary Change</i> , 2016, 142, 73-86.	3.5	20	
39	The middle Miocene palynoflora and palaeoenvironments of Eskihisar (Yataşyan basin, south-western) Tj ETQq1 1 0.784314 rgBT /Overlock 14-79.	1.6	31	
40	Combined LM and SEM study of the middle Miocene (Sarmatian) palynoflora from the Lavanttal Basin, Austria: part IV. Magnoliophyta 2 “Fagales to Rosales. <i>Grana</i> , 2016, 55, 101-163.	0.8	38	
41	A revised stratigraphy for the Palaeocene Agatdalen flora (Nuussuaq Peninsula, western Greenland): correlating fossiliferous outcrops, macrofossils, and palynological samples from phosphoritic nodules. <i>Acta Palaeobotanica</i> , 2016, 56, 307-327.	0.7	13	
42	Combined LM and SEM study of the middle Miocene (Sarmatian) palynoflora from the Lavanttal Basin, Austria: part III. Magnoliophyta 1 “Magnoliales to Fabales. <i>Grana</i> , 2015, 54, 85-128.	0.8	26	
43	Specialized and Generalized Pollen-Collection Strategies in an Ancient Bee Lineage. <i>Current Biology</i> , 2015, 25, 3092-3098.	3.9	36	
44	Character state-based taxa erected to accommodate fossil and extant needle stoneflies (Leuctridae “) Tj ETQq0 0 0 rgBT /Overlock 1	3.9		
45	Fagaceae pollen from the early Cenozoic of West Greenland: revisiting Engler’s and Chaney’s Arcto-Tertiary hypotheses. <i>Plant Systematics and Evolution</i> , 2015, 301, 809-832.	0.9	68	
46	Assessing the Fossil Record of Asterids in the Context of Our Current Phylogenetic Framework ¹ . <i>Annals of the Missouri Botanical Garden</i> , 2015, 100, 329-363.	1.3	61	
47	Middle Miocene macrofloral elements from the Lavanttal Basin, Austria, Part I. <i>Ginkgo adiantoides</i> (Unger) Heer. <i>Austrian Journal of Earth Sciences</i> , 2015, 108, 185-198.	0.5	4	
48	Aponogeton pollen from the Cretaceous and Paleogene of North America and West Greenland: Implications for the origin and palaeobiogeography of the genus. <i>Review of Palaeobotany and Palynology</i> , 2014, 200, 161-187.	1.5	34	
49	Before the “Big Chill”: A preliminary overview of arthropods from the middle Miocene of Iceland (Insecta, Crustacea). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2014, 401, 1-12.	2.3	13	
50	Evolutionary trends and ecological differentiation in early Cenozoic Fagaceae of western North America. <i>American Journal of Botany</i> , 2014, 101, 1332-1349.	1.7	38	
51	Evidence from “Köppen signatures” of fossil plant assemblages for effective heat transport of Gulf Stream to subarctic North Atlantic during Miocene cooling. <i>Biogeosciences</i> , 2013, 10, 7927-7942.	3.3	43	
52	Morphological Trends in the Fossil Pollen of <i>Decodon</i> and the Paleobiogeographic History of the Genus. <i>International Journal of Plant Sciences</i> , 2012, 173, 297-317.	1.3	23	
53	Fagaceae from the early Oligocene of Central Europe: Persisting new world and emerging old world biogeographic links. <i>Review of Palaeobotany and Palynology</i> , 2012, 169, 7-20.	1.5	66	
54	Diverse fossil Onagraceae pollen from a Miocene palynoflora of north-east China: early steps in resolving the phytogeographic history of the family. <i>Plant Systematics and Evolution</i> , 2012, 298, 671-687.	0.9	18	

#	ARTICLE	IF	CITATIONS
55	<i>Lythrum</i> and <i>Peplis</i> from the Late Cretaceous and Cenozoic of North America and Eurasia: New evidence suggesting early diversification within the Lythraceae. American Journal of Botany, 2011, 98, 1801-1815.	1.7	32
56	The Biogeographic History of Iceland – The North Atlantic Land Bridge Revisited. Topics in Geobiology, 2011, , 647-668.	0.5	22
57	Combined LM and SEM study of the Middle Miocene (Sarmatian) palynoflora from the Lavanttal Basin, Austria: Part II. Pinophyta (Cupressaceae, Pinaceae and Sciadopityaceae). Grana, 2011, 50, 262-310.	0.8	43
58	Climate Evolution in the Northern North Atlantic – 15 Ma to Present. Topics in Geobiology, 2011, , 669-721.	0.5	4
59	Combined LM and SEM study of the Middle Miocene (Sarmatian) palynoflora from the Lavanttal Basin, Austria: Part I. Bryophyta, Lycopodiophyta, Pteridophyta, Ginkgophyta, and Gnetales. Grana, 2011, 50, 102-128.	0.8	31
60	Art Meets Science – The Unpublished Drawings by Carl Hedelin and Thórhólfur Þekblom. Topics in Geobiology, 2011, , 723-824.	0.5	0
61	Late Cainozoic Floras of Iceland. Topics in Geobiology, 2011, , .	0.5	51
62	Introduction to the Nature and Geology of Iceland. Topics in Geobiology, 2011, , 1-29.	0.5	6
63	Pliocene Terrestrial and Marine Biota of the Tjörnes Peninsula: Warm Climates and Biogeographic Re-arrangements. Topics in Geobiology, 2011, , 491-554.	0.5	3
64	The Pleistocene Floras (2.4–0.8 Ma) – Shaping the Modern Vegetation of Iceland. Topics in Geobiology, 2011, , 555-645.	0.5	2
65	The Classic Surtarbrandur Floras. Topics in Geobiology, 2011, , 233-290.	0.5	0
66	Systematic Palaeobotany. Topics in Geobiology, 2011, , 45-171.	0.5	0
67	A Lakeland Area in the Late Miocene. Topics in Geobiology, 2011, , 415-449.	0.5	0
68	The Archaic Floras. Topics in Geobiology, 2011, , 173-231.	0.5	1
69	A Brief Review of Palaeobotanical Research in Iceland. Topics in Geobiology, 2011, , 31-43.	0.5	0
70	A Late Messinian Palynoflora with a Distinct Taphonomy. Topics in Geobiology, 2011, , 451-490.	0.5	0
71	The Middle Late Miocene Floras – A Window into the Regional Vegetation Surrounding a Large Caldera. Topics in Geobiology, 2011, , 369-414.	0.5	0
72	The Early Late Miocene Floras – First Evidence of Cool Temperate and Herbaceous Taxa. Topics in Geobiology, 2011, , 291-367.	0.5	0

#	ARTICLE	IF	CITATIONS
73	Episodic migration of oaks to Iceland: Evidence for a North Atlantic “Iceland bridge” in the latest Miocene. <i>American Journal of Botany</i> , 2010, 97, 276-287.	1.7	125
74	Pollen, fruits, and leaves of <i>Tetracentron</i> (Trochodendraceae) from the Cainozoic of Iceland and western North America and their palaeobiogeographic implications. <i>Grana</i> , 2008, 47, 1-14.	0.8	53
75	Floristic turnover in Iceland from 15 to 6 Ma? extracting biogeographical signals from fossil floral assemblages. <i>Journal of Biogeography</i> , 2007, 34, 1490-1504.	3.0	29
76	Middle Miocene floras of Iceland – the early colonization of an island?. <i>Review of Palaeobotany and Palynology</i> , 2007, 144, 181-219.	1.5	46
77	The Miocene floras of Iceland and their significance for late Cainozoic North Atlantic biogeography. <i>Botanical Journal of the Linnean Society</i> , 2005, 149, 369-417.	1.6	70
78	Fagus from the Miocene of Iceland: systematics and biogeographical considerations. <i>Review of Palaeobotany and Palynology</i> , 2005, 134, 27-54.	1.5	31
79	Fossil Giraffidae (Mammalia, Artiodactyla) from the late Miocene of Thermopigi (Macedonia, Greece). <i>Palaeontologia Electronica</i> , 0, .	0.9	3