
Aresatz Usobiaga

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3293962/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Review: Metabolomics as a prediction tool for plants performance under environmental stress. Plant Science, 2021, 303, 110789.	3.6	45
2	Analysis of cannabinoids in plants, marijuana products and biological tissues. Comprehensive Analytical Chemistry, 2020, 90, 65-102.	1.3	6
3	Multiresidue analytical method for the determination of 41 multiclass organic pollutants in mussel and fish tissues and biofluids by liquid chromatography coupled to tandem mass spectrometry. Analytical and Bioanalytical Chemistry, 2019, 411, 493-506.	3.7	30
4	Evaluation of polar organic chemical integrative and hollow fibre samplers for the determination of a wide variety of organic polar compounds in seawater. Talanta, 2018, 185, 469-476.	5.5	26
5	Non-targeted metabolomics reveals alterations in liver and plasma of gilt-head bream exposed to oxybenzone. Chemosphere, 2018, 211, 624-631.	8.2	39
6	Simultaneous quantification of major cannabinoids and metabolites in human urine and plasma by HPLCâ€MS/MS and enzymeâ€alkaline hydrolysis. Drug Testing and Analysis, 2017, 9, 626-633.	2.6	49
7	Determination of fluoroquinolones in fish tissues, biological fluids, and environmental waters by liquid chromatography tandem mass spectrometry. Analytical and Bioanalytical Chemistry, 2017, 409, 6359-6370.	3.7	42
8	Targeting the endocannabinoid system: future therapeutic strategies. Drug Discovery Today, 2017, 22, 105-110.	6.4	127
9	Microencapsulation and storage stability of polyphenols from Vitis vinifera grape wastes. Food Chemistry, 2016, 190, 614-621.	8.2	74
10	Evolution of the Cannabinoid and Terpene Content during the Growth of <i>Cannabis sativa</i> Plants from Different Chemotypes. Journal of Natural Products, 2016, 79, 324-331.	3.0	376
11	Optimization of Supercritical Fluid Consecutive Extractions of Fatty Acids and Polyphenols from <i>Vitis Vinifera</i> Grape Wastes. Journal of Food Science, 2015, 80, E101-7.	3.1	47
12	Solid lipid nanoparticles for delivery of Calendula officinalis extract. Colloids and Surfaces B: Biointerfaces, 2015, 135, 18-26.	5.0	46
13	Resolution and identification of coâ€eluting alkylphenols in comprehensive twoâ€dimensional gas chromatography–mass spectrometry by multivariate curve resolutionâ€alternating least squares. Journal of Chemometrics, 2015, 29, 237-244.	1.3	6
14	Identification and quantification of cannabinoids in Cannabis sativa L. plants by high performance liquid chromatography-mass spectrometry. Analytical and Bioanalytical Chemistry, 2014, 406, 7549-7560.	3.7	131
15	Calibration and field test of the Polar Organic Chemical Integrative Samplers for the determination of 15 endocrine disrupting compounds in wastewater and river water with special focus on performance reference compounds (PRC). Water Research, 2013, 47, 2851-2862.	11.3	40
16	Solid-phase extraction combined with large volume injection-programmable temperature vaporization–gas chromatography–mass spectrometry for the multiresidue determination of priority and emerging organic pollutants in wastewater. Journal of Chromatography A, 2012, 1247, 104-117.	3.7	54
17	Extraction Procedures for Organic Pollutants Determination in Water. Environmental Chemistry for A Sustainable World, 2012, , 171-235.	0.5	3
18	Optimization of comprehensive two dimensional gas chromatography-flame ionization detection–quadrupole mass spectrometry for the separation of octyl- and nonylphenol isomers. Journal of Chromatography A, 2011, 1218, 3064-3069.	3.7	20

ARESATZ USOBIAGA

#	Article	IF	CITATIONS
19	Focused ultrasound-assisted acceleration of enzymatic hydrolysis of alkylphenols and 17β-oestradiol glucuronide in fish bile. Analytical and Bioanalytical Chemistry, 2010, 398, 2307-2314.	3.7	15
20	Distribution of Organic Microcontaminants, Butyltins, and Metals in Mussels From the Estuary of Bilbao. Archives of Environmental Contamination and Toxicology, 2010, 59, 244-254.	4.1	32
21	Optimization of large volume injection-programmable temperature vaporization-gas chromatography–mass spectrometry analysis for the determination of estrogenic compounds in environmental samples. Journal of Chromatography A, 2010, 1217, 8327-8333.	3.7	19
22	Ultrasonicâ€assisted derivatization of estrogenic compounds in a cup horn booster and determination by GCâ€MS. Journal of Separation Science, 2010, 33, 104-111.	2.5	16
23	Stir-bar sorptive extraction: A view on method optimisation, novel applications, limitations and potential solutions. Journal of Chromatography A, 2010, 1217, 2642-2666.	3.7	347
24	Determination of alkylphenols and 17β-estradiol in fish homogenate. Extraction and clean-up strategies. Journal of Chromatography A, 2010, 1217, 5890-5895.	3.7	33
25	Levels of polycyclic aromatic hydrocarbons, polychlorinated byphenyls, methylmercury and butyltins in the natural UNESCO reserve of the biosphere of Urdaibai (Bay of Biscay, Spain). International Journal of Environmental Analytical Chemistry, 2010, 90, 722-736.	3.3	9
26	Polycyclic Aromatic Hydrocarbons in Intertidal Marine Bivalves of Sunderban Mangrove Wetland, India: An Approach to Bioindicator Species. Water, Air, and Soil Pollution, 2009, 201, 305-318.	2.4	62
27	Use of experimental design in the optimisation of stir bar sorptive extraction followed by thermal desorption for the determination of brominated flame retardants in water samples. Analytical and Bioanalytical Chemistry, 2008, 390, 739-748.	3.7	41
28	Simultaneous extraction of several persistent organic pollutants in sediment using focused ultrasonic solid-liquid extraction. Analytical and Bioanalytical Chemistry, 2008, 392, 1471-1478.	3.7	35
29	Optimisation of the headspaceâ€solid phase microextraction for organomercury and organotin compound determination in sediment and biota. Journal of Separation Science, 2008, 31, 768-774.	2.5	24
30	Simultaneous preconcentration of a wide variety of organic pollutants in water samples. Journal of Chromatography A, 2008, 1214, 1-10.	3.7	54
31	Simultaneous speciation of methylmercury and butyltin species in environmental samples by headspace-stir bar sorptive extraction–thermal desorption–gas chromatography–mass spectrometry. Journal of Chromatography A, 2008, 1185, 130-138.	3.7	60
32	Multisimplex Optimisation of the Purge-and-Trap Preconcentration of Volatile Fatty Acids, Phenols and Indoles in Cow Slurries. Chromatographia, 2008, 67, 93-99.	1.3	4
33	Levels and spatial distribution of inorganic and organic contaminants in sediments along the Bilbao estuary. Marine Pollution Bulletin, 2008, 56, 2094-2099.	5.0	15
34	Thermodynamic and Raman spectroscopic speciation to define the operating conditions of an innovative cleaning treatment for carbonated stones based on the use of ion exchangers—A case study. Talanta, 2008, 75, 511-516.	5.5	4
35	Distribution and bioaccumulation of PAHs in the UNESCO protected natural reserve of Urdaibai, Bay of Biscay. Chemosphere, 2008, 72, 1467-1474.	8.2	80
36	Headspaceâ€solidâ€phase microextraction preconcentration of phenols, indoles and onâ€fibre derivatised volatile fatty acids in liquid and gas samples from cow slurries. Journal of Separation Science, 2007, 30, 2293-2304.	2.5	17

#	Article	IF	CITATIONS
37	Fast method for routine simultaneous analysis of methylmercury and butyltins in seafood. Journal of Chromatography A, 2007, 1148, 78-85.	3.7	33
38	Chemical fingerprinting of petroleum biomarkers in biota samples using retention-time locking chromatography and multivariate analysis. Journal of Chromatography A, 2007, 1157, 369-375.	3.7	27
39	Development of a stir bar sorptive extraction and thermal desorption–gas chromatography–mass spectrometry method for the simultaneous determination of several persistent organic pollutants in water samples. Journal of Chromatography A, 2007, 1174, 40-49.	3.7	136
40	Spectroscopic characterisation of moonmilk deposits in Pozalagua tourist Cave (Karrantza, Basque) Tj ETQq0 0 0 2007, 68, 1058-1064.	rgBT /Ove 3.9	erlock 10 Tf 5 27
41	Optimisation of the on-fibre derivatisation of volatile fatty acids in the simultaneous determination together with phenols and indoles in cow slurries. Analytical and Bioanalytical Chemistry, 2007, 389, 1603-1609.	3.7	11
42	Optimisation of microwave-assisted extraction for the determination of nonylphenols and phthalate esters in sediment samples and comparison with pressurised solvent extraction. Analytica Chimica Acta, 2005, 534, 247-254.	5.4	67
43	Simultaneous microwave-assisted extraction of polycyclic aromatic hydrocarbons, polychlorinated biphenyls, phthalate esters and nonylphenols in sediments. Journal of Chromatography A, 2005, 1068, 229-236.	3.7	115
44	Electrical Conductivity of Concentrated H2TiF6+ HF + H2O Mixtures. Journal of Chemical & Engineering Data, 2003, 48, 81-85.	1.9	2
45	Automation of a procedure to find the polynomial which best fits (κ, c1, c2, T) data of electrolyte solutions by non-linear regression analysis using mathematica® software. Computers & Chemistry, 2002, 26, 253-264.	1.2	1
46	Application of the electrical conductivity of concentrated electrolyte solutions to industrial process control and design: from experimental measurement towards prediction through modelling. TrAC - Trends in Analytical Chemistry, 2001, 20, 65-78.	11.4	42
47	Electrical Conductivity of Concentrated Aqueous Mixtures of HCl and KCl in a Wide Range of Compositions and Temperatures, Journal of Chemical & amp: Engineering Data, 2000, 45, 23-28	1.9	12