

Rami S Komrokji

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3294074/publications.pdf>

Version: 2024-02-01

318
papers

10,077
citations

38660

50
h-index

54797

84
g-index

321
all docs

321
docs citations

321
times ranked

8192
citing authors

#	ARTICLE	IF	CITATIONS
1	Dual pyroptotic biomarkers predict erythroid response in lower-risk non-del(5q) myelodysplastic syndromes treated with lenalidomide and recombinant erythropoietin. <i>Haematologica</i> , 2022, 107, 737-739.	1.7	4
2	Treatment outcomes for patients with myelodysplastic syndrome/myeloproliferative neoplasms with ring sideroblasts and thrombocytosis. <i>Leukemia and Lymphoma</i> , 2022, 63, 199-204.	0.6	3
3	SOHO State of the Art & Next Questions: Myelodysplastic Syndromes: A New Decade. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2022, 22, 1-16.	0.2	20
4	Favorable overall survival with imetelstat in relapsed/refractory myelofibrosis patients compared with real-world data. <i>Annals of Hematology</i> , 2022, 101, 139-146.	0.8	17
5	Neutrophil and platelet increases with luspatercept in lower-risk MDS: secondary endpoints from the MEDALIST trial. <i>Blood</i> , 2022, 139, 624-629.	0.6	12
6	Marrow ring sideroblasts are highly predictive for TP53 mutation in MDS with excess blasts. <i>Leukemia</i> , 2022, 36, 1189-1192.	3.3	5
7	Myelodysplastic Syndromes with Bone Marrow Fibrosis: An Update. <i>Annals of Laboratory Medicine</i> , 2022, 42, 299-305.	1.2	15
8	Therapeutic Outcomes and Prognostic Impact of Gene Mutations Including TP53 and SF3B1 in Patients with Del(5q) Myelodysplastic Syndromes (MDS). <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2022, 22, e467-e476.	0.2	5
9	Myelodysplastic/myeloproliferative neoplasms with ring sideroblasts and thrombocytosis (MDS/MPN-RS-T): Mayo-Moffitt collaborative study of 158 patients. <i>Blood Cancer Journal</i> , 2022, 12, 26.	2.8	5
10	A prognostic model to predict survival after 6 months of ruxolitinib in patients with myelofibrosis. <i>Blood Advances</i> , 2022, 6, 1855-1864.	2.5	47
11	Comparison of different treatment strategies for blast-phase myeloproliferative neoplasms. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2022, , .	0.2	2
12	<i>SF3B1</i>-mutant myelodysplastic syndrome/myeloproliferative neoplasms: a unique molecular and prognostic entity. <i>Haematologica</i> , 2022, 107, 1189-1192.	1.7	3
13	Health-Related Quality of Life Outcomes in Patients with Myelodysplastic Syndromes with Ring Sideroblasts Treated with Luspatercept in the MEDALIST Phase 3 Trial. <i>Journal of Clinical Medicine</i> , 2022, 11, 27.	1.0	10
14	Addition of Navitoclax to Ongoing Ruxolitinib Therapy for Patients With Myelofibrosis With Progression or Suboptimal Response: Phase II Safety and Efficacy. <i>Journal of Clinical Oncology</i> , 2022, 40, 1671-1680.	0.8	60
15	Hypomethylating agent and venetoclax in patients with chronic myelomonocytic leukemia: Is the combination indeed better?. <i>American Journal of Hematology</i> , 2022, 97, .	2.0	2
16	Luspatercept for myelodysplastic syndromes/myeloproliferative neoplasm with ring sideroblasts and thrombocytosis. <i>Leukemia</i> , 2022, 36, 1432-1435.	3.3	5
17	Differential prognostic impact of IDH1 and IDH2 mutations in chronic myelomonocytic leukemia. <i>Leukemia</i> , 2022, 36, 1693-1696.	3.3	1
18	Imetelstat in intermediate-2 or high-risk myelofibrosis refractory to JAK inhibitor: IMpactMF phase III study design. <i>Future Oncology</i> , 2022, 18, 2393-2402.	1.1	14

#	ARTICLE	IF	CITATIONS
19	CPX-351 Yields Similar Response and Survival Outcome in Younger and Older Patients With Secondary Acute Myeloid Leukemia. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2022, 22, 774-779.	0.2	4
20	Role of allogeneic transplantation in chronic myelomonocytic leukemia: an international collaborative analysis. <i>Blood</i> , 2022, 140, 1408-1418.	0.6	13
21	Splicing factor 3B subunit 1 (SF3B1) mutation in the context of therapy-related myelodysplastic syndromes. <i>British Journal of Haematology</i> , 2022, 198, 713-720.	1.2	3
22	Longer-term benefit of luspatercept in transfusion-dependent lower-risk myelodysplastic syndromes with ring sideroblasts. <i>Blood</i> , 2022, 140, 2170-2174.	0.6	13
23	Prognostic significance of serial molecular annotation in myelodysplastic syndromes (MDS) and secondary acute myeloid leukemia (sAML). <i>Leukemia</i> , 2021, 35, 1145-1155.	3.3	27
24	Real-world diagnostic testing patterns for assessment of ring sideroblasts and SF3B1 mutations in patients with newly diagnosed lower-risk myelodysplastic syndromes. <i>International Journal of Laboratory Hematology</i> , 2021, 43, 426-432.	0.7	3
25	TIM-3 pathway dysregulation and targeting in cancer. <i>Expert Review of Anticancer Therapy</i> , 2021, 21, 523-534.	1.1	54
26	Validation of International Working Group response criteria in higher-risk myelodysplastic syndromes: A report on behalf of the MDS Clinical Research Consortium. <i>Cancer Medicine</i> , 2021, 10, 447-453.	1.3	24
27	Fluorescence in Situ Hybridization (FISH) Utility for Risk Score Assessment in Patients With MDS With Normal Metaphase Karyotype. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2021, 21, e52-e56.	0.2	1
28	PTPN11 mutations are associated with poor outcomes across myeloid malignancies. <i>Leukemia</i> , 2021, 35, 286-288.	3.3	11
29	Impact of obesity on survival of patients with myelodysplastic syndromes. <i>Hematology</i> , 2021, 26, 393-397.	0.7	6
30	Treatment options for lower-risk myelodysplastic syndromes. Where are we now?. <i>Therapeutic Advances in Hematology</i> , 2021, 12, 204062072098664.	1.1	4
31	Baseline and serial molecular profiling predicts outcomes with hypomethylating agents in myelodysplastic syndromes. <i>Blood Advances</i> , 2021, 5, 1017-1028.	2.5	41
32	Evolutionary action score identifies a subset of TP53 mutated myelodysplastic syndrome with favorable prognosis. <i>Blood Cancer Journal</i> , 2021, 11, 52.	2.8	5
33	Lenalidomide-Epoetin Alfa Versus Lenalidomide Monotherapy in Myelodysplastic Syndromes Refractory to Recombinant Erythropoietin. <i>Journal of Clinical Oncology</i> , 2021, 39, 1001-1009.	0.8	22
34	Traipsing Through Muddy Waters. <i>Hematology/Oncology Clinics of North America</i> , 2021, 35, 337-352.	0.9	0
35	Luspatercept in the treatment of lower-risk myelodysplastic syndromes. <i>Future Oncology</i> , 2021, 17, 1473-1481.	1.1	3
36	Eprenetapopt (APR-246) and Azacitidine in TP53-Mutant Myelodysplastic Syndromes. <i>Journal of Clinical Oncology</i> , 2021, 39, 1584-1594.	0.8	278

#	ARTICLE	IF	CITATIONS
37	IMerge: A phase 3 study to evaluate imetelstat in transfusion-dependent subjects with IPSS low or intermediate-1 risk myelodysplastic syndromes that are relapsed/refractory to erythropoiesis-stimulating agent treatment.. Journal of Clinical Oncology, 2021, 39, TPS7056-TPS7056.	0.8	2
38	Eprenetapopt Plus Azacitidine in <i>TP53</i> -Mutated Myelodysplastic Syndromes and Acute Myeloid Leukemia: A Phase II Study by the Groupe Francophone des Myélodysplasies (GFM). Journal of Clinical Oncology, 2021, 39, 1575-1583.	0.8	169
39	What is the optimal time to initiate hypomethylating agents (HMAs) in higher risk myelodysplastic syndromes (MDSs)?. Leukemia and Lymphoma, 2021, 62, 2762-2767.	0.6	6
40	Evaluating Predictors of Immune-Related Adverse Events and Response to Checkpoint Inhibitors in Myeloid Malignancies. Clinical Lymphoma, Myeloma and Leukemia, 2021, 21, 421-424.e2.	0.2	5
41	Stepping out of antiquity: An update on emerging drugs for the treatment of polycythemia vera. Expert Opinion on Emerging Drugs, 2021, 26, 209-218.	1.0	0
42	Phase I First-in-Human Dose Escalation Study of the oral SF3B1 modulator H3B-8800 in myeloid neoplasms. Leukemia, 2021, 35, 3542-3550.	3.3	97
43	JAK Be Nimble: Reviewing the Development of JAK Inhibitors and JAK Inhibitor Combinations for Special Populations of Patients with Myelofibrosis. Journal of Immunotherapy and Precision Oncology, 2021, 4, 129-141.	0.6	4
44	Validation of the international working group proposal for <i>SF3B1</i> mutant myelodysplastic syndromes. Blood, 2021, 138, 989-992.	0.6	7
45	Integrated Human and Murine Clinical Study Establishes Clinical Efficacy of Ruxolitinib in Chronic Myelomonocytic Leukemia. Clinical Cancer Research, 2021, 27, 6095-6105.	3.2	14
46	Personalized Prediction Model to Risk Stratify Patients With Myelodysplastic Syndromes. Journal of Clinical Oncology, 2021, 39, 3737-3746.	0.8	90
47	Randomized, Single-Blind, Multicenter Phase II Study of Two Doses of Imetelstat in Relapsed or Refractory Myelofibrosis. Journal of Clinical Oncology, 2021, 39, 2881-2892.	0.8	59
48	A geno-clinical decision model for the diagnosis of myelodysplastic syndromes. Blood Advances, 2021, 5, 4361-4369.	2.5	9
49	Personalized Medicine for TP53 Mutated Myelodysplastic Syndromes and Acute Myeloid Leukemia. International Journal of Molecular Sciences, 2021, 22, 10105.	1.8	15
50	Leukocytosis is associated with end organ damage and mortality in chronic myelomonocytic leukemia and can be mitigated by cytoreductive therapy. Leukemia Research, 2021, 109, 106640.	0.4	7
51	MYC Overexpression is Associated with an Early Disease Progression from MDS to AML. Leukemia Research, 2021, 111, 106733.	0.4	6
52	It is time to shift the treatment paradigm in myelodysplastic syndromes: A focus on novel developments and current investigational approaches exploring combinatorial therapy in high-risk MDS. Best Practice and Research in Clinical Haematology, 2021, 34, 101325.	0.7	4
53	Mutations Highly Specific for Secondary AML Are Associated with Poor Outcomes in Patients with NPM1-Mutated ELN Favorable Risk AML. Blood, 2021, 138, 686-686.	0.6	3
54	COVID-19 Outcomes Among Participants in the NHLBI Myelodysplastic Syndromes (MDS) Natural History Study. Blood, 2021, 138, 2611-2611.	0.6	0

#	ARTICLE	IF	CITATIONS
55	C-MYC Augments the Proliferation and Survival of Hematopoietic Stem Cells and Multipotent Progenitors to Drive Myeloproliferative Neoplasms. <i>Blood</i> , 2021, 138, 28-28.	0.6	2
56	Prognostic scoring systems and risk stratification in myelodysplastic syndrome: focus on integration of molecular profile. <i>Leukemia and Lymphoma</i> , 2021, , 1-11.	0.6	1
57	Comparisons of commonly used front-line regimens on survival outcomes in patients aged 70 years and older with acute myeloid leukemia. <i>Haematologica</i> , 2020, 105, 398-406.	1.7	32
58	Partial Splenic Artery Embolization in 35 Cancer Patients: Results of a Single Institution Retrospective Study. <i>Journal of Vascular and Interventional Radiology</i> , 2020, 31, 584-591.	0.2	7
59	Impact of bone marrow fibrosis grade in post- ϵ polycythemia vera and post- ϵ essential thrombocythemia myelofibrosis: A study of the MYSEC group. <i>American Journal of Hematology</i> , 2020, 95, E1-E3.	2.0	8
60	Prospective CYP2C19 -Guided Voriconazole Prophylaxis in Patients With Neutropenic Acute Myeloid Leukemia Reduces the Incidence of Subtherapeutic Antifungal Plasma Concentrations. <i>Clinical Pharmacology and Therapeutics</i> , 2020, 107, 563-570.	2.3	27
61	Luspatercept in Patients with Lower-Risk Myelodysplastic Syndromes. <i>New England Journal of Medicine</i> , 2020, 382, 140-151.	13.9	335
62	Defining Acute Myeloid Leukemia Ontogeny in Older Patients. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2020, 20, 312-315.	0.2	5
63	Concurrent mutations in other epigenetic modulators portend better prognosis in BCOR-mutated myelodysplastic syndrome. <i>Journal of Clinical Pathology</i> , 2020, 73, 209-212.	1.0	6
64	Low participation rates and disparities in participation in interventional clinical trials for myelodysplastic syndromes. <i>Cancer</i> , 2020, 126, 4735-4743.	2.0	11
65	Special considerations in the management of adult patients with acute leukaemias and myeloid neoplasms in the COVID-19 era: recommendations from a panel of international experts. <i>Lancet Haematology</i> , the, 2020, 7, e601-e612.	2.2	56
66	<i>TP53</i> mutations in myelodysplastic syndromes and secondary AML confer an immunosuppressive phenotype. <i>Blood</i> , 2020, 136, 2812-2823.	0.6	113
67	Retrospective Analysis of the Clinical Use and Benefit of Lenalidomide and Thalidomide in Myelofibrosis. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2020, 20, e956-e960.	0.2	9
68	Finding a Jill for JAK: Assessing Past, Present, and Future JAK Inhibitor Combination Approaches in Myelofibrosis. <i>Cancers</i> , 2020, 12, 2278.	1.7	15
69	Diagnostic and molecular testing patterns in patients with newly diagnosed acute myeloid leukemia in the Connect [®] MDS/AML Disease Registry. <i>EJHaem</i> , 2020, 1, 58-68.	0.4	5
70	MPN-038: Navitoclax in Combination with Ruxolitinib in Patients with Primary or Secondary Myelofibrosis: A Phase 2 Study. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2020, 20, S325.	0.2	8
71	Myasthenia Gravis and Large Granular Lymphocytic Leukemia: a rare association. <i>Leukemia Research Reports</i> , 2020, 14, 100226.	0.2	3
72	Outcome of lower-risk myelodysplastic syndrome with ring sideroblasts (MDS-RS) after failure of erythropoiesis- stimulating agents. <i>Leukemia Research</i> , 2020, 99, 106472.	0.4	4

#	ARTICLE	IF	CITATIONS
73	Survival following allogeneic transplant in patients with myelofibrosis. <i>Blood Advances</i> , 2020, 4, 1965-1973.	2.5	63
74	<i>SF3B1</i> -mutant MDS as a distinct disease subtype: a proposal from the International Working Group for the Prognosis of MDS. <i>Blood</i> , 2020, 136, 157-170.	0.6	195
75	Characterization of myelodysplastic syndromes (MDS) with T-cell large granular lymphocyte proliferations (LGL). <i>Leukemia</i> , 2020, 34, 3097-3099.	3.3	18
76	Response to erythropoiesis-stimulating agents in patients with WHO-defined myelodysplastic syndrome/myeloproliferative neoplasm with ring sideroblasts and thrombocytosis (MDS/MPN-RS-T). <i>British Journal of Haematology</i> , 2020, 189, e104-e108.	1.2	8
77	Phase I Clinical Trial of Selinexor in Combination with Daunorubicin and Cytarabine in Previously Untreated Poor-Risk Acute Myeloid Leukemia. <i>Clinical Cancer Research</i> , 2020, 26, 54-60.	3.2	21
78	Venetoclax and hypomethylating agents (HMAs) induce high response rates in MDS, including patients after HMA therapy failure. <i>Blood Advances</i> , 2020, 4, 2866-2870.	2.5	81
79	Luspatercept in Myelodysplastic Syndromes. <i>Hematology/Oncology Clinics of North America</i> , 2020, 34, 393-400.	0.9	15
80	Decoding Bone Marrow Fibrosis in Myelodysplastic Syndromes. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2020, 20, 324-328.	0.2	13
81	Clonal selection in therapy-related myelodysplastic syndromes and acute myeloid leukemia under azacitidine treatment. <i>European Journal of Haematology</i> , 2020, 104, 488-498.	1.1	6
82	Comparison of induction strategies and responses for acute myeloid leukemia patients after resistance to hypomethylating agents for antecedent myeloid malignancy. <i>Leukemia Research</i> , 2020, 93, 106367.	0.4	15
83	Hypomethylating Agent Therapy in Myelodysplastic Syndromes With Chromosome 3 Abnormalities. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2020, 20, e597-e605.	0.2	3
84	A phase 2 study of ATRA, arsenic trioxide, and gemtuzumab ozogamicin in patients with high-risk APL (SWOG 0535). <i>Blood Advances</i> , 2020, 4, 1683-1689.	2.5	43
85	Molecular aberrations in myelodysplastic syndromes. <i>Advances in Cell and Gene Therapy</i> , 2020, 4, e83.	0.6	0
86	A sequential two-stage dose escalation study of eltrombopag in patients with myelodysplastic syndrome and thrombocytopenia after hypomethylating agent failure. <i>Leukemia and Lymphoma</i> , 2020, 61, 1901-1907.	0.6	4
87	<i>SF3B1</i> Mutations Negatively Predict for Response to Immunosuppressive Therapy in Myelodysplastic Syndromes. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2020, 20, 400-406.e2.	0.2	4
88	Biological basis for efficacy of activin receptor ligand traps in myelodysplastic syndromes. <i>Journal of Clinical Investigation</i> , 2020, 130, 582-589.	3.9	37
89	Phase 1 study of lenzilumab, a recombinant anti-human GM-CSF antibody, for chronic myelomonocytic leukemia. <i>Blood</i> , 2020, 136, 909-913.	0.6	36
90	Tolerability and efficacy of the first-in-class anti-CD47 antibody magrolimab combined with azacitidine in MDS and AML patients: Phase Ib results. <i>Journal of Clinical Oncology</i> , 2020, 38, 7507-7507.	0.8	73

#	ARTICLE	IF	CITATIONS
91	Whatâ€™s in a Number? Examining the Prognostic and Predictive Importance of Platelet Count in Patients With Essential Thrombocythemia. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2020, 18, 1279-1284.	2.3	8
92	Myelodysplastic Syndrome. , 2020, , 479-499.		0
93	SF3B1-mutant CMML defines a predominantly dysplastic CMML subtype with a superior acute leukemia-free survival. <i>Blood Advances</i> , 2020, 4, 5716-5721.	2.5	9
94	SF3B1 Mutations and Not TP53 Are Associated with Poor Outcomes in Patients with Del(5q) Myelodysplastic Syndromes (MDS). <i>Blood</i> , 2020, 136, 25-26.	0.6	0
95	Performance of the Medical Research Council (MRC) and the Leukemia Research Foundation (LRF) score in predicting survival benefit with hypomethylating agent use in patients with relapsed or refractory acute myeloid leukemia. <i>Leukemia and Lymphoma</i> , 2019, 60, 246-249.	0.6	0
96	Heterogeneous expression of cytokines accounts for clinical diversity and refines prognostication in CMML. <i>Leukemia</i> , 2019, 33, 205-216.	3.3	39
97	Prognostic significance of MYC oncoprotein expression on survival outcome in patients with acute myeloid leukemia with myelodysplasia related changes (AML-MRC). <i>Leukemia Research</i> , 2019, 84, 106194.	0.4	18
98	Validation of the Khorana score in acute myeloid leukemia patients: a single-institution experience. <i>Thrombosis Journal</i> , 2019, 17, 13.	0.9	19
99	Phase II Study of the ALK5 Inhibitor Galunisertib in Very Low-, Low-, and Intermediate-Risk Myelodysplastic Syndromes. <i>Clinical Cancer Research</i> , 2019, 25, 6976-6985.	3.2	55
100	Driver mutationâ€™specific clinical and genomic correlates differ between primary and secondary myelofibrosis. <i>American Journal of Hematology</i> , 2019, 94, E314-E317.	2.0	1
101	Genomic Biomarkers to Predict Resistance to Hypomethylating Agents in Patients With Myelodysplastic Syndromes Using Artificial Intelligence. <i>JCO Precision Oncology</i> , 2019, 3, 1-11.	1.5	29
102	A Phase II Study to Determine the Safety and Efficacy of the Oral Inhibitor of Indoleamine 2,3-Dioxygenase (IDO) Enzyme INCB024360 in Patients with Myelodysplastic Syndromes. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2019, 19, 157-161.	0.2	30
103	Activin Receptor II Ligand Traps: New Treatment Paradigm for Low-Risk MDS. <i>Current Hematologic Malignancy Reports</i> , 2019, 14, 346-351.	1.2	12
104	Second primary malignancies in postpolycythemia vera and postessential thrombocythemia myelofibrosis: A study on 2233 patients. <i>Cancer Medicine</i> , 2019, 8, 4089-4092.	1.3	16
105	The National MDS Natural History Study: design of an integrated data and sample biorepository to promote research studies in myelodysplastic syndromes. <i>Leukemia and Lymphoma</i> , 2019, 60, 3161-3171.	0.6	12
106	Lenalidomide and Prednisone in Low and Intermediate-1 IPSS Risk, Non-Del(5q) Patients With Myelodysplastic Syndromes: Phase 2 Clinical Trial. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2019, 19, 251-254.	0.2	5
107	A phase 2 trial of the oral smoothened inhibitor glasdegib in refractory myelodysplastic syndromes (MDS). <i>Leukemia Research</i> , 2019, 81, 56-61.	0.4	20
108	NPM1 mutations define a specific subgroup of MDS and MDS/MPN patients with favorable outcomes with intensive chemotherapy. <i>Blood Advances</i> , 2019, 3, 922-933.	2.5	84

#	ARTICLE	IF	CITATIONS
109	Challenges in Myelodysplastic/Myeloproliferative Neoplasms (MDS/MPN). <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2019, 19, 1-8.	0.2	9
110	Impact of High-Molecular-Risk Mutations on Transplantation Outcomes in Patients with Myelofibrosis. <i>Biology of Blood and Marrow Transplantation</i> , 2019, 25, 1142-1151.	2.0	48
111	TP53 mutation status divides myelodysplastic syndromes with complex karyotypes into distinct prognostic subgroups. <i>Leukemia</i> , 2019, 33, 1747-1758.	3.3	195
112	Genetically inspired prognostic scoring system (GIPSS) outperforms dynamic international prognostic scoring system (DIPSS) in myelofibrosis patients. <i>American Journal of Hematology</i> , 2019, 94, 87-92.	2.0	18
113	Association of <scp>EZH</scp>2 protein expression by immunohistochemistry in myelodysplasia related neoplasms with mutation status, cytogenetics and clinical outcomes. <i>British Journal of Haematology</i> , 2019, 184, 450-455.	1.2	5
114	Marrow Ring Sideroblasts Are Highly Predictive for TP53 Mutation in MDS with Excess Blasts. <i>Blood</i> , 2019, 134, 4244-4244.	0.6	2
115	The First-in-Class Anti-CD47 Antibody Magrolimab (5F9) in Combination with Azacitidine Is Effective in MDS and AML Patients: Ongoing Phase 1b Results. <i>Blood</i> , 2019, 134, 569-569.	0.6	161
116	Results from a Phase 2 Study of Navitoclax in Combination with Ruxolitinib in Patients with Primary or Secondary Myelofibrosis. <i>Blood</i> , 2019, 134, 671-671.	0.6	36
117	Impact of TP53 gene Mutation Clearance and Conditioning Intensity on Outcome in MDS or AML Patients Prior to Allogeneic Stem Cell Transplantation. <i>Blood</i> , 2019, 134, 149-149.	0.6	9
118	Myelodysplastic Syndrome. , 2019, , 1-21.		0
119	Azacitidine Use for Myeloid Neoplasms. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2018, 18, e147-e155.	0.2	4
120	Beliefs and practice patterns in hyperleukocytosis management in acute myeloid leukemia: a large U.S. web-based survey. <i>Leukemia and Lymphoma</i> , 2018, 59, 2723-2726.	0.6	16
121	Germ line tissues for optimal detection of somatic variants in myelodysplastic syndromes. <i>Blood</i> , 2018, 131, 2402-2405.	0.6	30
122	Value of cytogenetic abnormalities in post-polycythemia vera and post-essential thrombocythemia myelofibrosis: a study of the MYSEC project. <i>Haematologica</i> , 2018, 103, e392-e394.	1.7	31
123	Allogeneic Hematopoietic Stem Cell Transplantation Following the Use of Hypomethylating Agents among Patients with Relapsed or Refractory AML: Findings from an International Retrospective Study. <i>Biology of Blood and Marrow Transplantation</i> , 2018, 24, 1754-1758.	2.0	6
124	Sotatercept with long-term extension for the treatment of anaemia in patients with lower-risk myelodysplastic syndromes: a phase 2, dose-ranging trial. <i>Lancet Haematology</i> , the, 2018, 5, e63-e72.	2.2	95
125	Phenotype variability of patients with post polycythemia vera and post essential thrombocythemia myelofibrosis is associated with the time to progression from polycythemia vera and essential thrombocythemia. <i>Leukemia Research</i> , 2018, 69, 100-102.	0.4	13
126	The prognostic value of circulating myeloblasts in patients with myelodysplastic syndromes. <i>Annals of Hematology</i> , 2018, 97, 247-254.	0.8	12

#	ARTICLE	IF	CITATIONS
127	Between a rux and a hard place: evaluating salvage treatment and outcomes in myelofibrosis after ruxolitinib discontinuation. <i>Annals of Hematology</i> , 2018, 97, 435-441.	0.8	95
128	Myeloid/lymphoid neoplasms with <i>FGFR1</i> rearrangement. <i>Leukemia and Lymphoma</i> , 2018, 59, 1672-1676.	0.6	53
129	Azacitidine in Lower-Risk Myelodysplastic Syndromes: A Meta-Analysis of Data from Prospective Studies. <i>Oncologist</i> , 2018, 23, 159-170.	1.9	27
130	The use of immunosuppressive therapy in MDS: clinical outcomes and their predictors in a large international patient cohort. <i>Blood Advances</i> , 2018, 2, 1765-1772.	2.5	100
131	Somatic Sequencing Identifies Trametinib-Responsive Myelodysplastic Syndrome and Finds Acquired Clonal Hematopoiesis of Indeterminate Potential. <i>JCO Precision Oncology</i> , 2018, 2, 0-0.	1.5	0
132	Low clinical trial accrual of patients with myelodysplastic syndromes: Causes and potential solutions. <i>Cancer</i> , 2018, 124, 4601-4609.	2.0	8
133	Gender effect on phenotype and genotype in patients with post-polycythemia vera and post-essential thrombocythemia myelofibrosis: results from the MYSEC project. <i>Blood Cancer Journal</i> , 2018, 8, 89.	2.8	13
134	Mutational landscape of myelodysplastic/myeloproliferative neoplasm "unclassifiable". <i>Blood</i> , 2018, 132, 2100-2103.	0.6	40
135	Evaluation of induction chemotherapies after hypomethylating agent failure in myelodysplastic syndromes and acute myeloid leukemia. <i>Blood Advances</i> , 2018, 2, 2063-2071.	2.5	26
136	Hypomethylating agents in relapsed and refractory AML: outcomes and their predictors in a large international patient cohort. <i>Blood Advances</i> , 2018, 2, 923-932.	2.5	114
137	Clinical Outcomes With Ring Sideroblasts and SF3B1 Mutations in Myelodysplastic Syndromes: MDS Clinical Research Consortium Analysis. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2018, 18, 528-532.	0.2	14
138	Genetic Landscape of Acute Myeloid Leukemia Interrogated by Next-generation Sequencing: A Large Cancer Center Experience. <i>Cancer Genomics and Proteomics</i> , 2018, 15, 121-126.	1.0	23
139	Assessment of ASC specks as a putative biomarker of pyroptosis in myelodysplastic syndromes: an observational cohort study. <i>Lancet Haematology</i> , 2018, 5, e393-e402.	2.2	44
140	Prognosis of patients with intermediate risk IPSS myelodysplastic syndrome indicates variable outcomes and need for models beyond IPSS. <i>American Journal of Hematology</i> , 2018, 93, 1245-1253.	2.0	34
141	Clinical consequences of iron overload in patients with myelodysplastic syndromes: the case for iron chelation therapy. <i>Expert Review of Hematology</i> , 2018, 11, 577-586.	1.0	7
142	The Medalist Trial: Results of a Phase 3, Randomized, Double-Blind, Placebo-Controlled Study of Luspatercept to Treat Anemia in Patients with Very Low-, Low-, or Intermediate-Risk Myelodysplastic Syndromes (MDS) with Ring Sideroblasts (RS) Who Require Red Blood Cell (RBC) Transfusions. <i>Blood</i> , 2018, 132, 1-1.	0.6	57
143	What Is the Optimal Time to Initiate Hypomethylating Agents (HMA) in Higher Risk Myelodysplastic Syndromes (MDS)?. <i>Blood</i> , 2018, 132, 3098-3098.	0.6	3
144	Imetelstat Is Effective Treatment for Patients with Intermediate-2 or High-Risk Myelofibrosis Who Have Relapsed on or Are Refractory to Janus Kinase Inhibitor Therapy: Results of a Phase 2 Randomized Study of Two Dose Levels. <i>Blood</i> , 2018, 132, 685-685.	0.6	33

#	ARTICLE	IF	CITATIONS
145	Diagnosis of Myelodysplastic Syndromes and Related Conditions: Rates of Discordance between Local and Central Review in the NHLBI MDS Natural History Study. <i>Blood</i> , 2018, 132, 4370-4370.	0.6	3
146	Clonal Suppression of TP53 Mutant MDS and Oligoblastic AML with Hypomethylating Agent Therapy Improves Overall Survival. <i>Blood</i> , 2018, 132, 1817-1817.	0.6	10
147	Phase 1b/2 Combination Study of APR-246 and Azacitidine (AZA) in Patients with TP53 mutant Myelodysplastic Syndromes (MDS) and Acute Myeloid Leukemia (AML). <i>Blood</i> , 2018, 132, 3091-3091.	0.6	46
148	Phase 2, randomized, double-blind study of pracinostat in combination with azacitidine in patients with untreated, higher-risk myelodysplastic syndromes. <i>Cancer</i> , 2017, 123, 994-1002.	2.0	88
149	Evidence for Selective Benefit of Sequential Treatment With Hypomethylating Agents in Patients With Myelodysplastic Syndrome. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2017, 17, 211-214.	0.2	14
150	Use of eltrombopag for treatment of myelodysplastic syndromes. <i>Lancet Haematology</i> , 2017, 4, e99-e100.	2.2	0
151	Monocyte subset analysis accurately distinguishes CMML from MDS and is associated with a favorable MDS prognosis. <i>Blood</i> , 2017, 129, 1881-1883.	0.6	54
152	Myelodysplastic Syndromes, Version 2.2017, NCCN Clinical Practice Guidelines in Oncology. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2017, 15, 60-87.	2.3	254
153	Practical Measures of Clinical Benefit With Ruxolitinib Therapy: An Exploratory Analysis of COMFORT-I. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2017, 17, 479-487.	0.2	21
154	Clonal haemopoiesis and therapy-related myeloid malignancies in elderly patients: a proof-of-concept, case-control study. <i>Lancet Oncology</i> , 2017, 18, 112-121.	5.1	249
155	Bone marrow cellularity at day 14 is the most important predictive factor for response in patients with AML who require double induction chemotherapy: Analysis from a large, single institution experience. <i>American Journal of Hematology</i> , 2017, 92, 232-237.	2.0	10
156	A Phase II Study of CLAG Regimen Combined With Imatinib Mesylate for Relapsed or Refractory Acute Myeloid Leukemia. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2017, 17, 902-907.	0.2	5
157	The Treatment Landscape of Myelofibrosis Before and After Ruxolitinib Approval. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2017, 17, e45-e53.	0.2	13
158	Overcoming barriers to treating iron overload in patients with lower-risk myelodysplastic syndrome. <i>Critical Reviews in Oncology/Hematology</i> , 2017, 117, 57-66.	2.0	10
159	A call for action: Increasing enrollment of untreated patients with higher-risk myelodysplastic syndromes in first-line clinical trials. <i>Cancer</i> , 2017, 123, 3662-3672.	2.0	39
160	Randomized phase 2 study of low-dose decitabine vs low-dose azacitidine in lower-risk MDS and MDS/MPN. <i>Blood</i> , 2017, 130, 1514-1522.	0.6	151
161	ASXL1 frameshift mutations drive inferior outcomes in CMML without negative impact in MDS. <i>Blood Cancer Journal</i> , 2017, 7, 633.	2.8	19
162	Impact of baseline cytogenetic findings and cytogenetic response on outcome of high-risk myelodysplastic syndromes and low blast count AML treated with azacitidine. <i>Leukemia Research</i> , 2017, 63, 72-77.	0.4	14

#	ARTICLE	IF	CITATIONS
163	TP53 and IDH2 Somatic Mutations Are Associated With Inferior Overall Survival After Allogeneic Hematopoietic Cell Transplantation for Myelodysplastic Syndrome. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2017, 17, 753-758.	0.2	18
164	Differential response to hypomethylating agents based on sex: a report on behalf of the MDS Clinical Research Consortium (MDS CRC)*. <i>Leukemia and Lymphoma</i> , 2017, 58, 1325-1331.	0.6	23
165	Integrating Genomics in Myelodysplastic Syndrome to Predict Outcomes After Allogeneic Hematopoietic Cell Transplantation. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2017, 17, 7-13.	0.2	5
166	Subsequent primary malignancies among multiple myeloma patients treated with or without lenalidomide. <i>Leukemia and Lymphoma</i> , 2017, 58, 560-568.	0.6	9
167	Wide variations in blood product transfusion practices among providers who care for patients with acute leukemia in the United States. <i>Transfusion</i> , 2017, 57, 289-295.	0.8	19
168	Validation of a post-hypomethylating agent failure prognostic model in myelodysplastic syndromes patients treated in a randomized controlled phase III trial of rigosertib vs. best supportive care. <i>Blood Cancer Journal</i> , 2017, 7, 644.	2.8	15
169	Outcome of Lower-Risk Patients With Myelodysplastic Syndromes Without 5q Deletion After Failure of Erythropoiesis-Stimulating Agents. <i>Journal of Clinical Oncology</i> , 2017, 35, 1591-1597.	0.8	79
170	H3B-8800-G0001-101: A first in human phase I study of a splicing modulator in patients with advanced myeloid malignancies.. <i>Journal of Clinical Oncology</i> , 2017, 35, TPS7075-TPS7075.	0.8	15
171	Outcome of patients treated for myelodysplastic syndromes without deletion 5q after failure of lenalidomide therapy. <i>Oncotarget</i> , 2017, 8, 37866-37874.	0.8	10
172	Outcome of patients treated for myelodysplastic syndromes with 5q deletion after failure of lenalidomide therapy. <i>Oncotarget</i> , 2017, 8, 81926-81935.	0.8	15
173	Comprehensive kinase profile of pacritinib, a nonmyelosuppressive Janus kinase 2 inhibitor. <i>Journal of Experimental Pharmacology</i> , 2016, Volume 8, 11-19.	1.5	83
174	Searching for a Light at the End of the Tunnel? Beyond Hypomethylating Agents in Myelodysplastic Syndromes. <i>American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting</i> , 2016, 35, e345-e352.	1.8	1
175	Role of tyrosine-kinase inhibitors in myeloproliferative neoplasms: comparative lessons learned. <i>OncoTargets and Therapy</i> , 2016, Volume 9, 4937-4957.	1.0	13
176	The NLRP3 inflammasome functions as a driver of the myelodysplastic syndrome phenotype. <i>Blood</i> , 2016, 128, 2960-2975.	0.6	271
177	Results of a phase II study of lenalidomide and rituximab for refractory/relapsed chronic lymphocytic leukemia. <i>Leukemia Research</i> , 2016, 47, 78-83.	0.4	17
178	Lenalidomide Stabilizes the Erythropoietin Receptor by Inhibiting the E3 Ubiquitin Ligase RNF41. <i>Cancer Research</i> , 2016, 76, 3531-3540.	0.4	26
179	Eltrombopag Use in Patients With Chronic Myelomonocytic Leukemia (CMML): A Cautionary Tale. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2016, 16, S64-S66.	0.2	28
180	Adult T-Cell Leukemia/Lymphoma: Rarely Encountered in the United States. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2016, 16, S191-S194.	0.2	3

#	ARTICLE	IF	CITATIONS
181	Connect MDS/AML: design of the myelodysplastic syndromes and acute myeloid leukemia disease registry, a prospective observational cohort study. <i>BMC Cancer</i> , 2016, 16, 652.	1.1	12
182	Emerging biological therapies for the treatment of myelodysplastic syndromes. <i>Expert Opinion on Emerging Drugs</i> , 2016, 21, 283-300.	1.0	15
183	Subsequent primary malignancies and acute myelogenous leukemia transformation among myelodysplastic syndrome patients treated with or without lenalidomide. <i>Cancer Medicine</i> , 2016, 5, 1694-1701.	1.3	5
184	Myelodysplastic Syndromes in Adolescent Young Adults: One Institution's Experience. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2016, 16, S53-S56.	0.2	8
185	Immunosuppressive Therapy: Exploring an Underutilized Treatment Option for Myelodysplastic Syndrome. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2016, 16, S44-S48.	0.2	19
186	Ruxolitinib dose management as a key to long-term treatment success. <i>International Journal of Hematology</i> , 2016, 104, 420-429.	0.7	10
187	Immunohistochemical pattern of p53 is a measure of TP53 mutation burden and adverse clinical outcome in myelodysplastic syndromes and secondary acute myeloid leukemia. <i>Haematologica</i> , 2016, 101, e320-e323.	1.7	49
188	Current State of the Art: Management of Higher Risk Myelodysplastic Syndromes. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2016, 16, S39-S43.	0.2	10
189	Mutational correlates of response to hypomethylating agent therapy in acute myeloid leukemia. <i>Haematologica</i> , 2016, 101, e457-e460.	1.7	30
190	The efficacy of current prognostic models in predicting outcome of patients with myelodysplastic syndromes at the time of hypomethylating agent failure. <i>Haematologica</i> , 2016, 101, e224-e227.	1.7	36
191	Autoimmune diseases and myelodysplastic syndromes. <i>American Journal of Hematology</i> , 2016, 91, E280-3.	2.0	99
192	Clinical prognostic factors and outcomes of essential thrombocythemia when transformed to myelodysplastic syndromes and acute myeloid leukemia. <i>Leukemia Research</i> , 2016, 42, 52-58.	0.4	4
193	A Multi-Institution Phase I Trial of Ruxolitinib in Patients with Chronic Myelomonocytic Leukemia (CMML). <i>Clinical Cancer Research</i> , 2016, 22, 3746-3754.	3.2	84
194	Outcomes of patients with myelodysplastic syndromes who achieve stable disease after treatment with hypomethylating agents. <i>Leukemia Research</i> , 2016, 41, 43-47.	0.4	27
195	Short- and long-term benefits of lenalidomide treatment in patients with lower-risk del(5q) myelodysplastic syndromes. <i>Annals of Oncology</i> , 2016, 27, 62-68.	0.6	21
196	Characterization of Myelodysplastic Syndromes (MDS) with T-Cell Large Granular Lymphocyte Proliferations (LGL). <i>Blood</i> , 2016, 128, 113-113.	0.6	2
197	Clinical Utility of Molecular Profiling in Higher Risk MDS Treated with Azacitidine: Can We Tailor Therapy Accordingly?. <i>Blood</i> , 2016, 128, 1984-1984.	0.6	2
198	Combined Treatment with Lenalidomide (LEN) and Epoetin Alfa (EA) Is Superior to Lenalidomide Alone in Patients with Erythropoietin (Epo)-Refractory, Lower Risk (LR) Non-Deletion 5q [Del(5q)] Myelodysplastic Syndrome (MDS): Results of the E2905 Intergroup Study-an ECOG-ACRIN Cancer Research Group Study, Grant CA180820, and the National Cancer Institute of the National Institutes of Health. <i>Blood</i> , 2016, 128, 223-223.	0.6	13

#	ARTICLE	IF	CITATIONS
199	Is Serial Monitoring of Myeloid Mutations Clinically Relevant in Myelodysplastic Syndromes (MDS): A Report on Behalf of the MDS Clinical Research Consortium (CRC). <i>Blood</i> , 2016, 128, 297-297.	0.6	7
200	Myelodysplastic/Myeloproliferative Neoplasms Unclassified (MDS/MPN-U) Overlap: Can We Alter the Natural History?. <i>Blood</i> , 2016, 128, 3125-3125.	0.6	12
201	Phase 2 Trial of Smoothened (SMO) Inhibitor PF-04449913 (PF-04) in Refractory Myelodysplastic Syndromes (MDS). <i>Blood</i> , 2016, 128, 3174-3174.	0.6	5
202	Optimal Treatment Order of Lenalidomide and Hypomethylating Agents for Lower-Risk Myelodysplastic Syndromes: A Report on Behalf of the MDS Clinical Research Consortium. <i>Blood</i> , 2016, 128, 4322-4322.	0.6	3
203	ATRA, Arsenic Trioxide (ATO), and Gemtuzumab Ozogamicin (GO) Is Safe and Highly Effective in Patients with Previously Untreated High-Risk Acute Promyelocytic Leukemia (APL): Final Results of the SWOG/Alliance/ECOG S0535 Trial. <i>Blood</i> , 2016, 128, 896-896.	0.6	10
204	Searching for a Light at the End of the Tunnel? Beyond Hypomethylating Agents in Myelodysplastic Syndromes. <i>American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting</i> , 2016, 36, e345-e352.	1.8	0
205	Results of a phase 2 study of pacritinib (SB1518), a JAK2/JAK2(V617F) inhibitor, in patients with myelofibrosis. <i>Blood</i> , 2015, 125, 2649-2655.	0.6	107
206	An international consortium proposal of uniform response criteria for myelodysplastic/myeloproliferative neoplasms (MDS/MPN) in adults. <i>Blood</i> , 2015, 125, 1857-1865.	0.6	153
207	Historical Views, Conventional Approaches, and Evolving Management Strategies for Myeloproliferative Neoplasms. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2015, 13, 424-434.	2.3	24
208	A multicenter, phase II study of maintenance azacitidine in older patients with acute myeloid leukemia in complete remission after induction chemotherapy. <i>American Journal of Hematology</i> , 2015, 90, 796-799.	2.0	21
209	Myelodysplastic Syndromes, Version 2.2015. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2015, 13, 261-272.	2.3	40
210	Comparing the prognostic value of risk stratifying models for patients with lower-risk myelodysplastic syndromes: Is one model better?. <i>American Journal of Hematology</i> , 2015, 90, 1036-1040.	2.0	23
211	A Phase I Study of Oral ARRY-614, a p38 MAPK/Tie2 Dual Inhibitor, in Patients with Low or Intermediate-1 Risk Myelodysplastic Syndromes. <i>Clinical Cancer Research</i> , 2015, 21, 985-994.	3.2	47
212	Second Myeloid Malignancies in a Large Cohort of Patients With Chronic Lymphocytic Leukemia: A Single Institution Experience. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2015, 15, S14-S18.	0.2	7
213	Novel and emerging therapies for the treatment of polycythemia vera. <i>Expert Review of Hematology</i> , 2015, 8, 101-113.	1.0	6
214	Impact of tobacco usage on disease outcome in myelodysplastic syndromes. <i>Leukemia Research</i> , 2015, 39, 673-678.	0.4	3
215	Outcome of patients with low-risk and intermediate-risk myelodysplastic syndrome after hypomethylating agent failure: A report on behalf of the MDS Clinical Research Consortium. <i>Cancer</i> , 2015, 121, 876-882.	2.0	93
216	<sc>WT</sc>1 vaccination in <sc>AML</sc> and <sc>MDS</sc>: A pilot trial with synthetic analog peptides. <i>American Journal of Hematology</i> , 2015, 90, 602-607.	2.0	50

#	ARTICLE	IF	CITATIONS
217	Current state of prognostication and risk stratification in myelodysplastic syndromes. <i>Current Opinion in Hematology</i> , 2015, 22, 146-154.	1.2	25
218	Hemophagocytic Lymphohistiocytosis in Malignant Hematology: Uncommon but Should Not Be Forgotten?. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2015, 15, S147-S150.	0.2	4
219	A comprehensive review of pacritinib in myelofibrosis. <i>Future Oncology</i> , 2015, 11, 2819-2830.	1.1	27
220	A Close Association of Autoimmune-Mediated Processes and Autoimmune Disorders with Chronic Myelomonocytic Leukemia: Observation from a Single Institution. <i>Acta Haematologica</i> , 2015, 133, 249-256.	0.7	44
221	An International MDS/MPN Working Group's perspective and recommendations on molecular pathogenesis, diagnosis and clinical characterization of myelodysplastic/myeloproliferative neoplasms. <i>Haematologica</i> , 2015, 100, 1117-1130.	1.7	97
222	Treatment of Higher-Risk Myelodysplastic Syndromes After Failure of Hypomethylating Agents. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2015, 15, S56-S59.	0.2	16
223	Polycythemia Vera: An Appraisal of the Biology and Management 10 Years After the Discovery of <i>JAK2 V617F</i>. <i>Journal of Clinical Oncology</i> , 2015, 33, 3953-3960.	0.8	69
224	Validation of the Lower-Risk MD Anderson Prognostic Scoring System for Patients With Myelodysplastic Syndrome. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2015, 15, S60-S63.	0.2	6
225	Lenalidomide Treatment for Lower Risk Nondeletion 5q Myelodysplastic Syndromes Patients Yields Higher Response Rates When Used Before Azacitidine. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2015, 15, 705-710.	0.2	36
226	Patients with myelodysplastic syndromes treated with azacitidine in clinical practice: the AVIDA registry. <i>Leukemia and Lymphoma</i> , 2015, 56, 887-895.	0.6	34
227	Comparing the Prognostic Value of Risk stratifying Models for Patients with Lower-Risk Myelodysplastic Syndromes: Is one model better?. <i>American Journal of Hematology</i> , 2015, 90, n/a-n/a.	2.0	2
228	Phase 2 Study of Monotherapy Galunisertib (LY2157299 Monohydrate) in Very Low-, Low-, and Intermediate-Risk Patients with Myelodysplastic Syndromes. <i>Blood</i> , 2015, 126, 1669-1669.	0.6	14
229	Prognosis and Outcomes in MDS-MPN Unclassifiable: Single Institution Experience of a Rare Disorder. <i>Blood</i> , 2015, 126, 1698-1698.	0.6	5
230	TP53 and IDH2 Somatic Mutations Are Associated with Poor Outcomes Following Allogeneic Hematopoietic Cell Transplantation for Myelodysplastic Syndrome. <i>Blood</i> , 2015, 126, 4382-4382.	0.6	1
231	Somatic Mutations in MDS Patients Are Associated with Clinical Features and Predict Prognosis Independent of the IPSS-R: Analysis of Combined Datasets from the International Working Group for Prognosis in MDS-Molecular Committee. <i>Blood</i> , 2015, 126, 907-907.	0.6	85
232	Validation of International Working Group (IWG) Response Criteria in Higher-Risk Myelodysplastic Syndromes (MDS): A Report on Behalf of the MDS Clinical Research Consortium (MDS CRC). <i>Blood</i> , 2015, 126, 909-909.	0.6	7
233	Low-Dose Hypomethylating Agents (HMAs) Are Effective in Patients (Pts) with Low- or Intermediate-1-Risk Myelodysplastic Syndrome (MDS): A Report on Behalf of the MDS Clinical Research Consortium. <i>Blood</i> , 2015, 126, 94-94.	0.6	9
234	The role of pacritinib in the management of myelofibrosis. <i>Expert Review of Hematology</i> , 2014, 7, 325-332.	1.0	6

#	ARTICLE	IF	CITATIONS
235	Clinical utility of lenalidomide in the treatment of myelodysplastic syndromes. <i>Journal of Blood Medicine</i> , 2014, 6, 1.	0.7	14
236	Beyond hypomethylating agents failure in patients with myelodysplastic syndromes. <i>Current Opinion in Hematology</i> , 2014, 21, 123-130.	1.2	41
237	Pretransplantation 5-Azacitidine in High-Risk Myelodysplastic Syndrome. <i>Biology of Blood and Marrow Transplantation</i> , 2014, 20, 776-780.	2.0	19
238	Increased genomic instability may contribute to the development of kinase domain mutations in chronic myeloid leukemia. <i>International Journal of Hematology</i> , 2014, 100, 567-574.	0.7	3
239	Phase II clinical study of erlotinib for treatment of myelodysplastic syndromes. <i>American Journal of Hematology</i> , 2014, 89, 809-812.	2.0	16
240	Cladribine, cytarabine, filgrastim, and mitoxantrone (CLAG-M) compared to standard induction in acute myeloid leukemia from myelodysplastic syndrome after azanucleoside failure. <i>Leukemia Research</i> , 2014, 38, 443-446.	0.4	33
241	Disparity in perceptions of disease characteristics, treatment effectiveness, and factors influencing treatment adherence between physicians and patients with myelodysplastic syndromes. <i>Cancer</i> , 2014, 120, 1670-1676.	2.0	33
242	A phase 2, randomized, double-blind, multicenter study comparing siltuximab plus best supportive care (BSC) with placebo plus BSC in anemic patients with International Prognostic Scoring System low or intermediate-risk myelodysplastic syndrome. <i>American Journal of Hematology</i> , 2014, 89, E156-62.	2.0	20
243	A phase II multicenter rabbit anti-thymocyte globulin trial in patients with myelodysplastic syndromes identifying a novel model for response prediction. <i>Haematologica</i> , 2014, 99, 1176-1183.	1.7	35
244	Phase 2 trial of CPX-351, a fixed 5:1 molar ratio of cytarabine/daunorubicin, vs cytarabine/daunorubicin in older adults with untreated AML. <i>Blood</i> , 2014, 123, 3239-3246.	0.6	298
245	ETV6 and signaling gene mutations are associated with secondary transformation of myelodysplastic syndromes to chronic myelomonocytic leukemia. <i>Blood</i> , 2014, 123, 3675-3677.	0.6	22
246	Comprehensive Kinase Profile of Pacritinib, a Non-Myelosuppressive JAK2 Kinase Inhibitor in Phase 3 Development in Primary and Post ET/PV Myelofibrosis. <i>Blood</i> , 2014, 124, 1874-1874.	0.6	8
247	Subsequent Primary Malignancies Among Multiple Myeloma Patients Treated with or without Lenalidomide. <i>Blood</i> , 2014, 124, 2129-2129.	0.6	1
248	An Open-Label, Phase 2, Dose-Finding Study of Sotatercept (ACE-011) in Patients with Low or Intermediate-1 (Int-1)-Risk Myelodysplastic Syndromes (MDS) or Non-Proliferative Chronic Myelomonocytic Leukemia (CMML) and Anemia Requiring Transfusion. <i>Blood</i> , 2014, 124, 3251-3251.	0.6	23
249	The clinical management of chronic myelomonocytic leukemia. <i>Clinical Advances in Hematology and Oncology</i> , 2014, 12, 172-8.	0.3	14
250	Validation of the revised International Prognostic Scoring System in treated patients with myelodysplastic syndromes. <i>American Journal of Hematology</i> , 2013, 88, 566-570.	2.0	59
251	Higher-risk myelodysplastic syndromes with del(5q): is sequential azacitidine-lenalidomide combination the way to go?. <i>Expert Review of Hematology</i> , 2013, 6, 251-254.	1.0	18
252	Poor Outcome of Patients With Myelodysplastic Syndrome After Azacitidine Treatment Failure. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2013, 13, 711-715.	0.2	44

#	ARTICLE	IF	CITATIONS
253	<i>TP53</i> suppression promotes erythropoiesis in del(5q) MDS, suggesting a targeted therapeutic strategy in lenalidomide-resistant patients. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 16127-16132.	3.3	51
254	There's Risk, and Then There's RISK: The Latest Clinical Prognostic Risk Stratification Models in Myelodysplastic Syndromes. Current Hematologic Malignancy Reports, 2013, 8, 351-360.	1.2	37
255	Outcome of azacitidine treatment in patients with therapy-related myeloid neoplasms with assessment of prognostic risk stratification models. Leukemia Research, 2013, 37, 510-515.	0.4	18
256	Multikinase inhibitors for treating high-risk myelodysplastic syndromes: can this be brought into clinical practice?. Expert Review of Hematology, 2013, 6, 485-487.	1.0	2
257	Prognostic Factors and Risk Models in Myelodysplastic Syndromes. Clinical Lymphoma, Myeloma and Leukemia, 2013, 13, S295-S299.	0.2	13
258	Predictive factors of response and survival among chronic myelomonocytic leukemia patients treated with azacitidine. Leukemia Research, 2013, 37, 609-613.	0.4	108
259	Deletion 5q MDS: Molecular and therapeutic implications. Best Practice and Research in Clinical Haematology, 2013, 26, 365-375.	0.7	44
260	Prognostication in Myelodysplastic Syndromes: Beyond the International Prognostic Scoring System (IPSS). American Journal of Medicine, 2013, 126, e25.	0.6	26
261	Phase II pilot study of oral dasatinib in patients with higher-risk myelodysplastic syndrome (MDS) who failed conventional therapy. Leukemia Research, 2013, 37, 300-304.	0.4	12
262	Phase I clinical trial of oral rigosertib in patients with myelodysplastic syndromes. British Journal of Haematology, 2013, 162, 517-524.	1.2	48
263	GM-CSF-dependent pSTAT5 sensitivity is a feature with therapeutic potential in chronic myelomonocytic leukemia. Blood, 2013, 121, 5068-5077.	0.6	137
264	Myelodysplastic Syndromes. Journal of the National Comprehensive Cancer Network: JNCCN, 2013, 11, 838-874.	2.3	181
265	A Sequential Two-Stage Dose Escalation Study Evaluating The Safety and Efficacy Of Eltrombopag In Thrombocytopenic Patients With Myelodysplastic Syndrome (MDS) Resistant To Hypomethylating Agents (HMA). Blood, 2013, 122, 2760-2760.	0.6	3
266	Phase 1 Dose-Escalation/Expansion Study Of ARRY-614 In Patients With IPSS Low/Int-1 Risk Myelodysplastic Syndromes. Blood, 2013, 122, 387-387.	0.6	7
267	Outcome Of Patients (pts) With Low and Intermediate-1 Risk Myelodysplastic Syndrome (MDS) After Hypomethylating Agent (HMA) Failure. Blood, 2013, 122, 388-388.	0.6	5
268	Pacritinib, a Dual JAK2/FLT3 Inhibitor: An Integrated Efficacy and Safety Analysis Of Phase II Trial Data In Patients With Primary and Secondary Myelofibrosis (MF) and Platelet Counts $\geq 100,000/\mu\text{l}$. Blood, 2013, 122, 395-395.	0.6	16
269	Optimizing Dose Titration Of Ruxolitinib: The COMFORT-I Experience. Blood, 2013, 122, 4062-4062.	0.6	4
270	Conservative Management Vs. Allogeneic Hematopoietic Cell Transplantation For Polycythemia Vera: A Systematic Review and Decision-Analysis. Blood, 2013, 122, 5372-5372.	0.6	1

#	ARTICLE	IF	CITATIONS
271	Characteristics and Outcome Of Myelodysplastic Syndromes (MDS) Patients With Autoimmune Diseases. <i>Blood</i> , 2013, 122, 746-746.	0.6	4
272	Myelodysplastic Syndromes: Recent Advancements in Risk Stratification and Unmet Therapeutic Challenges. <i>American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting</i> , 2013, 33, e256-e270.	1.8	12
273	Myelodysplastic Syndromes: Recent Advancements in Risk Stratification and Unmet Therapeutic Challenges. <i>American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting</i> , 2013, , e256-e270.	1.8	2
274	Efficacy and safety of lenalidomide in patients with myelodysplastic syndrome with chromosome 5q deletion. <i>Therapeutic Advances in Hematology</i> , 2012, 3, 105-116.	1.1	11
275	Advances in the Management of Myelofibrosis. <i>Cancer Control</i> , 2012, 19, 4-15.	0.7	11
276	Combined treatment with lenalidomide and epoetin alfa in lower-risk patients with myelodysplastic syndrome. <i>Blood</i> , 2012, 120, 3419-3424.	0.6	54
277	Phase 2 study of the lenalidomide and azacitidine combination in patients with higher-risk myelodysplastic syndromes. <i>Blood</i> , 2012, 120, 4945-4951.	0.6	126
278	Expansion of Effector Memory Regulatory T Cells Represents a Novel Prognostic Factor in Lower Risk Myelodysplastic Syndrome. <i>Journal of Immunology</i> , 2012, 189, 3198-3208.	0.4	75
279	Hypoalbuminemia is an independent prognostic factor for overall survival in myelodysplastic syndromes. <i>American Journal of Hematology</i> , 2012, 87, 1006-1009.	2.0	60
280	A phase 2 randomized multicenter study of 2 extended dosing schedules of oral ezatiostat in low to intermediate-risk myelodysplastic syndrome. <i>Cancer</i> , 2012, 118, 2138-2147.	2.0	40
281	Validation of the MD Anderson Prognostic Risk Model for patients with myelodysplastic syndrome. <i>Cancer</i> , 2012, 118, 2659-2664.	2.0	38
282	Validation of the Revised International Prognostic Scoring System (R-IPSS) for Patients with Myelodysplastic Syndromes: Therapeutic Implications.. <i>Blood</i> , 2012, 120, 2816-2816.	0.6	4
283	Azacitidine Treatment for Lenalidomide (LEN)-Resistant Myelodysplastic Syndrome (MDS) with Del 5q. <i>Blood</i> , 2012, 120, 3833-3833.	0.6	7
284	Lenalidomide for Treatment of Myelodysplastic Syndromes. <i>Current Pharmaceutical Design</i> , 2012, 18, 3198-3203.	0.9	6
285	Myelodysplastic Syndrome. , 2012, , 1200-1203.		1
286	Phase 2 Trial of the Farnesyltransferase Inhibitor Tipifarnib in Previously Untreated Older Adults with AML and Baseline Presence of a Specific 2-Gene Expression Signature Ratio. <i>Blood</i> , 2012, 120, 1508-1508.	0.6	1
287	Outcomes in Patients with Acute Myeloid Leukemia Preceded by Breast Cancer. <i>Blood</i> , 2012, 120, 4316-4316.	0.6	0
288	Telomere length in myelodysplastic syndromes. <i>Leukemia and Lymphoma</i> , 2011, 52, 1528-1536.	0.6	48

#	ARTICLE	IF	CITATIONS
289	Outcome of Diffuse Large B-Cell Lymphoma in the United States Has Improved Over Time but Racial Disparities Remain: Review of SEER Data. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2011, 11, 257-260.	0.2	39
290	Severe Hypoalbuminemia at Day 90 Predicts Worse Nonrelapse Mortality and Overall Survival after Allogeneic Hematopoietic Stem Cell Transplantation for Acute Myelogenous Leukemia and Myelodysplastic Syndrome. <i>Biology of Blood and Marrow Transplantation</i> , 2011, 17, 384-393.	2.0	20
291	Biology and treatment of the 5q- syndrome. <i>Expert Review of Hematology</i> , 2011, 4, 61-69.	1.0	23
292	Myelodysplastic Syndromes. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2011, 9, 30-56.	2.3	177
293	Role of Lenalidomide in the Treatment of Myelodysplastic Syndromes. <i>Seminars in Oncology</i> , 2011, 38, 648-657.	0.8	21
294	The 5q- Syndrome: Biology and Treatment. <i>Current Treatment Options in Oncology</i> , 2011, 12, 354-368.	1.3	11
295	Management of Lower-Risk Myelodysplastic Syndromes: The Art and Evidence. <i>Current Hematologic Malignancy Reports</i> , 2011, 6, 145-153.	1.2	22
296	Outcomes after induction chemotherapy in patients with acute myeloid leukemia arising from myelodysplastic syndrome. <i>Cancer</i> , 2011, 117, 1463-1469.	2.0	71
297	Salvage chemotherapy regimens for acute myeloid leukemia: Is one better? Efficacy comparison between CLAG and MEC regimens. <i>Leukemia Research</i> , 2011, 35, 301-304.	0.4	70
298	Tobacco Use Influences Disease Outcome and AML Potential in Myelodysplastic Syndromes. <i>Blood</i> , 2011, 118, 3790-3790.	0.6	1
299	Lenalidomide in Myelodysplastic Syndromes: An Erythropoiesis-Stimulating Agent or More?. <i>Current Hematologic Malignancy Reports</i> , 2010, 5, 9-14.	1.2	8
300	Outcome of patients with myelodysplastic syndromes in the Veterans Administration population. <i>Leukemia Research</i> , 2010, 34, 59-62.	0.4	15
301	Lenalidomide for Treatment of Myelodysplastic Syndromes: Current Status and Future Directions. <i>Hematology/Oncology Clinics of North America</i> , 2010, 24, 377-388.	0.9	22
302	Myelodysplastic Syndromes Classification and Risk Stratification. <i>Hematology/Oncology Clinics of North America</i> , 2010, 24, 443-457.	0.9	51
303	Poor Outcome of Patients with Myelodysplastic Syndrome (MDS) After Azacitidine Treatment Failure. <i>Blood</i> , 2010, 116, 2913-2913.	0.6	4
304	Phase 2 Multicenter Trial of Rabbit Anti-Thymocyte Serotherapy In Myelodysplastic Syndrome: Rate of Hematological Improvement Associated with Pre-Treatment Disease Duration. <i>Blood</i> , 2010, 116, 602-602.	0.6	2
305	Importance of T-Cell Proliferative Stress In Myelodysplastic Syndrome. <i>Blood</i> , 2010, 116, 2939-2939.	0.6	0
306	Therapy related CMML: a case report and review of the literature. <i>International Journal of Hematology</i> , 2009, 89, 699-703.	0.7	17

#	ARTICLE	IF	CITATIONS
307	Albumin Is a Prognostic Factor for Response and Overall Survival in Relapsed or Refractory Acute Myeloid Leukemia (AML).. Blood, 2009, 114, 4685-4685.	0.6	2
308	Salvage Chemotherapy Regimens for Acute Myeloid Leukemia: Is One Better?.. Blood, 2009, 114, 1022-1022.	0.6	0
309	Comparable Efficacy and Safety with Voriconazole or Posaconazole as Primary Antifungal Prophylaxis in Acute Myeloid Leukemia (AML) Patients Receiving Induction Chemotherapy.. Blood, 2009, 114, 2059-2059.	0.6	0
310	What Is "WHO"? Myelodysplastic Syndromes Classification. Clinical Leukemia, 2008, 2, 20-27.	0.2	2
311	Myelodysplastic syndromes: A view from where the sun rises and where the sun sets. Leukemia Research, 2006, 30, 1067-1068.	0.4	15
312	Who is WHO in myelodysplastic syndromes? Clinical implications of the WHO classification. Current Hematologic Malignancy Reports, 2006, 1, 9-15.	1.2	0
313	Phase I Study of Cladribine, Cytarabine (Ara-C), Granulocyte Colony Stimulating Factor (G-CSF) (CLAG) Tj ETQq1 1 0.784314 rgBT /Overlook AML.. Blood, 2006, 108, 1958-1958.	0.6	1
314	The myelodysplastic syndromes: Diagnosis, molecular biology and risk assessment. Hematology, 2005, 10, 258-269.	0.7	62
315	The clinical implications of the World Health Organization's classification of myelodysplastic syndromes. Psychophysiology, 2005, 4, 175-81.	1.1	8
316	Venous Thromboembolic Events in Patients with Diffuse Large B cell Non- Hodgkin's Lymphoma.. Blood, 2004, 104, 4542-4542.	0.6	2
317	Burkitt's leukemia with precursor B-cell immunophenotype and atypical morphology (atypical) Tj ETQq1 1 0.784314 rgBT /Overlook 561-566.	0.4	32
318	The myelodysplastic syndromes: classification and prognosis. Psychophysiology, 2003, 2, 179-85.	1.1	12