Michael X Cohen

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/3295453/michael-x-cohen-publications-by-year.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

131	12,386 citations	58	111
papers		h-index	g-index
143	14,604	5.6	7.09
ext. papers	ext. citations	avg, IF	L-index

#	Paper	IF	Citations
131	Power spectrum slope confounds estimation of instantaneous oscillatory frequency <i>NeuroImage</i> , 2022 , 118929	7.9	2
130	Recommendations and publication guidelines for studies using frequency domain and time-frequency domain analyses of neural time series <i>Psychophysiology</i> , 2022 , 59, e14052	4.1	2
129	A tutorial on generalized eigendecomposition for denoising, contrast enhancement, and dimension reduction in multichannel electrophysiology <i>NeuroImage</i> , 2021 , 247, 118809	7.9	3
128	Large-Scale and Multiscale Networks in the Rodent Brain during Novelty Exploration. <i>ENeuro</i> , 2021 , 8,	3.9	2
127	Synchronization between Keyboard Typing and Neural Oscillations. <i>Journal of Cognitive Neuroscience</i> , 2021 , 1-15	3.1	1
126	Dynamics of Neural Microstates in the VTA-Striatal-Prefrontal Loop during Novelty Exploration in the Rat. <i>Journal of Neuroscience</i> , 2021 , 41, 6864-6877	6.6	0
125	A data-driven method to identify frequency boundaries in multichannel electrophysiology data. <i>Journal of Neuroscience Methods</i> , 2021 , 347, 108949	3	9
124	Beta2 Oscillations in Hippocampal-Cortical Circuits During Novelty Detection. <i>Frontiers in Systems Neuroscience</i> , 2021 , 15, 617388	3.5	1
123	Narrowband multivariate source separation for semi-blind discovery of experiment contrasts. Journal of Neuroscience Methods, 2021 , 350, 109063	3	4
122	Characterizing neural phase-space trajectories via Principal Louvain Clustering. <i>Journal of Neuroscience Methods</i> , 2021 , 362, 109313	3	0
121	Mesoscopic-scale functional networks in the primate amygdala. <i>ELife</i> , 2020 , 9,	8.9	3
120	Midfrontal theta phase coordinates behaviorally relevant brain computations during cognitive control. <i>NeuroImage</i> , 2020 , 207, 116340	7.9	19
119	EEG microstates as a continuous phenomenon. <i>Neurolmage</i> , 2020 , 208, 116454	7.9	19
118	Low-cost and versatile electrodes for extracellular chronic recordings in rodents. <i>Heliyon</i> , 2020 , 6, e048	63 .6	7
117	Cortical responses to whole-body balance perturbations index perturbation magnitude and predict reactive stepping behavior. <i>European Journal of Neuroscience</i> , 2020 ,	3.5	2
116	Multiple Midfrontal Thetas Revealed by Source Separation of Simultaneous MEG and EEG. <i>Journal of Neuroscience</i> , 2020 , 40, 7702-7713	6.6	17
115	A better way to define and describe Morlet wavelets for time-frequency analysis. <i>NeuroImage</i> , 2019 , 199, 81-86	7.9	92

(2016-2019)

114	Sustaining attention for a prolonged period of time increases temporal variability in cortical responses. <i>Cortex</i> , 2019 , 117, 16-32	3.8	18
113	Activity in Lateral Visual Areas Contributes to Surround Suppression in Awake Mouse V1. <i>Current Biology</i> , 2019 , 29, 4268-4275.e7	6.3	18
112	An Overview of Neural Time Series Analyses 2018 , 1-17		
111	Error blindness and motivational significance: Shifts in networks centering on anterior insula co-vary with error awareness and pupil dilation. <i>Behavioural Brain Research</i> , 2018 , 355, 24-35	3.4	11
110	Using spatiotemporal source separation to identify prominent features in multichannel data without sinusoidal filters. <i>European Journal of Neuroscience</i> , 2018 , 48, 2454-2465	3.5	5
109	Interactions between frontal and posterior oscillatory dynamics support adjustment of stimulus processing during reinforcement learning. <i>Neurolmage</i> , 2018 , 181, 170-181	7.9	6
108	Oscillatory Mechanisms of Response Conflict Elicited by Color and Motion Direction: An Individual Differences Approach. <i>Journal of Cognitive Neuroscience</i> , 2018 , 30, 468-481	3.1	14
107	Evaluating the feasibility of the steady-state visual evoked potential (SSVEP) to study temporal attention. <i>Psychophysiology</i> , 2018 , 55, e13029	4.1	5
106	How the Level of Reward Awareness Changes the Computational and Electrophysiological Signatures of Reinforcement Learning. <i>Journal of Neuroscience</i> , 2018 , 38, 10338-10348	6.6	15
105	Rigor and replication in time-frequency analyses of cognitive electrophysiology data. <i>International Journal of Psychophysiology</i> , 2017 , 111, 80-87	2.9	32
104	Rhythmic entrainment source separation: Optimizing analyses of neural responses to rhythmic sensory stimulation. <i>NeuroImage</i> , 2017 , 147, 43-56	7.9	41
103	Where Does EEG Come From and What Does It Mean?. <i>Trends in Neurosciences</i> , 2017 , 40, 208-218	13.3	203
102	Neurophysiological Oscillations and Action Monitoring 2017 , 242-258		0
101	Comparison of linear spatial filters for identifying oscillatory activity in multichannel data. <i>Journal of Neuroscience Methods</i> , 2017 , 278, 1-12	3	55
100	Individual Alpha Peak Frequency Predicts 10 Hz Flicker Effects on Selective Attention. <i>Journal of Neuroscience</i> , 2017 , 37, 10173-10184	6.6	52
99	Multivariate cross-frequency coupling via generalized eigendecomposition. ELife, 2017, 6,	8.9	35
98	Frontostriatal anatomical connections predict age- and difficulty-related differences in reinforcement learning. <i>Neurobiology of Aging</i> , 2016 , 46, 1-12	5.6	5
97	Midfrontal theta tracks action monitoring over multiple interactive time scales. <i>NeuroImage</i> , 2016 , 141, 262-272	7.9	26

96	Phase-clustering bias in phase-amplitude cross-frequency coupling and its removal. <i>Journal of Neuroscience Methods</i> , 2015 , 254, 60-72	3	41
95	Grapheme-color synesthesia subtypes: Stable individual differences reflected in posterior alpha-band oscillations. <i>Cognitive Neuroscience</i> , 2015 , 6, 56-67	1.7	6
94	Human Frontal-Subcortical Circuit and Asymmetric Belief Updating. <i>Journal of Neuroscience</i> , 2015 , 35, 14077-85	6.6	44
93	(No) time for control: Frontal theta dynamics reveal the cost of temporally guided conflict anticipation. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2015 , 15, 787-807	3.5	45
92	Neural Correlates of Visual Short-term Memory Dissociate between Fragile and Working Memory Representations. <i>Journal of Cognitive Neuroscience</i> , 2015 , 27, 2477-90	3.1	23
91	Effects of time lag and frequency matching on phase-based connectivity. <i>Journal of Neuroscience Methods</i> , 2015 , 250, 137-46	3	71
90	Comparison of different spatial transformations applied to EEG data: A case study of error processing. <i>International Journal of Psychophysiology</i> , 2015 , 97, 245-57	2.9	57
89	Frequency Band-Specific Electrical Brain Stimulation Modulates Cognitive Control Processes. <i>PLoS ONE</i> , 2015 , 10, e0138984	3.7	30
88	A statistical comparison of EEG time- and time-frequency domain representations of error processing. <i>Brain Research</i> , 2015 , 1618, 222-30	3.7	27
87	Attention and temporal expectations modulate power, not phase, of ongoing alpha oscillations. Journal of Cognitive Neuroscience, 2015, 27, 1573-86	3.1	72
86	Interregional alpha-band synchrony supports temporal cross-modal integration. <i>NeuroImage</i> , 2014 , 101, 404-15	7.9	43
85	Fluctuations in oscillation frequency control spike timing and coordinate neural networks. <i>Journal of Neuroscience</i> , 2014 , 34, 8988-98	6.6	86
84	A neural microcircuit for cognitive conflict detection and signaling. <i>Trends in Neurosciences</i> , 2014 , 37, 480-90	13.3	201
83	Aging affects medial but not anterior frontal learning-related theta oscillations. <i>Neurobiology of Aging</i> , 2014 , 35, 692-704	5.6	30
82	Subthreshold muscle twitches dissociate oscillatory neural signatures of conflicts from errors. <i>NeuroImage</i> , 2014 , 86, 503-13	7.9	63
81	Five methodological challenges in cognitive electrophysiology. <i>NeuroImage</i> , 2014 , 85 Pt 2, 702-10	7.9	39
80	Fronto-parietal network oscillations reveal relationship between working memory capacity and cognitive control. <i>Frontiers in Human Neuroscience</i> , 2014 , 8, 761	3.3	56
79	Reply to "Higher response time increases theta energy, conflict increases response time". <i>Clinical Neurophysiology</i> , 2013 , 124, 1479-81	4.3	10

(2011-2013)

78	Midfrontal conflict-related theta-band power reflects neural oscillations that predict behavior. Journal of Neurophysiology, 2013 , 110, 2752-63	3.2	244
77	Dynamic interactions between large-scale brain networks predict behavioral adaptation after perceptual errors. <i>Cerebral Cortex</i> , 2013 , 23, 1061-72	5.1	107
76	EEG source reconstruction reveals frontal-parietal dynamics of spatial conflict processing. <i>PLoS ONE</i> , 2013 , 8, e57293	3.7	79
75	Brain connectivity and high functioning autism: a promising path of research that needs refined models, methodological convergence, and stronger behavioral links. <i>Neuroscience and Biobehavioral Reviews</i> , 2012 , 36, 604-25	9	284
74	Top-down-directed synchrony from medial frontal cortex to nucleus accumbens during reward anticipation. <i>Human Brain Mapping</i> , 2012 , 33, 246-52	5.9	58
73	Response to Holroyd et al.: oscillation dynamics enable (the investigation of) networks. <i>Trends in Cognitive Sciences</i> , 2012 , 16, 193	14	1
72	Corticostriatal connectivity underlies individual differences in the balance between habitual and goal-directed action control. <i>Journal of Neuroscience</i> , 2012 , 32, 12066-75	6.6	277
71	Theta dynamics reveal domain-specific control over stimulus and response conflict. <i>Journal of Cognitive Neuroscience</i> , 2012 , 24, 1264-74	3.1	141
70	Effective deep brain stimulation in heroin addiction: a case report with complementary intracranial electroencephalogram. <i>Biological Psychiatry</i> , 2012 , 71, e35-7	7.9	89
69	The role of consciousness in cognitive control and decision making. <i>Frontiers in Human Neuroscience</i> , 2012 , 6, 121	3.3	95
68	Individual differences in risky decision-making among seniors reflect increased reward sensitivity. <i>Frontiers in Neuroscience</i> , 2012 , 6, 111	5.1	19
67	Striatum-medial prefrontal cortex connectivity predicts developmental changes in reinforcement learning. <i>Cerebral Cortex</i> , 2012 , 22, 1247-55	5.1	177
66	Frontal theta reflects uncertainty and unexpectedness during exploration and exploitation. <i>Cerebral Cortex</i> , 2012 , 22, 2575-86	5.1	132
65	Not all errors are alike: theta and alpha EEG dynamics relate to differences in error-processing dynamics. <i>Journal of Neuroscience</i> , 2012 , 32, 16795-806	6.6	138
64	Switch-related and general preparation processes in task-switching: evidence from multivariate pattern classification of EEG data. <i>Journal of Neuroscience</i> , 2012 , 32, 18253-8	6.6	28
63	Scientific Recordings in Deep Brain Stimulation 2012 , 183-191		2
62	How the aging brain translates motivational incentive into action: the role of individual differences in striato-cortical white matter pathways. <i>Developmental Cognitive Neuroscience</i> , 2011 , 1, 530-9	5.5	8
61	Frontal oscillatory dynamics predict feedback learning and action adjustment. <i>Journal of Cognitive Neuroscience</i> , 2011 , 23, 4106-21	3.1	120

60	Error-related medial frontal theta activity predicts cingulate-related structural connectivity. <i>NeuroImage</i> , 2011 , 55, 1373-83	7.9	142
59	Subthalamic nucleus stimulation reverses mediofrontal influence over decision threshold. <i>Nature Neuroscience</i> , 2011 , 14, 1462-7	25.5	397
58	Cortical electrophysiological network dynamics of feedback learning. <i>Trends in Cognitive Sciences</i> , 2011 , 15, 558-66	14	108
57	Hippocampal-prefrontal connectivity predicts midfrontal oscillations and long-term memory performance. <i>Current Biology</i> , 2011 , 21, 1900-5	6.3	57
56	Event-related potential activity in the basal ganglia differentiates rewards from nonrewards: temporospatial principal components analysis and source localization of the feedback negativity: commentary. <i>Human Brain Mapping</i> , 2011 , 32, 2270-1	5.9	42
55	Single-trial regression elucidates the role of prefrontal theta oscillations in response conflict. <i>Frontiers in Psychology</i> , 2011 , 2, 30	3.4	192
54	It's about Time. Frontiers in Human Neuroscience, 2011, 5, 2	3.3	81
53	Functional connectivity of the striatum links motivation to action control in humans. <i>Journal of Neuroscience</i> , 2011 , 31, 10701-11	6.6	72
52	Deconstructing the "resting" state: exploring the temporal dynamics of frontal alpha asymmetry as an endophenotype for depression. <i>Frontiers in Human Neuroscience</i> , 2010 , 4, 232	3.3	50
51	Prefrontal cortex fails to learn from reward prediction errors in alcohol dependence. <i>Journal of Neuroscience</i> , 2010 , 30, 7749-53	6.6	195
50	Oxytocin enhances amygdala-dependent, socially reinforced learning and emotional empathy in humans. <i>Journal of Neuroscience</i> , 2010 , 30, 4999-5007	6.6	590
49	Nucleus accumbens deep brain stimulation decreases ratings of depression and anxiety in treatment-resistant depression. <i>Biological Psychiatry</i> , 2010 , 67, 110-6	7.9	582
48	Intracranial EEG correlates of expectancy and memory formation in the human hippocampus and nucleus accumbens. <i>Neuron</i> , 2010 , 65, 541-9	13.9	126
47	Neuroelectric signatures of reward learning and decision-making in the human nucleus accumbens. <i>Neuropsychopharmacology</i> , 2009 , 34, 1649-58	8.7	53
46	Good vibrations: cross-frequency coupling in the human nucleus accumbens during reward processing. <i>Journal of Cognitive Neuroscience</i> , 2009 , 21, 875-89	3.1	151
45	Nuclei accumbens phase synchrony predicts decision-making reversals following negative feedback. <i>Journal of Neuroscience</i> , 2009 , 29, 7591-8	6.6	66
44	Unconscious errors enhance prefrontal-occipital oscillatory synchrony. <i>Frontiers in Human Neuroscience</i> , 2009 , 3, 54	3.3	86
43	Activation of the caudal anterior cingulate cortex due to task-related interference in an auditory Stroop paradigm. <i>Human Brain Mapping</i> , 2009 , 30, 3043-56	5.9	38

(2007-2009)

42	Connectivity-based segregation of the human striatum predicts personality characteristics. <i>Nature Neuroscience</i> , 2009 , 12, 32-4	25.5	219
41	Interference of working memory load with long-term memory formation. <i>European Journal of Neuroscience</i> , 2009 , 29, 1501-13	3.5	35
40	Gamma-band activity in the human superior temporal sulcus during mentalizing from nonverbal social cues. <i>Psychophysiology</i> , 2009 , 46, 43-51	4.1	15
39	Disturbances of self-other distinction after stimulation of the extrastriate body area in the human brain. <i>Social Neuroscience</i> , 2009 , 4, 40-8	2	25
38	Multiple Systems in Decision Making: A Neurocomputational Perspective. <i>Current Directions in Psychological Science</i> , 2009 , 18, 73-77	6.5	61
37	Neurocomputational models of basal ganglia function in learning, memory and choice. <i>Behavioural Brain Research</i> , 2009 , 199, 141-56	3.4	159
36	Dorsal striatal-midbrain connectivity in humans predicts how reinforcements are used to guide decisions. <i>Journal of Cognitive Neuroscience</i> , 2009 , 21, 1332-45	3.1	86
35	Oscillatory activity and phase-amplitude coupling in the human medial frontal cortex during decision making. <i>Journal of Cognitive Neuroscience</i> , 2009 , 21, 390-402	3.1	151
34	Prelude to and resolution of an error: EEG phase synchrony reveals cognitive control dynamics during action monitoring. <i>Journal of Neuroscience</i> , 2009 , 29, 98-105	6.6	442
33	Covariance-based subdivision of the human striatum using T1-weighted MRI. <i>European Journal of Neuroscience</i> , 2008 , 27, 1534-46	3.5	20
32	Medial frontal cortex and response conflict: evidence from human intracranial EEG and medial frontal cortex lesion. <i>Brain Research</i> , 2008 , 1238, 127-42	3.7	125
31	Amygdala tractography predicts functional connectivity and learning during feedback-guided decision-making. <i>NeuroImage</i> , 2008 , 39, 1396-407	7.9	95
30	A role for dopamine in temporal decision making and reward maximization in parkinsonism. <i>Journal of Neuroscience</i> , 2008 , 28, 12294-304	6.6	98
29	Deep brain stimulation to reward circuitry alleviates anhedonia in refractory major depression. <i>Neuropsychopharmacology</i> , 2008 , 33, 368-77	8.7	746
28	Assessing transient cross-frequency coupling in EEG data. <i>Journal of Neuroscience Methods</i> , 2008 , 168, 494-9	3	187
27	Segregating intra-amygdalar responses to dynamic facial emotion with cytoarchitectonic maximum probability maps. <i>Journal of Neuroscience Methods</i> , 2008 , 172, 13-20	3	60
26	Neurocomputational mechanisms of reinforcement-guided learning in humans: a review. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2008 , 8, 113-25	3.5	34
25	Sustained neural activity patterns during working memory in the human medial temporal lobe. <i>Journal of Neuroscience</i> , 2007 , 27, 7807-16	6.6	200

24	Dopamine gene predicts the brain's response to dopaminergic drug. <i>European Journal of Neuroscience</i> , 2007 , 26, 3652-60	3.5	70
23	Individual differences and the neural representations of reward expectation and reward prediction error. <i>Social Cognitive and Affective Neuroscience</i> , 2007 , 2, 20-30	4	52
22	Reinforcement learning signals predict future decisions. <i>Journal of Neuroscience</i> , 2007 , 27, 371-8	6.6	232
21	Reward expectation modulates feedback-related negativity and EEG spectra. <i>NeuroImage</i> , 2007 , 35, 96	8 - 7.8	389
20	The extrastriate cortex distinguishes between the consequences of one wown and others U behavior. <i>Neurolmage</i> , 2007 , 36, 1004-14	7.9	137
19	Different neural systems adjust motor behavior in response to reward and punishment. <i>Neurolmage</i> , 2007 , 36, 1253-62	7.9	129
18	Neural mechanisms of expert skills in visual working memory. <i>Journal of Neuroscience</i> , 2006 , 26, 11187	- 96 .6	107
17	Neural representations of self versus other: visual-spatial perspective taking and agency in a virtual ball-tossing game. <i>Journal of Cognitive Neuroscience</i> , 2006 , 18, 898-910	3.1	216
16	Individual differences in extraversion and dopamine genetics predict neural reward responses. <i>Cognitive Brain Research</i> , 2005 , 25, 851-61		198
15	Behavioral and neural predictors of upcoming decisions. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2005 , 5, 117-26	3.5	51
14	Functional connectivity with anterior cingulate and orbitofrontal cortices during decision-making. <i>Cognitive Brain Research</i> , 2005 , 23, 61-70		142
13	Functional connectivity with the hippocampus during successful memory formation. <i>Hippocampus</i> , 2005 , 15, 997-1005	3.5	147
12	Working memory maintenance contributes to long-term memory formation: neural and behavioral evidence. <i>Journal of Cognitive Neuroscience</i> , 2005 , 17, 994-1010	3.1	214
11	Avoidant attachment and hemispheric lateralisation of the processing of attachment- and emotion-related words. <i>Cognition and Emotion</i> , 2004 , 18, 799-813	2.3	22
10	Inferior temporal, prefrontal, and hippocampal contributions to visual working memory maintenance and associative memory retrieval. <i>Journal of Neuroscience</i> , 2004 , 24, 3917-25	6.6	275
9	Dissociable correlates of recollection and familiarity within the medial temporal lobes. <i>Neuropsychologia</i> , 2004 , 42, 2-13	3.2	537
8	Narrowband multivariate source separation for semi-blind discovery of experiment contrasts		3
7	A data-driven method to identify frequency boundaries in multichannel electrophysiology data		1

LIST OF PUBLICATIONS

6	Sustaining attention for a prolonged period of time increases temporal variability in cortical responses	1
5	Midfrontal theta phase coordinates behaviorally relevant brain computations during cognitive control	1
4	Rhythmic entrainment source separation: Optimizing analyses of neural responses to rhythmic sensory stimulation	3
3	Individual alpha peak frequency predicts 10 Hz flicker effects on selective attention	1
2	Using spatiotemporal source separation to identify prominent features in multichannel data without sinusoidal filters	1
1	Linking Nonlinear Neural Dynamics to Single-Trial Human Behavior217-232	2