Xiangguo Liu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3295463/publications.pdf Version: 2024-02-01



ΧιλΝοουοίμι

#	Article	IF	CITATIONS
1	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). Autophagy, 2016, 12, 1-222.	9.1	4,701
2	Death Receptor Regulation and Celecoxib-Induced Apoptosis in Human Lung Cancer Cells. Journal of the National Cancer Institute, 2004, 96, 1769-1780.	6.3	240
3	c-Jun NH2-Terminal Kinase-Mediated Up-regulation of Death Receptor 5 Contributes to Induction of Apoptosis by the Novel Synthetic Triterpenoid Methyl-2-Cyano-3,12-Dioxooleana-1, 9-Dien-28-Oate in Human Lung Cancer Cells. Cancer Research, 2004, 64, 7570-7578.	0.9	161
4	p53 Upregulates Death Receptor 4 Expression through an Intronic p53 Binding Site. Cancer Research, 2004, 64, 5078-5083.	0.9	158
5	The Proteasome Inhibitor PS-341 (Bortezomib) Up-Regulates DR5 Expression Leading to Induction of Apoptosis and Enhancement of TRAIL-Induced Apoptosis Despite Up-Regulation of c-FLIP and Survivin Expression in Human NSCLC Cells. Cancer Research, 2007, 67, 4981-4988.	0.9	150
6	Salinomycin induces cell death with autophagy through activation of endoplasmic reticulum stress in human cancer cells. Autophagy, 2013, 9, 1057-1068.	9.1	121
7	The Glycolytic Inhibitor 2-Deoxyglucose Activates Multiple Prosurvival Pathways through IGF1R. Journal of Biological Chemistry, 2009, 284, 23225-23233.	3.4	103
8	DDIT3 and KAT2A Proteins Regulate TNFRSF10A and TNFRSF10B Expression in Endoplasmic Reticulum Stress-mediated Apoptosis in Human Lung Cancer Cells. Journal of Biological Chemistry, 2015, 290, 11108-11118.	3.4	89
9	Lentiviral siRNAs targeting multiple highly conserved RNA sequences of human immunodeficiency virus type 1. Gene Therapy, 2005, 12, 1133-1144.	4.5	85
10	Activation of Nuclear Factor-κB Contributes to Induction of Death Receptors and Apoptosis by the Synthetic Retinoid CD437 in DU145 Human Prostate Cancer Cells. Cancer Research, 2005, 65, 6354-6363.	0.9	79
11	Parthenolide induces apoptosis via TNFRSF10B and PMAIP1 pathways in human lung cancer cells. Journal of Experimental and Clinical Cancer Research, 2014, 33, 3.	8.6	75
12	Decoy Receptor 2 (DcR2) Is a p53 Target Gene and Regulates Chemosensitivity. Cancer Research, 2005, 65, 9169-9175.	0.9	73
13	Salermide upâ€regulates death receptor 5 expression through the ATF4â€ATF3â€CHOP axis and leads to apoptosis in human cancer cells. Journal of Cellular and Molecular Medicine, 2012, 16, 1618-1628.	3.6	71
14	Cellular FLICE-Inhibitory Protein Down-regulation Contributes to Celecoxib-Induced Apoptosis in Human Lung Cancer Cells. Cancer Research, 2006, 66, 11115-11119.	0.9	69
15	Emerging roles of SIRT6 on telomere maintenance, DNA repair, metabolism and mammalian aging. Molecular and Cellular Biochemistry, 2012, 364, 345-350.	3.1	65
16	Kaposi sarcoma-associated herpesvirus promotes tumorigenesis by modulating the Hippo pathway. Oncogene, 2015, 34, 3536-3546.	5.9	64
17	The deubiquitinase USP22 regulates PD-L1 degradation in human cancer cells. Cell Communication and Signaling, 2020, 18, 112.	6.5	62
18	Usp9x- and Noxa-mediated Mcl-1 downregulation contributes to pemetrexed-induced apoptosis in human non-small-cell lung cancer cells. Cell Death and Disease. 2014. 5. e1316-e1316.	6.3	58

XIANGGUO LIU

#	Article	IF	CITATIONS
19	Untargeted Metabolomic Analysis of the Effects and Mechanism of Nuciferine Treatment on Rats With Nonalcoholic Fatty Liver Disease. Frontiers in Pharmacology, 2020, 11, 858.	3.5	58
20	ERK/Ribosomal S6 Kinase (RSK) Signaling Positively Regulates Death Receptor 5 Expression through Co-activation of CHOP and Elk1. Journal of Biological Chemistry, 2010, 285, 41310-41319.	3.4	56
21	Tuberous sclerosis complex–mediated mTORC1 overactivation promotes age-related hearing loss. Journal of Clinical Investigation, 2018, 128, 4938-4955.	8.2	55
22	PPARÎ ³ ligands enhance TRAIL-induced apoptosis through DR5 upregulation and c-FLIP downregulation in human lung cancer cells. Cancer Biology and Therapy, 2007, 6, 99-106.	3.4	53
23	Inhibition of SIRT1/2 upregulates HSPA5 acetylation and induces pro-survival autophagy via ATF4-DDIT4-mTORC1 axis in human lung cancer cells. Apoptosis: an International Journal on Programmed Cell Death, 2019, 24, 798-811.	4.9	51
24	The Farnesyltransferase Inhibitor Lonafarnib Induces CCAAT/Enhancer-binding Protein Homologous Protein-dependent Expression of Death Receptor 5, Leading to Induction of Apoptosis in Human Cancer Cells. Journal of Biological Chemistry, 2007, 282, 18800-18809.	3.4	49
25	c-FLIP downregulation contributes to apoptosis induction by the novel synthetic triterpenoid methyl-2-cyano-3, 12-dioxooleana-1, 9-dien-28-oate (CDDO-Me) in human lung cancer cells. Cancer Biology and Therapy, 2007, 6, 1614-1620.	3.4	48
26	Involvement of c-FLIP and survivin down-regulation in flexible heteroarotinoid-induced apoptosis and enhancement of TRAIL-initiated apoptosis in lung cancer cells. Molecular Cancer Therapeutics, 2008, 7, 3556-3565.	4.1	48
27	PKCδ Regulates Death Receptor 5 Expression Induced by PS-341 through ATF4–ATF3/CHOP Axis in Human Lung Cancer Cells. Molecular Cancer Therapeutics, 2012, 11, 2174-2182.	4.1	46
28	EHMT2 inhibitor BIX-01294 induces apoptosis through PMAIP1-USP9X-MCL1 axis in human bladder cancer cells. Cancer Cell International, 2015, 15, 4.	4.1	46
29	Chaetocin induces endoplasmic reticulum stress response and leads to death receptor 5-dependent apoptosis in human non-small cell lung cancer cells. Apoptosis: an International Journal on Programmed Cell Death, 2015, 20, 1499-1507.	4.9	46
30	CCAAT/Enhancer Binding Protein Homologous Protein-Dependent Death Receptor 5 Induction and Ubiquitin/Proteasome-Mediated Cellular FLICE-Inhibitory Protein Down-Regulation Contribute to Enhancement of Tumor Necrosis Factor-Related Apoptosis-Inducing Ligand-Induced Apoptosis by Dimethyl-Celecoxib in Human Non–Small-Cell Lung Cancer Cells. Molecular Pharmacology, 2007, 72, 1269-1279	2.3	45
31	Synthesis and evaluation of novel isoxazolyl chalcones as potential anticancer agents. Bioorganic Chemistry, 2014, 54, 38-43.	4.1	36
32	The arginine methyltransferase PRMT5 and PRMT1 distinctly regulate the degradation of anti-apoptotic protein CFLARL in human lung cancer cells. Journal of Experimental and Clinical Cancer Research, 2019, 38, 64.	8.6	36
33	Da-Chai-Hu Decoction Ameliorates High Fat Diet-Induced Nonalcoholic Fatty Liver Disease Through Remodeling the Gut Microbiota and Modulating the Serum Metabolism. Frontiers in Pharmacology, 2020, 11, 584090.	3.5	33
34	Cordycepin induces autophagy-mediated c-FLIPL degradation and leads to apoptosis in human non-small cell lung cancer cells. Oncotarget, 2017, 8, 6691-6699.	1.8	28
35	Loss of CDH1 upâ€regulates epidermal growth factor receptor via phosphorylation of YBX1 in nonâ€small cell lung cancer cells. FEBS Letters, 2013, 587, 3995-4000.	2.8	26
36	YdiV regulates Escherichia coli ferric uptake by manipulating the DNA-binding ability of Fur in a SlyD-dependent manner. Nucleic Acids Research, 2020, 48, 9571-9588.	14.5	25

XIANGGUO LIU

#	Article	IF	CITATIONS
37	Death Receptor 5 and cellular FLICE-inhibitory protein regulate pemetrexed-induced apoptosis in human lung cancer cells. European Journal of Cancer, 2011, 47, 2471-2478.	2.8	24
38	A novel derivative of tetrandrine (H1) induces endoplasmic reticulum stress-mediated apoptosis and prosurvival autophagy in human non-small cell lung cancer cells. Tumor Biology, 2016, 37, 10403-10413.	1.8	24
39	Methyl jasmonate induces apoptosis and pro-apoptotic autophagy via the ROS pathway in human non-small cell lung cancer. American Journal of Cancer Research, 2016, 6, 187-99.	1.4	23
40	Glucocorticoid modulatory element-binding protein 1 (GMEB1) interacts with the de-ubiquitinase USP40 to stabilize CFLARL and inhibit apoptosis in human non-small cell lung cancer cells. Journal of Experimental and Clinical Cancer Research, 2019, 38, 181.	8.6	19
41	CD74 interacts with CD44 and enhances tumorigenesis and metastasis via RHOA-mediated cofilin phosphorylation in human breast cancer cells. Oncotarget, 2016, 7, 68303-68313.	1.8	18
42	Down-regulation of cellular FLICE-inhibitory protein (Long Form) contributes to apoptosis induced by Hsp90 inhibition in human lung cancer cells. Cancer Cell International, 2012, 12, 54.	4.1	17
43	YIPF2 promotes chemotherapeutic agent-mediated apoptosis via enhancing TNFRSF10B recycling to plasma membrane in non-small cell lung cancer cells. Cell Death and Disease, 2020, 11, 242.	6.3	17
44	The Farnesyltransferase Inhibitor R115777 Up-regulates the Expression of Death Receptor 5 and Enhances TRAIL-Induced Apoptosis in Human Lung Cancer Cells. Cancer Research, 2007, 67, 4973-4980.	0.9	14
45	A pH-driven molecular shuttle based on rotaxane-bridged periodic mesoporous organosilicas with responsive release of guests. RSC Advances, 2016, 6, 27922-27932.	3.6	14
46	Suppression of LASP-1 attenuates the carcinogenesis of prostatic cancer cell lines: Key role of the NF-κB pathway. Oncology Reports, 2017, 37, 341-347.	2.6	14
47	Hhex inhibits cell migration via regulating RHOA/CDC42-CFL1 axis in human lung cancer cells. Cell Communication and Signaling, 2021, 19, 80.	6.5	12
48	Angio-associated migratory cell protein interacts with epidermal growth factor receptor and enhances proliferation and drug resistance in human non-small cell lung cancer cells. Cellular Signalling, 2019, 61, 10-19.	3.6	11
49	Angio-associated migratory cell protein (AAMP) interacts with cell division cycle 42 (CDC42) and enhances migration and invasion in human non-small cell lung cancer cells. Cancer Letters, 2021, 502, 1-8.	7.2	11
50	The chalcone 2′â€hydroxyâ€4′,5′â€dimethoxychalcone activates death receptor 5 pathway and leads to apoptosis in human nonsmall cell lung cancer cells. IUBMB Life, 2013, 65, 533-543.	3.4	10
51	The dual functions of $\hat{l}\pm$ -tubulin acetylation in cellular apoptosis and autophage induced by tanespimycin in lung cancer cells. Cancer Cell International, 2020, 20, 369.	4.1	9
52	Anti-T-cell humoral and cellular responses in healthy BALB/c mice following immunization with ovalbumin or ovalbumin-specific T cells. Immunology, 2003, 108, 465-473.	4.4	7
53	VDAC upregulation and αTAT1‑mediated α‑tubulin acetylation contribute to tanespimycin‑induced apopto in Calu‑1 cells. Oncology Reports, 2020, 44, 2725-2734.	osis 2.6	5