

Robert B Felder

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3295894/robert-b-felder-publications-by-year.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

81
papers

2,990
citations

33
h-index

54
g-index

84
ext. papers

3,260
ext. citations

4.6
avg, IF

5.02
L-index

#	Paper	IF	Citations
81	Transforming Growth Factor- β Acts in Hypothalamic Paraventricular Nucleus to Upregulate ERK1/2 Signaling and Expression of Sympathoexcitatory Mediators in Heart Failure Rats.. <i>Neuroscience</i> , 2021 , 483, 13-13	3.9	0
80	Silencing Epidermal Growth Factor Receptor in Hypothalamic Paraventricular Nucleus Reduces Extracellular Signal-regulated Kinase 1 and 2 Signaling and Sympathetic Excitation in Heart Failure Rats. <i>Neuroscience</i> , 2021 , 463, 227-237	3.9	2
79	An injectable microparticle formulation for the sustained release of the specific MEK inhibitor PD98059: in vitro evaluation and pharmacokinetics. <i>Drug Delivery and Translational Research</i> , 2021 , 11, 182-191	6.2	4
78	TNF- β Induced sympathetic excitation requires EGFR and ERK1/2 signaling in cardiovascular regulatory regions of the forebrain. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2021 , 320, H772-H786	5.2	3
77	Maternal Angiotensin II-Induced Hypertension Sensitizes Postweaning High-Fat Diet-Elicited Hypertensive Response Through Increased Brain Reactivity in Rat Offspring. <i>Journal of the American Heart Association</i> , 2021 , 10, e022170	6	3
76	Transforming Growth Factor- β Acts via Epidermal Growth Factor Receptor to Increase p44/42 Mitogen-Activated Protein Kinase Signaling and Expression of Excitatory Mediators in the Hypothalamic Paraventricular Nucleus in Rats. <i>FASEB Journal</i> , 2020 , 34, 1-1	0.9	1
75	Predator Scent-Induced Sensitization of Hypertension and Anxiety-like Behaviors. <i>Cellular and Molecular Neurobiology</i> , 2020 , 1	4.6	2
74	An Injectable Microparticle Formulation Provides Long-Term Inhibition of Hypothalamic ERK1/2 Activity and Sympathetic Excitation in Rats with Heart Failure. <i>Molecular Pharmaceutics</i> , 2020 , 17, 3643-3648	5.6	1
73	Brain TACE (Tumor Necrosis Factor- α Converting Enzyme) Contributes to Sympathetic Excitation in Heart Failure Rats. <i>Hypertension</i> , 2019 , 74, 63-72	8.5	12
72	Stress-Induced Sensitization of Angiotensin II Hypertension Is Reversed by Blockade of Angiotensin-Converting Enzyme or Tumor Necrosis Factor- α <i>American Journal of Hypertension</i> , 2019 , 32, 909-917	2.3	10
71	Sex Differences in Expression of Methionine Sulfoxide Reductase A in Hypothalamic Paraventricular Nucleus in Rats with Heart Failure after Myocardial Infarction. <i>FASEB Journal</i> , 2019 , 33, 564.2	0.9	
70	Sex differences in the central and peripheral manifestations of ischemia-induced heart failure in rats. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2019 , 316, H70-H79	5.2	10
69	Angiotensin II Type 1a Receptors in the Subfornical Organ Modulate Neuroinflammation in the Hypothalamic Paraventricular Nucleus in Heart Failure Rats. <i>Neuroscience</i> , 2018 , 381, 46-58	3.9	23
68	Blood-borne interleukin-1 β acts on the subfornical organ to upregulate the sympathoexcitatory milieu of the hypothalamic paraventricular nucleus. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2018 , 314, R447-R458	3.2	17
67	Sex Differences in the Central and Peripheral Manifestations of Heart Failure in Rats. <i>FASEB Journal</i> , 2018 , 32, 593.2	0.9	
66	TNF- β Receptor 1 knockdown in the subfornical organ ameliorates sympathetic excitation and cardiac hemodynamics in heart failure rats. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2017 , 313, H744-H756	5.2	23
65	Endoplasmic reticulum stress increases brain MAPK signaling, inflammation and renin-angiotensin system activity and sympathetic nerve activity in heart failure. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2016 , 311, H871-H880	5.2	34

64	Central Renin-Angiotensin System Activation and Inflammation Induced by High-Fat Diet Sensitize Angiotensin II-Elicited Hypertension. <i>Hypertension</i> , 2016 , 67, 163-70	8.5	57
63	Inhibition of Brain Mitogen-Activated Protein Kinase Signaling Reduces Central Endoplasmic Reticulum Stress and Inflammation and Sympathetic Nerve Activity in Heart Failure Rats. <i>Hypertension</i> , 2016 , 67, 229-36	8.5	27
62	Leptin Mediates High-Fat Diet Sensitization of Angiotensin II-Elicited Hypertension by Upregulating the Brain Renin-Angiotensin System and Inflammation. <i>Hypertension</i> , 2016 , 67, 970-6	8.5	63
61	ERK1/2 MAPK signaling in hypothalamic paraventricular nucleus contributes to sympathetic excitation in rats with heart failure after myocardial infarction. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2016 , 310, H732-9	5.2	34
60	Proinflammatory cytokines upregulate sympathoexcitatory mechanisms in the subfornical organ of the rat. <i>Hypertension</i> , 2015 , 65, 1126-33	8.5	73
59	Activation of central PPAR- α attenuates angiotensin II-induced hypertension. <i>Hypertension</i> , 2015 , 66, 403-11	8.5	36
58	Tumor Necrosis Factor- α Receptor 1 (TNFR1) Knockdown in Subfornical Organ (SFO) Reduces Sympathetic and Hemodynamic Responses to Blood-Borne TNF- α <i>FASEB Journal</i> , 2015 , 29, 987.6	0.9	
57	Central inflammation induced by high fat diet sensitizes angiotensin II hypertension. <i>FASEB Journal</i> , 2015 , 29, 986.3	0.9	
56	Central SDF-1/CXCL12 expression and its cardiovascular and sympathetic effects: the role of angiotensin II, TNF- α and MAP kinase signaling. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2014 , 307, H1643-54	5.2	21
55	Early interference with p44/42 mitogen-activated protein kinase signaling in hypothalamic paraventricular nucleus attenuates angiotensin II-induced hypertension. <i>Hypertension</i> , 2013 , 61, 842-9	8.5	27
54	Subfornical organ mediates sympathetic and hemodynamic responses to blood-borne proinflammatory cytokines. <i>Hypertension</i> , 2013 , 62, 118-25	8.5	64
53	Brain Endoplasmic Reticulum (ER) Stress Mediates Lipopolysaccharide-Induced Central Inflammation and Sympathetic and Cardiovascular Excitation. <i>FASEB Journal</i> , 2013 , 27, 697.7	0.9	
52	Differential regulation of EHD3 in human and mammalian heart failure. <i>Journal of Molecular and Cellular Cardiology</i> , 2012 , 52, 1183-90	5.8	29
51	Aldosterone-induced brain MAPK signaling and sympathetic excitation are angiotensin II type-1 receptor dependent. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2012 , 302, H742-51 ²	5.2	19
50	Peroxisome proliferator-activated receptor- γ regulates inflammation and renin-angiotensin system activity in the hypothalamic paraventricular nucleus and ameliorates peripheral manifestations of heart failure. <i>Hypertension</i> , 2012 , 59, 477-84	8.5	32
49	Central actions of the chemokine stromal cell-derived factor 1 contribute to neurohumoral excitation in heart failure rats. <i>Hypertension</i> , 2012 , 59, 991-8	8.5	29
48	Abstract 415: Brain Epidermal Growth Factor Receptor and c-Src Tyrosine Kinase Contribute to Sympathetic Excitation Induced by Systemically Administered Aldosterone in Rats. <i>Hypertension</i> , 2012 , 60,	8.5	1
47	Early Interference with p44/42 Mitogen-Activated Protein Kinase (MAPK) Signaling in Hypothalamic Paraventricular Nucleus (PVN) Attenuates Angiotensin II-Induced Hypertension in Rats. <i>FASEB Journal</i> , 2012 , 26, lb694	0.9	

46	EP α receptors mediate PGE β induced hypothalamic paraventricular nucleus excitation and sympathetic activation. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2011 , 301, H1559-69	5.3	30
45	Mineralocorticoid receptors, inflammation and sympathetic drive in a rat model of systolic heart failure. <i>Experimental Physiology</i> , 2010 , 95, 19-25	2.4	63
44	Brain perivascular macrophages and the sympathetic response to inflammation in rats after myocardial infarction. <i>Hypertension</i> , 2010 , 55, 652-9	8.5	83
43	Centrally administered lipopolysaccharide elicits sympathetic excitation via NAD(P)H oxidase-dependent mitogen-activated protein kinase signaling. <i>Journal of Hypertension</i> , 2010 , 28, 806-16	1.9	49
42	Brain p44/42 mitogen-activated protein kinase contributes to the sympathetic response to blood-borne TNF- α in rats. <i>FASEB Journal</i> , 2010 , 24, 1050.4	0.9	1
41	Silencing of brain p44/42 mitogen-activated protein kinase ameliorates aldosterone-induced sympathetic excitation in rats. <i>FASEB Journal</i> , 2010 , 24, 1050.3	0.9	
40	Angiotensin II upregulates hypothalamic AT1 receptor expression in rats via the mitogen-activated protein kinase pathway. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2009 , 296, H1425-33	5.2	85
39	Autonomic cardiovascular modulation. <i>IEEE Engineering in Medicine and Biology Magazine</i> , 2009 , 28, 79-85		17
38	Pharmacological treatment for heart failure: a view from the brain. <i>Clinical Pharmacology and Therapeutics</i> , 2009 , 86, 216-20	6.1	35
37	Symbolic analysis detects alterations of cardiac autonomic modulation in congestive heart failure rats. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2009 , 150, 21-6	2.4	34
36	Systemically administered tempol reduces neuronal activity in paraventricular nucleus of hypothalamus and rostral ventrolateral medulla in rats. <i>Journal of Hypertension</i> , 2009 , 27, 543-50	1.9	16
35	Aldosterone induces sympatho-excitation via brain mitogen-activated protein kinase signaling pathways in rat. <i>FASEB Journal</i> , 2009 , 23, 610.3	0.9	1
34	p38 MAPK mediates upregulation of cyclooxygenase-2 in hypothalamic paraventricular nucleus in rats with heart failure. <i>FASEB Journal</i> , 2009 , 23, 792.9	0.9	
33	Inhibition of brain proinflammatory cytokine synthesis reduces hypothalamic excitation in rats with ischemia-induced heart failure. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2008 , 295, H227-36	5.2	90
32	Angiotensin II-triggered p44/42 mitogen-activated protein kinase mediates sympathetic excitation in heart failure rats. <i>Hypertension</i> , 2008 , 52, 342-50	8.5	48
31	Aldosterone acts centrally to increase brain renin-angiotensin system activity and oxidative stress in normal rats. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2008 , 294, H1067-74	5.2	96
30	Mitogen-activated protein kinases mediate upregulation of hypothalamic angiotensin II type 1 receptors in heart failure rats. <i>Hypertension</i> , 2008 , 52, 679-86	8.5	48
29	Does aldosterone upregulate the brain renin-angiotensin system in rats with heart failure?. <i>Hypertension</i> , 2008 , 51, 727-33	8.5	95

28	Central gene transfer of interleukin-10 reduces hypothalamic inflammation and evidence of heart failure in rats after myocardial infarction. <i>Circulation Research</i> , 2007 , 101, 304-12	15.7	54
27	Increased cyclooxygenase-2 expression in hypothalamic paraventricular nucleus in rats with heart failure: role of nuclear factor kappaB. <i>Hypertension</i> , 2007 , 49, 511-8	8.5	33
26	Central mineralocorticoid receptor antagonism improves autonomic neural control in heart failure rats. <i>FASEB Journal</i> , 2007 , 21, A1267	0.9	
25	Interleukin-10 Suppresses Sympatho-Excitatory Responses to Central LPS in Rats. <i>FASEB Journal</i> , 2007 , 21, A884	0.9	
24	11beta-hydroxysteroid dehydrogenase type 2 activity in hypothalamic paraventricular nucleus modulates sympathetic excitation. <i>Hypertension</i> , 2006 , 48, 127-33	8.5	63
23	Novel effect of mineralocorticoid receptor antagonism to reduce proinflammatory cytokines and hypothalamic activation in rats with ischemia-induced heart failure. <i>Circulation Research</i> , 2006 , 99, 758-66	15.7	130
22	Valsartan ameliorates hypothalamic indicators of inflammation and stress in Lewis and Fischer rats with ischemia-induced heart failure. <i>FASEB Journal</i> , 2006 , 20, A1203	0.9	
21	Assessment of blood pressure variability by means of spectral and symbolic analysis in normal and congestive heart failure rats. <i>FASEB Journal</i> , 2006 , 20, A1204	0.9	
20	Neuroendocrine and cytokine profile of chronic mild stress-induced anhedonia. <i>Physiology and Behavior</i> , 2005 , 84, 697-706	3.5	179
19	Increased susceptibility to ventricular arrhythmias in a rodent model of experimental depression. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2004 , 286, H619-26	5.2	69
18	Melanocortin receptors mediate the excitatory effects of blood-borne murine leptin on hypothalamic paraventricular neurons in rat. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2004 , 286, R303-10	3.2	29
17	Neural regulation of the proinflammatory cytokine response to acute myocardial infarction. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2004 , 287, H791-7	5.2	75
16	Acute myocardial infarction induces hypothalamic cytokine synthesis. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2004 , 286, H2264-71	5.2	113
15	Brain angiotensin-converting enzyme activity and autonomic regulation in heart failure. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2004 , 287, H2138-46	5.2	60
14	Cytokine mediation of experimental heart failure-induced anhedonia. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2003 , 284, R666-73	3.2	47
13	Heart failure and the brain: new perspectives. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2003 , 284, R259-76	3.2	104
12	Central mineralocorticoid receptor blockade decreases plasma TNF-alpha after coronary artery ligation in rats. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2003 , 284, R328-35	3.2	51
11	Mineralocorticoids act centrally to regulate blood-borne tumor necrosis factor-alpha in normal rats. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2003 , 285, R1402-9	3.2	33

10	Cardiovascular and renal sympathetic activation by blood-borne TNF-alpha in rat: the role of central prostaglandins. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2003 , 284, R916-27	3.2	115
9	Forebrain renin-angiotensin system has a tonic excitatory influence on renal sympathetic nerve activity. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2002 , 282, H890-5	5.2	30
8	Forebrain-mediated adaptations to myocardial infarction in the rat. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2002 , 282, H1898-906	5.2	22
7	The renin-angiotensin-aldosterone system excites hypothalamic paraventricular nucleus neurons in heart failure. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2002 , 283, H423-33	5.2	97
6	Neurohumoral regulation in ischemia-induced heart failure. Role of the forebrain. <i>Annals of the New York Academy of Sciences</i> , 2001 , 940, 444-53	6.5	28
5	Central mineralocorticoid receptor blockade improves volume regulation and reduces sympathetic drive in heart failure. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2001 , 281, H2241-51	5.2	118
4	Arterial chemoreflex in conscious normotensive and hypertensive adult rats. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 1999 , 276, H1215-22	5.2	12
3	Altered expression of delayed excitation in medial NTS neurons of spontaneously hypertensive rats. <i>Neuroscience Letters</i> , 1997 , 225, 205-9	3.3	9
2	Alpha 2-adrenergic modulation of synaptic excitability in the rat nucleus tractus solitarius. <i>Brain Research</i> , 1989 , 480, 190-7	3.7	22
1	Excitatory amino acid receptors intrinsic to synaptic transmission in nucleus tractus solitarii. <i>Brain Research</i> , 1988 , 456, 333-43	3.7	49