

Yougen Chen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3297148/publications.pdf>

Version: 2024-02-01

50
papers

1,328
citations

331670

21
h-index

345221

36
g-index

51
all docs

51
docs citations

51
times ranked

1226
citing authors

#	ARTICLE	IF	CITATIONS
1	Diphenyl phosphate/ethyl diphenylphosphinite as an efficient organocatalytic system for ring-opening polymerization of μ -caprolactone and $\hat{\nu}$ -valerolactone. <i>Polymer Chemistry</i> , 2022, 13, 545-557.	3.9	3
2	Poly($\hat{\nu}$ -trimethylsilyloxy ester): A Degradable Polymer Based on Retro Mukaiyama Aldol Reaction. <i>Macromolecular Rapid Communications</i> , 2022, , 2100808.	3.9	0
3	Thermoresponsive Properties of Poly[oligo(ethylene glycol) sorbate]s Prepared by Organocatalyzed Group Transfer Polymerization. <i>Macromolecules</i> , 2022, 55, 5149-5163.	4.8	7
4	Isolation and functional characterization of exopolysaccharide produced by <i>Lactobacillus plantarum</i> S123 isolated from traditional Chinese cheese. <i>Archives of Microbiology</i> , 2021, 203, 3061-3070.	2.2	20
5	Aggregation-induced fluorescent response of urea-bearing polyphenyleneethynylenes toward anion sensing. <i>Science and Technology of Advanced Materials</i> , 2021, 22, 597-606.	6.1	5
6	Synthesis of well-defined ABC ₂ , AB ₂ C ₃ , (ABC ₂) ₄ , and (ABC ₂) ₆ miktoarm star-branched polymers by combining organocatalyzed group transfer polymerization and ring-opening polymerization using multialdehydes as chain linkers. <i>Polymer</i> , 2021, 231, 124130.	3.8	1
7	Unraveling the conformational properties of comb-like Poly(propargyl) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50.502 Td (acrylate)g	3.8	3
8	Synthesis of well-defined di- and triblock acrylic copolymers consisting of hard poly(dicyclopentanyl) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 and their glass transition behavior. <i>Polymer Chemistry</i> , 2021, 12, 3427-3440.	3.9	4
9	Organocatalyzed Group Transfer Polymerization of Alkyl Sorbate: Polymer Synthesis, Postpolymerization Modification, and Thermal Properties. <i>Macromolecules</i> , 2021, 54, 9039-9052.	4.8	9
10	Synthesis of Polyacrylate-Based Polyurethane by Organocatalyzed Group Transfer Polymerization and Polyaddition. <i>Macromolecular Chemistry and Physics</i> , 2020, 221, 2000217.	2.2	1
11	Synthesis of cyclic poly(2-ethyl-2-oxazoline) with a degradable disulfide bond. <i>Polymer Chemistry</i> , 2020, 11, 4164-4171.	3.9	11
12	Synthesis, surface wettability, and thermal property of poly(μ -caprolactone)-based polyurethane bearing triethylene glycol monomethyl as side chain. <i>Reactive and Functional Polymers</i> , 2020, 148, 104506.	4.1	2
13	A facile end-functionalization of polystyrene by ATRP and click chemistry: Chain end effect on the glass transition temperature. <i>Reactive and Functional Polymers</i> , 2020, 151, 104566.	4.1	5
14	Recent Progress of Organocatalyzed Group Transfer Polymerization. <i>Acta Chimica Sinica</i> , 2020, 78, 733.	1.4	4
15	Core-First Synthesis and Thermoresponsive Property of Three-, Four-, and Six-Arm Star-Shaped Poly(N,N-diethylacrylamide)s and Their Block Copolymers with Poly(N,N-dimethylacrylamide). <i>Macromolecules</i> , 2019, 52, 7207-7217.	4.8	17
16	B(C ₆ F ₅) ₃ -Catalyzed Group Transfer Polymerization of Acrylates Using Hydrosilane: Polymerization Mechanism, Applicable Monomers, and Synthesis of Well-Defined Acrylate Polymers. <i>Macromolecules</i> , 2019, 52, 844-856.	4.8	19
17	Thermally deposited silk fibroin as the gate dielectric layer in organic thin-film transistors based on conjugated polymer. <i>Reactive and Functional Polymers</i> , 2018, 131, 368-377.	4.1	12
18	Synthesis and Thermoresponsive Property of Linear, Cyclic, and Star-Shaped Poly(N,N-diethylacrylamide)s Using B(C ₆ F ₅) ₃ -Catalyzed Group Transfer Polymerization as Facile End-Functionalization Method. <i>Macromolecules</i> , 2016, 49, 4828-4838.	4.8	24

#	ARTICLE	IF	CITATIONS
19	Donor-acceptor Poly(3-hexylthiophene)-block-Pendent Poly(isoindigo) with Dual Roles of Charge Transporting and Storage Layer for High-performance Transistor-type Memory Applications. <i>Advanced Functional Materials</i> , 2016, 26, 2695-2705.	14.9	49
20	B(C ₆ F ₅) ₃ -Catalyzed Group Transfer Polymerization of <i>N,N</i> -Disubstituted Acrylamide Using Hydrosilane: Effect of Hydrosilane and Monomer Structures, Polymerization Mechanism, and Synthesis of \pm -End-Functionalized Polyacrylamides. <i>Macromolecules</i> , 2016, 49, 3049-3060.	4.8	24
21	Synthesis of ABB ² and ABC star copolymers via a combination of NMRP and ROP reactions. <i>Polymer Chemistry</i> , 2016, 7, 3599-3607.	3.9	11
22	High-performance stretchable resistive memories using donor-acceptor block copolymers with fluorene rods and pendent isoindigo coils. <i>NPG Asia Materials</i> , 2016, 8, e298-e298.	7.9	40
23	Effect of chain architecture on the phase transition of star and cyclic poly(<i>N</i> -isopropylacrylamide) in water. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2016, 54, 2059-2068.	2.1	27
24	Organocatalyzed Group Transfer Polymerization. <i>Chemical Record</i> , 2016, 16, 2161-2183.	5.8	19
25	Synthesis, morphology, and electrical memory application of oligosaccharide-based block copolymers with π -conjugated pyrene moieties and their supramolecules. <i>Polymer Chemistry</i> , 2016, 7, 1249-1263.	3.9	15
26	Synthesis of Oligosaccharide-Based Block Copolymers with Pendent π -Conjugated Oligofluorene Moieties and Their Electrical Device Applications. <i>Macromolecules</i> , 2015, 48, 3907-3917.	4.8	28
27	Synthesis of multifunctional poly(1-pyrenemethyl) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 427 Td (methacrylate)-b-poly(<i>N</i> -isopropylacrylamide) nanofibers for metal ion sensory applications. <i>Polymer Chemistry</i> , 2015, 6, 2327-2336.	3.9	17
28	Synthesis of Homopolymers, Diblock Copolymers, and Multiblock Polymers by Organocatalyzed Group Transfer Polymerization of Various Acrylate Monomers. <i>Macromolecules</i> , 2015, 48, 511-519.	4.8	40
29	Synthesis and thermoresponsive properties of four-arm star-shaped poly(<i>N</i> -isopropylacrylamide)s bearing covalent and non-covalent cores. <i>Polymer Chemistry</i> , 2015, 6, 3608-3616.	3.9	26
30	B(C ₆ F ₅) ₃ -catalyzed group transfer polymerization of alkyl methacrylates with dimethylphenylsilane through in situ formation of silyl ketene acetal by B(C ₆ F ₅) ₃ -catalyzed 1,4-hydrosilylation of methacrylate monomer. <i>Polymer Chemistry</i> , 2015, 6, 3502-3511.	3.9	21
31	Synthesis of AB block and A ₂ B ₂ and A ₃ B ₃ miktoarm star-shaped copolymers using π -end-functionalized poly(methyl methacrylate) with a hydroxyl group prepared by organocatalyzed group transfer polymerization. <i>Polymer Chemistry</i> , 2015, 6, 7841-7850.	3.9	9
32	Organic acids as efficient catalysts for group transfer polymerization of <i>N,N</i> -disubstituted acrylamide with silyl ketene acetal: polymerization mechanism and synthesis of diblock copolymers. <i>Polymer Chemistry</i> , 2015, 6, 6845-6856.	3.9	18
33	Synthesis of end-functionalized poly(methyl methacrylate) by organocatalyzed group transfer polymerization using functional silyl ketene acetals and \pm -phenylacrylates. <i>Polymer Chemistry</i> , 2015, 6, 1830-1837.	3.9	20
34	B(C ₆ F ₅) ₃ -Catalyzed Group Transfer Polymerization of <i>n</i> -Butyl Acrylate with Hydrosilane through In Situ Formation of Initiator by 1,4-Hydrosilylation of <i>n</i> -Butyl Acrylate. <i>ACS Macro Letters</i> , 2014, 3, 1015-1019.	4.8	24
35	Synthesis of 3-, 4-, 5-, 6-, 7-, 8-, 9-, 10-, 11-, and 12-armed star-shaped poly(styrene oxide) Ru(η^5) complexes by a click-to-chelate approach. <i>Polymer Chemistry</i> , 2014, 5, 4993-5001.	3.9	12
36	Thermoresponsive properties of 3-, 4-, 6-, and 12-armed star-shaped poly[2-(dimethylamino)ethyl methacrylate]s prepared by core-first group transfer polymerization. <i>Polymer Chemistry</i> , 2014, 5, 4701-4709.	3.9	32

#	ARTICLE	IF	CITATIONS
37	Synthesis of β -, γ -, and δ -End-Functionalized Poly(<i>n</i> -butyl acrylate)s by Organocatalytic Group Transfer Polymerization Using Functional Initiator and Terminator. <i>Macromolecules</i> , 2014, 47, 5514-5525.	4.8	35
38	Synthesis of Linear, Cyclic, Figure-Eight-Shaped, and Tadpole-Shaped Amphiphilic Block Copolyethers via <i>t</i> -Bu-P ₄ -Catalyzed Ring-Opening Polymerization of Hydrophilic and Hydrophobic Glycidyl Ethers. <i>Macromolecules</i> , 2014, 47, 2853-2863.	4.8	75
39	Synthesis of miktoarm star copolymer Ru(II) complexes by click-to-chelate approach. <i>Polymer Journal</i> , 2013, 45, 216-225.	2.7	20
40	Recent progress in organocatalytic group transfer polymerization. <i>Polymer Chemistry</i> , 2013, 4, 4278.	3.9	100
41	Multilevel nonvolatile transistor memories using a star-shaped poly((4-diphenylamino)benzyl) Tj ETQq1 1 0.784314,rgBT /Overlock 10	7.9	70
42	Synthesis of syndiotactic β -shaped poly(methyl methacrylate) by core-first group transfer polymerization using <i>N</i> -(trimethylsilyl)bis(trifluoromethanesulfonyl)imide. <i>Journal of Polymer Science Part A</i> , 2012, 50, 3277-3285.	2.3	21
43	Controlled polymerization of methyl acrylate for high-molecular-weight polymers by pentafluorophenylbis(triflyl)methane-promoted group transfer polymerization using triisopropylsilyl ketene acetal. <i>Journal of Polymer Science Part A</i> , 2012, 50, 3560-3566.	2.3	35
44	Effect of Counter Anions on Kinetics and Stereoregularity for the Strong Brønsted Acid-Promoted Group Transfer Polymerization of <i>N,N</i> -Dimethylacrylamide. <i>Macromolecular Chemistry and Physics</i> , 2012, 213, 1604-1611.	2.2	19
45	Synthesis of Linear and Star-Shaped Poly[4-(diphenylamino)benzyl methacrylate]s by Group Transfer Polymerization and Their Electrical Memory Device Applications. <i>Macromolecules</i> , 2011, 44, 5168-5177.	4.8	59
46	Organic Superbase as an Efficient Catalyst for Group Transfer Polymerization of Methyl Methacrylate. <i>Macromolecules</i> , 2011, 44, 4641-4647.	4.8	73
47	Core-First Synthesis of Three-, Four-, and Six-Armed Star-Shaped Poly(methyl methacrylate)s by Group Transfer Polymerization Using Phosphazene Base. <i>Macromolecules</i> , 2011, 44, 9091-9098.	4.8	65
48	Thermoresponsive Vesicular Morphologies Obtained by Self-Assemblies of Hybrid Oligosaccharide-block-poly(<i>N</i> -isopropylacrylamide) Copolymer Systems. <i>Langmuir</i> , 2010, 26, 2325-2332.	3.5	88
49	Poly(<i>N</i> -hydroxyethylacrylamide) Prepared by Atom Transfer Radical Polymerization as a Nonionic, Water-Soluble, and Hydrolysis-Resistant Polymer and/or Segment of Block Copolymer with a Well-Defined Molecular Weight. <i>Macromolecular Chemistry and Physics</i> , 2009, 210, 349-358.	2.2	34
50	Synthesis, thermomorphic characteristics, and fluorescent properties of poly[2,7-(9,9-dihexylfluorene)]-block-poly(<i>N</i> -isopropylacrylamide)-block-poly(<i>N</i> -hydroxyethylacrylamide) rod-coil-coil triblock copolymers. <i>Soft Matter</i> , 2009, 5, 3761.	2.7	55