

Rosemarie M Bowler

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3297287/rosemarie-m-bowler-publications-by-year.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

49 papers	1,768 citations	26 h-index	41 g-index
50 ext. papers	1,948 ext. citations	3.8 avg, IF	4.2 L-index

#	Paper	IF	Citations
49	A rare case of Holmes tremor in a worker with occupational carbon monoxide poisoning. <i>American Journal of Industrial Medicine</i> , 2021 , 64, 435-449	2.7	2
48	Posttraumatic Stress Trajectories in World Trade Center Tower Survivors: Hyperarousal and Emotional Numbing Predict Symptom Change. <i>Journal of Traumatic Stress</i> , 2019 , 32, 67-77	3.8	7
47	PTSD and comorbid depression: Social support and self-efficacy in World Trade Center tower survivors 14-15 years after 9/11. <i>Psychological Trauma: Theory, Research, Practice, and Policy</i> , 2019 , 11, 156-164	7.8	26
46	Response to: Comment on "Environmental exposure to manganese in air: Associations with tremor and motor function" by Bowler et al. 2016. <i>Science of the Total Environment</i> , 2017 , 599-600, 1369-1371	10.2	
45	Validity of self-reported concentration and memory problems: Relationship with neuropsychological assessment and depression. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2017 , 39, 1026-1036	2.1	5
44	Posttraumatic Stress Disorder, Gender, and Risk Factors: World Trade Center Tower Survivors 10 to 11 Years After the September 11, 2001 Attacks. <i>Journal of Traumatic Stress</i> , 2017 , 30, 564-570	3.8	13
43	A PTSD symptoms trajectory mediates between exposure levels and emotional support in police responders to 9/11: a growth curve analysis. <i>BMC Psychiatry</i> , 2016 , 16, 201	4.2	14
42	Environmental exposure to manganese in air: Associations with tremor and motor function. <i>Science of the Total Environment</i> , 2016 , 541, 646-654	10.2	29
41	Police officers who responded to 9/11: Comorbidity of PTSD, depression, and anxiety 10-11 years later. <i>American Journal of Industrial Medicine</i> , 2016 , 59, 425-36	2.7	38
40	Medication use associated with exposure to manganese in two Ohio towns. <i>International Journal of Environmental Health Research</i> , 2016 , 26, 483-96	3.6	4
39	Environmental exposure to manganese in air: Associations with cognitive functions. <i>NeuroToxicology</i> , 2015 , 49, 139-48	4.4	45
38	Characterization of air manganese exposure estimates for residents in two Ohio towns. <i>Journal of the Air and Waste Management Association</i> , 2015 , 65, 948-57	2.4	15
37	Chronic probable PTSD in police responders in the world trade center health registry ten to eleven years after 9/11. <i>American Journal of Industrial Medicine</i> , 2015 , 58, 483-93	2.7	42
36	Neuropsychologic evaluation and exposure to neurotoxicants. <i>Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn</i> , 2015 , 131, 23-45	3	7
35	Blood metal concentrations of manganese, lead, and cadmium in relation to serum ferritin levels in Ohio residents. <i>Biological Trace Element Research</i> , 2015 , 165, 1-9	4.5	32
34	Social integration buffers stress in New York police after the 9/11 terrorist attack. <i>Anxiety, Stress and Coping</i> , 2014 , 27, 18-26	3.1	34
33	Respiratory manganese particle size, time-course and neurobehavioral outcomes in workers at a manganese alloy production plant. <i>NeuroToxicology</i> , 2014 , 45, 276-84	4.4	10

32	The neurobehavioral impact of manganese: results and challenges obtained by a meta-analysis of individual participant data. <i>NeuroToxicology</i> , 2013 , 36, 1-9	4.4	27
31	Longitudinal mental health impact among police responders to the 9/11 terrorist attack. <i>American Journal of Industrial Medicine</i> , 2012 , 55, 297-312	2.7	53
30	Anxiety affecting parkinsonian outcome and motor efficiency in adults of an Ohio community with environmental airborne manganese exposure. <i>International Journal of Hygiene and Environmental Health</i> , 2012 , 215, 393-405	6.9	33
29	Prospective study on neurotoxic effects in manganese-exposed bridge construction welders. <i>NeuroToxicology</i> , 2011 , 32, 596-605	4.4	63
28	Motor function in adults of an Ohio community with environmental manganese exposure. <i>NeuroToxicology</i> , 2011 , 32, 606-14	4.4	34
27	Gender differences in probable posttraumatic stress disorder among police responders to the 2001 World Trade Center terrorist attack. <i>American Journal of Industrial Medicine</i> , 2010 , 53, 1186-96	2.7	70
26	Exposure-response relationship and risk assessment for cognitive deficits in early welding-induced manganism. <i>Journal of Occupational and Environmental Medicine</i> , 2009 , 51, 1125-36	2	33
25	Dose-effect relationships between manganese exposure and neurological, neuropsychological and pulmonary function in confined space bridge welders. <i>Occupational and Environmental Medicine</i> , 2007 , 64, 167-77	2.1	188
24	Biomarkers of Mn exposure in humans. <i>American Journal of Industrial Medicine</i> , 2007 , 50, 801-11	2.7	116
23	San Francisco/Oakland Bay Bridge Welder Study: olfactory function. <i>Neurology</i> , 2007 , 69, 1278-84	6.5	47
22	Sequelae of fume exposure in confined space welding: a neurological and neuropsychological case series. <i>NeuroToxicology</i> , 2007 , 28, 298-311	4.4	102
21	Manganese exposure: neuropsychological and neurological symptoms and effects in welders. <i>NeuroToxicology</i> , 2006 , 27, 315-26	4.4	176
20	Issues in neurological risk assessment for occupational exposures: the Bay Bridge welders. <i>NeuroToxicology</i> , 2006 , 27, 373-84	4.4	38
19	Parkinsonism due to manganism in a welder: neurological and neuropsychological sequelae. <i>NeuroToxicology</i> , 2006 , 27, 327-32	4.4	78
18	Neuropsychological sequelae of exposure to welding fumes in a group of occupationally exposed men. <i>International Journal of Hygiene and Environmental Health</i> , 2003 , 206, 517-29	6.9	84
17	Neuropsychological effects of ethylene dichloride exposure. <i>NeuroToxicology</i> , 2003 , 24, 553-62	4.4	15
16	Blood manganese and alcohol consumption interact on mood states among manganese alloy production workers. <i>NeuroToxicology</i> , 2003 , 24, 641-7	4.4	13
15	Increased medication use in a community environmentally exposed to chemicals. <i>Industrial Health</i> , 2002 , 40, 335-44	2.5	5

14	Neuropsychological and Academic Characteristics of Mexican-American Children: A Longitudinal Field Study. <i>Applied Psychology</i> , 2002 , 51, 458-478	4.3	3
13	Manganese accentuates adverse mental health effects associated with alcohol use disorders. <i>Biological Psychiatry</i> , 2002 , 51, 909-21	7.9	38
12	Neuropsychological dysfunction, mood disturbance, and emotional status of munitions workers. <i>Applied Neuropsychology</i> , 2001 , 8, 74-90		30
11	Amnestic Disturbance and Posttraumatic Stress Disorder in the Aftermath of a Chemical Release. <i>Archives of Clinical Neuropsychology</i> , 1998 , 13, 455-471	2.7	
10	Amnestic Disturbance and Posttraumatic Stress Disorder in the Aftermath of a Chemical Release. <i>Archives of Clinical Neuropsychology</i> , 1998 , 13, 455-471	2.7	8
9	Epidemiological health study of a town exposed to chemicals. <i>Environmental Research</i> , 1997 , 72, 93-108	7.9	9
8	Adverse Health Effects in African American Residents Living Adjacent to Chemical Industries. <i>Journal of Black Psychology</i> , 1996 , 22, 470-497	1.6	7
7	Persistent respiratory health effects after a metam sodium pesticide spill. <i>Chest</i> , 1994 , 106, 500-8	5.3	68
6	Stability of psychological impairment: two year follow-up of former microelectronics workersV affective and personality disturbance. <i>Women and Health</i> , 1992 , 18, 27-48	1.7	7
5	Affective and personality disturbances among female former microelectronics workers. <i>Journal of Clinical Psychology</i> , 1991 , 47, 41-52	2.8	19
4	Environmental anxiety: Assessing emotional distress and concerns after toxin exposure. <i>Anxiety Research</i> , 1991 , 4, 167-180		20
3	Contrast-sensitivity loss in a group of former microelectronics workers with normal visual acuity. <i>Optometry and Vision Science</i> , 1991 , 68, 556-60	2.1	34
2	Colour vision loss among disabled workers with neuropsychological impairment. <i>Neurotoxicology and Teratology</i> , 1990 , 12, 669-72	3.9	15
1	California neuropsychological screening battery (CNS/B I & II). <i>Journal of Clinical Psychology</i> , 1986 , 42, 946-955	2.8	11