

# Martin A Preisig

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/329820/martin-a-preisig-publications-by-citations.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

228  
papers

12,757  
citations

52  
h-index

109  
g-index

241  
ext. papers

15,673  
ext. citations

6.7  
avg, IF

5.49  
L-index

#	Paper	IF	Citations
228	Genome-wide association analyses identify 44 risk variants and refine the genetic architecture of major depression. <i>Nature Genetics</i> , <b>2018</b> , 50, 668-681	36.3	1301
227	Cost of disorders of the brain in Europe 2010. <i>European Neuropsychopharmacology</i> , <b>2011</b> , 21, 718-79	1.2	987
226	A mega-analysis of genome-wide association studies for major depressive disorder. <i>Molecular Psychiatry</i> , <b>2013</b> , 18, 497-511	15.1	853
225	GWAS of 126,559 individuals identifies genetic variants associated with educational attainment. <i>Science</i> , <b>2013</b> , 340, 1467-71	33.3	563
224	Familial transmission of substance use disorders. <i>Archives of General Psychiatry</i> , <b>1998</b> , 55, 973-9		559
223	Meta-analysis and imputation refines the association of 15q25 with smoking quantity. <i>Nature Genetics</i> , <b>2010</b> , 42, 436-40	36.3	521
222	Socioeconomic status and the 25 D5 risk factors as determinants of premature mortality: a multicohort study and meta-analysis of 17 million men and women. <i>Lancet, The</i> , <b>2017</b> , 389, 1229-1237	40	511
221	The CoLaus study: a population-based study to investigate the epidemiology and genetic determinants of cardiovascular risk factors and metabolic syndrome. <i>BMC Cardiovascular Disorders</i> , <b>2008</b> , 8, 6	2.3	433
220	Impaired glutathione synthesis in schizophrenia: convergent genetic and functional evidence. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2007</b> , 104, 16621-6	11.5	247
219	Genome-wide association study of major recurrent depression in the U.K. population. <i>American Journal of Psychiatry</i> , <b>2010</b> , 167, 949-57	11.9	194
218	Schizophrenia and oxidative stress: glutamate cysteine ligase modifier as a susceptibility gene. <i>American Journal of Human Genetics</i> , <b>2006</b> , 79, 586-92	11	189
217	Age at onset in bipolar I affective disorder: further evidence for three subgroups. <i>American Journal of Psychiatry</i> , <b>2003</b> , 160, 999-1001	11.9	187
216	SIRT1 activates MAO-A in the brain to mediate anxiety and exploratory drive. <i>Cell</i> , <b>2011</b> , 147, 1459-72	56.2	163
215	The NoSAS score for screening of sleep-disordered breathing: a derivation and validation study. <i>Lancet Respiratory Medicine</i> , <b>2016</b> , 4, 742-748	35.1	138
214	Meta-analysis of genome-wide association data identifies a risk locus for major mood disorders on 3p21.1. <i>Nature Genetics</i> , <b>2010</b> , 42, 128-31	36.3	135
213	Elevated serum uric acid is associated with high circulating inflammatory cytokines in the population-based Colaus study. <i>PLoS ONE</i> , <b>2011</b> , 6, e19901	3.7	133
212	The PsyCoLaus study: methodology and characteristics of the sample of a population-based survey on psychiatric disorders and their association with genetic and cardiovascular risk factors. <i>BMC Psychiatry</i> , <b>2009</b> , 9, 9	4.2	133

211	Whole genome linkage scan of recurrent depressive disorder from the depression network study. <i>Human Molecular Genetics</i> , <b>2005</b> , 14, 3337-45	5.6	133
210	Depression with atypical features and increase in obesity, body mass index, waist circumference, and fat mass: a prospective, population-based study. <i>JAMA Psychiatry</i> , <b>2014</b> , 71, 880-8	14.5	131
209	Sedation and analgesia for colonoscopy: patient tolerance, pain, and cardiorespiratory parameters. <i>Gastrointestinal Endoscopy</i> , <b>1997</b> , 45, 1-9	5.2	130
208	Genome-wide Association for Major Depression Through Age at Onset Stratification: Major Depressive Disorder Working Group of the Psychiatric Genomics Consortium. <i>Biological Psychiatry</i> , <b>2017</b> , 81, 325-335	7.9	129
207	Investigating the possible causal association of smoking with depression and anxiety using Mendelian randomisation meta-analysis: the CARTA consortium. <i>BMJ Open</i> , <b>2014</b> , 4, e006141	3	115
206	Genetic Association of Major Depression With Atypical Features and Obesity-Related Immunometabolic Dysregulations. <i>JAMA Psychiatry</i> , <b>2017</b> , 74, 1214-1225	14.5	109
205	Determinants of the development of post-traumatic stress disorder, in the general population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2014</b> , 49, 447-57	4.5	106
204	GWAS of Suicide Attempt in Psychiatric Disorders and Association With Major Depression Polygenic Risk Scores. <i>American Journal of Psychiatry</i> , <b>2019</b> , 176, 651-660	11.9	103
203	Prevalence and determinants of rapid eye movement sleep behavior disorder in the general population. <i>Sleep</i> , <b>2018</b> , 41,	1.1	94
202	Genetic variation at CHRNA5-CHRNA3-CHRNA4 interacts with smoking status to influence body mass index. <i>International Journal of Epidemiology</i> , <b>2011</b> , 40, 1617-28	7.8	92
201	Geriatric depression and vascular diseases: what are the links?. <i>Journal of Affective Disorders</i> , <b>2004</b> , 81, 1-16	6.6	87
200	Cytochrome P450 2D6 genotype and methadone steady-state concentrations. <i>Journal of Clinical Psychopharmacology</i> , <b>2001</b> , 21, 229-34	1.7	86
199	Prevalence and determinants of periodic limb movements in the general population. <i>Annals of Neurology</i> , <b>2016</b> , 79, 464-74	9.4	83
198	Genomewide association scan of suicidal thoughts and behaviour in major depression. <i>PLoS ONE</i> , <b>2011</b> , 6, e20690	3.7	83
197	Minimal phenotyping yields genome-wide association signals of low specificity for major depression. <i>Nature Genetics</i> , <b>2020</b> , 52, 437-447	36.3	80
196	Familiality of symptom dimensions in depression. <i>Archives of General Psychiatry</i> , <b>2004</b> , 61, 468-74		80
195	Genetic Differences in the Immediate Transcriptome Response to Stress Predict Risk-Related Brain Function and Psychiatric Disorders. <i>Neuron</i> , <b>2015</b> , 86, 1189-202	13.9	79
194	T7. ELECTRORETINOGRAPHY FOR MAJOR PSYCHIATRIC DISORDERS IN MULTICENTRIC SITES. <i>Schizophrenia Bulletin</i> , <b>2019</b> , 45, S205-S206	1.3	78

193	F89. COGNITIVE IMPAIRMENT WORSENING ACROSS AFFECTIVE TO PSYCHOSIS SPECTRUM: A COHORT STUDY OF UNIPOLAR/BIPOLAR DEPRESSION AND BIPOLAR SCHIZOAFFECTIVE DISORDERS. <i>Schizophrenia Bulletin</i> , <b>2018</b> , 44, S254-S254	1.3	78
192	Age and gender variations of sleep in subjects without sleep disorders. <i>Annals of Medicine</i> , <b>2015</b> , 47, 482-91	1.5	71
191	Effect of Smoking on Blood Pressure and Resting Heart Rate: A Mendelian Randomization Meta-Analysis in the CARTA Consortium. <i>Circulation: Cardiovascular Genetics</i> , <b>2015</b> , 8, 832-41		70
190	Genetic relationships between suicide attempts, suicidal ideation and major psychiatric disorders: a genome-wide association and polygenic scoring study. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , <b>2014</b> , 165B, 428-37	3.5	70
189	Association of dopamine and opioid receptor genetic polymorphisms with response to methadone maintenance treatment. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2008</b> , 32, 1722-7	5.5	70
188	Diagnostic interview for genetic studies (DIGS): inter-rater and test-retest reliability of alcohol and drug diagnoses. <i>Drug and Alcohol Dependence</i> , <b>2002</b> , 65, 149-58	4.9	69
187	An Analysis of Two Genome-wide Association Meta-analyses Identifies a New Locus for Broad Depression Phenotype. <i>Biological Psychiatry</i> , <b>2017</b> , 82, 322-329	7.9	68
186	Sleep characteristics and cognitive impairment in the general population: The HypnoLaus study. <i>Neurology</i> , <b>2017</b> , 88, 463-469	6.5	63
185	Effects of motive-oriented therapeutic relationship in a ten-session general psychiatric treatment of borderline personality disorder: a randomized controlled trial. <i>Psychotherapy and Psychosomatics</i> , <b>2014</b> , 83, 176-86	9.4	62
184	Prevalence and correlates of DSM-5 major depressive and related disorders in the community. <i>Psychiatry Research</i> , <b>2017</b> , 250, 50-58	9.9	61
183	Parent-child agreement and prevalence estimates of diagnoses in childhood: direct interview versus family history method. <i>International Journal of Methods in Psychiatric Research</i> , <b>2009</b> , 18, 96-109	4.3	61
182	Mental disorders in offspring of parents with bipolar and major depressive disorders. <i>Bipolar Disorders</i> , <b>2012</b> , 14, 641-53	3.8	59
181	A genome-wide association study of neuroticism in a population-based sample. <i>PLoS ONE</i> , <b>2010</b> , 5, e11504	9.7	59
180	Psychopathology and temperament in parents and offspring: results of a family study. <i>Journal of Affective Disorders</i> , <b>1998</b> , 51, 63-74	6.6	59
179	DSM-5: a collection of psychiatrist views on the changes, controversies, and future directions. <i>BMC Medicine</i> , <b>2013</b> , 11, 202	11.4	58
178	Adipocytokines, hepatic and inflammatory biomarkers and incidence of type 2 diabetes. the CoLaus study. <i>PLoS ONE</i> , <b>2012</b> , 7, e51768	3.7	55
177	Association between brain-derived neurotrophic factor gene and a severe form of bipolar disorder, but no interaction with the serotonin transporter gene. <i>Bipolar Disorders</i> , <b>2008</b> , 10, 580-7	3.8	52
176	Association between circulating cytokine levels, diabetes and insulin resistance in a population-based sample (CoLaus study). <i>Clinical Endocrinology</i> , <b>2013</b> , 78, 232-41	3.4	51

175	Genetic dysregulation of glutathione synthesis predicts alteration of plasma thiol redox status in schizophrenia. <i>Antioxidants and Redox Signaling</i> , <b>2011</b> , 15, 2003-10	8.4	50
174	Does Childhood Trauma Moderate Polygenic Risk for Depression? A Meta-analysis of 5765 Subjects From the Psychiatric Genomics Consortium. <i>Biological Psychiatry</i> , <b>2018</b> , 84, 138-147	7.9	48
173	Relationship between obesity and the risk of clinically significant depression: Mendelian randomisation study. <i>British Journal of Psychiatry</i> , <b>2014</b> , 205, 24-8	5.4	48
172	Association between inflammatory and obesity markers in a Swiss population-based sample (CoLaus Study). <i>Obesity Facts</i> , <b>2012</b> , 5, 734-44	5.1	48
171	Levels and determinants of inflammatory biomarkers in a Swiss population-based sample (CoLaus study). <i>PLoS ONE</i> , <b>2011</b> , 6, e21002	3.7	48
170	Genome-wide gene-environment analyses of major depressive disorder and reported lifetime traumatic experiences in UK Biobank. <i>Molecular Psychiatry</i> , <b>2020</b> , 25, 1430-1446	15.1	47
169	The specificity of the familial aggregation of early-onset bipolar disorder: A controlled 10-year follow-up study of offspring of parents with mood disorders. <i>Journal of Affective Disorders</i> , <b>2016</b> , 190, 26-33	6.6	45
168	Associations between mood, anxiety or substance use disorders and inflammatory markers after adjustment for multiple covariates in a population-based study. <i>Journal of Psychiatric Research</i> , <b>2014</b> , 58, 36-45	5.2	45
167	A genetic risk score combining 32 SNPs is associated with body mass index and improves obesity prediction in people with major depressive disorder. <i>BMC Medicine</i> , <b>2015</b> , 13, 86	11.4	45
166	Association of serum homocysteine with major depressive disorder: results from a large population-based study. <i>Psychoneuroendocrinology</i> , <b>2013</b> , 38, 2309-18	5	44
165	Evolution of white matter tract microstructure across the life span. <i>Human Brain Mapping</i> , <b>2019</b> , 40, 2252-2268	3.2	43
164	Low compliance with dietary recommendations for food intake among adults. <i>Clinical Nutrition</i> , <b>2013</b> , 32, 783-8	5.9	43
163	Genome-wide gene-environment interaction in depression: A systematic evaluation of candidate genes: The childhood trauma working-group of PGC-MDD. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , <b>2018</b> , 177, 40-49	3.5	43
162	Sleep Characteristics in Early Stages of Chronic Kidney Disease in the HypnoLaus Cohort. <i>Sleep</i> , <b>2016</b> , 39, 945-53	1.1	40
161	Stratification by smoking status reveals an association of CHRNA5-A3-B4 genotype with body mass index in never smokers. <i>PLoS Genetics</i> , <b>2014</b> , 10, e1004799	6	40
160	A genome-wide significant linkage for severe depression on chromosome 3: the depression network study. <i>American Journal of Psychiatry</i> , <b>2011</b> , 168, 840-7	11.9	40
159	Heavier smoking may lead to a relative increase in waist circumference: evidence for a causal relationship from a Mendelian randomisation meta-analysis. The CARTA consortium. <i>BMJ Open</i> , <b>2015</b> , 5, e008808	3	39
158	Inter-informant agreement on diagnoses and prevalence estimates of anxiety disorders: direct interview versus family history method. <i>Psychiatry Research</i> , <b>2008</b> , 157, 211-23	9.9	38

157	Social phobia is associated with suicide attempt history in bipolar inpatients. <i>Bipolar Disorders</i> , <b>2007</b> , 9, 713-21	3.8	38
156	The Depression Network (DeNT) Study: methodology and sociodemographic characteristics of the first 470 affected sibling pairs from a large multi-site linkage genetic study. <i>BMC Psychiatry</i> , <b>2004</b> , 4, 42	4.2	38
155	Familial relationship between mood disorders and alcoholism. <i>Comprehensive Psychiatry</i> , <b>2001</b> , 42, 87-95	7.3	38
154	Influence of CRTCL1 polymorphisms on body mass index and fat mass in psychiatric patients and the general adult population. <i>JAMA Psychiatry</i> , <b>2013</b> , 70, 1011-9	14.5	37
153	Impact of sex and menopausal status on the prevalence, clinical presentation, and comorbidities of sleep-disordered breathing. <i>Sleep Medicine</i> , <b>2018</b> , 51, 29-36	4.6	37
152	Multi-cohort study identifies social determinants of systemic inflammation over the life course. <i>Nature Communications</i> , <b>2019</b> , 10, 773	17.4	34
151	Interaction between the gene, body mass index and depression: meta-analysis of 13701 individuals. <i>British Journal of Psychiatry</i> , <b>2017</b> , 211, 70-76	5.4	33
150	An International Society of Bipolar Disorders task force report: Precursors and prodromes of bipolar disorder. <i>Bipolar Disorders</i> , <b>2019</b> , 21, 720-740	3.8	32
149	Factors associated with comorbidity patterns in full and partial PTSD: findings from the PsyCoLauS study. <i>Comprehensive Psychiatry</i> , <b>2014</b> , 55, 837-48	7.3	32
148	Strong Impact of Smoking on Multimorbidity and Cardiovascular Risk Among Human Immunodeficiency Virus-Infected Individuals in Comparison With the General Population. <i>Open Forum Infectious Diseases</i> , <b>2015</b> , 2, ofv108	1	31
147	The bidirectional relationship between anxiety disorders and circulating levels of inflammatory markers: Results from a large longitudinal population-based study. <i>Depression and Anxiety</i> , <b>2018</b> , 35, 360-371	8.4	31
146	Population and economic impact of the 2013 ACC/AHA guidelines compared with European guidelines to prevent cardiovascular disease. <i>European Heart Journal</i> , <b>2014</b> , 35, 958-9	9.5	30
145	Individuals' quality of life linked to major life events, perceived social support, and personality traits. <i>Quality of Life Research</i> , <b>2016</b> , 25, 2897-2908	3.7	30
144	Clinical significance of periodic limb movements during sleep: the HypnoLauS study. <i>Sleep Medicine</i> , <b>2018</b> , 41, 45-50	4.6	29
143	Association of socioeconomic status with sleep disturbances in the Swiss population-based CoLauS study. <i>Sleep Medicine</i> , <b>2015</b> , 16, 469-76	4.6	28
142	Objective sleep structure and cardiovascular risk factors in the general population: the HypnoLauS Study. <i>Sleep</i> , <b>2015</b> , 38, 391-400	1.1	28
141	Aspirin and statin use and the subsequent development of depression in men and women: Results from a longitudinal population-based study. <i>Journal of Affective Disorders</i> , <b>2015</b> , 182, 126-31	6.6	26
140	REM-associated sleep apnoea: prevalence and clinical significance in the HypnoLauS cohort. <i>European Respiratory Journal</i> , <b>2018</b> , 52,	13.6	26

139	Dissecting the genetic heterogeneity of depression through age at onset. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , <b>2012</b> , 159B, 859-68	3.5	26
138	Monoamine oxidase a and tryptophan hydroxylase gene polymorphisms: are they associated with bipolar disorder?. <i>Molecular Diagnosis and Therapy</i> , <b>2005</b> , 5, 45-52		26
137	Evidence for chronic low-grade systemic inflammation in individuals with agoraphobia from a population-based prospective study. <i>PLoS ONE</i> , <b>2015</b> , 10, e0123757	3.7	25
136	Life events, salivary cortisol, and cognitive performance in nondemented subjects: a population-based study. <i>Neurobiology of Aging</i> , <b>2017</b> , 51, 1-8	5.6	24
135	Risk of mental disorders in children of parents with alcohol or heroin dependence: a controlled high-risk study. <i>European Addiction Research</i> , <b>2012</b> , 18, 253-64	4.6	24
134	Advance directives based on cognitive therapy: a way to overcome coercion related problems. <i>Patient Education and Counseling</i> , <b>2009</b> , 74, 35-8	3.1	23
133	A genomewide linkage study on suicidality in major depressive disorder confirms evidence for linkage to 2p12. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , <b>2010</b> , 153B, 1465-73	3.5	23
132	Converging patterns of aging-associated brain volume loss and tissue microstructure differences. <i>Neurobiology of Aging</i> , <b>2020</b> , 88, 108-118	5.6	21
131	Personality, Cortisol, and Cognition in Non-demented Elderly Subjects: Results from a Population-Based Study. <i>Frontiers in Aging Neuroscience</i> , <b>2017</b> , 9, 63	5.3	21
130	Genome-wide association analyses identify 44 risk variants and refine the genetic architecture of major depressive disorder		21
129	Effects of motive-oriented therapeutic relationship in early-phase treatment of borderline personality disorder: a pilot study of a randomized trial. <i>Journal of Nervous and Mental Disease</i> , <b>2011</b> , 199, 244-50	1.8	20
128	Lack of association between 5HT2A receptor gene haplotype, bipolar disorder and its clinical subtypes in a West European sample. <i>American Journal of Medical Genetics Part A</i> , <b>2004</b> , 129B, 29-33		20
127	Symptoms, comorbidity, and clinical course of depression in immigrants: putting psychopathology in context. <i>Journal of Affective Disorders</i> , <b>2013</b> , 151, 795-799	6.6	19
126	Clinical and course characteristics of depression and all-cause mortality: A prospective population-based study. <i>Journal of Affective Disorders</i> , <b>2016</b> , 189, 17-24	6.6	18
125	Networks of myelin covariance. <i>Human Brain Mapping</i> , <b>2018</b> , 39, 1532-1554	5.9	18
124	Childhood adversities as specific contributors to the co-occurrence of posttraumatic stress and alcohol use disorders. <i>Psychiatry Research</i> , <b>2015</b> , 228, 251-6	9.9	18
123	Associations of serum uric acid and SLC2A9 variant with depressive and anxiety disorders: a population-based study. <i>PLoS ONE</i> , <b>2013</b> , 8, e76336	3.7	18
122	The NoSAS score: A new and simple screening tool for obstructive sleep apnea syndrome in depressive disorder. <i>Journal of Affective Disorders</i> , <b>2018</b> , 227, 136-140	6.6	16

121	A genetic risk score is differentially associated with migraine with and without aura. <i>Human Genetics</i> , <b>2017</b> , 136, 999-1008	6.3	16
120	No interaction between alcohol consumption and HDL-related genes on HDL cholesterol levels. <i>Atherosclerosis</i> , <b>2010</b> , 211, 551-7	3.1	16
119	Sex differences in symptom patterns of recurrent major depression in siblings. <i>Depression and Anxiety</i> , <b>2008</b> , 25, 527-34	8.4	16
118	Quetiapine dosage in bipolar disorder episodes and mixed states. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2007</b> , 31, 727-30	5.5	16
117	Phenotypic Association Analyses With Copy Number Variation in Recurrent Depressive Disorder. <i>Biological Psychiatry</i> , <b>2016</b> , 79, 329-36	7.9	15
116	Construct validity and internal reliability of a French version of FACES III in adolescents and adults 1This work was supported by the Swiss National Science Foundation (Grant number 32-40677.94). We would like to thank the administrations of the participating schools as well as the parents and children who participated in the study. <i>Journal of Psychology</i> , <b>2020</b> , 158, 141-148	0.8	15
115	Association of CRT1 polymorphisms with obesity markers in subjects from the general population with lifetime depression. <i>Journal of Affective Disorders</i> , <b>2016</b> , 198, 43-9	6.6	15
114	High leptin levels are associated with migraine with aura. <i>Cephalalgia</i> , <b>2017</b> , 37, 435-441	6.1	14
113	Anxiety Disorders are Associated with Low Socioeconomic Status in Women but Not in Men. <i>Women's Health Issues</i> , <b>2017</b> , 27, 302-307	2.6	14
112	Genome-wide Burden of Rare Short Deletions Is Enriched in Major Depressive Disorder in Four Cohorts. <i>Biological Psychiatry</i> , <b>2019</b> , 85, 1065-1073	7.9	14
111	Bad sleep? Don't blame the moon! A population-based study. <i>Sleep Medicine</i> , <b>2015</b> , 16, 1321-1326	4.6	14
110	Posttraumatic stress avoidance symptoms as mediators in the development of alcohol use disorders after exposure to childhood sexual abuse in a Swiss community sample. <i>Child Abuse and Neglect</i> , <b>2015</b> , 46, 8-15	4.3	14
109	Predictors of remission from PTSD symptoms after sexual and non-sexual trauma in the community: A mediated survival-analytic approach. <i>Psychiatry Research</i> , <b>2018</b> , 260, 262-271	9.9	14
108	Associations between alcohol consumption and selected cytokines in a Swiss population-based sample (CoLaus study). <i>Atherosclerosis</i> , <b>2012</b> , 222, 245-50	3.1	14
107	Psychiatric co-morbidities and cardiovascular risk factors in people with lifetime history of epilepsy of an urban community. <i>Clinical Neurology and Neurosurgery</i> , <b>2012</b> , 114, 26-30	2	14
106	Polygenic risk for circulating reproductive hormone levels and their influence on hippocampal volume and depression susceptibility. <i>Psychoneuroendocrinology</i> , <b>2019</b> , 106, 284-292	5	13
105	Prevalence and correlates of DSM-5 bipolar and related disorders and hyperthymic personality in the community. <i>Journal of Affective Disorders</i> , <b>2014</b> , 167, 198-205	6.6	13
104	Investigating the genetic variation underlying episodicity in major depressive disorder: suggestive evidence for a bipolar contribution. <i>Journal of Affective Disorders</i> , <b>2014</b> , 155, 81-9	6.6	13

103	Genome-wide association study of co-occurring anxiety in major depression. <i>World Journal of Biological Psychiatry</i> , <b>2013</b> , 14, 611-21	3.8	13
102	Advance directives in bipolar disorder, a cognitive behavioural conceptualization. <i>International Journal of Law and Psychiatry</i> , <b>2008</b> , 31, 1-8	2.6	13
101	Maternal educational inequalities in measured body mass index trajectories in three European countries. <i>Paediatric and Perinatal Epidemiology</i> , <b>2019</b> , 33, 226-237	2.7	12
100	Tracing the associations between sex, the atypical and the combined atypical-melancholic depression subtypes: A path analysis. <i>Journal of Affective Disorders</i> , <b>2016</b> , 190, 807-818	6.6	12
99	Efficacy of an adjunctive brief psychodynamic psychotherapy to usual inpatient treatment of depression: Results of a randomized controlled trial. <i>Journal of Affective Disorders</i> , <b>2017</b> , 209, 105-113	6.6	12
98	European collaborative study of early-onset bipolar disorder: Evidence for genetic heterogeneity on 2q14 according to age at onset. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , <b>2010</b> , 153B, 1425-33	3.5	12
97	Minimal phenotyping yields GWAS hits of reduced specificity for major depression		12
96	Reducing socio-economic inequalities in all-cause mortality: a counterfactual mediation approach. <i>International Journal of Epidemiology</i> , <b>2020</b> , 49, 497-510	7.8	12
95	Association of Whole-Genome and NETRIN1 Signaling Pathway-Derived Polygenic Risk Scores for Major Depressive Disorder and White Matter Microstructure in the UK Biobank. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , <b>2019</b> , 4, 91-100	3.4	12
94	Partially distinct combinations of psychological, metabolic and inflammatory risk factors are prospectively associated with the onset of the subtypes of Major Depressive Disorder in midlife. <i>Journal of Affective Disorders</i> , <b>2017</b> , 222, 195-203	6.6	11
93	Personality traits in children of parents with unipolar and bipolar mood disorders. <i>Journal of Affective Disorders</i> , <b>2009</b> , 113, 133-41	6.6	11
92	Influence of MCHR2 and MCHR2-AS1 Genetic Polymorphisms on Body Mass Index in Psychiatric Patients and In Population-Based Subjects with Present or Past Atypical Depression. <i>PLoS ONE</i> , <b>2015</b> , 10, e0139155	3.7	11
91	Sex-Dependent Shared and Nonshared Genetic Architecture Across Mood and Psychotic Disorders. <i>Biological Psychiatry</i> , <b>2022</b> , 91, 102-117	7.9	11
90	Differences between unipolar mania and bipolar-I disorder: Evidence from nine epidemiological studies. <i>Bipolar Disorders</i> , <b>2019</b> , 21, 437-448	3.8	11
89	Psychosocial Stress Over the Lifespan, Psychological Factors, and Cardiometabolic Risk in the Community. <i>Psychosomatic Medicine</i> , <b>2018</b> , 80, 628-639	3.7	11
88	Dissecting the Shared Genetic Architecture of Suicide Attempt, Psychiatric Disorders, and Known Risk Factors. <i>Biological Psychiatry</i> , <b>2021</b> ,	7.9	11
87	Associations of specific phobia and its subtypes with physical diseases: an adult community study. <i>BMC Psychiatry</i> , <b>2016</b> , 16, 155	4.2	10
86	Assessment and characterization of phenotypic heterogeneity of anxiety disorders across five large cohorts. <i>International Journal of Methods in Psychiatric Research</i> , <b>2016</b> , 25, 255-266	4.3	10

85	Impact of a cis-associated gene expression SNP on chromosome 20q11.22 on bipolar disorder susceptibility, hippocampal structure and cognitive performance. <i>British Journal of Psychiatry</i> , <b>2016</b> , 208, 128-37	5.4	10
84	High Evening Cortisol Level Is Associated With Low TBS and Increased Prevalent Vertebral Fractures: OsteoLaus Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2017</b> , 102, 2628-2636	5.6	9
83	Impact of HSD11B1 polymorphisms on BMI and components of the metabolic syndrome in patients receiving psychotropic treatments. <i>Pharmacogenetics and Genomics</i> , <b>2015</b> , 25, 246-58	1.9	9
82	Externalizing disorders and substance use: empirically derived subtypes in a population-based sample of adults. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2015</b> , 50, 7-17	4.5	9
81	French version of the Family Attitude Scale: psychometric properties and relation of attitudes to the respondent's psychiatric status. <i>Psychiatry Research</i> , <b>2013</b> , 210, 641-6	9.9	9
80	Quality of Web-based information on obsessive compulsive disorder. <i>Neuropsychiatric Disease and Treatment</i> , <b>2013</b> , 9, 1717-23	3.1	9
79	The costs of disorders of the brain in Switzerland: an update from the European Brain Council Study for 2010. <i>Swiss Medical Weekly</i> , <b>2013</b> , 143, w13751	3.1	9
78	Infectious, atopic and inflammatory diseases, childhood adversities and familial aggregation are independently associated with the risk for mental disorders: Results from a large Swiss epidemiological study. <i>World Journal of Psychiatry</i> , <b>2016</b> , 6, 419-430	3	9
77	Associations of Personality Traits With Chronic Low-Grade Inflammation in a Swiss Community Sample. <i>Frontiers in Psychiatry</i> , <b>2019</b> , 10, 819	5	9
76	Classical Human Leukocyte Antigen Alleles and C4 Haplotypes Are Not Significantly Associated With Depression. <i>Biological Psychiatry</i> , <b>2020</b> , 87, 419-430	7.9	9
75	The association between self-reported and clinically determined hypomanic symptoms and the onset of major mood disorders. <i>BJPsych Open</i> , <b>2017</b> , 3, 71-77	5	8
74	Familial Aggregation and Coaggregation of Suicide Attempts and Comorbid Mental Disorders in Adults. <i>JAMA Psychiatry</i> , <b>2019</b> , 76, 826-833	14.5	8
73	Patterning of educational attainment across inflammatory markers: Findings from a multi-cohort study. <i>Brain, Behavior, and Immunity</i> , <b>2020</b> , 90, 303-310	16.6	8
72	Mean Oxygen Saturation during Sleep Is Related to Specific Brain Atrophy Pattern. <i>Annals of Neurology</i> , <b>2020</b> , 87, 921-930	9.4	8
71	Subtypes of stuttering determined by latent class analysis in two Swiss epidemiological surveys. <i>PLoS ONE</i> , <b>2018</b> , 13, e0198450	3.7	8
70	Mental disorders, attrition at follow-up, and questionnaire non-completion in epidemiologic research. Illustrations from the CoLaus PsyCoLaus study. <i>International Journal of Methods in Psychiatric Research</i> , <b>2019</b> , 28, e1805	4.3	8
69	Efficacy of an adjunctive brief psychodynamic psychotherapy to usual inpatient treatment of depression: rationale and design of a randomized controlled trial. <i>BMC Psychiatry</i> , <b>2012</b> , 12, 182	4.2	8
68	Long-term topiramate treatment of psychotropic drug-induced weight gain: a retrospective chart review. <i>General Hospital Psychiatry</i> , <b>2007</b> , 29, 446-9	5.6	8

67	Reduced valproate plasma levels possible after introduction of efavirenz in a bipolar patient. <i>Bipolar Disorders</i> , <b>2006</b> , 8, 415-7	3.8	8
66	Genetic comorbidity between major depression and cardio-metabolic traits, stratified by age at onset of major depression. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , <b>2020</b> , 183, 309-330	3.5	8
65	Factors associated with subjective cognitive decline in dementia-free older adults-A population-based study. <i>International Journal of Geriatric Psychiatry</i> , <b>2021</b> , 36, 1188-1196	3.9	8
64	The Lausanne-Genève cohort study of offspring of parents with mood disorders: methodology, findings, current sample characteristics, and perspectives. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2017</b> , 52, 1041-1058	4.5	7
63	Comparing two basic subtypes in OCD across three large community samples: a pure compulsive versus a mixed obsessive-compulsive subtype. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , <b>2015</b> , 265, 719-34	5.1	7
62	Common variants at 2q11.2, 8q21.3, and 11q13.2 are associated with major mood disorders. <i>Translational Psychiatry</i> , <b>2017</b> , 7, 1273	8.6	7
61	Pure animal phobia is more specific than other specific phobias: epidemiological evidence from the Zurich Study, the ZInEP and the PsyCoLaus. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , <b>2016</b> , 266, 567-77	5.1	7
60	The Genetic Architecture of Depression in Individuals of East Asian Ancestry: A Genome-Wide Association Study. <i>JAMA Psychiatry</i> , <b>2021</b> , 78, 1258-1269	14.5	7
59	A step beyond the hygiene hypothesis-immune-mediated classes determined in a population-based study. <i>BMC Medicine</i> , <b>2019</b> , 17, 75	11.4	6
58	Spatial clusters of daytime sleepiness and association with nighttime noise levels in a Swiss general population (GeoHypnoLaus). <i>International Journal of Hygiene and Environmental Health</i> , <b>2018</b> , 221, 951-957	6.9	6
57	Reply to Replication of association of 3p21.1 with susceptibility to bipolar disorder but not major depression. <i>Nature Genetics</i> , <b>2011</b> , 43, 5-5	36.3	6
56	Major depression subtypes are differentially associated with migraine subtype, prevalence and severity. <i>Cephalalgia</i> , <b>2020</b> , 40, 347-356	6.1	6
55	A pharmacogenetic risk score for the evaluation of major depression severity under treatment with antidepressants. <i>Drug Development Research</i> , <b>2020</b> , 81, 102-113	5.1	6
54	Obesity and atypical depression symptoms: findings from Mendelian randomization in two European cohorts. <i>Translational Psychiatry</i> , <b>2021</b> , 11, 96	8.6	6
53	Use of high doses of quetiapine in bipolar disorder episodes are not linked to high activity of cytochrome P4503A4 and/or cytochrome P4502D6. <i>Psychiatric Quarterly</i> , <b>2013</b> , 84, 329-35	4.1	5
52	Personality, tobacco consumption, physical inactivity, obesity markers, and metabolic components as risk factors for cardiovascular disease in the general population. <i>Psychology, Health and Medicine</i> , <b>2017</b> , 22, 932-939	2.1	5
51	Association of PCK1 with Body Mass Index and Other Metabolic Features in Patients With Psychotropic Treatments. <i>Journal of Clinical Psychopharmacology</i> , <b>2015</b> , 35, 544-52	1.7	5
50	Lithium augmentation in venlafaxine-refractory depression. <i>Journal of Clinical Psychopharmacology</i> , <b>2001</b> , 21, 242-3	1.7	5

49	Bi-directional association between depression and HF: An electronic health records-based cohort study. <i>Journal of Comorbidity</i> , <b>2020</b> , 10, 2235042X20984059	4	5
48	Sex differences in neurodevelopmental and common mental disorders examined from three epidemiological perspectives. <i>Psychiatry Research</i> , <b>2019</b> , 278, 213-217	9.9	4
47	Do bipolar subjects' responses to personality questionnaires lack reliability? Evidence from the PsyCoLaus study. <i>Psychiatry Research</i> , <b>2016</b> , 238, 299-303	9.9	4
46	A genomewide association study of smoking relapse in four European population-based samples. <i>Psychiatric Genetics</i> , <b>2013</b> , 23, 143-52	2.9	4
45	Subtypes of alcohol use disorder in the general population: A latent class analysis. <i>Psychiatry Research</i> , <b>2020</b> , 285, 112712	9.9	4
44	Prevalence and Clinical Significance of Respiratory Effort-Related Arousals in the General Population. <i>Journal of Clinical Sleep Medicine</i> , <b>2018</b> , 14, 1339-1345	3.1	4
43	Identifying the Common Genetic Basis of Antidepressant Response. <i>Biological Psychiatry Global Open Science</i> , <b>2021</b> ,		4
42	Psychiatric symptoms and response quality to self-rated personality tests: Evidence from the PsyCoLaus study. <i>Psychiatry Research</i> , <b>2017</b> , 252, 118-125	9.9	3
41	Parent-offspring similarity for childhood behavioral inhibition and associations between inhibition and parental care. <i>Family Science: Global Perspectives on Research, Policy and Practice</i> , <b>2011</b> , 2, 230-239		3
40	Swiss psychiatrists beliefs and attitudes about cannabis risks in psychiatric patients: ideologically determined or evidence-based?. <i>Community Mental Health Journal</i> , <b>2008</b> , 44, 86-96	2.1	3
39	Hay Fever is Associated with Prevalence, Age of Onset and Persistence of Stuttering. <i>Advances in Neurodevelopmental Disorders</i> , <b>2020</b> , 4, 67-73	1.1	3
38	Adherence to dietary recommendations is not associated with depression in two Swiss population-based samples. <i>Psychiatry Research</i> , <b>2017</b> , 252, 310-318	9.9	2
37	Generalized Anxiety Disorder is Prospectively Associated With Decreased Levels of Interleukin-6 and Adiponectin Among Individuals from the Community. <i>Journal of Affective Disorders</i> , <b>2020</b> , 270, 114-117	6.6	2
36	Discrepancies between clinical needs and helpseeking behaviors in co-occurring posttraumatic stress and alcohol use disorders. <i>Comprehensive Psychiatry</i> , <b>2015</b> , 62, 209-17	7.3	2
35	Trace lithium in mood disorders. <i>Journal of Affective Disorders</i> , <b>1999</b> , 54, 199-203	6.6	2
34	Evaluation of Cardiometabolic Risk in a Large Psychiatric Cohort and Comparison With a Population-Based Sample in Switzerland. <i>Journal of Clinical Psychiatry</i> , <b>2020</b> , 81,	4.6	2
33	Genome-wide association study of suicide attempt in psychiatric disorders identifies association with major depression polygenic risk scores		2
32	Dissecting the shared genetic architecture of suicide attempt, psychiatric disorders and known risk factors		2

31	Social Phobia Is Associated with Delayed Onset of Chickenpox, Measles, and Mumps Infections. <i>Frontiers in Psychiatry</i> , <b>2016</b> , 7, 203	5	2
30	Do diurnal cortisol levels mediate the association between sleep disturbances and cognitive impairment?. <i>Neurobiology of Aging</i> , <b>2018</b> , 69, 65-67	5.6	2
29	Associations of job strain and family strain with risk of major depressive episode: A prospective cohort study in U.S. working men and women. <i>Journal of Psychosomatic Research</i> , <b>2021</b> , 147, 110541	4.1	2
28	Examining sex differences in neurodevelopmental and psychiatric genetic risk in anxiety and depression. <i>PLoS ONE</i> , <b>2021</b> , 16, e0248254	3.7	2
27	Associations between life course socioeconomic conditions and the Pace of Aging.. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , <b>2021</b> ,	6.4	2
26	Association of neighbourhood disadvantage and individual socioeconomic position with all-cause mortality: a longitudinal multicohort analysis.. <i>Lancet Public Health</i> , <b>2022</b> , 7, e447-e457	22.4	2
25	Salivary cortisol and five-year change in cognitive performance in non-demented elderly subjects: a population-based study. <i>Neurobiology of Aging</i> , <b>2020</b> , 94, 34-37	5.6	1
24	Des « psychoses affectives » aux « caractéristiques psychotiques » : les symptômes psychotiques selon le DSM, discutés à la lumière d'une série de 16 cas de dépression psychotique. <i>Evolution Psychiatrique</i> , <b>2014</b> , 79, 225-238	0.4	1
23	Hemi-depersonalization syndrome. <i>International Journal of Psychiatry in Clinical Practice</i> , <b>2005</b> , 9, 68-70	2.4	1
22	Study protocol for the ETMED-L project: longitudinal study of mental health and interpersonal competence of medical students in a Swiss university using a comprehensive framework of empathy. <i>BMJ Open</i> , <b>2021</b> , 11, e053070	3	1
21	Childhood adversity patterns differentially cluster with mental disorders and socioeconomic indicators in a large Swiss community sample. <i>Comprehensive Psychiatry</i> , <b>2021</b> , 112, 152282	7.3	1
20	Genetic variation in the Major Histocompatibility Complex and association with depression		1
19	Spouse Similarity in Recollections of Parenting Received: A Study in a Nonclinical Sample. <i>Swiss Journal of Psychology</i> , <b>2008</b> , 67, 165-176	0.8	1
18	Mapping grip force to motor networks. <i>NeuroImage</i> , <b>2021</b> , 229, 117735	7.9	1
17	Retrospectively assessed trajectories of PTSD symptoms and their subsequent comorbidities. <i>Journal of Psychiatric Research</i> , <b>2021</b> , 136, 71-79	5.2	1
16	Brain tissue properties link cardio-vascular risk factors, mood and cognitive performance in the CoLaus PsyCoLaus epidemiological cohort. <i>Neurobiology of Aging</i> , <b>2021</b> , 102, 50-63	5.6	1
15	Temperament and self-esteem in high-risk offspring of bipolar parents: Vulnerability and scar effects. <i>Journal of Affective Disorders</i> , <b>2019</b> , 243, 209-215	6.6	1
14	Psychopathological precursors of the onset of mood disorders in offspring of parents with and without mood disorders: results of a 13-year prospective cohort high-risk study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , <b>2021</b> , 62, 404-413	7.9	1

13	Dietary Patterns are Differentially Associated with Atypical and Melancholic Subtypes of Depression. <i>Nutrients</i> , <b>2021</b> , 13,	6.7	1
12	Does Cognitive Functioning Predict Chronic Pain in Older Adult? Results From the CoLaus PsyCoLaus Longitudinal Study. <i>Journal of Pain</i> , <b>2021</b> , 22, 905-913	5.2	1
11	Transcriptome-based polygenic score links depression-related corticolimbic gene expression changes to sex-specific brain morphology and depression risk. <i>Neuropsychopharmacology</i> , <b>2021</b> , 46, 2304-2311 <sup>1</sup>	8.7	1
10	Impact of night and shift work on metabolic syndrome and its components: a cross-sectional study in an active middle-to-older-aged population-based sample.. <i>BMJ Open</i> , <b>2022</b> , 12, e053591	3	1
9	Healthcare use for major depressive disorders among middle-aged and older adults in the community. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2021</b> , 1	4.5	0
8	Short-term and long-term effects of major depressive disorder subtypes on obesity markers and impact of sex on these associations. <i>Journal of Affective Disorders</i> , <b>2022</b> , 297, 570-578	6.6	0
7	Diurnal Salivary Cortisol in Sarcopenic Postmenopausal Women: The OsteoLaus Cohort. <i>Calcified Tissue International</i> , <b>2021</b> , 109, 499-509	3.9	0
6	Development and validation of a risk calculator for major mood disorders among the offspring of bipolar parents using information collected in routine clinical practice. <i>EClinicalMedicine</i> , <b>2021</b> , 39, 101083 <sup>1</sup>	11.3	0
5	Reexamining Dis/Similarity-Based Tests for Rare-Variant Association with Case-Control Samples. <i>Genetics</i> , <b>2018</b> , 209, 105-113	4	
4	The association between genetically determined ABO blood types and major depressive disorder. <i>Psychiatry Research</i> , <b>2021</b> , 299, 113837	9.9	
3	Backtracing persistent biomarker shifts to the age of onset: A novel procedure applied to men and women white blood cell counts in post-traumatic stress disorder. <i>Biomarkers in Neuropsychiatry</i> , <b>2021</b> , 4, 100030	3.8	
2	Environmental factors in offspring of parents with mood disorders and their role in parent-child transmission: findings from a 14-year prospective high-risk study.. <i>International Journal of Bipolar Disorders</i> , <b>2022</b> , 10, 11	5.4	
1	Scaling-up hepatitis C screening and treatment in Swiss outpatient psychiatric settings: A cost-effectiveness analysis.. <i>JHEP Reports</i> , <b>2022</b> , 4, 100464	10.3	