Limin Zhang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/330043/publications.pdf

Version: 2024-02-01

186265 155660 3,240 62 28 55 h-index citations g-index papers 63 63 63 5623 all docs docs citations times ranked citing authors

| # | Article | IF | CITATIONS |
|----|---|-------------|-----------|
| 1 | Long-term chronic exposure to di-(2-ethylhexyl)-phthalate induces obesity via disruption of host lipid metabolism and gut microbiota in mice. Chemosphere, 2022, 287, 132414. | 8.2 | 24 |
| 2 | Characterization of triclosan-induced hepatotoxicity and triclocarban-triggered enterotoxicity in mice by multiple omics screening. Science of the Total Environment, 2022, 838, 156570. | 8.0 | 8 |
| 3 | A newly isolated bacterium Comamonas sp. XL8 alleviates the toxicity of cadmium exposure in rice seedlings by accumulating cadmium. Journal of Hazardous Materials, 2021, 403, 123824. | 12.4 | 37 |
| 4 | NMR-Based Metabolomics in Cancer Research. Advances in Experimental Medicine and Biology, 2021, 1280, 201-218. | 1.6 | 6 |
| 5 | Impaired Intestinal Akkermansia muciniphila and Aryl Hydrocarbon Receptor Ligands Contribute to Nonalcoholic Fatty Liver Disease in Mice. MSystems, 2021, 6, . | 3.8 | 35 |
| 6 | Gut Microbiota and Its Metabolite Deoxycholic Acid Contribute to Sucralose Consumption-Induced Nonalcoholic Fatty Liver Disease. Journal of Agricultural and Food Chemistry, 2021, 69, 3982-3991. | 5,2 | 20 |
| 7 | Metabolomics safety assessments of microcystin exposure via drinking water in rats. Ecotoxicology and Environmental Safety, 2021, 212, 111989. | 6.0 | 10 |
| 8 | Comparison of Metabolic Profiling of Arabidopsis Inflorescences Between Landsberg erecta and Columbia, and Meiosis-Defective Mutants by 1H-NMR Spectroscopy. Phenomics, 2021, 1, 73-89. | 2.9 | 4 |
| 9 | Depletion of acetate-producing bacteria from the gut microbiota facilitates cognitive impairment through the gut-brain neural mechanism in diabetic mice. Microbiome, 2021, 9, 145. | 11.1 | 56 |
| 10 | The aryl hydrocarbon receptor activates ceramide biosynthesis in mice contributing to hepatic lipogenesis. Toxicology, 2021, 458, 152831. | 4.2 | 12 |
| 11 | The GW2-WG1-OsbZIP47 pathway controls grain size and weight in rice. Molecular Plant, 2021, 14, 1266-1280. | 8.3 | 70 |
| 12 | Microbiome analysis combined with targeted metabolomics reveal immunological anti-tumor activity of icariside I in a melanoma mouse model. Biomedicine and Pharmacotherapy, 2021, 140, 111542. | 5.6 | 21 |
| 13 | <i>In Vitro</i> and <i>In Vivo</i> Studies Reveal that Hesperetin-7- <i>O</i> -glucoside, a Naturally Occurring Monoglucoside, Exhibits Strong Anti-inflammatory Capacity. Journal of Agricultural and Food Chemistry, 2021, 69, 12753-12762. | 5.2 | 23 |
| 14 | Short-Term Intake of Hesperetin-7- <i>O</i> -Glucoside Affects Fecal Microbiota and Host Metabolic Homeostasis in Mice. Journal of Agricultural and Food Chemistry, 2021, 69, 1478-1486. | 5.2 | 7 |
| 15 | Targeted metabolomics reveals that 2,3,7,8-tetrachlorodibenzofuran exposure induces hepatic steatosis in male mice. Environmental Pollution, 2020, 259, 113820. | 7.5 | 15 |
| 16 | Quantitative Measurement of a Chiral Drug in a Complex Matrix: A <i>J</i> -Compensated Quantitative HSQC NMR Method. Analytical Chemistry, 2020, 92, 3636-3642. | 6. 5 | 14 |
| 17 | In vitro effects of Triclocarban on adipogenesis in murine preadipocyte and human hepatocyte. Journal of Hazardous Materials, 2020, 399, 122829. | 12.4 | 15 |
| 18 | Perfluorooctane sulfonate alters gut microbiota-host metabolic homeostasis in mice. Toxicology, 2020, 431, 152365. | 4.2 | 43 |

| # | Article | IF | CITATIONS |
|----|--|-------------|-----------|
| 19 | Metabolomics Reveals Discrimination of Chinese Propolis from Different Climatic Regions. Foods, 2020, 9, 491. | 4.3 | 8 |
| 20 | Control of Grain Size and Weight by the GSK2-LARGE1/OML4 Pathway in Rice. Plant Cell, 2020, 32, 1905-1918. | 6.6 | 61 |
| 21 | Dose-Dependent Effects of Triclocarban Exposure on Lipid Homeostasis in Rats. Chemical Research in Toxicology, 2019, 32, 2320-2328. | 3.3 | 19 |
| 22 | Metabolomics Reveals that Dietary Ferulic Acid and Quercetin Modulate Metabolic Homeostasis in Rats. Journal of Agricultural and Food Chemistry, 2018, 66, 1723-1731. | 5. 2 | 39 |
| 23 | Colon Ascendens Stent Peritonitis (CASP) Induces Excessive Inflammation and Systemic Metabolic Dysfunction in a Septic Rat Model. Journal of Proteome Research, 2018, 17, 680-688. | 3.7 | 5 |
| 24 | The aryl hydrocarbon receptor as a moderator of host-microbiota communication. Current Opinion in Toxicology, 2017, 2, 30-35. | 5.0 | 28 |
| 25 | An aldo-keto reductase is responsible for Fusarium toxin-degrading activity in a soil Sphingomonas strain. Scientific Reports, 2017, 7, 9549. | 3.3 | 67 |
| 26 | Orthogonal Comparison of GC–MS and ¹ H NMR Spectroscopy for Short Chain Fatty Acid Quantitation. Analytical Chemistry, 2017, 89, 7900-7906. | 6.5 | 58 |
| 27 | A prenatal interruption of DISC1 function in the brain exhibits a lasting impact on adult behaviors, brain metabolism, and interneuron development. Oncotarget, 2017, 8, 84798-84817. | 1.8 | 8 |
| 28 | <i>Fusarium oxysporum</i> mediates systems metabolic reprogramming of chickpea roots as revealed by a combination of proteomics and metabolomics. Plant Biotechnology Journal, 2016, 14, 1589-1603. | 8.3 | 63 |
| 29 | Tissue Metabonomic Phenotyping for Diagnosis and Prognosis of Human Colorectal Cancer. Scientific Reports, 2016, 6, 20790. | 3.3 | 46 |
| 30 | Expression of the aryl hydrocarbon receptor contributes to the establishment of intestinal microbial community structure in mice. Scientific Reports, 2016, 6, 33969. | 3.3 | 54 |
| 31 | Farnesoid X Receptor Signaling Shapes the Gut Microbiota and Controls Hepatic Lipid Metabolism. MSystems, $2016,1,.$ | 3.8 | 95 |
| 32 | Reversing methanogenesis to capture methane for liquid biofuel precursors. Microbial Cell Factories, 2016, 15, 11. | 4.0 | 116 |
| 33 | Antioxidant Drug Tempol Promotes Functional Metabolic Changes in the Gut Microbiota. Journal of Proteome Research, 2016, 15, 563-571. | 3.7 | 20 |
| 34 | Persistent Organic Pollutants Modify Gut Microbiotaâ€"Host Metabolic Homeostasis in Mice Through Aryl Hydrocarbon Receptor Activation. Environmental Health Perspectives, 2015, 123, 679-688. | 6.0 | 262 |
| 35 | Metabolomics Reveals that Aryl Hydrocarbon Receptor Activation by Environmental Chemicals Induces Systemic Metabolic Dysfunction in Mice. Environmental Science & Environmental Science & 2015, 49, 8067-8077. | 10.0 | 80 |
| 36 | Quantitative Analysis of Purine Nucleotides Indicates That Purinosomes Increase de Novo Purine Biosynthesis. Journal of Biological Chemistry, 2015, 290, 6705-6713. | 3.4 | 101 |

| # | Article | IF | Citations |
|----|--|------|-----------|
| 37 | Antagonist of Prostaglandin E ₂ Receptor 4 Induces Metabolic Alterations in Liver of Mice. Journal of Proteome Research, 2015, 14, 1566-1573. | 3.7 | 7 |
| 38 | <i>TANG1</i> , Encoding a Symplekin_C Domain-Contained Protein, Influences Sugar Responses in Arabidopsis. Plant Physiology, 2015, 168, 1000-1012. | 4.8 | 10 |
| 39 | Microbiota-Dependent Hepatic Lipogenesis Mediated by Stearoyl CoA Desaturase 1 (SCD1) Promotes Metabolic Syndrome in TLR5-Deficient Mice. Cell Metabolism, 2015, 22, 983-996. | 16.2 | 129 |
| 40 | Lack of soluble fiber drives diet-induced adiposity in mice. American Journal of Physiology - Renal Physiology, 2015, 309, G528-G541. | 3.4 | 128 |
| 41 | Intestinal farnesoid X receptor signaling promotes nonalcoholic fatty liver disease. Journal of Clinical Investigation, 2015, 125, 386-402. | 8.2 | 517 |
| 42 | Polyacrylate/Surface-Modified ZnO Nanocomposite as Film-Forming Agent for Leather Finishing. International Journal of Polymeric Materials and Polymeric Biomaterials, 2014, 63, 809-814. | 3.4 | 18 |
| 43 | Metabonomic Analysis Reveals Efficient Ameliorating Effects of Acupoint Stimulations on the Menopause-caused Alterations in Mammalian Metabolism. Scientific Reports, 2014, 4, 3641. | 3.3 | 26 |
| 44 | Synthesis and biological response of casein-based silica nano-composite film for drug delivery system. Colloids and Surfaces B: Biointerfaces, 2013, 111, 257-263. | 5.0 | 36 |
| 45 | Selective metabolic effects of gold nanorods on normal and cancer cells and their application in anticancer drug screening. Biomaterials, 2013, 34, 7117-7126. | 11.4 | 77 |
| 46 | High-Fat Diet Induces Dynamic Metabolic Alterations in Multiple Biological Matrices of Rats. Journal of Proteome Research, 2013, 12, 3755-3768. | 3.7 | 130 |
| 47 | Combined NMR and GC–MS Analyses Revealed Dynamic Metabolic Changes Associated with the Carrageenan-Induced Rat Pleurisy. Journal of Proteome Research, 2013, 12, 5520-5534. | 3.7 | 23 |
| 48 | Metabolic Phenotypes Associated with High-Temperature Tolerance of Porphyra haitanensis Strains. Journal of Agricultural and Food Chemistry, 2013, 61, 8356-8363. | 5.2 | 23 |
| 49 | Global Metabolomic Responses of <i>Escherichia coli</i> to Heat Stress. Journal of Proteome Research, 2012, 11, 2559-2566. | 3.7 | 87 |
| 50 | Solid-State NMR Analyses Reveal the Structure Dependence of the Molecular Dynamics for ω-Amino Acids. Journal of Physical Chemistry B, 2012, 116, 2096-2103. | 2.6 | 0 |
| 51 | Comprehensive Solid-State NMR Analysis Reveals the Effects of N-Methylation on the Molecular Dynamics of Glycine. Journal of Physical Chemistry B, 2012, 116, 136-146. | 2.6 | 8 |
| 52 | Age-Related Topographical Metabolic Signatures for the Rat Gastrointestinal Contents. Journal of Proteome Research, 2012, 11, 1397-1411. | 3.7 | 65 |
| 53 | Bio-based green composites with high performance from poly(lactic acid) and surface-modified microcrystalline cellulose. Journal of Materials Chemistry, 2012, 22, 15732. | 6.7 | 93 |
| 54 | Survey of nutrients and quality assessment of crab paste by 1H NMR spectroscopy and multivariate data analysis. Science Bulletin, 2012, 57, 3353-3362. | 1.7 | 13 |

| # | Article | IF | CITATION |
|----|--|------|----------|
| 55 | Identification of Three Novel Polyphenolic Compounds, Origanine A–C, with Unique Skeleton from <i>Origanum vulgare</i> L. Using the Hyphenated LC-DAD-SPE-NMR/MS Methods. Journal of Agricultural and Food Chemistry, 2012, 60, 129-135. | 5.2 | 36 |
| 56 | Unraveling the concentration-dependent metabolic response of Pseudomonas sp. HF-1 to nicotine stress by 1H NMR-based metabolomics. Ecotoxicology, 2012, 21, 1314-1324. | 2.4 | 22 |
| 57 | Understanding the Molecular Dynamics Associated with Polymorphic Transitions of <scp>dl</scp> -Norvaline with Solid-State NMR Methods. Journal of Physical Chemistry B, 2011, 115, 2814-2823. | 2.6 | 16 |
| 58 | Systems Responses of Rats to Aflatoxin B1 Exposure Revealed with Metabonomic Changes in Multiple Biological Matrices. Journal of Proteome Research, 2011, 10, 614-623. | 3.7 | 133 |
| 59 | A solid-state NMR study of structure and segmental dynamics of poly(propylmethacryl-heptaisobutyl-pss)-co-styrene nanocomposites. Journal of Colloid and Interface Science, 2011, 355, 334-341. | 9.4 | 10 |
| 60 | Breaking the T1 Constraint for Quantitative Measurement in Magic Angle Spinning Solid-State NMR Spectroscopy. Journal of the American Chemical Society, 2010, 132, 5538-5539. | 13.7 | 20 |
| 61 | Interactions between Nafion resin and protonated dodecylamine modified montmorillonite: A solid state NMR study. Journal of Colloid and Interface Science, 2007, 311, 38-44. | 9.4 | 28 |
| 62 | The domain structure and mobility of semi-crystalline poly(3-hydroxybutyrate) and poly(3-hydroxybutyrate-co-3-hydroxyvalerate): A solid-state NMR study. Polymer, 2007, 48, 2928-2938. | 3.8 | 29 |