

# Vladimir B Arion

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3303286/publications.pdf>

Version: 2024-02-01

236  
papers

9,070  
citations

36303

51  
h-index

58581

82  
g-index

246  
all docs

246  
docs citations

246  
times ranked

7905  
citing authors

#	ARTICLE	IF	CITATIONS
1	Antitumour metal compounds: more than theme and variations. Dalton Transactions, 2007, , 183-194.	3.3	767
2	Structure-Activity Relationships for NAMI-A-type Complexes (HL) [trans-RuCl <sub>4</sub> L(S-dmsoruthenate(III)) (L = Imidazole, Indazole, 1,2,4-Triazole, 4-Amino-1,2,4-triazole, and 1-Methyl-1,2,4-triazole): Aquation, Redox Properties, Protein Binding, and Antiproliferative Activity. Journal of Medicinal Chemistry, 2007, 50, 2185-2193.	6.4	206
3	Transferrin binding and transferrin-mediated cellular uptake of the ruthenium coordination compound KP1019, studied by means of AAS, ESI-MS and CD spectroscopy. Journal of Analytical Atomic Spectrometry, 2004, 19, 46.	3.0	183
4	Electron-transfer activated metal-based anticancer drugs. Inorganica Chimica Acta, 2008, 361, 1569-1583.	2.4	177
5	Tuning of Redox Potentials for the Design of Ruthenium Anticancer Drugs - an Electrochemical Study of [trans-RuCl <sub>4</sub> L(DMSO)]- and [trans-RuCl <sub>4</sub> L <sub>2</sub> ]-Complexes, where L = Imidazole, 1,2,4-Triazole, Indazole. Inorganic Chemistry, 2004, 43, 7083-7093.	4.0	159
6	Redox-Active Antineoplastic Ruthenium Complexes with Indazole: Correlation of in Vitro Potency and Reduction Potential. Journal of Medicinal Chemistry, 2005, 48, 2831-2837.	6.4	156
7	Gallium(III) and Iron(III) Complexes of $\beta$ -N-Heterocyclic Thiosemicarbazones: Synthesis, Characterization, Cytotoxicity, and Interaction with Ribonucleotide Reductase. Journal of Medicinal Chemistry, 2007, 50, 1254-1265.	6.4	145
8	Impact of Metal Coordination on Cytotoxicity of 3-Aminopyridine-2-carboxaldehyde Thiosemicarbazone (Triapine) and Novel Insights into Terminal Dimethylation. Journal of Medicinal Chemistry, 2009, 52, 5032-5043.	6.4	143
9	Highly Antiproliferative Ruthenium(II) and Osmium(II) Arene Complexes with Paullone-Derived Ligands. Organometallics, 2007, 26, 6643-6652.	2.3	134
10	Structure-Activity Relationships of Targeted Ru(II) ( $\eta^6$ -Cymene) Anticancer Complexes with Flavonol-Derived Ligands. Journal of Medicinal Chemistry, 2012, 55, 10512-10522.	6.4	132
11	Targeting the DNA-topoisomerase complex in a double-strike approach with a topoisomerase inhibiting moiety and covalent DNA binder. Chemical Communications, 2012, 48, 4839.	4.1	130
12	In Vitro Anticancer Activity and Biologically Relevant Metabolization of Organometallic Ruthenium Complexes with Carbohydrate-Based Ligands. Chemistry - A European Journal, 2008, 14, 9046-9057.	3.3	111
13	Maltol-Derived Ruthenium-Cymene Complexes with Tumor Inhibiting Properties: The Impact of Ligand-Metal Bond Stability on Anticancer Activity In Vitro. Chemistry - A European Journal, 2009, 15, 12283-12291.	3.3	111
14	Molecular Engineering of Benzothiazolium Salts with Large Quadratic Hyperpolarizabilities: Can Auxiliary Electron-Withdrawing Groups Enhance Nonlinear Optical Responses?. Journal of Physical Chemistry C, 2010, 114, 22289-22302.	3.1	111
15	Novel metal(ii) arene 2-pyridinecarbothioamides: a rationale to orally active organometallic anticancer agents. Chemical Science, 2013, 4, 1837.	7.4	111
16	Ribonucleotide reductase inhibition by metal complexes of Triapine (3-aminopyridine-2-carboxaldehyde) Tj ETQq0 0 0 rgBT /Overlock 10 Biochemistry, 2011, 105, 1422-1431.	3.5	105
17	Is the Reactivity of M(II)-Arene Complexes of 3-Hydroxy-2(1 <i>H</i> )-pyridones to Biomolecules the Anticancer Activity Determining Parameter?. Inorganic Chemistry, 2010, 49, 7953-7963.	4.0	101
18	Preclinical characterization of anticancer gallium(III) complexes: Solubility, stability, lipophilicity and binding to serum proteins. Journal of Inorganic Biochemistry, 2006, 100, 1819-1826.	3.5	100

#	ARTICLE	IF	CITATIONS
19	A SAR Study of Novel Antiproliferative Ruthenium and Osmium Complexes with Quinoxalinone Ligands in Human Cancer Cell Lines. <i>Journal of Medicinal Chemistry</i> , 2012, 55, 3398-3413.	6.4	98
20	Synthesis, structure, spectroscopic and in vitro antitumour studies of a novel gallium(III) complex with 2-acetylpyridine 4N-dimethylthiosemicarbazone. <i>Journal of Inorganic Biochemistry</i> , 2002, 91, 298-305.	3.5	97
21	Synthesis, X-ray Diffraction Structures, Spectroscopic Properties, and in vitro Antitumor Activity of Isomeric (1H-1,2,4-Triazole)Ru(III) Complexes. <i>Inorganic Chemistry</i> , 2003, 42, 6024-6031.	4.0	94
22	A chiral phosphine-olefin rhodium complex as an efficient catalyst for the asymmetric conjugate addition. <i>Tetrahedron: Asymmetry</i> , 2006, 17, 3084-3090.	1.8	91
23	Maleimide-functionalised organoruthenium anticancer agents and their binding to thiol-containing biomolecules. <i>Chemical Communications</i> , 2012, 48, 1475-1477.	4.1	91
24	New Water-Soluble Copper(II) Complexes with Morpholine-Thiosemicarbazone Hybrids: Insights into the Anticancer and Antibacterial Mode of Action. <i>Journal of Medicinal Chemistry</i> , 2019, 62, 512-530.	6.4	91
25	Novel Di- and Tetracarboxylatoplatinum(IV) Complexes. Synthesis, Characterization, Cytotoxic Activity, and DNA Platination. <i>Journal of Medicinal Chemistry</i> , 2007, 50, 6692-6699.	6.4	88
26	Osmium(ii)-versus ruthenium(ii)-arene carbohydrate-based anticancer compounds: similarities and differences. <i>Dalton Transactions</i> , 2010, 39, 7345.	3.3	88
27	Metal-Based Paullones as Putative CDK Inhibitors for Antitumor Chemotherapy. <i>Journal of Medicinal Chemistry</i> , 2007, 50, 6343-6355.	6.4	86
28	From Pyrone to Thiopyrone Ligands~Rendering Maltol-Derived Ruthenium(II)-Arene Complexes That Are Anticancer Active in Vitro. <i>Organometallics</i> , 2009, 28, 4249-4251.	2.3	85
29	Copper(II) thiosemicarbazone complexes induce marked ROS accumulation and promote nrf2-mediated antioxidant response in highly resistant breast cancer cells. <i>Dalton Transactions</i> , 2017, 46, 3833-3847.	3.3	79
30	Tuning of Redox Properties for the Design of Ruthenium Anticancer Drugs: Part 2. Syntheses, Crystal Structures, and Electrochemistry of Potentially Antitumor [Ru(II)/Os(II)Cl <sub>6-n</sub> (Azole) <sub>n</sub> ] <sup>z</sup> (n= 3, 4, 6) Complexes. <i>Inorganic Chemistry</i> , 2005, 44, 6704-6716.	4.0	77
31	Fluorescence properties and cellular distribution of the investigational anticancer drug Triapine (3-aminopyridine-2-carboxaldehyde thiosemicarbazone) and its zinc(II) complex. <i>Dalton Transactions</i> , 2010, 39, 704-706.	3.3	77
32	Comparative Solution Equilibrium Study of the Interactions of Copper(II), Iron(II) and Zinc(II) with Triapine (3-aminopyridine-2-carboxaldehyde Thiosemicarbazone) and Related Ligands. <i>European Journal of Inorganic Chemistry</i> , 2010, 2010, 1717-1728.	2.0	74
33	Ruthenium(II)-arene complexes with functionalized pyridines: Synthesis, characterization and cytotoxic activity. <i>European Journal of Medicinal Chemistry</i> , 2010, 45, 1051-1058.	5.5	74
34	Effect of metal ion complexation and chalcogen donor identity on the antiproliferative activity of 2-acetylpyridine N,N-dimethyl(chalcogen)semicarbazones. <i>Journal of Inorganic Biochemistry</i> , 2007, 101, 1946-1957.	3.5	71
35	Water-Soluble Mixed-Ligand Ruthenium(II) and Osmium(II) Arene Complexes with High Antiproliferative Activity. <i>Organometallics</i> , 2008, 27, 6587-6595.	2.3	71
36	Osmium NAMI-A Analogues: Synthesis, Structural and Spectroscopic Characterization, and Antiproliferative Properties. <i>Inorganic Chemistry</i> , 2007, 46, 5023-5033.	4.0	66

#	ARTICLE	IF	CITATIONS
37	Interaction of Triapine and related thiosemicarbazones with iron(III)/II and gallium(III): a comparative solution equilibrium study. <i>Dalton Transactions</i> , 2011, 40, 5895.	3.3	65
38	From hydrolytically labile to hydrolytically stable Ru(II)-arene anticancer complexes with carbohydrate-derived co-ligands. <i>Journal of Inorganic Biochemistry</i> , 2011, 105, 224-231.	3.5	65
39	Tuning the anticancer activity of maltol-derived ruthenium complexes by derivatization of the 3-hydroxy-4-pyrone moiety. <i>Journal of Organometallic Chemistry</i> , 2009, 694, 922-929.	1.8	64
40	l- and d-Proline Thiosemicarbazone Conjugates: Coordination Behavior in Solution and the Effect of Copper(II) Coordination on Their Antiproliferative Activity. <i>Inorganic Chemistry</i> , 2012, 51, 9309-9321.	4.0	64
41	Reactions of Potent Antitumor Complex trans-[Ru(II)Cl <sub>4</sub> (indazole) <sub>2</sub> ]- with a DNA-Relevant Nucleobase and Thioethers: Insight into Biological Action. <i>Inorganic Chemistry</i> , 2005, 44, 122-132.	4.0	59
42	Biological activity of ruthenium and osmium arene complexes with modified paullones in human cancer cells. <i>Journal of Inorganic Biochemistry</i> , 2012, 116, 180-187.	3.5	59
43	Identification of the Structural Determinants for Anticancer Activity of a Ruthenium Arene Peptide Conjugate. <i>Chemistry - A European Journal</i> , 2013, 19, 9297-9307.	3.3	58
44	Copper(II) Complexes with Schiff Bases Containing a Disiloxane Unit: Synthesis, Structure, Bonding Features and Catalytic Activity for Aerobic Oxidation of Benzyl Alcohol. <i>European Journal of Inorganic Chemistry</i> , 2013, 2013, 1458-1474.	2.0	58
45	An Electrochemical Study of Antineoplastic Gallium, Iron and Ruthenium Complexes with Redox Noninnocent $\pm$ -N-Heterocyclic Chalcogensemicarbazones. <i>Inorganic Chemistry</i> , 2008, 47, 11032-11047.	4.0	57
46	Metal-Arene Complexes with Indolo[3,2-c]-quinolines: Effects of Ruthenium vs Osmium and Modifications of the Lactam Unit on Intermolecular Interactions, Anticancer Activity, Cell Cycle, and Cellular Accumulation. <i>Organometallics</i> , 2013, 32, 903-914.	2.3	57
47	Conjugation of Organoruthenium(II) 3-(1H-Benzimidazol-2-yl)pyrazolo[3,4-b]pyridines and Indolo[3,2-d]benzazepines to Recombinant Human Serum Albumin: a Strategy To Enhance Cytotoxicity in Cancer Cells. <i>Inorganic Chemistry</i> , 2011, 50, 12669-12679.	4.0	56
48	Copper(II) Complexes with Highly Water-Soluble l- and d-Proline-Thiosemicarbazone Conjugates as Potential Inhibitors of Topoisomerase II $\pm$ . <i>Inorganic Chemistry</i> , 2013, 52, 8895-8908.	4.0	56
49	Structure-Activity Relationships of Highly Cytotoxic Copper(II) Complexes with Modified Indolo[3,2-c]quinoline Ligands. <i>Inorganic Chemistry</i> , 2010, 49, 11084-11095.	4.0	55
50	Ruthenium and Osmium-Arene Complexes of 2-Substituted Indolo[3,2-c]quinolines: Synthesis, Structure, Spectroscopic Properties, and Antiproliferative Activity. <i>Organometallics</i> , 2011, 30, 273-283.	2.3	55
51	Azine-Bridged Octanuclear Copper(II) Complexes Assembled with a One-Stranded Ditopic Thiocarbohydrazone Ligand. <i>Angewandte Chemie - International Edition</i> , 2005, 44, 7938-7942.	13.8	52
52	Synthesis, crystal structure and cytotoxicity of new oxaliplatin analogues indicating that improvement of anticancer activity is still possible. <i>European Journal of Medicinal Chemistry</i> , 2004, 39, 707-714.	5.5	51
53	Organometallic indolo[3,2-c]quinolines versus indolo[3,2-d]benzazepines: synthesis, structural and spectroscopic characterization, and biological efficacy. <i>Journal of Biological Inorganic Chemistry</i> , 2010, 15, 903-918.	2.6	51
54	Synthesis and Reactivity of the Aquation Product of the Antitumor Complex trans-[Ru(III)Cl <sub>4</sub> (indazole) <sub>2</sub> ] <sup>+</sup> . <i>Inorganic Chemistry</i> , 2008, 47, 6513-6523.	4.0	50

#	ARTICLE	IF	CITATIONS
55	New Iminodiacetate <sup>−</sup> Thiosemicarbazone Hybrids and Their Copper(II) Complexes Are Potential Ribonucleotide Reductase R2 Inhibitors with High Antiproliferative Activity. <i>Inorganic Chemistry</i> , 2017, 56, 3532-3549.	4.0	50
56	Novel Cis- and Trans-Configured Bis(oxime)platinum(II) Complexes: Synthesis, Characterization, and Cytotoxic Activity. <i>Inorganic Chemistry</i> , 2010, 49, 5669-5678.	4.0	49
57	En Route to Osmium Analogues of KP1019: Synthesis, Structure, Spectroscopic Properties and Antiproliferative Activity of <i>trans</i> -[Os <sup>IV</sup> Cl <sub>4</sub> ](Hazole) <sub>2</sub> . <i>Inorganic Chemistry</i> , 2011, 50, 7690-7697.	4.0	49
58	Vanadium(V) Complexes with Substituted 1,5-bis(2-hydroxybenzaldehyde)carbohydrazones and Their Use As Catalyst Precursors in Oxidation of Cyclohexane. <i>Inorganic Chemistry</i> , 2016, 55, 9187-9203.	4.0	49
59	Highly Cytotoxic Copper(II) Complexes with Modified Paullone Ligands. <i>Inorganic Chemistry</i> , 2010, 49, 302-311.	4.0	48
60	<sup>1</sup> / <sub>4</sub> Chlorido <sup>−</sup> Bridged Dimanganese(II) Complexes of the Schiff Base Derived from [2+2] Condensation of 2,6-Diformyl-4-methylphenol and 1,3-Bis(3-aminopropyl)tetramethyldisiloxane: Structure, Magnetism, Electrochemical Behaviour, and Catalytic Oxidation of Secondary Alcohols. <i>European Journal of Inorganic Chemistry</i> , 2014, 2014, 120-131.	2.0	48
61	A Hexanuclear Iron(III) Carboxylate with an [Fe <sub>6</sub> ( <sup>1</sup> / <sub>3</sub> -O) <sub>3</sub> ( <sup>1</sup> / <sub>2</sub> -OH)] <sup>11+</sup> Core as an Efficient Catalyst for Cycloalkane Oxidation. <i>Angewandte Chemie - International Edition</i> , 2006, 45, 2794-2798.	13.8	47
62	Synthesis, crystal structure and pH dependent cytotoxicity of (SP-4-2)-bis(2-aminoethanolato- <sup>−</sup> 2N,O)platinum(II) <sup>−</sup> a representative of novel pH sensitive anticancer platinum complexes. <i>Inorganica Chimica Acta</i> , 2004, 357, 3237-3244.	2.4	46
63	The First Metal-Based Paullone Derivative with High Antiproliferative Activity in Vitro. <i>Inorganic Chemistry</i> , 2006, 45, 1945-1950.	4.0	46
64	Macrocyclic and Open-Chain Cull-4f (4f = GdIII, CeIII) Complexes with Planar Diamino Chains: Structures and Magnetic Properties. <i>European Journal of Inorganic Chemistry</i> , 2004, 2004, 1530-1537.	2.0	44
65	Structure <sup>−</sup> antiproliferative activity studies on <i>l</i> -proline- and homoproline-4-N-pyrrolidine-3-thiosemicarbazone hybrids and their nickel( <sup>ii</sup> ), palladium( <sup>ii</sup> ) and copper( <sup>ii</sup> ) complexes. <i>Dalton Transactions</i> , 2016, 45, 13427-13439.	3.3	44
66	The Complexes [OsCl <sub>2</sub> (azole) <sub>2</sub> (dmsO) <sub>2</sub> ] and [OsCl <sub>2</sub> (azole)(dmsO) <sub>3</sub> ]: Synthesis, Structure, Spectroscopic Properties and Catalytic Hydration of Chloronitriles. <i>European Journal of Inorganic Chemistry</i> , 2007, 2007, 400-411.	2.0	43
67	Ruthenium(II) Complexes of Thiosemicarbazones: The First Water-Soluble Complex with pH-Dependent Antiproliferative Activity. <i>European Journal of Inorganic Chemistry</i> , 2007, 2007, 2870-2878.	2.0	43
68	Syntheses, Electronic Structures, and EPR/UV <sup>−</sup> Vis <sup>−</sup> NIR Spectroelectrochemistry of Nickel(II), Copper(II), and Zinc(II) Complexes with a Tetradentate Ligand Based on S-Methylisothiosemicarbazide. <i>Inorganic Chemistry</i> , 2011, 50, 2918-2931.	4.0	43
69	Strong effect of copper( <sup>ii</sup> ) coordination on antiproliferative activity of thiosemicarbazone <sup>−</sup> piperazine and thiosemicarbazone <sup>−</sup> morpholine hybrids. <i>Dalton Transactions</i> , 2015, 44, 9071-9090.	3.3	42
70	The First Ruthenium-Based Paullones: <sup>−</sup> Syntheses, X-ray Diffraction Structures, and Spectroscopic and Antiproliferative Properties in Vitro. <i>Inorganic Chemistry</i> , 2007, 46, 3645-3656.	4.0	40
71	Ruthenium- and osmium-arene-based paullones bearing a TEMPO free-radical unit as potential anticancer drugs. <i>Chemical Communications</i> , 2012, 48, 8559.	4.1	40
72	Striking Difference in Antiproliferative Activity of Ruthenium- and Osmium-Nitrosyl Complexes with Azole Heterocycles. <i>Inorganic Chemistry</i> , 2013, 52, 6273-6285.	4.0	39

#	ARTICLE	IF	CITATIONS
73	Novel Endothallic Containing Platinum(IV) Complexes: Synthesis, Characterization, and Cytotoxic Activity. <i>Chemistry and Biodiversity</i> , 2008, 5, 2160-2170.	2.1	38
74	Osmium(IV) complexes with 1H- and 2H-indazoles: Tautomer identity versus spectroscopic properties and antiproliferative activity. <i>Journal of Inorganic Biochemistry</i> , 2012, 113, 47-54.	3.5	38
75	X-ray Absorption Spectroscopy of an Investigational Anticancer Gallium(III) Drug: Interaction with Serum Proteins, Elemental Distribution Pattern, and Coordination of the Compound in Tissue. <i>Journal of Medicinal Chemistry</i> , 2012, 55, 5601-5613.	6.4	36
76	Strategy to Optimize the Biological Activity of Arene Ruthenium Metalla-Assemblies. <i>Organometallics</i> , 2014, 33, 3813-3822.	2.3	36
77	Ruthenium-Nitrosyl Complexes with Glycine, L-Alanine, L-Valine, L-Proline, d-Proline, L-Serine, L-Threonine, and L-Tyrosine: Synthesis, X-ray Diffraction Structures, Spectroscopic and Electrochemical Properties, and Antiproliferative Activity. <i>Inorganic Chemistry</i> , 2014, 53, 2718-2729.	4.0	35
78	Tetranuclear Copper(II) Complexes with Macrocyclic and Open-Chain Disiloxane Ligands as Catalyst Precursors for Hydrocarboxylation and Oxidation of Alkanes and 1-Phenylethanol. <i>European Journal of Inorganic Chemistry</i> , 2014, 2014, 4946-4956.	2.0	35
79	Ruthenium-nitrosyl complexes as NO-releasing molecules, potential anticancer drugs, and photoswitches based on linkage isomerism. <i>Dalton Transactions</i> , 2022, 51, 5367-5393.	3.3	35
80	Synthesis, Structure, Magnetism, and Spectroscopic Properties of Some Mono- and Dinuclear Nickel Complexes Containing Noninnocent Pentane-2,4-dione Bis(S-alkylisothiosemicarbazone)-Derived Ligands. <i>Inorganic Chemistry</i> , 1997, 36, 661-669.	4.0	34
81	Synthesis, Characterization, and Cytotoxic Activity of Novel Potentially pH-Sensitive Nonclassical Platinum(II) Complexes Featuring 1,3-Dihydroxyacetone Oxime Ligands. <i>Inorganic Chemistry</i> , 2011, 50, 10673-10681.	4.0	34
82	NO Releasing and Anticancer Properties of Octahedral Ruthenium Nitrosyl Complexes with Equatorial 1-H-Indazole Ligands. <i>Inorganic Chemistry</i> , 2018, 57, 10702-10717.	4.0	34
83	Mono-carboxylated diaminedichloridoplatinum(IV) complexes: selective synthesis, characterization, and cytotoxicity. <i>Dalton Transactions</i> , 2011, 40, 8187-8192.	3.3	33
84	Transition metal complexes with the thiosemicarbazide-based ligands: XXIII. Synthesis, physicochemical properties and voltammetric characterization of iron(III) complexes with terdentate and quadridentate thiosemicarbazide derivatives. <i>Polyhedron</i> , 1994, 13, 3005-3014.	2.2	32
85	Synthesis, Structure, Protolytic Properties, Alkylating and Cytotoxic Activity of Novel Platinum(II) and Palladium(II) Complexes with Pyrazole-Derived Ligands. <i>European Journal of Inorganic Chemistry</i> , 2007, 2007, 3728-3735.	2.0	32
86	Synthesis, Structure, Spectroscopic Properties, and Antiproliferative Activity In Vitro of Novel Osmium(III) Complexes with Azole Heterocycles. <i>Inorganic Chemistry</i> , 2008, 47, 7338-7347.	4.0	32
87	Synthesis, Coordination Behavior, and Use in Asymmetric Hydrogenations of Walphos-Type Ligands. <i>Organometallics</i> , 2008, 27, 1119-1127.	2.3	32
88	Organometallic 3-(1-H-Benzimidazol-2-yl)-1-H-pyrazolo[3,4-b]pyridines as Potential Anticancer Agents. <i>Inorganic Chemistry</i> , 2011, 50, 11715-11728.	4.0	32
89	Coordination chemistry of S-substituted isothiosemicarbazides and isothiosemicarbazones. <i>Coordination Chemistry Reviews</i> , 2019, 387, 348-397.	18.8	32
90	Computational Electrochemistry of Ruthenium Anticancer Agents. Unprecedented Benchmarking of Implicit Solvation Methods. <i>Journal of Chemical Theory and Computation</i> , 2008, 4, 499-506.	5.3	31

#	ARTICLE	IF	CITATIONS
91	On the nature of photoluminescence in Bismuth-doped silica glass. <i>Scientific Reports</i> , 2017, 7, 3178.	3.3	31
92	Isomeric [RuCl <sub>2</sub> (dmsO) <sub>2</sub> (indazole) <sub>2</sub> ] complexes: ruthenium(ii)-mediated coupling reaction of acetonitrile with 1H-indazole. <i>Dalton Transactions</i> , 2005, , 2355.	3.3	29
93	Synthesis and Characterization of [(1R,2R)-trans-Diaminocyclohexane]platinum(II) Coordinated to Sulfur and Selenium Amino Acids. <i>European Journal of Inorganic Chemistry</i> , 2006, 2006, 3746-3752.	2.0	29
94	A Diels-Alder Approach to (âˆ-)Ovalicin. <i>Angewandte Chemie - International Edition</i> , 2007, 46, 2690-2693.	13.8	29
95	Contributions to chromatographic chiral recognition of permethrinic acid stereoisomers by a quinine carbamate chiral selector: evidence from X-ray diffraction, DFT computations, 1H NMR, and thermodynamic studies. <i>Tetrahedron: Asymmetry</i> , 2008, 19, 97-110.	1.8	29
96	Hexanuclear and undecanuclear iron(iii) carboxylates as catalyst precursors for cyclohexane oxidation. <i>Dalton Transactions</i> , 2013, 42, 14388.	3.3	29
97	Charge and Spin States in Schiff Base Metal Complexes with a Disiloxane Unit Exhibiting a Strong Noninnocent Ligand Character: Synthesis, Structure, Spectroelectrochemistry, and Theoretical Calculations. <i>Inorganic Chemistry</i> , 2015, 54, 5691-5706.	4.0	29
98	Oxovanadium(IV) and oxovanadium(IV)-barium(II) complexes with heterotopic macrocyclic ligands based on isothiosemicarbazide. <i>Inorganica Chimica Acta</i> , 2001, 317, 33-44.	2.4	28
99	Novel glucose-ferrocenyl derivatives: synthesis and properties. <i>New Journal of Chemistry</i> , 2002, 26, 671-673.	2.8	28
100	Synthesis, X-ray diffraction structure, spectroscopic properties and antiproliferative activity of a novel ruthenium complex with constitutional similarity to cisplatin. <i>Dalton Transactions</i> , 2009, , 3334.	3.3	27
101	Effect of the Piperazine Unit and Metal-Binding Site Position on the Solubility and Anti-Proliferative Activity of Ruthenium(II)- and Osmium(II)- Arene Complexes of Isomeric Indolo[3,2- <i>c</i> ]quinoline-Piperazine Hybrids. <i>Inorganic Chemistry</i> , 2014, 53, 6934-6943.	4.0	27
102	Mannich products of kojic acid and N-heterocycles and their Ru(II)-arene complexes: Synthesis, characterization and stability. <i>Journal of Organometallic Chemistry</i> , 2010, 695, 875-881.	1.8	26
103	Mechanism Elucidation of the cis- trans- Isomerization of an Azole Ruthenium-Nitrosyl Complex and Its Osmium Counterpart. <i>Inorganic Chemistry</i> , 2013, 52, 6260-6272.	4.0	26
104	Effect of allylic and homoallylic substituents on cross metathesis: syntheses of prostaglandins F <sub>2</sub> ± and J <sub>2</sub> . <i>Tetrahedron Letters</i> , 2006, 47, 6689-6693.	1.4	25
105	Synthesis and antiproliferative activity of benzimidazole-based, trinuclear neutral cyclometallated and cationic, N <sup>+</sup> -chelated ruthenium( <sup>ii</sup> ) complexes. <i>Dalton Transactions</i> , 2020, 49, 1143-1156.	3.3	25
106	A Tether Controlled exo-Selective Trans-Annular Diels-Alder (TADA) Reaction. <i>Organic Letters</i> , 2006, 8, 3849-3851.	4.6	24
107	Effects of Terminal Dimethylation and Metal Coordination of Proline-2-formylpyridine Thiosemicarbazone Hybrids on Lipophilicity, Antiproliferative Activity, and hR2 RNR Inhibition. <i>Inorganic Chemistry</i> , 2014, 53, 12595-12609.	4.0	24
108	MIXED MACROCYCLIC COORDINATION COMPOUNDS CONTAINING THIOSEMICARBAZIDE AND CROWN-ETHER MOIETIES (SYNTHESIS, STRUCTURE AND PROPERTIES). <i>Reviews in Inorganic Chemistry</i> , 2001, 21, 1-42.	4.1	23

#	ARTICLE	IF	CITATIONS
109	Synthesis of ferrocenylglucose phosphonite and bisphosphinite: Pd(II) and Pt(II) complexes, Pd-catalyzed allylic alkylation. <i>Tetrahedron</i> , 2002, 58, 8489-8492.	1.9	23
110	Osmium(III) Analogues of KP1019: Electrochemical and Chemical Synthesis, Spectroscopic Characterization, X-ray Crystallography, Hydrolytic Stability, and Antiproliferative Activity. <i>Inorganic Chemistry</i> , 2014, 53, 11130-11139.	4.0	23
111	Dicopper(II) and Dizinc(II) Complexes with Nonsymmetric Dinucleating Ligands Based on Indolo[3,2- <i>c</i> ]quinolines: Synthesis, Structure, Cytotoxicity, and Intracellular Distribution. <i>Inorganic Chemistry</i> , 2013, 52, 10137-10146.	4.0	22
112	Marked Stabilization of Redox States and Enhanced Catalytic Activity in Galactose Oxidase Models Based on Transition Metal <i>S</i> -Methylisothiosemicarbazones with $\hat{\wedge}$ SR Group in Ortho Position to the Phenolic Oxygen. <i>Inorganic Chemistry</i> , 2013, 52, 7524-7540.	4.0	22
113	Ruthenium(II) $\hat{\wedge}$ arene complexes with substituted picolinato ligands: Synthesis, structure, spectroscopic properties and antiproliferative activity. <i>Journal of Organometallic Chemistry</i> , 2014, 749, 343-349.	1.8	22
114	Synthesis and Use in Asymmetric Hydrogenations of Solely Planar Chiral 1,2-Disubstituted and 1,2,3-Trisubstituted Ferrocenyl Diphosphines: A Comparative Study. <i>Organometallics</i> , 2007, 26, 3530-3540.	2.3	21
115	[Os <sup>IV</sup> Cl <sub>5</sub> (Hazole)] <sup>+</sup> Complexes: Synthesis, Structure, Spectroscopic Properties, and Antiproliferative Activity. <i>Inorganic Chemistry</i> , 2009, 48, 10737-10747.	4.0	21
116	A modular approach to a new class of phosphinohydrazones and their use in asymmetric allylic alkylation reactions. <i>Tetrahedron: Asymmetry</i> , 2010, 21, 1971-1982.	1.8	21
117	Ruthenium- and osmium-arene complexes of 8-substituted indolo[3,2- <i>c</i> ]quinolines: Synthesis, X-ray diffraction structures, spectroscopic properties, and antiproliferative activity. <i>Inorganica Chimica Acta</i> , 2012, 393, 252-260.	2.4	20
118	A five-coordinate manganese( <sup>iii</sup> ) complex of a salen type ligand with a positive axial anisotropy parameter D. <i>Dalton Transactions</i> , 2017, 46, 11817-11829.	3.3	20
119	Template synthesis, structure and properties of a bis(macrocylic) dinickel(II) complex based on a 14-membered hexaaza unit. <i>Journal of the Chemical Society Dalton Transactions</i> , 1994, , 1913.	1.1	19
120	Synthesis, structure and spectroscopic properties of nickel(II) macrocyclic and open-chain complexes resulted from 1-phenyl-butane-1,3-dione mono-S-methylisothiosemicarbazone template self-condensation. <i>Inorganica Chimica Acta</i> , 2001, 313, 30-36.	2.4	19
121	Multi-temperature X-ray diffraction, Mössbauer spectroscopy and magnetic susceptibility studies of a solvated mixed-valence trinuclear iron formate, [Fe <sub>3</sub> O(HCO <sub>2</sub> ) <sub>6</sub> (NC <sub>5</sub> H <sub>4</sub> CH <sub>3</sub> ) <sub>3</sub> ] $\hat{\wedge}$ 1.3(NC <sub>5</sub> H <sub>4</sub> CH <sub>3</sub> ). <i>Dalton Transactions RSC</i> , 2002, , 2981.	2.3	19
122	Bis(2-aminobutanol)dichloroplatinum(II) Complexes and Their Singly and Doubly Ring-Closed Butanolato Species $\hat{\wedge}$ Novel Prodrugs for Platinum-Based Antitumour Chemotherapy?. <i>European Journal of Inorganic Chemistry</i> , 2003, 2003, 2619-2625.	2.0	19
123	Solvent- and Temperature-Tuned Orientation of Ferrocenyl Azide Inside $\hat{\wedge}$ 2-Cyclodextrin. <i>Journal of Organic Chemistry</i> , 2006, 71, 3274-3277.	3.2	19
124	2 <i>H</i> -Azirines from a Concerted Addition of Alkylcarbenes to Nitrile Groups. <i>Organic Letters</i> , 2010, 12, 2366-2369.	4.6	18
125	Synthesis and structures of novel 1-methylcytosinato-bridged (ethylenediamine)platinum(ii) and platinum(iii) dinuclear complexes. <i>Dalton Transactions</i> , 2010, 39, 3633.	3.3	18
126	A highly cytotoxic modified paullone ligand bearing a TEMPO free-radical unit and its copper(ii) complex as potential hR2 RNR inhibitors. <i>Chemical Communications</i> , 2013, 49, 10007.	4.1	18



#	ARTICLE	IF	CITATIONS
127	On the Electronic Structure of <i>cis</i> -mer- $[\text{RuCl}_3(\text{H-indazole})_2(\text{NO})]$ , a Hypothetical Metabolite of the Antitumor Drug Candidate KP1019: An Experimental and DFT Study. <i>European Journal of Inorganic Chemistry</i> , 2013, 2013, 2505-2519.	2.0	18
128	Oxime-Bridged $\text{Mn}_6$ Clusters Inserted in One-Dimensional Coordination Polymer. <i>Macromolecules</i> , 2016, 49, 6163-6172.	4.8	18
129	Synthesis, characterisation and cytotoxic activity of organoruthenium(II)-halido complexes with 1H-benzimidazole-2-carboxylic acid. <i>Journal of Organometallic Chemistry</i> , 2016, 819, 61-68.	1.8	18
130	Two new $\text{æoniumæ}$ -fluorosilicates, the products of interaction of fluorosilicic acid with 12-membered macrocycles: structures and spectroscopic properties. <i>Dalton Transactions</i> , 2007, , 2915-2924.	3.3	17
131	A quantitative structure-activity approach for lipophilicity estimation of antitumor complexes of different metals using microemulsion electrokinetic chromatography. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2011, 55, 409-413.	2.8	17
132	Novel latonduine derived proligands and their copper(II) complexes show cytotoxicity in the nanomolar range in human colon adenocarcinoma cells and <i>in vitro</i> cancer selectivity. <i>Dalton Transactions</i> , 2019, 48, 10464-10478.	3.3	17
133	Synthesis, structure and characterization of zinc(II), copper(II), zinc(II) barium(II) and copper(II) barium(II) complexes of macrocyclic heteronucleating ligands based on isothiosemicarbazide. <i>Inorganica Chimica Acta</i> , 1998, 282, 61-70.	2.4	16
134	Nickel(II) Complexes with Redox Noninnocent Octaazamacrocycles as Catalysts in Oxidation Reactions. <i>Inorganic Chemistry</i> , 2019, 58, 11133-11145.	4.0	16
135	Synthesis, geometrical and electronic structure of iron mononitrosyl complexes with bis(S-alkylisothiosemicarbazones) of $\text{P}^2$ -dicarbonyl compounds. <i>Inorganica Chimica Acta</i> , 1992, 202, 173-181.	2.4	15
136	A Bis( $\mu$ -chlorido) $\mu$ -Bridged Cobalt(II) Complex with Silyl-Containing Schiff Base as a Catalyst Precursor in the Solvent-Free Oxidation of Cyclohexane. <i>European Journal of Inorganic Chemistry</i> , 2017, 2017, 4324-4332.	2.0	15
137	Potassium-controlled synthesis of heterotopic macrocycles based on isothiosemicarbazide. <i>Inorganica Chimica Acta</i> , 2002, 328, 123-133.	2.4	14
138	1,1'-Bis(oxazolin-2-yl)ferrocenes: An Investigation of Their Complexation Behavior toward $[\text{Pd}(\text{allyl})_2\text{Cl}]_2$ . <i>European Journal of Inorganic Chemistry</i> , 2005, 2005, 1589-1600.	2.0	14
139	Bis(2-amino alcohol- $\text{P}^2\text{N}$ )dicarboxylatoplatinum(II) Complexes - Elegant Synthesis via Ring-Opening of Bis(2-amino alcoholato- $\text{P}^2\text{N},\text{O}$ )platinum(II) Species with Dicarboxylic Acids. <i>European Journal of Inorganic Chemistry</i> , 2006, 2006, 2476-2483.	2.0	14
140	Study of the Structure and Photochemical Decomposition of Azidoadamantanes Entrapped in $\beta$ - and $\gamma$ -Cyclodextrin. <i>European Journal of Organic Chemistry</i> , 2011, 2011, 1249-1255.	2.4	14
141	Photoluminescence of sol-gel silica fiber preform doped with Bismuth-containing heterotrinnuclear complex. <i>Optical Materials Express</i> , 2012, 2, 205.	3.0	14
142	Picture change error in quasirelativistic electron/spin density, Laplacian and bond critical points. <i>Chemical Physics</i> , 2014, 438, 37-47.	1.9	14
143	Synthesis and Evaluation of Biological Activity of Homodrimane Sesquiterpenoids Bearing Hydrazinecarbothioamide or 1,2,4-Triazole Unit. <i>Chemistry of Heterocyclic Compounds</i> , 2019, 55, 716-724.	1.2	14
144	New palladium(II) complexes with 3-(2-pyridyl)-5-alkyl-1,2,4-triazole ligands as recyclable $\text{C-C}$ coupling catalysts. <i>New Journal of Chemistry</i> , 2019, 43, 10973-10984.	2.8	14

#	ARTICLE	IF	CITATIONS
145	Highly Antiproliferative Latonduine and Indolo[2,3- <i>c</i> ]quinoline Derivatives: Complex Formation with Copper(II) Markedly Changes the Kinase Inhibitory Profile. <i>Journal of Medicinal Chemistry</i> , 2022, 65, 2238-2261.	6.4	14
146	Crystal Structure, Mössbauer Spectra, and Thermal Behavior of H <sub>2</sub> Fe(CO) <sub>2</sub> [P(OPh) <sub>3</sub> ] <sub>2</sub> . <i>Inorganic Chemistry</i> , 2001, 40, 2628-2630.	4.0	13
147	Synthesis and structures of palladium(II) and platinum(II) complexes containing heterocyclic thiolate ligands formed by cycloaddition reactions of coordinated azides. <i>Canadian Journal of Chemistry</i> , 2009, 87, 146-150.	1.1	13
148	Catenation control in the two-dimensional coordination polymers based on tritopic carboxylate linkers and azamacrocyclic nickel(II) complexes. <i>Dalton Transactions</i> , 2012, 41, 4118.	3.3	13
149	Heteropentanuclear Oxalato-bridged $\mu_4$ ( $n=4, 5$ ) Metal Complexes with NO Ligand: Synthesis, Crystal Structures, Aqueous Stability and Antiproliferative Activity. <i>Chemistry - A European Journal</i> , 2015, 21, 13703-13713.	3.3	13
150	An iron(III)-centred ferric wheel Fe <sub>6</sub> with a siloxane-based bis-salicylidene Schiff base. <i>Dalton Transactions</i> , 2017, 46, 1789-1793.	3.3	13
151	Synthesis and structure of metallomacrocycles based on isothiosemicarbazides. <i>Inorganica Chimica Acta</i> , 1995, 238, 23-33.	2.4	12
152	Hydrolysis and Cytotoxic Properties of Osmium(II)/(III)-DMSO-Azole Complexes. <i>Short Communication. Chemistry and Biodiversity</i> , 2008, 5, 1588-1593.	2.1	12
153	Lectin Conjugates as Biospecific Contrast Agents for MRI. Coupling of Lycopersicon esculentum Agglutinin to Linear Water-Soluble DTPA-Loaded Oligomers. <i>Molecular Imaging and Biology</i> , 2011, 13, 432-442.	2.6	12
154	$\mu_2$ - $\mu_2$ -Arylethenyl- $\mu_2$ -diphenylcyclopropanes: Kinetics and Mechanism of Rearrangement to Cyclopentenes. <i>Helvetica Chimica Acta</i> , 2011, 94, 1359-1388.	1.6	12
155	Magnetic circular polarization of luminescence in bismuth-doped silica glass. <i>Optica</i> , 2015, 2, 663.	9.3	12
156	Investigation of the binding of cis/trans-[MCl <sub>4</sub> (1H-indazole)(NO)] <sup>-</sup> (M = Ru, Os) complexes to human serum albumin. <i>Journal of Inorganic Biochemistry</i> , 2016, 159, 37-44.	3.5	12
157	Investigation of the cytotoxic potential of methyl imidazole-derived thiosemicarbazones and their copper(II) complexes with dichloroacetate as a co-ligand. <i>New Journal of Chemistry</i> , 2019, 43, 1340-1357.	2.8	12
158	Triapine Derivatives Act as Copper Delivery Vehicles to Induce Deadly Metal Overload in Cancer Cells. <i>Biomolecules</i> , 2020, 10, 1336.	4.0	12
159	Heterodinucleating macrocyclic compounds designed for electrochemical recognition. <i>Electrochimica Acta</i> , 2001, 46, 2733-2740.	5.2	11
160	Controllable Selective Functionalization of a Cavitand via Solid State Photolysis of an Encapsulated Phenyl Azide. <i>Organic Letters</i> , 2009, 11, 3056-3058.	4.6	11
161	Lectin-Gd-Loaded Chitosan Hydrogel Nanoparticles: A New Biospecific Contrast Agent for MRI. <i>Molecular Imaging and Biology</i> , 2011, 13, 16-24.	2.6	11
162	cis-Tetrachlorido-bis(indazole)osmium(IV) and its osmium(III) analogues: paving the way towards the cis-isomer of the ruthenium anticancer drugs KP1019 and/or NKP1339. <i>Dalton Transactions</i> , 2017, 46, 11925-11941.	3.3	11

#	ARTICLE	IF	CITATIONS
163	Palladium Complexes of $N,N$ -Bis(2-aminoethyl)oxamide ( $H_{2L}$ ): Structural ( $Pd^{II}L_2$ , $Pd^{II}L_2L_2$ , and $Pd^{IV}L_2Cl_2$ ), Electrochemical, Dynamic $^1H$ NMR, and Cytotoxicity Studies. <i>Inorganic Chemistry</i> , 2018, 57, 1288-1297.	4.0	11
164	Copper(II) Thiosemicarbazone Complexes and Their Proligands upon UVA Irradiation: An EPR and Spectrophotometric Steady-State Study. <i>Molecules</i> , 2018, 23, 721.	3.8	11
165	Sensing of Proteins by ICD Response of Iron(II) Clathrochelates Functionalized by Carboxyalkylsulfide Groups. <i>Biomolecules</i> , 2020, 10, 1602.	4.0	11
166	Transition metal complexes with the thiosemicarbazide-based ligands. Part 12. Synthesis, structure and template reaction of ammine [2,4-pentane-dione S-methylisothiosemicarbazonato(2-)] nickel(II) dihydrate. <i>Transition Metal Chemistry</i> , 1993, 18, 309-311.	1.4	10
167	The crystal structures of [6-nitro-12,14-dimethyl-3,9-bis(propylsulphonyl)-1,2,4,8,10,11-hexaazacyclotetra-deca-2,4,6,9,12,14-hexaenato(2-)-N1, N4, N8, N11]nickel(II) and [12,14-dimethyl-3,9-bis(ethylsulphonyl)-1,2,4,8,10,11-hexaazacyclotetra-deca-2,4,6,9,12,14-hexaenato(2-)-N1, N4, N8, N11]nickel(II). <i>Polyhedron</i> , 1995, 14, 571-577.	2.2	10
168	Methyl-substituted trans-1,2-cyclohexanediamines as new ligands for oxaliplatin-type complexes. <i>Tetrahedron</i> , 2008, 64, 137-146.	1.9	10
169	Intermolecular Reactions of Foiled Carbenes with $N-H$ Bonds: Evidence for an Ylidic Pathway. <i>Journal of Organic Chemistry</i> , 2008, 73, 6551-6558.	3.2	10
170	A one step/one pot synthesis of $N,N$ -bis(phosphonomethyl)amino acids and their effects on adipogenic and osteogenic differentiation of human mesenchymal stem cells. <i>Bioorganic and Medicinal Chemistry</i> , 2009, 17, 3388-3393.	3.0	10
171	Synthesis and Conformation of Chiral Biheteroaryls. <i>Journal of Organic Chemistry</i> , 2011, 76, 3222-3230.	3.2	10
172	Spin contamination analogy, Kramers pairs symmetry and spin density representations at the 2-component unrestricted Hartree-Fock level of theory. <i>Computational and Theoretical Chemistry</i> , 2015, 1065, 27-41.	2.5	10
173	Dinuclear manganese(III) complexes with bioinspired coordination and variable linkers showing weak exchange effects: a synthetic, structural, spectroscopic and computation study. <i>Dalton Transactions</i> , 2019, 48, 5909-5922.	3.3	10
174	Insight into the Anticancer Activity of Copper(II) 5-Methylenetrimethylammonium-Thiosemicarbazones and Their Interaction with Organic Cation Transporters. <i>Biomolecules</i> , 2020, 10, 1213.	4.0	10
175	Triapine Analogues and Their Copper(II) Complexes: Synthesis, Characterization, Solution Speciation, Redox Activity, Cytotoxicity, and mR2 RNR Inhibition. <i>Inorganic Chemistry</i> , 2021, 60, 11297-11319.	4.0	10
176	Anion recognition by nickel(II) and cobalt(III) complexes with quadridentate ligands based on isothiosemicarbazide. <i>Polyhedron</i> , 1998, 18, 451-458.	2.2	9
177	Synthesis of the Cyclobutane Moiety of Providencin. <i>Heterocycles</i> , 2007, 74, 855.	0.7	9
178	Heterometallic $Cr_2/Ag_2$ 1D polymer: Synthesis, structure and properties. <i>Polyhedron</i> , 2010, 29, 2258-2261.	2.2	9
179	Strategies for the covalent conjugation of a bifunctional chelating agent to albumin: Synthesis and characterization of potential MRI contrast agents. <i>Journal of Inorganic Biochemistry</i> , 2011, 105, 250-255.	3.5	9
180	[ $^3H$ ]Metyrapol and 4-[ $^{131}I$ ]Iodometomidate Label Overlapping, but Not Identical, Binding Sites on Rat Adrenal Membranes. <i>Molecular Pharmaceutics</i> , 2013, 10, 1119-1130.	4.6	9

#	ARTICLE	IF	CITATIONS
181	Photoluminescence in Ga/Bi co-doped silica glass. <i>Optics Express</i> , 2014, 22, 5659.	3.4	9
182	Copper(II) complexes with 1,5-bis(2-hydroxybenzaldehyde)carbohydrazone. <i>Polyhedron</i> , 2014, 80, 180-192.	2.2	9
183	Redox-Active Organoruthenium(II) and Organoosmium(II) Copper(II) Complexes, with an Amidrazone-Morpholine Hybrid and $[Cu^{I}Cl_2]^{+}$ as Counteranion and Their Antiproliferative Activity. <i>Organometallics</i> , 2019, 38, 2307-2318.	2.3	9
184	Synthesis, crystal structures, and electrospray ionisation mass spectrometry investigations of ether- and thioether-substituted ferrocenes. <i>Dalton Transactions</i> , 2003, , 3098.	3.3	8
185	Cope Rearrangement versus a Novel Tandem Retro-Diels-Alder Diels-Alder Reaction with Role Reversal. <i>Organic Letters</i> , 2007, 9, 113-115.	4.6	8
186	2-Methoxy-1,3,4-oxadiazoline, a Multipurpose Precursor for the Generation of a Carbene, an Ylide, or a Diazo Compound. <i>European Journal of Organic Chemistry</i> , 2008, 2008, 5336-5345.	2.4	8
187	Stepwise insertion of carbenes into C-H bonds: the case of foiled carbenes. <i>Tetrahedron</i> , 2009, 65, 765-770.	1.9	8
188	Osmium Nitrosyl Complexes with Glycine, Picolinic Acid, L-Proline and D-Proline: Synthesis, Structures and Antiproliferative Activity. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2013, 639, 1590-1597.	1.2	8
189	Hybrids of Salicylalkylamides and Mannich Bases: Control of the Amide Conformation by Hydrogen Bonding in Solution and in the Solid State. <i>Molecules</i> , 2015, 20, 1686-1711.	3.8	8
190	Coordination Polymers of the Macrocyclic Nickel(II) and Copper(II) Complexes with Isomeric Benzenedicarboxylates: The Case of Spatial Complementarity between the Bis-Macrocyclic Complexes and o-Phthalate. <i>Crystal Growth and Design</i> , 2021, 21, 2355-2370.	3.0	8
191	Coumarin-Based Triapine Derivatives and Their Copper(II) Complexes: Synthesis, Cytotoxicity and mR2 RNR Inhibition Activity. <i>Biomolecules</i> , 2021, 11, 862.	4.0	8
192	Inhibition of Microtubule Dynamics in Cancer Cells by Indole-Modified Latonduine Derivatives and Their Metal Complexes. <i>Inorganic Chemistry</i> , 2022, 61, 1456-1470.	4.0	8
193	Solution Equilibrium Studies on Salicylidene Aminoguanidine Schiff Base Metal Complexes: Impact of the Hybridization with L-Proline on Stability, Redox Activity and Cytotoxicity. <i>Molecules</i> , 2022, 27, 2044.	3.8	8
194	Elucidation of Structure-Activity Relationships in Indolobenzazepine-Derived Ligands and Their Copper(II) Complexes: the Role of Key Structural Components and Insight into the Mechanism of Action. <i>Inorganic Chemistry</i> , 2022, 61, 10167-10181.	4.0	8
195	Unusual Complexation Behavior of Metallomacrocycles Based on Isothiosemicarbazides with Respect to Alkali and Alkaline Earth Metal Ions: Novel 2:1 Associates. <i>Chemische Berichte</i> , 1995, 128, 1089-1093.	0.2	7
196	New metallomacrocyclic complexes based on acetamidrazone. <i>Inorganica Chimica Acta</i> , 2000, 303, 228-237.	2.4	7
197	Efforts toward Distorted Spiropentanes. <i>Journal of Organic Chemistry</i> , 2010, 75, 7494-7497.	3.2	7
198	Two Unusual Methylidenecyclopropane Glucosides from <i>Metaxya rostrata</i> C. Presl. <i>Helvetica Chimica Acta</i> , 2012, 95, 1531-1537.	1.6	7

#	ARTICLE	IF	CITATIONS
199	Synthesis, X-ray structure and strong in vitro cytotoxicity of novel organoruthenium complexes. <i>Journal of Organometallic Chemistry</i> , 2014, 749, 142-149.	1.8	7
200	Osmium "Nitrosyl Oxalato" Bridged Lanthanide Centered Pentanuclear Complexes " Synthesis, Crystal Structures and Magnetic Properties. <i>European Journal of Inorganic Chemistry</i> , 2015, 2015, 1616-1624.	2.0	7
201	Ruthenium Carbonyl Complexes with Azole Heterocycles " Synthesis, X-ray Diffraction Structures, DFT Calculations, Solution Behavior, and Antiproliferative Activity. <i>European Journal of Inorganic Chemistry</i> , 2016, 2016, 1566-1576.	2.0	7
202	Complex formation reactions of gallium(III) and iron(III/II) with l-proline-thiosemicarbazone hybrids: A comparative study. <i>Inorganica Chimica Acta</i> , 2017, 455, 505-513.	2.4	7
203	The Ruthenium Nitrosyl Moiety in Clusters: Trinuclear Linear $\frac{1}{4}$ -Hydroxido Magnesium(II)-Diruthenium(II), $\frac{1}{4}$ -Oxido Trinuclear Diiron(III) " Ruthenium(II), and Tetranuclear $\frac{1}{4}$ -Oxido Trigallium(III)-Ruthenium(II) Complexes. <i>Inorganic Chemistry</i> , 2022, 61, 950-967.	4.0	7
204	1,2,4,5-Tetrakis(diazidomethyl)benzene. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2009, 65, o240-o242.	0.4	6
205	Effects of Terminal Substitution and Iron Coordination on Antiproliferative Activity of l-Proline-salicylaldehyde-Thiosemicarbazone Hybrids. <i>European Journal of Inorganic Chemistry</i> , 2017, 2017, 4773-4783.	2.0	6
206	Spontaneous Resolution of a Triple-Stranded Dinickel(II) Helicate Generated via Intermolecular Transamination Reaction of <i>S</i> -Methylisothiocarbohydrazide in the Presence of $\text{Ni}^{2+}$ . <i>European Journal of Inorganic Chemistry</i> , 2008, 2008, 4140-4145.	2.0	5
207	Synthesis and structural peculiarities of gallium Complexes with novel paullone derivatives. <i>Open Chemistry</i> , 2008, 6, 340-346.	1.9	5
208	Water-Soluble Cationic Derivatives of Indirubin, the Active Anticancer Component from <i>Indigo naturalis</i> . <i>Chemistry and Biodiversity</i> , 2012, 9, 2175-2185.	2.1	5
209	Two-dimensional coordination polymers based on pyridine-containing cations of Cu(II) and Ni(II) and 1,3,5-benzenetricarboxylate anion and their supramolecular structure. <i>Journal of Structural Chemistry</i> , 2014, 55, 1466-1473.	1.0	5
210	Spectroelectrochemical, photochemical and theoretical study of octaazamacrocyclic nickel(II) complexes exhibiting unusual solvent-dependent deprotonation of methylene group. <i>Electrochimica Acta</i> , 2019, 326, 135006.	5.2	5
211	Nickel(II), Copper(II) and Palladium(II) Complexes with Bis-Semicarbazide Hexaazamacrocycles: Redox-Noninnocent Behavior and Catalytic Activity in Oxidation and C-C Coupling Reactions. <i>Inorganic Chemistry</i> , 2020, 59, 10650-10664.	4.0	5
212	Spectroelectrochemical Properties and Catalytic Activity in Cyclohexane Oxidation of the Hybrid Zr/Hf-Phthalocyaninate-Capped Nickel(II) and Iron(II) tris-Pyridineoximates and Their Precursors. <i>Molecules</i> , 2021, 26, 336.	3.8	5
213	Diastereomeric dinickel( <i>scp</i> ) complexes with non-innocent bis(octaazamacrocyclic) ligands: isomerization, spectroelectrochemistry, DFT calculations and use in catalytic oxidation of cyclohexane. <i>Dalton Transactions</i> , 2022, 51, 5151-5167.	3.3	5
214	(R,R,R)-Tris(2-hydroxy-1-methylethyl)- and (S,S,S)-tris(2-hydroxy-2-methylethyl)phosphine: water-soluble chiral trialkylphosphines with C <sub>3</sub> -symmetry. <i>Tetrahedron Letters</i> , 2007, 48, 5665-5668.	1.4	4
215	Unprecedented twofold intramolecular hydroamination in diam(m)ine-dicarboxylatodichloridoplatinum(IV) complexes " ethane-1,2-diamine vs. ammine ligands. <i>Chemical Communications</i> , 2008, , 1091-1093.	4.1	4
216	Solid State Structural Variations in Copper(II) Complexes of Open-Chain and Macrocyclic Malonamide-Derived Ligands. <i>Crystal Growth and Design</i> , 2012, 12, 4388-4396.	3.0	4

#	ARTICLE	IF	CITATIONS
217	Anti-Stokes photoluminescence in Ga/Bi co-doped sol-gel silica glass. <i>Optics Letters</i> , 2015, 40, 1591.	3.3	4
218	Intermolecular Reactions of a Foiled Carbene with Carbonyl Compounds: The Effects of Trishomocyclopropyl Stabilization. <i>Journal of Organic Chemistry</i> , 2015, 80, 11877-11887.	3.2	4
219	Conversion of hydrazides into N,N- $\epsilon^2$ -diacylhydrazines in the presence of a ruthenium(ii)- $\pi$ -arene complex. <i>New Journal of Chemistry</i> , 2017, 41, 6857-6865.	2.8	4
220	Formation of metal-radical species upon reduction of late transition metal complexes with heteroleptic ligands: an experimental and theoretical study. <i>New Journal of Chemistry</i> , 2020, 44, 13195-13206.	2.8	3
221	Ni Oxidation State and Ligand Saturation Impact on the Capability of Octaazamacrocyclic Complexes to Bind and Reduce CO <sub>2</sub> . <i>Molecules</i> , 2021, 26, 4139.	3.8	3
222	Towards understanding the magnetism of Os( $\kappa^4$ ) complexes: an <i>ab initio</i> insight. <i>Dalton Transactions</i> , 2021, 50, 12537-12546.	3.3	3
223	Osmium Complexes with Azole Heterocycles as Potential Antitumor Drugs. , 2013, , 1596-1614.		3
224	Crystal structures of <i>trans</i> -diaqua(3- <i>R</i> -1,3,5,8,12-pentaazacyclotetradecane)copper(II) isophthalate hydrates ( <i>R</i> = benzyl or pyridin-3-ylmethyl). <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2019, 75, 1015-1019.	0.5	3
225	The Release of a Highly Cytotoxic Paullone Bearing a TEMPO Free Radical from the HSA Hydrogel: An EPR Spectroscopic Characterization. <i>Pharmaceutics</i> , 2022, 14, 1174.	4.5	2
226	Indenyl complexes of ruthenium containing thiolate ligands. Structure of IndRu(dppe)SPh. <i>Transition Metal Chemistry</i> , 2007, 32, 523-527.	1.4	1
227	Quest for Even Higher Stabilized Foiled Carbenes. <i>Journal of Organic Chemistry</i> , 2011, 76, 7491-7496.	3.2	1
228	The first structural characterization of the protonated azacyclam ligand in <i>catena</i> -poly[[[(perchlorato)copper(II)]-1/4-3-(3-carboxypropyl)-1,5,8,12-tetraaza-3-azoniacyclotetradecane] bis(perchlorate)]. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2019, 75, 1700-1704.	0.5	1
229	Synthesis, Characterization and Crystal Structure of Bis-(2-Hydroxybenzaldehyde)Diaminoguanizone. <i>Chemistry Journal of Moldova</i> , 2008, 3, 119-121.	0.6	1
230	Crystal structure of <i>trans</i> -diaqua(3,10-dimethyl-1,3,5,8,10,12-hexaazacyclotetradecane)copper(II) pamoate. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2019, 75, 533-536.	0.5	1
231	Crystal structure of <i>trans</i> -diaqua(1,4,8,11-tetraazaundecane)nickel(II) bis(pyridine-2,6-dicarboxylato)nickel(II). <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2021, 77, 1175-1179.	0.5	1
232	Ready access to 7,8-dihydroindolo[2,3-d][1]benzazepine-6(5H)-one scaffold and analogues via early-stage Fischer ring-closure reaction. <i>Beilstein Journal of Organic Chemistry</i> , 2022, 18, 143-151.	2.2	1
233	Crystallographic report: Crystal structure of 1-bromo-1'-[(2S)-N-(1-hydroxy-3-methylbutane-2-yl)]-ferroceneamide. <i>Applied Organometallic Chemistry</i> , 2003, 17, 723-724.	3.5	0
234	Bis(aminoalcohol)dichloroplatinum(II) complexes and their mono and double ring-closed alcoholato species. Novel prodrugs for platinum based antitumor chemotherapy. <i>Journal of Inorganic Biochemistry</i> , 2003, 96, 93.	3.5	0

#	ARTICLE	IF	CITATIONS
235	Carboxylation of 2-hydroxyethyl substituted tetrachloro(ethane-1,2-diamine)platinum(IV) complexes. A new synthetic approach to anticancer platinum compounds. Journal of Inorganic Biochemistry, 2003, 96, 94.	3.5	0
236	Abstract 2637: Terminal dimethyl substitution of Triapine leads to activation of CHOP and induction of apoptosis via ER stress in human colon cancer cells. , 2011, , .		0