

Carlos Lahoz

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/330415/publications.pdf>

Version: 2024-02-01

29
papers

3,415
citations

516215

16
h-index

264894

42
g-index

44
all docs

44
docs citations

44
times ranked

4884
citing authors

#	ARTICLE	IF	CITATIONS
1	Pre-infection HDL-cholesterol levels and mortality among elderly patients infected with SARS-CoV-2. <i>Atherosclerosis</i> , 2022, 341, 13-19.	0.4	11
2	Principales barreras en el control de las dislipemias: intolerantes. <i>Clínica E Investigación En Arteriosclerosis</i> , 2021, 33, 40-45.	0.4	3
3	Hipertrigliceridemia familiar/hipertrigliceridemia poligénica. <i>Clínica E Investigación En Arteriosclerosis</i> , 2021, 33, 37-42.	0.4	3
4	Concentración de colesterol-HDL y riesgo de infección por SARS-CoV-2 en personas mayores de 75 años: una cohorte con medio millón de participantes de la Comunidad de Madrid. <i>Clínica E Investigación En Arteriosclerosis</i> , 2021, , .	0.4	1
5	Clinical course and prognostic factors of COVID-19 infection in an elderly hospitalized population. <i>Archives of Gerontology and Geriatrics</i> , 2020, 91, 104204.	1.4	41
6	Fenotipo de la haptoglobina y presencia de enfermedad vascular subclínica: estudio poblacional. <i>Clínica E Investigación En Arteriosclerosis</i> , 2020, 32, 1-7.	0.4	3
7	Functional analysis of new variants at the Low Density Lipoprotein Receptor associated with familial hypercholesterolemia. <i>Human Mutation</i> , 2019, 40, 1181-1190.	1.1	10
8	Prevalence of atrial fibrillation and associated anticoagulant therapy in the nonagenarian population of the Community of Madrid, Spain. <i>Geriatrics and Gerontology International</i> , 2019, 19, 203-207.	0.7	7
9	Cardiovascular disease in nonagenarians: Prevalence and utilization of preventive therapies. <i>European Journal of Preventive Cardiology</i> , 2019, 26, 356-364.	0.8	13
10	Factores de riesgo asociados con el grosor íntima-media y la presencia de placas en arteria carótida: Estudio ESPREDIA. <i>Clínica E Investigación En Arteriosclerosis</i> , 2018, 30, 49-55.	0.4	10
11	R46L polymorphism in the PCSK9 gene: Relationship to lipid levels, subclinical vascular disease, and erectile dysfunction. <i>Journal of Clinical Lipidology</i> , 2018, 12, 1039-1046.e3.	0.6	12
12	Relationship of the Adherence to a Mediterranean Diet and Its Main Components with CRP Levels in the Spanish Population. <i>Nutrients</i> , 2018, 10, 379.	1.7	30
13	Value of the Definition of Severe Familial Hypercholesterolemia for Stratification of Heterozygous Patients. <i>American Journal of Cardiology</i> , 2017, 119, 742-748.	0.7	17
14	Decálogo de la Sociedad Española de Arteriosclerosis para disminuir la inercia terapéutica. <i>Clínica E Investigación En Arteriosclerosis</i> , 2017, 29, 218-223.	0.4	9
15	Effect of LDL cholesterol, statins and presence of mutations on the prevalence of type 2 diabetes in heterozygous familial hypercholesterolemia. <i>Scientific Reports</i> , 2017, 7, 5596.	1.6	41
16	Peripheral Atherosclerosis in Patients With Erectile Dysfunction: A Population-Based Study. <i>Journal of Sexual Medicine</i> , 2016, 13, 63-69.	0.3	10
17	Carotid atherosclerosis severity in relation to glycemic status: A cross-sectional population study. <i>Atherosclerosis</i> , 2015, 242, 377-382.	0.4	42
18	Differences in the ankle-brachial index in the general population after 4 years of follow-up. <i>Vasa - European Journal of Vascular Medicine</i> , 2013, 42, 112-119.	0.6	3

#	ARTICLE	IF	CITATIONS
19	A Short Screener Is Valid for Assessing Mediterranean Diet Adherence among Older Spanish Men and Women. <i>Journal of Nutrition</i> , 2011, 141, 1140-1145.	1.3	973
20	Gender differences in evidence-based pharmacological therapy for patients with stable coronary heart disease. <i>International Journal of Cardiology</i> , 2009, 133, 336-340.	0.8	14
21	Achievement of Therapeutic Goals and Utilization of Evidence-Based Cardiovascular Therapies in Coronary Heart Disease Patients With Chronic Kidney Disease. <i>American Journal of Cardiology</i> , 2008, 101, 1098-1102.	0.7	20
22	Effects of a Mediterranean-Style Diet on Cardiovascular Risk Factors. <i>Annals of Internal Medicine</i> , 2006, 145, 1.	2.0	1,430
23	Metabolic syndrome and asymptomatic peripheral artery disease in subjects over 60 years of age. <i>Diabetes Care</i> , 2006, 29, 148-50.	4.3	21
24	The ϵ 514C/T polymorphism of the hepatic lipase gene significantly modulates the HDL-cholesterol response to statin treatment. <i>Atherosclerosis</i> , 2005, 182, 129-134.	0.4	26
25	Baseline levels of low-density lipoprotein cholesterol and lipoprotein (a) and the A111 polymorphism of the low-density lipoprotein receptor gene influence the response of low-density lipoprotein cholesterol to pravastatin treatment. <i>Metabolism: Clinical and Experimental</i> , 2005, 54, 741-747.	1.5	19
26	Apo A-I promoter polymorphism influences basal HDL-cholesterol and its response to pravastatin therapy. <i>Atherosclerosis</i> , 2003, 168, 289-295.	0.4	41
27	Association of the ϵ 514T Polymorphism in the Hepatic Lipase Gene With Variations in Lipoprotein Subclass Profiles. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2000, 20, 815-822.	1.1	103
28	Association of Cholesteryl Ester Transfer Protein ϵ Taq1B Polymorphism With Variations in Lipoprotein Subclasses and Coronary Heart Disease Risk. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2000, 20, 1323-1329.	1.1	385
29	Human apolipoprotein A-I gene promoter mutation influences plasma low density lipoprotein cholesterol response to dietary fat saturation. <i>Atherosclerosis</i> , 1998, 137, 367-376.	0.4	53