

# Johannes Brug

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/3307649/johannes-brug-publications-by-year.pdf>

**Version:** 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

532  
papers

31,549  
citations

93  
h-index

150  
g-index

546  
ext. papers

35,163  
ext. citations

4.3  
avg, IF

7.14  
L-index

| #   | Paper   | IF   | Citations |
|-----|---|------|-----------|
| 532 | Intervention Fidelity of Telephone Motivational Interviewing On Physical Activity, Fruit Intake, and Vegetable Consumption in Dutch Outpatients With and Without Hypertension.. <i>International Journal of Behavioral Medicine</i> , <b>2022</b> , 1 | 2.6  |           |
| 531 | Development of a neighborhood drivability index and its association with transportation behavior in Toronto.. <i>Environment International</i> , <b>2022</b> , 163, 107182  | 12.9 | 0         |
| 530 | Ultra-processed food consumption patterns among older adults in the Netherlands and the role of the food environment. <i>European Journal of Nutrition</i> , <b>2021</b> , 60, 2567-2580  | 5.2  | 4         |
| 529 | A randomized controlled trial comparing community lifestyle interventions to improve adherence to diet and physical activity recommendations: the VitalUM study. <i>European Journal of Epidemiology</i> , <b>2021</b> , 36, 345-360                  | 12.1 | 1         |
| 528 | Psychosocial and cultural determinants of dietary intake in community-dwelling older adults: A Determinants of Diet and Physical Activity systematic literature review. <i>Nutrition</i> , <b>2021</b> , 85, 111131                                   | 4.8  | 3         |
| 527 | Sleep characteristics across the lifespan in 1.1 million people from the Netherlands, United Kingdom and United States: a systematic review and meta-analysis. <i>Nature Human Behaviour</i> , <b>2021</b> , 5, 113-122                               | 12.8 | 46        |
| 526 | Associations of self-reported physical activity and anxiety symptoms and status among 7,874 Irish adults across harmonised datasets: a DEDIPAC-study. <i>BMC Public Health</i> , <b>2020</b> , 20, 365  | 4.1  | 4         |
| 525 | Recent changes in the Dutch foodscape: socioeconomic and urban-rural differences. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2020</b> , 17, 43   | 8.4  | 14        |
| 524 | Effects and moderators of coping skills training on symptoms of depression and anxiety in patients with cancer: Aggregate data and individual patient data meta-analyses. <i>Clinical Psychology Review</i> , <b>2020</b> , 80, 101882                | 10.8 | 2         |
| 523 | The Use and Effects of an App-Based Physical Activity Intervention "Active2Gether" in Young Adults: Quasi-Experimental Trial. <i>JMIR Formative Research</i> , <b>2020</b> , 4, e12538  | 2.5  | 6         |
| 522 | Neighbourhood drivability: environmental and individual characteristics associated with car use across Europe. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2020</b> , 17, 8                                       | 8.4  | 10        |
| 521 | Lifestyle behaviours are not associated with haemolysis: results from Donor InSight. <i>Blood Transfusion</i> , <b>2020</b> , 18, 86-95   | 3.6  | 0         |
| 520 | Dietary intake of heme iron is associated with ferritin and hemoglobin levels in Dutch blood donors: results from Donor InSight. <i>Haematologica</i> , <b>2020</b> , 105, 2400-2406  | 6.6  | 5         |
| 519 | Moderators of Exercise Effects on Cancer-related Fatigue: A Meta-analysis of Individual Patient Data. <i>Medicine and Science in Sports and Exercise</i> , <b>2020</b> , 52, 303-314  | 1.2  | 20        |
| 518 | School- and Leisure Time Factors Are Associated With Sitting Time of German and Irish Children and Adolescents During School: Results of a DEDIPAC Feasibility Study. <i>Frontiers in Sports and Active Living</i> , <b>2020</b> , 2, 93              | 2.3  |           |
| 517 | From accelerometer output to physical activity intensities in breast cancer patients. <i>Journal of Science and Medicine in Sport</i> , <b>2020</b> , 23, 176-181   | 4.4  | 0         |
| 516 | Adherence to a food group-based dietary guideline and incidence of prediabetes and type 2 diabetes. <i>European Journal of Nutrition</i> , <b>2020</b> , 59, 2159-2169  | 5.2  | 5         |

|     |   |      |     |
|-----|---|------|-----|
| 515 | Factors influencing sedentary behaviour: A system based analysis using Bayesian networks within DEDIPAC. <i>PLoS ONE</i> , <b>2019</b> , 14, e0211546   | 3.7  | 17  |
| 514 | Urban-rural differences in the association between blood lipids and characteristics of the built environment: a systematic review and meta-analysis. <i>BMJ Global Health</i> , <b>2019</b> , 4, e001017  | 6.6  | 10  |
| 513 | Development and use of a flexible data harmonization platform to facilitate the harmonization of individual patient data for meta-analyses. <i>BMC Research Notes</i> , <b>2019</b> , 12, 164   | 2.3  | 7   |
| 512 | The association between population density and blood lipid levels in Dutch blood donors. <i>International Journal of Health Geographics</i> , <b>2019</b> , 18, 3   | 3.5  |     |
| 511 | Comparing Different Residential Neighborhood Definitions and the Association Between Density of Restaurants and Home Cooking Among Dutch Adults. <i>Nutrients</i> , <b>2019</b> , 11,   | 6.7  | 2   |
| 510 | Long-term effectiveness and cost-effectiveness of an 18-week supervised exercise program in patients treated with autologous stem cell transplantation: results from the EXIST study. <i>Journal of Cancer Survivorship</i> , <b>2019</b> , 13, 558-569                         | 5.1  | 9   |
| 509 | Effects and moderators of exercise on sleep in adults with cancer: Individual patient data and aggregated meta-analyses. <i>Journal of Psychosomatic Research</i> , <b>2019</b> , 124, 109746   | 4.1  | 10  |
| 508 | How Does a Supervised Exercise Program Improve Quality of Life in Patients with Cancer? A Concept Mapping Study Examining Patients' Perspectives. <i>Oncologist</i> , <b>2019</b> , 24, e374-e383   | 5.7  | 4   |
| 507 | Effects and moderators of exercise on muscle strength, muscle function and aerobic fitness in patients with cancer: a meta-analysis of individual patient data. <i>British Journal of Sports Medicine</i> , <b>2019</b> , 53, 812   | 10.3 | 43  |
| 506 | Exploring absolute and relative measures of exposure to food environments in relation to dietary patterns among European adults. <i>Public Health Nutrition</i> , <b>2019</b> , 22, 1037-1047   | 3.3  | 16  |
| 505 | Exploring the Relation of Spatial Access to Fast Food Outlets With Body Weight: A Mediation Analysis. <i>Environment and Behavior</i> , <b>2019</b> , 51, 401-430   | 5.6  | 12  |
| 504 | Long-term effectiveness and cost-effectiveness of high versus low-to-moderate intensity resistance and endurance exercise interventions among cancer survivors. <i>Journal of Cancer Survivorship</i> , <b>2018</b> , 12, 417-429   | 5.1  | 22  |
| 503 | Functional determinants of dietary intake in community-dwelling older adults: a DEDIPAC (DEterminants of DIet and Physical ACTivity) systematic literature review. <i>Public Health Nutrition</i> , <b>2018</b> , 21, 1886-1903   | 3.3  | 17  |
| 502 | Spatial access to restaurants and grocery stores in relation to frequency of home cooking. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2018</b> , 15, 6   | 8.4  | 5   |
| 501 | Lessons learnt from a process evaluation of an exercise intervention in patients treated with autologous stem cell transplantation. <i>European Journal of Cancer Care</i> , <b>2018</b> , 27, e12779   | 2.4  | 9   |
| 500 | Which exercise prescriptions improve quality of life and physical function in patients with cancer during and following treatment? A systematic review and meta-analysis of randomised controlled trials. <i>British Journal of Sports Medicine</i> , <b>2018</b> , 52, 505-513 | 10.3 | 118 |
| 499 | Improving cardiometabolic health through nudging dietary behaviours and physical activity in low SES adults: design of the Supreme Nudge project. <i>BMC Public Health</i> , <b>2018</b> , 18, 899  | 4.1  | 12  |
| 498 | Associations of self-reported physical activity and depression in 10,000 Irish adults across harmonised datasets: a DEDIPAC-study. <i>BMC Public Health</i> , <b>2018</b> , 18, 779   | 4.1  | 14  |

|     |  |      |     |
|-----|--|------|-----|
| 497 | Effect and moderators of exercise on fatigue in patients with cancer: Meta-analysis of individual patient data.. <i>Journal of Clinical Oncology</i> , <b>2018</b> , 36, 104-104   | 2.2  | 2   |
| 496 | Contextual correlates of happiness in European adults. <i>PLoS ONE</i> , <b>2018</b> , 13, e0190387  | 3.7  | 14  |
| 495 | App-Based Intervention Combining Evidence-Based Behavior Change Techniques With a Model-Based Reasoning System to Promote Physical Activity Among Young Adults (Active2Gether): Descriptive Study of the Development and Content. <i>JMIR Research Protocols</i> , <b>2018</b> , 7, e185 | 2    | 7   |
| 494 | Patient-reported physical activity and the association with health-related quality of life in head and neck cancer survivors. <i>Supportive Care in Cancer</i> , <b>2018</b> , 26, 1087-1095   | 3.9  | 9   |
| 493 | Recent trends in population levels and correlates of occupational and leisure sitting time in full-time employed Australian adults. <i>PLoS ONE</i> , <b>2018</b> , 13, e0195177   | 3.7  | 9   |
| 492 | Targeting Exercise Interventions to Patients With Cancer in Need: An Individual Patient Data Meta-Analysis. <i>Journal of the National Cancer Institute</i> , <b>2018</b> , 110, 1190-1200   | 9.7  | 50  |
| 491 | Data on Determinants Are Needed to Curb the Sedentary Epidemic in Europe. Lessons Learnt from the DEDIPAC European Knowledge Hub. <i>International Journal of Environmental Research and Public Health</i> , <b>2018</b> , 15,   | 4.6  | 5   |
| 490 | Changes in children's television and computer time according to parental education, parental income and ethnicity: A 6-year longitudinal EYHS study. <i>PLoS ONE</i> , <b>2018</b> , 13, e0203592  | 3.7  | 9   |
| 489 | Built environmental correlates of cycling for transport across Europe. <i>Health and Place</i> , <b>2017</b> , 44, 35-42   | 4.6  | 71  |
| 488 | Exploring health education with midwives, as perceived by pregnant women in primary care: A qualitative study in the Netherlands. <i>Midwifery</i> , <b>2017</b> , 46, 37-44   | 2.8  | 16  |
| 487 | Measurement of availability and accessibility of food among youth: a systematic review of methodological studies. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2017</b> , 14, 22  | 8.4  | 24  |
| 486 | Patterns of objectively measured sedentary time in 10- to 12-year-old Belgian children: an observational study within the ENERGY-project. <i>BMC Pediatrics</i> , <b>2017</b> , 17, 147  | 2.6  | 11  |
| 485 | Sitting too much: A hierarchy of socio-demographic correlates. <i>Preventive Medicine</i> , <b>2017</b> , 101, 77-83   | 4.3  | 34  |
| 484 | A Validation Study of the Fitbit One in Daily Life Using Different Time Intervals. <i>Medicine and Science in Sports and Exercise</i> , <b>2017</b> , 49, 1270-1279  | 1.2  | 15  |
| 483 | Validation and Refinement of Prediction Models to Estimate Exercise Capacity in Cancer Survivors Using the Steep Ramp Test. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2017</b> , 98, 2167-2173  | 2.8  | 8   |
| 482 | Associations of commuting to school and work with demographic variables and with weight status in eight European countries: The ENERGY-cross sectional study. <i>Preventive Medicine</i> , <b>2017</b> , 99, 305-312   | 4.3  | 18  |
| 481 | Effects and moderators of exercise on quality of life and physical function in patients with cancer: An individual patient data meta-analysis of 34 RCTs. <i>Cancer Treatment Reviews</i> , <b>2017</b> , 52, 91-104   | 14.4 | 272 |
| 480 | Sedentary Time and Physical Activity Surveillance Through Accelerometer Pooling in Four European Countries. <i>Sports Medicine</i> , <b>2017</b> , 47, 1421-1435   | 10.6 | 82  |

|     |   |     |    |
|-----|---|-----|----|
| 479 | The DONE framework: Creation, evaluation, and updating of an interdisciplinary, dynamic framework 2.0 of determinants of nutrition and eating. <i>PLoS ONE</i> , <b>2017</b> , 12, e0171077   | 3.7 | 82 |
| 478 | Do intrapersonal factors mediate the association of social support with physical activity in young women living in socioeconomically disadvantaged neighbourhoods? A longitudinal mediation analysis. <i>PLoS ONE</i> , <b>2017</b> , 12, e0173231                              | 3.7 | 6  |
| 477 | Views of policy makers and health promotion professionals on factors facilitating implementation and maintenance of interventions and policies promoting physical activity and healthy eating: results of the DEDIPAC project. <i>BMC Public Health</i> , <b>2017</b> , 17, 932 | 4.1 | 66 |
| 476 | Determinants of diet and physical activity (DEDIPAC): a summary of findings. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2017</b> , 14, 150   | 8.4 | 41 |
| 475 | Counselor competence for telephone Motivation Interviewing addressing lifestyle change among Dutch older adults. <i>Evaluation and Program Planning</i> , <b>2017</b> , 65, 47-53   | 1.7 | 8  |
| 474 | Health behaviour information provided to clients during midwife-led prenatal booking visits: Findings from video analyses. <i>Midwifery</i> , <b>2017</b> , 54, 7-17  | 2.8 | 10 |
| 473 | Correlates of irregular family meal patterns among 11-year-old children from the Pro Children study. <i>Food and Nutrition Research</i> , <b>2017</b> , 61, 1339554   | 3.1 | 6  |
| 472 | Aetiology of obesity in adults <b>2017</b> , 85-137   |     |    |
| 471 | The Relationships of Health Behaviour and Psychological Characteristics with Spontaneous Preterm Birth in Nulliparous Women. <i>Maternal and Child Health Journal</i> , <b>2017</b> , 21, 873-882   | 2.4 | 10 |
| 470 | Identifying and sharing data for secondary data analysis of physical activity, sedentary behaviour and their determinants across the life course in Europe: general principles and an example from DEDIPAC. <i>BMJ Open</i> , <b>2017</b> , 7, e017489                          | 3   | 8  |
| 469 | Screen-based sedentary time: Association with soft drink consumption and the moderating effect of parental education in European children: The ENERGY study. <i>PLoS ONE</i> , <b>2017</b> , 12, e0171537   | 3.7 | 11 |
| 468 | Randomized controlled trial on the effects of a supervised high intensity exercise program in patients with a hematologic malignancy treated with autologous stem cell transplantation: Results from the EXIST study. <i>PLoS ONE</i> , <b>2017</b> , 12, e0181313              | 3.7 | 38 |
| 467 | Objectively measured sedentary time among five ethnic groups in Amsterdam: The HELIUS study. <i>PLoS ONE</i> , <b>2017</b> , 12, e0182077   | 3.7 | 3  |
| 466 | Chapter 1 Determinants of Dietary Behavior Among Youth: An Umbrella Review <b>2017</b> , 1-36   |     |    |
| 465 | The mediating role of social capital in the association between neighbourhood income inequality and body mass index. <i>European Journal of Public Health</i> , <b>2017</b> , 27, 218-223   | 2.1 | 7  |
| 464 | Regular family breakfast was associated with children's overweight and parental education: Results from the ENERGY cross-sectional study. <i>Preventive Medicine</i> , <b>2016</b> , 91, 197-203  | 4.3 | 13 |
| 463 | Variation in population levels of sedentary time in European adults according to cross-European studies: a systematic literature review within DEDIPAC. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2016</b> , 13, 71                       | 8.4 | 56 |
| 462 | Variation in population levels of physical activity in European adults according to cross-European studies: a systematic literature review within DEDIPAC. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2016</b> , 13, 72                    | 8.4 | 61 |

|     |   |     |    |
|-----|---|-----|----|
| 461 | Variation in population levels of physical activity in European children and adolescents according to cross-European studies: a systematic literature review within DEDIPAC. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2016</b> , 13, 70  | 8.4 | 94 |
| 460 | Interrater Reliability of the ENERGY Photo-Rating Instrument for School Environments Related to Physical Activity and Eating. <i>Journal of Physical Activity and Health</i> , <b>2016</b> , 13, 433-9  | 2.5 | 1  |
| 459 | The SOS-framework (Systems of Sedentary behaviours): an international transdisciplinary consensus framework for the study of determinants, research priorities and policy on sedentary behaviour across the life course: a DEDIPAC-study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2016</b> , 13, 83 | 8.4 | 83 |
| 458 | Lifestyle correlates of overweight in adults: a hierarchical approach (the SPOTLIGHT project). <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2016</b> , 13, 114   | 8.4 | 16 |
| 457 | Do heart failure status and psychosocial variables moderate the relationship between leisure time physical activity and mortality risk among patients with a history of myocardial infarction?. <i>BMC Cardiovascular Disorders</i> , <b>2016</b> , 16, 196   | 2.3 | 1  |
| 456 | Demographic, clinical, psychosocial, and environmental correlates of objectively assessed physical activity among breast cancer survivors. <i>Supportive Care in Cancer</i> , <b>2016</b> , 24, 3333-42   | 3.9 | 28 |
| 455 | Barriers and facilitators to the nationwide dissemination of the Dutch school-based obesity prevention programme DOiT. <i>European Journal of Public Health</i> , <b>2016</b> , 26, 611-6   | 2.1 | 12 |
| 454 | Implemented or not implemented? Process evaluation of the school-based obesity prevention program DOiT and associations with program effectiveness. <i>Health Education Research</i> , <b>2016</b> , 31, 220-33 <sup>1.8</sup>  |     | 21 |
| 453 | Mediators of Exercise Effects on HRQoL in Cancer Survivors after Chemotherapy. <i>Medicine and Science in Sports and Exercise</i> , <b>2016</b> , 48, 1859-65   | 1.2 | 17 |
| 452 | Variation in population levels of sedentary time in European children and adolescents according to cross-European studies: a systematic literature review within DEDIPAC. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2016</b> , 13, 69   | 8.4 | 38 |
| 451 | A Randomized Controlled Trial to Examine the Effect of 2-Year Vitamin B12 and Folic Acid Supplementation on Physical Performance, Strength, and Falling: Additional Findings from the B-PROOF Study. <i>Calcified Tissue International</i> , <b>2016</b> , 98, 18-27  | 3.9 | 24 |
| 450 | European Sitting Championship: Prevalence and Correlates of Self-Reported Sitting Time in the 28 European Union Member States. <i>PLoS ONE</i> , <b>2016</b> , 11, e0149320   | 3.7 | 69 |
| 449 | Participation in and adherence to physical exercise after completion of primary cancer treatment. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2016</b> , 13, 100  | 8.4 | 43 |
| 448 | Good practice characteristics of diet and physical activity interventions and policies: an umbrella review. <i>BMC Public Health</i> , <b>2015</b> , 15, 19   | 4.1 | 91 |
| 447 | Correlates of dietary behavior in adults: an umbrella review. <i>Nutrition Reviews</i> , <b>2015</b> , 73, 477-99   | 6.4 | 43 |
| 446 | Moderators of the effects of group-based physical exercise on cancer survivors' quality of life. <i>Supportive Care in Cancer</i> , <b>2015</b> , 23, 2623-31   | 3.9 | 16 |
| 445 | Determinants of dietary behavior among youth: an umbrella review. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2015</b> , 12, 7  | 8.4 | 55 |
| 444 | What features do Dutch university students prefer in a smartphone application for promotion of physical activity? A qualitative approach. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2015</b> , 12, 31   | 8.4 | 52 |



|     |   |      |     |
|-----|---|------|-----|
| 443 | Associations between active video gaming and other energy-balance related behaviours in adolescents: a 24-hour recall diary study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2015</b> , 12, 32  | 8.4  | 4   |
| 442 | Successful behavior change in obesity interventions in adults: a systematic review of self-regulation mediators. <i>BMC Medicine</i> , <b>2015</b> , 13, 84   | 11.4 | 360 |
| 441 | Implementation evaluation of school-based obesity prevention programmes in youth; how, what and why?. <i>Public Health Nutrition</i> , <b>2015</b> , 18, 1531-4   | 3.3  | 18  |
| 440 | Family sociodemographic characteristics as correlates of children's breakfast habits and weight status in eight European countries. The ENERGY (European Energy balance Research to prevent excessive weight Gain among Youth) project. <i>Public Health Nutrition</i> , <b>2015</b> , 18, 774-83 | 3.3  | 27  |
| 439 | An economic evaluation alongside a randomized controlled trial evaluating an individually tailored lifestyle intervention compared with usual care in people with familial hypercholesterolemia. <i>BMC Research Notes</i> , <b>2015</b> , 8, 317   | 2.3  | 2   |
| 438 | Parental modeling, education and children's sports and TV time: the ENERGY-project. <i>Preventive Medicine</i> , <b>2015</b> , 70, 96-101   | 4.3  | 5   |
| 437 | The association between health related quality of life and survival in patients with head and neck cancer: a systematic review. <i>Oral Oncology</i> , <b>2015</b> , 51, 1-11   | 4.4  | 49  |
| 436 | Sedentary behaviour and health in children - evaluating the evidence. <i>Preventive Medicine</i> , <b>2015</b> , 70, 1-2  | 4.3  | 36  |
| 435 | The UP4FUN Intervention Effect on Breaking Up Sedentary Time in 10- to 12-Year-Old Belgian Children: The ENERGY-Project. <i>Pediatric Exercise Science</i> , <b>2015</b> , 27, 234-42   | 2    | 9   |
| 434 | Obesity-related behaviours and BMI in five urban regions across Europe: sampling design and results from the SPOTLIGHT cross-sectional survey. <i>BMJ Open</i> , <b>2015</b> , 5, e008505   | 3    | 50  |
| 433 | Socio-demographic inequalities across a range of health status indicators and health behaviours among pregnant women in prenatal primary care: a cross-sectional study. <i>BMC Pregnancy and Childbirth</i> , <b>2015</b> , 15, 261   | 3.2  | 30  |
| 432 | Determinants of engaging in sedentary behavior across the lifespan; lessons learned from two systematic reviews conducted within DEDIPAC. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2015</b> , 12, 134  | 8.4  | 25  |
| 431 | Individual and family environmental correlates of television and computer time in 10- to 12-year-old European children: the ENERGY-project. <i>BMC Public Health</i> , <b>2015</b> , 15, 912  | 4.1  | 11  |
| 430 | Implementation conditions for diet and physical activity interventions and policies: an umbrella review. <i>BMC Public Health</i> , <b>2015</b> , 15, 1250  | 4.1  | 70  |
| 429 | Randomized controlled trial of the effects of high intensity and low-to-moderate intensity exercise on physical fitness and fatigue in cancer survivors: results of the Resistance and Endurance exercise After ChemoTherapy (REACT) study. <i>BMC Medicine</i> , <b>2015</b> , 13, 275           | 11.4 | 97  |
| 428 | Systematic literature review of determinants of sedentary behaviour in older adults: a DEDIPAC study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2015</b> , 12, 127  | 8.4  | 121 |
| 427 | The effect, moderators, and mediators of resistance and aerobic exercise on health-related quality of life in older long-term survivors of prostate cancer. <i>Cancer</i> , <b>2015</b> , 121, 2821-30  | 6.4  | 51  |
| 426 | Educational differences in the validity of self-reported physical activity. <i>BMC Public Health</i> , <b>2015</b> , 15, 1299   | 4.1  | 32  |

|     |  |      |     |
|-----|--|------|-----|
| 425 | Large proportions of overweight and obese children, as well as their parents, underestimate children's weight status across Europe. The ENERGY (European Energy balance Research to prevent excessive weight Gain among Youth) project. <i>Public Health Nutrition</i> , <b>2015</b> , 18, 2183-90 | 3.3  | 26  |
| 424 | Maternal efficacy and sedentary behavior rules predict child obesity resilience. <i>BMC Obesity</i> , <b>2015</b> , 2, 26  | 3.6  | 3   |
| 423 | Occurrence and duration of various operational definitions of sedentary bouts and cross-sectional associations with cardiometabolic health indicators: the ENERGY-project. <i>Preventive Medicine</i> , <b>2015</b> , 71, 101-6  | 4.3  | 34  |
| 422 | Evaluation of the UP4FUN intervention: a cluster randomized trial to reduce and break up sitting time in European 10-12-year-old children. <i>PLoS ONE</i> , <b>2015</b> , 10, e0122612  | 3.7  | 18  |
| 421 | Replacing Non-Active Video Gaming by Active Video Gaming to Prevent Excessive Weight Gain in Adolescents. <i>PLoS ONE</i> , <b>2015</b> , 10, e0126023   | 3.7  | 19  |
| 420 | Dutch Young Adults Ratings of Behavior Change Techniques Applied in Mobile Phone Apps to Promote Physical Activity: A Cross-Sectional Survey. <i>JMIR MHealth and UHealth</i> , <b>2015</b> , 3, e103  | 5.5  | 22  |
| 419 | Development of Motivate4Change Using the Intervention Mapping Protocol: An Interactive Technology Physical Activity and Medication Adherence Promotion Program for Hospitalized Heart Failure Patients. <i>JMIR Research Protocols</i> , <b>2015</b> , 4, e88                                      | 2    | 13  |
| 418 | Physical activity and the risk of developing lung cancer among smokers: a meta-analysis. <i>Journal of Science and Medicine in Sport</i> , <b>2014</b> , 17, 67-71   | 4.4  | 40  |
| 417 | Evidence-based physical activity guidelines for cancer survivors: current guidelines, knowledge gaps and future research directions. <i>Cancer Treatment Reviews</i> , <b>2014</b> , 40, 327-40  | 14.4 | 163 |
| 416 | Mediators of the resistance and aerobic exercise intervention effect on physical and general health in men undergoing androgen deprivation therapy for prostate cancer. <i>Cancer</i> , <b>2014</b> , 120, 294-301   | 6.4  | 30  |
| 415 | Differences in beliefs and home environments regarding energy balance behaviors according to parental education and ethnicity among schoolchildren in Europe: the ENERGY cross sectional study. <i>BMC Public Health</i> , <b>2014</b> , 14, 610   | 4.1  | 6   |
| 414 | The role of family-related factors in the effects of the UP4FUN school-based family-focused intervention targeting screen time in 10- to 12-year-old children: the ENERGY project. <i>BMC Public Health</i> , <b>2014</b> , 14, 857  | 4.1  | 6   |
| 413 | Apps to promote physical activity among adults: a review and content analysis. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2014</b> , 11, 97   | 8.4  | 320 |
| 412 | Measured sedentary time and physical activity during the school day of European 10- to 12-year-old children: the ENERGY project. <i>Journal of Science and Medicine in Sport</i> , <b>2014</b> , 17, 201-6   | 4.4  | 66  |
| 411 | Obesogenic environments: a systematic review of the association between the physical environment and adult weight status, the SPOTLIGHT project. <i>BMC Public Health</i> , <b>2014</b> , 14, 233  | 4.1  | 221 |
| 410 | The school nutrition environment and its association with soft drink intakes in seven countries across Europe--the ENERGY project. <i>Health and Place</i> , <b>2014</b> , 30, 28-35   | 4.6  | 11  |
| 409 | Active and non-active video gaming among Dutch adolescents: who plays and how much?. <i>Journal of Science and Medicine in Sport</i> , <b>2014</b> , 17, 597-601   | 4.4  | 20  |
| 408 | Sequential hand hygiene promotion contributes to a reduced nosocomial bloodstream infection rate among very low-birth weight infants: an interrupted time series over a 10-year period. <i>American Journal of Infection Control</i> , <b>2014</b> , 42, 718-22                                    | 3.8  | 11  |



|     |  |     |     |
|-----|--|-----|-----|
| 407 | Daily variations in weather and the relationship with physical activity and sedentary time in European 10- to 12-year-olds: The ENERGY-Project. <i>Journal of Physical Activity and Health</i> , <b>2014</b> , 11, 419-25  | 2.5 | 16  |
| 406 | The Dutch Obesity Intervention in Teenagers (DOiT) cluster controlled implementation trial: intervention effects and mediators and moderators of adiposity and energy balance-related behaviours. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2014</b> , 11, 158                                   | 8.4 | 29  |
| 405 | The SPOTLIGHT virtual audit tool: a valid and reliable tool to assess obesogenic characteristics of the built environment. <i>International Journal of Health Geographics</i> , <b>2014</b> , 13, 52   | 3.5 | 72  |
| 404 | The association of breakfast skipping and television viewing at breakfast with weight status among parents of 10-12-year-olds in eight European countries; the ENERGY (European Energy balance Research to prevent excessive weight Gain among Youth) cross-sectional study. <i>Public Health Nutrition</i> , <b>2014</b> , 17, 906-14 | 3.3 | 18  |
| 403 | Environmental interventions in low-SES neighbourhoods to promote healthy behaviour: enhancing and impeding factors. <i>European Journal of Public Health</i> , <b>2014</b> , 24, 390-5   | 2.1 | 3   |
| 402 | Effect of daily vitamin B-12 and folic acid supplementation on fracture incidence in elderly individuals with an elevated plasma homocysteine concentration: B-PROOF, a randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , <b>2014</b> , 100, 1578-86  | 7   | 63  |
| 401 | In preparation of the nationwide dissemination of the school-based obesity prevention program DOiT: stepwise development applying the intervention mapping protocol. <i>Journal of School Health</i> , <b>2014</b> , 84, 481-92  | 2.1 | 7   |
| 400 | Active video games as a tool to prevent excessive weight gain in adolescents: rationale, design and methods of a randomized controlled trial. <i>BMC Public Health</i> , <b>2014</b> , 14, 275   | 4.1 | 14  |
| 399 | Agreement between parent and child report on parental practices regarding dietary, physical activity and sedentary behaviours: the ENERGY cross-sectional survey. <i>BMC Public Health</i> , <b>2014</b> , 14, 918   | 4.1 | 20  |
| 398 | Determinants of exercise adherence and maintenance among cancer survivors: a systematic review. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2014</b> , 11, 80  | 8.4 | 100 |
| 397 | Parents and friends both matter: simultaneous and interactive influences of parents and friends on European schoolchildren's energy balance-related behaviours - the ENERGY cross-sectional study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2014</b> , 11, 82                                   | 8.4 | 23  |
| 396 | Towards the integration and development of a cross-European research network and infrastructure: the DEterminants of DIet and Physical ACTivity (DEDIPAC) Knowledge Hub. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2014</b> , 11, 143  | 8.4 | 60  |
| 395 | Test-retest reliability and construct validity of the DOiT (Dutch Obesity Intervention in Teenagers) questionnaire: measuring energy balance-related behaviours in Dutch adolescents. <i>Public Health Nutrition</i> , <b>2014</b> , 17, 277-86  | 3.3 | 12  |
| 394 | Differential effects of the computer-tailored FATaintPHAT programme on dietary behaviours according to sociodemographic, cognitive and home environmental factors. <i>Public Health Nutrition</i> , <b>2014</b> , 17, 431-9  | 3.3 | 9   |
| 393 | From sedentary time to sedentary patterns: accelerometer data reduction decisions in youth. <i>PLoS ONE</i> , <b>2014</b> , 9, e111205   | 3.7 | 65  |
| 392 | Comparison of energy balance-related behaviours and measures of body composition between Turkish adolescents in Turkey and Turkish immigrant adolescents in the Netherlands. <i>Public Health Nutrition</i> , <b>2014</b> , 17, 2692-9   | 3.3 | 5   |
| 391 | Using remote sensing to define environmental characteristics related to physical activity and dietary behaviours: a systematic review (the SPOTLIGHT project). <i>Health and Place</i> , <b>2014</b> , 25, 1-9   | 4.6 | 69  |
| 390 | Energy balance related behaviour: personal, home- and friend-related factors among schoolchildren in Europe studied in the ENERGY-project. <i>PLoS ONE</i> , <b>2014</b> , 9, e111775  | 3.7 | 11  |

|     |   |      |     |
|-----|---|------|-----|
| 389 | Personal, social, and game-related correlates of active and non-active gaming among dutch gaming adolescents: survey-based multivariable, multilevel logistic regression analyses. <i>JMIR Serious Games</i> , <b>2014</b> , 2, e4  | 3.4  | 3   |
| 388 | An interactive-technology health behavior promotion program for heart failure patients: a pilot study of experiences and needs of patients and nurses in the hospital setting. <i>JMIR Research Protocols</i> , <b>2014</b> , 3, e32  | 2    | 10  |
| 387 | Parental education associations with children's body composition: mediation effects of energy balance-related behaviors within the ENERGY-project. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2013</b> , 10, 80  | 8.4  | 23  |
| 386 | Associations between eating meals, watching TV while eating meals and weight status among children, ages 10-12 years in eight European countries: the ENERGY cross-sectional study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2013</b> , 10, 58   | 8.4  | 41  |
| 385 | Direct and indirect associations between the family physical activity environment and sports participation among 10-12 year-old European children: testing the EnRG framework in the ENERGY project. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2013</b> , 10, 15  | 8.4  | 45  |
| 384 | Clustering of energy balance-related behaviors and parental education in European children: the ENERGY-project. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2013</b> , 10, 5  | 8.4  | 49  |
| 383 | Determinants of adherence to heart failure medication: a systematic literature review. <i>Heart Failure Reviews</i> , <b>2013</b> , 18, 409-27  | 5    | 54  |
| 382 | Fatigue mediates the relationship between physical fitness and quality of life in cancer survivors. <i>Journal of Science and Medicine in Sport</i> , <b>2013</b> , 16, 99-104  | 4.4  | 29  |
| 381 | Predicting Optimal cAncer Rehabilitation and Supportive care (POLARIS): rationale and design for meta-analyses of individual patient data of randomized controlled trials that evaluate the effect of physical activity and psychosocial interventions on health-related quality of life in cancer survivors. <i>Systematic Reviews</i> , <b>2013</b> , 2, 75 | 3    | 29  |
| 380 | Exploring facilitating factors and barriers to the nationwide dissemination of a Dutch school-based obesity prevention program "DOiT": a study protocol. <i>BMC Public Health</i> , <b>2013</b> , 13, 1201  | 4.1  | 20  |
| 379 | Associations between home- and family-related factors and fruit juice and soft drink intake among 10- to 12-year old children. The ENERGY project. <i>Appetite</i> , <b>2013</b> , 61, 59-65  | 4.5  | 38  |
| 378 | Effects of exercise in patients treated with stem cell transplantation for a hematologic malignancy: a systematic review and meta-analysis. <i>Cancer Treatment Reviews</i> , <b>2013</b> , 39, 682-90  | 14.4 | 100 |
| 377 | Equity-specific effects of 26 Dutch obesity-related lifestyle interventions. <i>American Journal of Preventive Medicine</i> , <b>2013</b> , 44, e57-66  | 6.1  | 51  |
| 376 | Are associations between the perceived home and neighbourhood environment and children's physical activity and sedentary behaviour moderated by urban/rural location?. <i>Health and Place</i> , <b>2013</b> , 24, 44-53  | 4.6  | 34  |
| 375 | Homocysteine and the methylenetetrahydrofolate reductase 677C->T polymorphism in relation to muscle mass and strength, physical performance and postural sway. <i>European Journal of Clinical Nutrition</i> , <b>2013</b> , 67, 743-8  | 5.2  | 25  |
| 374 | Self-reported TV and computer time do not represent accelerometer-derived total sedentary time in 10 to 12-year-olds. <i>European Journal of Public Health</i> , <b>2013</b> , 23, 30-2   | 2.1  | 44  |
| 373 | Explaining socio-demographic differences in disengagement from sports in adolescence. <i>European Journal of Public Health</i> , <b>2013</b> , 23, 811-6  | 2.1  | 9   |
| 372 | Macroenvironmental factors including GDP per capita and physical activity in Europe. <i>Medicine and Science in Sports and Exercise</i> , <b>2013</b> , 45, 278-85  | 1.2  | 18  |

|     |  |     |    |
|-----|--|-----|----|
| 371 | Cohort profile: the resilience for eating and activity despite inequality (READI) study. <i>International Journal of Epidemiology</i> , <b>2013</b> , 42, 1629-39  | 7.8 | 36 |
| 370 | Process evaluation of FATaintPHAT, a computer-tailored intervention to prevent excessive weight gain among Dutch adolescents. <i>Health Promotion International</i> , <b>2013</b> , 28, 26-35  | 3   | 16 |
| 369 | Genetic and environmental influences on individual differences in sleep duration during adolescence. <i>Twin Research and Human Genetics</i> , <b>2013</b> , 16, 1015-25   | 2.2 | 6  |
| 368 | Role of free school lunch in the associations between family-environmental factors and children's fruit and vegetable intake in four European countries. <i>Public Health Nutrition</i> , <b>2013</b> , 16, 1109-17                                | 3.3 | 17 |
| 367 | Predictors and mediators of differences in soft drinks consumption according to gender and plans of further education among Norwegian secondary-school children. <i>Public Health Nutrition</i> , <b>2013</b> , 16, 1250-6                         | 3.3 | 5  |
| 366 | Family- and school-based predictors of energy balance-related behaviours in children: a 6-year longitudinal study. <i>Public Health Nutrition</i> , <b>2013</b> , 16, 202-11   | 3.3 | 17 |
| 365 | Mediators of longitudinal changes in measures of adiposity in teenagers using parallel process latent growth modeling. <i>Obesity</i> , <b>2013</b> , 21, 2387-95  | 8   | 13 |
| 364 | Associations between neighbourhood and household environmental variables and fruit consumption: exploration of mediation by individual cognitions and habit strength in the GLOBE study. <i>Public Health Nutrition</i> , <b>2013</b> , 16, 505-14 | 3.3 | 11 |
| 363 | Longer sleep--slimmer kids: the ENERGY-project. <i>PLoS ONE</i> , <b>2013</b> , 8, e59522  | 3.7 | 12 |
| 362 | Can ethnic background differences in children's body composition be explained by differences in energy balance-related behaviors? A mediation analysis within the energy-project. <i>PLoS ONE</i> , <b>2013</b> , 8, e71848                        | 3.7 | 4  |
| 361 | Associations between family-related factors, breakfast consumption and BMI among 10- to 12-year-old European children: the cross-sectional ENERGY-study. <i>PLoS ONE</i> , <b>2013</b> , 8, e79550   | 3.7 | 23 |
| 360 | Socio-demographic and lifestyle-related characteristics associated with self-reported any, daily and occasional smoking during pregnancy. <i>PLoS ONE</i> , <b>2013</b> , 8, e74197  | 3.7 | 18 |
| 359 | Neighborhood characteristics and TV viewing in youth: nothing to do but watch TV?. <i>Journal of Science and Medicine in Sport</i> , <b>2012</b> , 15, 122-8   | 4.4 | 22 |
| 358 | Predicting nicotine dependence profiles among adolescent smokers: the roles of personal and social-environmental factors in a longitudinal framework. <i>BMC Public Health</i> , <b>2012</b> , 12, 196   | 4.1 | 20 |
| 357 | Evaluation of primary care midwifery in The Netherlands: design and rationale of a dynamic cohort study (DELIVER). <i>BMC Health Services Research</i> , <b>2012</b> , 12, 69  | 2.9 | 46 |
| 356 | Direction of the association between body fatness and self-reported screen time in Dutch adolescents. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2012</b> , 9, 4  | 8.4 | 27 |
| 355 | Associations of parental education and parental physical activity (PA) with children's PA: the ENERGY cross-sectional study. <i>Preventive Medicine</i> , <b>2012</b> , 55, 310-314  | 4.3 | 24 |
| 354 | Hand disinfection in a neonatal intensive care unit: continuous electronic monitoring over a one-year period. <i>BMC Infectious Diseases</i> , <b>2012</b> , 12, 248   | 4   | 12 |

|     |   |     |     |
|-----|---|-----|-----|
| 353 | Is the process of delivery of an individually tailored lifestyle intervention associated with improvements in LDL cholesterol and multiple lifestyle behaviours in people with familial hypercholesterolemia?. <i>BMC Public Health</i> , <b>2012</b> , 12, 348                             | 4.1 | 13  |
| 352 | Sustainable prevention of obesity through integrated strategies: The SPOTLIGHT project's conceptual framework and design. <i>BMC Public Health</i> , <b>2012</b> , 12, 793  | 4.1 | 56  |
| 351 | The effect of the UP4FUN pilot intervention on objectively measured sedentary time and physical activity in 10-12 year old children in Belgium: the ENERGY-project. <i>BMC Public Health</i> , <b>2012</b> , 12, 805  | 4.1 | 25  |
| 350 | Socioeconomic inequalities in occupational, leisure-time, and transport related physical activity among European adults: a systematic review. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2012</b> , 9, 116   | 8.4 | 279 |
| 349 | Micro-level economic factors and incentives in Children's energy balance related behaviours - findings from the ENERGY European cross-section questionnaire survey. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2012</b> , 9, 136                       | 8.4 | 13  |
| 348 | Differences in weight status and energy-balance related behaviors among schoolchildren in German-speaking Switzerland compared to seven countries in Europe. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2012</b> , 9, 139                              | 8.4 | 15  |
| 347 | Levels of physical activity and sedentary time among 10- to 12-year-old boys and girls across 5 European countries using accelerometers: an observational study within the ENERGY-project. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2012</b> , 9, 34 | 8.4 | 164 |
| 346 | Are neighbourhood social capital and availability of sports facilities related to sports participation among Dutch adolescents?. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2012</b> , 9, 90   | 8.4 | 38  |
| 345 | No significant improvement of cardiovascular disease risk indicators by a lifestyle intervention in people with familial hypercholesterolemia compared to usual care: results of a randomised controlled trial. <i>BMC Research Notes</i> , <b>2012</b> , 5, 181                            | 2.3 | 24  |
| 344 | Test-retest reliability and construct validity of the ENERGY-parent questionnaire on parenting practices, energy balance-related behaviours and their potential behavioural determinants: the ENERGY-project. <i>BMC Research Notes</i> , <b>2012</b> , 5, 434                              | 2.3 | 38  |
| 343 | Exploring the reach and program use of Hello World, an email-based health promotion program for pregnant women in the Netherlands. <i>BMC Research Notes</i> , <b>2012</b> , 5, 514   | 2.3 | 4   |
| 342 | Computer screen saver hand hygiene information curbs a negative trend in hand hygiene behavior. <i>American Journal of Infection Control</i> , <b>2012</b> , 40, 951-4  | 3.8 | 25  |
| 341 | A systematic review of randomized controlled trials on the effectiveness of computer-tailored physical activity and dietary behavior promotion programs: an update. <i>Annals of Behavioral Medicine</i> , <b>2012</b> , 44, 259-86   | 4.5 | 167 |
| 340 | Physical and psychosocial benefits of yoga in cancer patients and survivors, a systematic review and meta-analysis of randomized controlled trials. <i>BMC Cancer</i> , <b>2012</b> , 12, 559   | 4.8 | 204 |
| 339 | Effectiveness of YouRAction, an intervention to promote adolescent physical activity using personal and environmental feedback: a cluster RCT. <i>PLoS ONE</i> , <b>2012</b> , 7, e32682  | 3.7 | 16  |
| 338 | Self-reported physical activity: its correlates and relationship with health-related quality of life in a large cohort of colorectal cancer survivors. <i>PLoS ONE</i> , <b>2012</b> , 7, e36164  | 3.7 | 74  |
| 337 | Objective and self-rated sedentary time and indicators of metabolic health in Dutch and Hungarian 10-12 year olds: the ENERGY-Project. <i>PLoS ONE</i> , <b>2012</b> , 7, e36657  | 3.7 | 20  |
| 336 | Can multiple lifestyle behaviours be improved in people with familial hypercholesterolemia? Results of a parallel randomised controlled trial. <i>PLoS ONE</i> , <b>2012</b> , 7, e50032  | 3.7 | 21  |

|     |  |     |     |
|-----|--|-----|-----|
| 335 | Does parental involvement make a difference in school-based nutrition and physical activity interventions? A systematic review of randomized controlled trials. <i>International Journal of Public Health</i> , <b>2012</b> , 57, 673-8  | 4   | 77  |
| 334 | Determinants of heart failure self-care: a systematic literature review. <i>Heart Failure Reviews</i> , <b>2012</b> , 17, 367-85   | 5   | 52  |
| 333 | Alpe d'HuZes cancer rehabilitation (A-CaRe) research: four randomized controlled exercise trials and economic evaluations in cancer patients and survivors. <i>International Journal of Behavioral Medicine</i> , <b>2012</b> , 19, 143-56   | 2.6 | 23  |
| 332 | Genetic and environmental influences on individual differences in sedentary behavior during adolescence: a twin-family study. <i>JAMA Pediatrics</i> , <b>2012</b> , 166, 509-14   |     | 9   |
| 331 | Mediating effects of home-related factors on fat intake from snacks in a school-based nutrition intervention among adolescents. <i>Health Education Research</i> , <b>2012</b> , 27, 36-45   | 1.8 | 9   |
| 330 | Effectiveness of workplace interventions in Europe promoting healthy eating: a systematic review. <i>European Journal of Public Health</i> , <b>2012</b> , 22, 677-83  | 2.1 | 126 |
| 329 | Methodological quality of front-of-pack labeling studies: a review plus identification of research challenges. <i>Nutrition Reviews</i> , <b>2012</b> , 70, 709-20   | 6.4 | 36  |
| 328 | Adolescents' Views on Active and Non-Active Videogames: A Focus Group Study. <i>Games for Health Journal</i> , <b>2012</b> , 1, 211-8  | 4.2 | 21  |
| 327 | Resilience to obesity among socioeconomically disadvantaged women: the READI study. <i>International Journal of Obesity</i> , <b>2012</b> , 36, 855-65   | 5.5 | 40  |
| 326 | Home and neighbourhood correlates of BMI among children living in socioeconomically disadvantaged neighbourhoods. <i>British Journal of Nutrition</i> , <b>2012</b> , 107, 1028-36   | 3.6 | 27  |
| 325 | Consuming a diet complying with front-of-pack label criteria may reduce cholesterol levels: a modeling study. <i>European Journal of Clinical Nutrition</i> , <b>2012</b> , 66, 510-6  | 5.2 | 14  |
| 324 | Associations between safety from crime, cycling, and obesity in a Dutch elderly population: results from the Longitudinal Aging Study Amsterdam. <i>Journal of Environmental and Public Health</i> , <b>2012</b> , 2012, 127857  | 2.6 | 7   |
| 323 | Predictors of the intention to prevent excessive weight gain in youth. <i>American Journal of Health Behavior</i> , <b>2012</b> , 36, 472-82   | 1.9 | 2   |
| 322 | Evaluation of the Web-based computer-tailored FATaintPHAT intervention to promote energy balance among adolescents: results from a school cluster randomized trial. <i>JAMA Pediatrics</i> , <b>2012</b> , 166, 248-55   |     | 81  |
| 321 | Explaining socio-economic inequalities in daily smoking: a social-ecological approach. <i>European Journal of Public Health</i> , <b>2012</b> , 22, 238-43   | 2.1 | 15  |
| 320 | Family- and school-based correlates of energy balance-related behaviours in 10-12-year-old children: a systematic review within the ENERGY (European Energy balance Research to prevent excessive weight Gain among Youth) project. <i>Public Health Nutrition</i> , <b>2012</b> , 15, 1380-95 | 3.3 | 101 |
| 319 | Differences in weight status and energy-balance related behaviors among schoolchildren across Europe: the ENERGY-project. <i>PLoS ONE</i> , <b>2012</b> , 7, e34742  | 3.7 | 194 |
| 318 | Effectiveness of a primary school-based intervention to reduce overweight. <i>Pediatric Obesity</i> , <b>2011</b> , 6, e70-7   |     | 64  |



|     |  |      |     |
|-----|--|------|-----|
| 317 | Longitudinal associations between cycling to school and weight status. <i>Pediatric Obesity</i> , <b>2011</b> , 6, 182-7   |      | 31  |
| 316 | Differences in fruit and vegetable intake and their determinants among 11-year-old schoolchildren between 2003 and 2009. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2011</b> , 8, 141                               | 8.4  | 27  |
| 315 | The effects of tailored and threatening nutrition information on message attention. Evidence from an event-related potential study. <i>Appetite</i> , <b>2011</b> , 56, 32-8   | 4.5  | 24  |
| 314 | The association between home environmental variables and soft drink consumption among adolescents. Exploration of mediation by individual cognitions and habit strength. <i>Appetite</i> , <b>2011</b> , 56, 503-10                                      | 4.5  | 35  |
| 313 | Product samples stimulate choice of unfamiliar healthful food products. <i>Appetite</i> , <b>2011</b> , 57, 197-201  | 4.5  | 8   |
| 312 | Strategies to facilitate exposure to internet-delivered health behavior change interventions aimed at adolescents or young adults: a systematic review. <i>Health Education and Behavior</i> , <b>2011</b> , 38, 49-62                                   | 4.2  | 115 |
| 311 | More or better: Do the number and specificity of implementation intentions matter in increasing physical activity?. <i>Psychology of Sport and Exercise</i> , <b>2011</b> , 12, 471-477  | 4.2  | 55  |
| 310 | School-based interventions promoting both physical activity and healthy eating in Europe: a systematic review within the HOPE project. <i>Obesity Reviews</i> , <b>2011</b> , 12, 205-16   | 10.6 | 173 |
| 309 | A systematic review of environmental factors and obesogenic dietary intakes among adults: are we getting closer to understanding obesogenic environments?. <i>Obesity Reviews</i> , <b>2011</b> , 12, e95-e106   | 10.6 | 279 |
| 308 | Interventions for the prevention of overweight and obesity in preschool children: a systematic review of randomized controlled trials. <i>Obesity Reviews</i> , <b>2011</b> , 12, e107-18  | 10.6 | 85  |
| 307 | Relationship between young peoples' sedentary behaviour and biomedical health indicators: a systematic review of prospective studies. <i>Obesity Reviews</i> , <b>2011</b> , 12, e621-32   | 10.6 | 176 |
| 306 | Dairy intake from adolescence into adulthood is not associated with being overweight and metabolic syndrome in adulthood: the Amsterdam Growth and Health Longitudinal Study. <i>Journal of Human Nutrition and Dietetics</i> , <b>2011</b> , 24, 233-44 | 3.1  | 12  |
| 305 | Information about the taste stimulates choice of unfamiliar healthful food products. <i>Journal of Human Nutrition and Dietetics</i> , <b>2011</b> , 24, 603-11  | 3.1  | 5   |
| 304 | The association between cycling to school and being overweight in Rotterdam (The Netherlands) and Kristiansand (Norway). <i>Scandinavian Journal of Medicine and Science in Sports</i> , <b>2011</b> , 21, 48-53   | 4.6  | 27  |
| 303 | What works in school-based energy balance behaviour interventions and what does not? A systematic review of mediating mechanisms. <i>International Journal of Obesity</i> , <b>2011</b> , 35, 1251-65  | 5.5  | 91  |
| 302 | Economic incentives and nutritional behavior of children in the school setting: a systematic review. <i>Nutrition Reviews</i> , <b>2011</b> , 69, 660-74   | 6.4  | 25  |
| 301 | Do trends in physical activity, sedentary, and dietary behaviors support trends in obesity prevalence in 2 border regions in Texas?. <i>Journal of Nutrition Education and Behavior</i> , <b>2011</b> , 43, 210-8  | 2    | 7   |
| 300 | Biomarker evaluation does not confirm efficacy of computer-tailored nutrition education. <i>Journal of Nutrition Education and Behavior</i> , <b>2011</b> , 43, 323-30   | 2    | 5   |



|     |   |     |     |
|-----|---|-----|-----|
| 299 | Study protocol of physical activity and sedentary behaviour measurement among schoolchildren by accelerometry--cross-sectional survey as part of the ENERGY-project. <i>BMC Public Health</i> , <b>2011</b> , 11, 182   | 4.1 | 43  |
| 298 | Test-retest reliability and construct validity of the ENERGY-child questionnaire on energy balance-related behaviours and their potential determinants: the ENERGY-project. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2011</b> , 8, 136                               | 8.4 | 96  |
| 297 | Parental and home influences on adolescents' TV viewing: a mediation analysis. <i>Pediatric Obesity</i> , <b>2011</b> , 6, e364-72  |     | 21  |
| 296 | For whom and under what circumstances do school-based energy balance behavior interventions work? Systematic review on moderators. <i>Pediatric Obesity</i> , <b>2011</b> , 6, e46-57   |     | 68  |
| 295 | Influence of placement of a nutrition logo on cafeteria menu items on lunchtime food Choices at Dutch work sites. <i>Journal of the American Dietetic Association</i> , <b>2011</b> , 111, 131-6  |     | 66  |
| 294 | Associations between availability of facilities within three different neighbourhood buffer sizes and objectively assessed physical activity in adolescents. <i>Health and Place</i> , <b>2011</b> , 17, 1228-34  | 4.6 | 30  |
| 293 | Tailored print communication and telephone motivational interviewing are equally successful in improving multiple lifestyle behaviors in a randomized controlled trial. <i>Annals of Behavioral Medicine</i> , <b>2011</b> , 41, 104-18   | 4.5 | 53  |
| 292 | Psychometric properties of two physical activity questionnaires, the AQuAA and the PASE, in cancer patients. <i>BMC Medical Research Methodology</i> , <b>2011</b> , 11, 30   | 4.7 | 38  |
| 291 | Rationale and design of the B-PROOF study, a randomized controlled trial on the effect of supplemental intake of vitamin B12 and folic acid on fracture incidence. <i>BMC Geriatrics</i> , <b>2011</b> , 11, 80   | 4.1 | 70  |
| 290 | European Energy balance Research to prevent excessive weight Gain among Youth (ENERGY) project: Design and methodology of the ENERGY cross-sectional survey. <i>BMC Public Health</i> , <b>2011</b> , 11, 65  | 4.1 | 82  |
| 289 | What do parents think about parental participation in school-based interventions on energy balance-related behaviours? a qualitative study in 4 countries. <i>BMC Public Health</i> , <b>2011</b> , 11, 881   | 4.1 | 22  |
| 288 | Determinants of fruit and vegetable consumption among children and adolescents: a review of the literature. Part II: qualitative studies. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2011</b> , 8, 112   | 8.4 | 190 |
| 287 | Cost-effectiveness of tailored print communication, telephone motivational interviewing, and a combination of the two: results of an economic evaluation alongside the Vitalum randomized controlled trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2011</b> , 8, 4 | 8.4 | 2   |
| 286 | Modeling the long term health outcomes and cost-effectiveness of two interventions promoting fruit and vegetable intake among schoolchildren. <i>Economics and Human Biology</i> , <b>2011</b> , 9, 14-22   | 2.6 | 20  |
| 285 | Cohort profile: the Longitudinal Aging Study Amsterdam. <i>International Journal of Epidemiology</i> , <b>2011</b> , 40, 868-76   | 7.8 | 326 |
| 284 | Reduction in sugar-sweetened beverages is not associated with more water or diet drinks. <i>Public Health Nutrition</i> , <b>2011</b> , 14, 1388-93   | 3.3 | 16  |
| 283 | Adolescents risky MP3-player listening and its psychosocial correlates. <i>Health Education Research</i> , <b>2011</b> , 26, 254-64   | 1.8 | 34  |
| 282 | Worksite physical activity interventions and obesity: a review of European studies (the HOPE project). <i>Obesity Facts</i> , <b>2011</b> , 4, 479-88   | 5.1 | 43  |

|     |  |      |     |
|-----|--|------|-----|
| 281 | Evaluation of nationwide health promotion campaigns in The Netherlands: an exploration of practices, wishes and opportunities. <i>Health Promotion International</i> , <b>2011</b> , 26, 244-54  | 3    | 15  |
| 280 | Which intervention characteristics are related to more exposure to internet-delivered healthy lifestyle promotion interventions? A systematic review. <i>Journal of Medical Internet Research</i> , <b>2011</b> , 13, e2                                     | 7.6  | 317 |
| 279 | Weight status, energy-balance behaviours and intentions in 9-12-year-old inner-city children. <i>Journal of Human Nutrition and Dietetics</i> , <b>2010</b> , 23, 85-96  | 3.1  | 21  |
| 278 | The effects of a fruit and vegetable promotion intervention on unhealthy snacks during mid-morning school breaks: results of the Dutch Schoolgruiten Project. <i>Journal of Human Nutrition and Dietetics</i> , <b>2010</b> , 23, 609-15                     | 3.1  | 25  |
| 277 | Overweight and obesity in infants and pre-school children in the European Union: a review of existing data. <i>Obesity Reviews</i> , <b>2010</b> , 11, 389-98  | 10.6 | 188 |
| 276 | Early-life determinants of overweight and obesity: a review of systematic reviews. <i>Obesity Reviews</i> , <b>2010</b> , 11, 695-708  | 10.6 | 395 |
| 275 | Does socio-economic status moderate the associations between psychosocial predictors and fruit intake in schoolchildren? The Pro Children study. <i>Health Education Research</i> , <b>2010</b> , 25, 121-34   | 1.8  | 32  |
| 274 | Availability of sports facilities as moderator of the intention-sports participation relationship among adolescents. <i>Health Education Research</i> , <b>2010</b> , 25, 489-97   | 1.8  | 46  |
| 273 | Why do parents with toddlers store poisonous products safely?. <i>International Journal of Pediatrics (United Kingdom)</i> , <b>2010</b> , 2010, 702827  | 2.1  | 3   |
| 272 | Is the term 'Mediterranean diet' a misnomer?. <i>Public Health Nutrition</i> , <b>2010</b> , 13, 2127-9  | 3.3  | 17  |
| 271 | Do individual cognitions mediate the association of socio-cultural and physical environmental factors with adolescent sports participation?. <i>Public Health Nutrition</i> , <b>2010</b> , 13, 1746-54  | 3.3  | 12  |
| 270 | Exploring overweight, obesity and their behavioural correlates among children and adolescents: results from the Health-promotion through Obesity Prevention across Europe project. <i>Public Health Nutrition</i> , <b>2010</b> , 13, 1676-9                 | 3.3  | 14  |
| 269 | Direct and indirect association between environmental factors and fruit intake, mediation by psychosocial factors: the Pro Children study. <i>Public Health Nutrition</i> , <b>2010</b> , 13, 1736-45  | 3.3  | 10  |
| 268 | Effectiveness of school-based interventions in Europe to promote healthy nutrition in children and adolescents: systematic review of published and 'grey' literature. <i>British Journal of Nutrition</i> , <b>2010</b> , 103, 781-97                        | 3.6  | 251 |
| 267 | Characteristics of visitors and revisitors to an Internet-delivered computer-tailored lifestyle intervention implemented for use by the general public. <i>Health Education Research</i> , <b>2010</b> , 25, 585-95  | 1.8  | 112 |
| 266 | Towards evidence-based, quality-controlled health promotion: the Dutch recognition system for health promotion interventions. <i>Health Education Research</i> , <b>2010</b> , 25, 1100-6  | 1.8  | 28  |
| 265 | Family environmental factors do not explain differences in the behavioral effect of a healthy diet promotion program in lower vocational schools among 12- to 14-year-old adolescents. <i>American Journal of Health Promotion</i> , <b>2010</b> , 24, 182-5 | 2.5  | 6   |
| 264 | Discotheques and the risk of hearing loss among youth: risky listening behavior and its psychosocial correlates. <i>Health Education Research</i> , <b>2010</b> , 25, 737-47   | 1.8  | 18  |

|     |   |      |     |
|-----|---|------|-----|
| 263 | Systematic review of studies on compliance with hand hygiene guidelines in hospital care. <i>Infection Control and Hospital Epidemiology</i> , <b>2010</b> , 31, 283-94   | 2    | 627 |
| 262 | Changes in skinfold thickness and waist circumference after 12 and 24 months resulting from the NHF-NRG In Balance-project. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2010</b> , 7, 26  | 8.4  | 29  |
| 261 | Cost-effectiveness of tailored print communication, telephone motivational interviewing, and a combination of the two: results of an economic evaluation alongside the Vitalum randomized controlled trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2010</b> , 7, 64  | 8.4  | 25  |
| 260 | Front-of-pack nutrition label stimulates healthier product development: a quantitative analysis. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2010</b> , 7, 65   | 8.4  | 142 |
| 259 | Understanding the correlates of adolescents' TV viewing: a social ecological approach. <i>Pediatric Obesity</i> , <b>2010</b> , 5, 161-8  |      | 26  |
| 258 | Young people: taking few precautions against hearing loss in discotheques. <i>Journal of Adolescent Health</i> , <b>2010</b> , 46, 499-502  | 5.8  | 7   |
| 257 | Actual use of a front-of-pack nutrition logo in the supermarket: consumers' motives in food choice. <i>Public Health Nutrition</i> , <b>2010</b> , 13, 1882-9   | 3.3  | 93  |
| 256 | A systematic review of studies on socioeconomic inequalities in dietary intakes associated with weight gain and overweight/obesity conducted among European adults. <i>Obesity Reviews</i> , <b>2010</b> , 11, 413-29   | 18.6 | 237 |
| 255 | Cognitive and home environmental predictors of change in sugar-sweetened beverage consumption among adolescents. <i>British Journal of Nutrition</i> , <b>2010</b> , 103, 768-74  | 3.6  | 50  |
| 254 | Estimating adolescent risk for hearing loss based on data from a large school-based survey. <i>American Journal of Public Health</i> , <b>2010</b> , 100, 1095-100  | 5.1  | 45  |
| 253 | Nicotine dependence subtypes among adolescent smokers: examining the occurrence, development and validity of distinct symptom profiles. <i>Psychology of Addictive Behaviors</i> , <b>2010</b> , 24, 61-74  | 2.4  | 15  |
| 252 | Sociaal-economische verschillen in recreatief bewegen. <i>TSG: Tijdschrift Voor Gezondheidswetenschappen</i> , <b>2010</b> , 88, 32-40  | 0.2  | 2   |
| 251 | Design of the Resistance and Endurance exercise After ChemoTherapy (REACT) study: a randomized controlled trial to evaluate the effectiveness and cost-effectiveness of exercise interventions after chemotherapy on physical fitness and fatigue. <i>BMC Cancer</i> , <b>2010</b> , 10, 658  | 4.8  | 19  |
| 250 | Design of the EXercise Intervention after Stem cell Transplantation (EXIST) study: a randomized controlled trial to evaluate the effectiveness and cost-effectiveness of an individualized high intensity physical exercise program on fitness and fatigue in patients with multiple myeloma or (non-) Hodgkin's lymphoma treated with high dose chemotherapy and autologous stem cell transplantation. <i>BMC Cancer</i> , <b>2010</b> , 10, 658 | 4.8  | 33  |
| 249 | Evidence-based development of school-based and family-involved prevention of overweight across Europe: the ENERGY-project's design and conceptual framework. <i>BMC Public Health</i> , <b>2010</b> , 10, 276   | 4.1  | 88  |
| 248 | Systematic Development of the YouRAction program, a computer-tailored physical activity promotion intervention for Dutch adolescents, targeting personal motivations and environmental opportunities. <i>BMC Public Health</i> , <b>2010</b> , 10, 474  | 4.1  | 17  |
| 247 | A tailored lifestyle intervention to reduce the cardiovascular disease risk of individuals with Familial Hypercholesterolemia (FH): design of the PRO-FIT randomised controlled trial. <i>BMC Public Health</i> , <b>2010</b> , 10, 69  | 4.1  | 21  |
| 246 | Why do poor people perceive poor neighbourhoods? The role of objective neighbourhood features and psychosocial factors. <i>Health and Place</i> , <b>2010</b> , 16, 744-54  | 4.6  | 51  |

|     |   |     |     |
|-----|---|-----|-----|
| 245 | The impact of an education program on hand hygiene compliance and nosocomial infection incidence in an urban neonatal intensive care unit: an intervention study with before and after comparison. <i>International Journal of Nursing Studies</i> , <b>2010</b> , 47, 1245-52          | 5.8 | 71  |
| 244 | Monitoring of risk perceptions and correlates of precautionary behaviour related to human avian influenza during 2006 - 2007 in the Netherlands: results of seven consecutive surveys. <i>BMC Infectious Diseases</i> , <b>2010</b> , 10, 114   | 4   | 53  |
| 243 | Sociaal-economische verschillen in recreatief bewegen. <i>TSG: Tijdschrift Voor Gezondheidswetenschappen</i> , <b>2010</b> , 2010, 32-40  | 0.2 |     |
| 242 | Neuroticism, conscientiousness and fruit consumption: exploring mediator and moderator effects in the theory of planned behaviour. <i>Psychology and Health</i> , <b>2009</b> , 24, 1051-69   | 2.9 | 32  |
| 241 | Long-term effects of the Dutch Schoolgruitem Project--promoting fruit and vegetable consumption among primary-school children. <i>Public Health Nutrition</i> , <b>2009</b> , 12, 1213-23   | 3.3 | 43  |
| 240 | Process evaluation of a school-based weight gain prevention program: the Dutch Obesity Intervention in Teenagers (DOIT). <i>Health Education Research</i> , <b>2009</b> , 24, 772-7   | 1.8 | 28  |
| 239 | Dutch obesity intervention in teenagers: effectiveness of a school-based program on body composition and behavior. <i>JAMA Pediatrics</i> , <b>2009</b> , 163, 309-17   |     | 142 |
| 238 | The obesity pandemic. Is it bad or worse?. <i>European Journal of Public Health</i> , <b>2009</b> , 19, 570-1   | 2.1 | 5   |
| 237 | A conceptual framework for understanding and improving adolescents' exposure to Internet-delivered interventions. <i>Health Promotion International</i> , <b>2009</b> , 24, 277-84  | 3   | 49  |
| 236 | Adolescents and MP3 players: too many risks, too few precautions. <i>Pediatrics</i> , <b>2009</b> , 123, e953-8   | 7.4 | 70  |
| 235 | Prevention of adolescents' music-induced hearing loss due to discotheque attendance: a Delphi study. <i>Health Education Research</i> , <b>2009</b> , 24, 1043-50   | 1.8 | 13  |
| 234 | Cultural and social influences on food consumption in dutch residents of Turkish and moroccan origin: a qualitative study. <i>Journal of Nutrition Education and Behavior</i> , <b>2009</b> , 41, 232-41  | 2   | 74  |
| 233 | Gender, ethnic and school type differences in overweight and energy balance-related behaviours among Dutch adolescents. <i>Pediatric Obesity</i> , <b>2009</b> , 4, 371-80  |     | 20  |
| 232 | Dose-response associations between screen time and overweight among youth. <i>Pediatric Obesity</i> , <b>2009</b> , 4, 61-4   |     | 13  |
| 231 | SARS knowledge, perceptions, and behaviors: a comparison between Finns and the Dutch during the SARS outbreak in 2003. <i>International Journal of Behavioral Medicine</i> , <b>2009</b> , 16, 41-8   | 2.6 | 60  |
| 230 | The perceived threat of SARS and its impact on precautionary actions and adverse consequences: a qualitative study among Chinese communities in the United Kingdom and the Netherlands. <i>International Journal of Behavioral Medicine</i> , <b>2009</b> , 16, 58-67                   | 2.6 | 51  |
| 229 | Sources of information and health beliefs related to SARS and avian influenza among Chinese communities in the United Kingdom and The Netherlands, compared to the general population in these countries. <i>International Journal of Behavioral Medicine</i> , <b>2009</b> , 16, 49-57 | 2.6 | 54  |
| 228 | Perceived threat, risk perception, and efficacy beliefs related to SARS and other (emerging) infectious diseases: results of an international survey. <i>International Journal of Behavioral Medicine</i> , <b>2009</b> , 16, 30-40   | 2.6 | 180 |

|     |  |     |     |
|-----|--|-----|-----|
| 227 | Stoppen met roken bij adolescenten: de rol van intentie om te stoppen, nicotineafhankelijkheid en het roken van ouders en vrienden. <i>Psychologie and Gezondheid</i> , <b>2009</b> , 37, 252-266  |     |     |
| 226 | A front-of-pack nutrition logo: a quantitative and qualitative process evaluation in the Netherlands. <i>Journal of Health Communication</i> , <b>2009</b> , 14, 631-45  | 2.5 | 72  |
| 225 | Strategies for the prevention of MP3-induced hearing loss among adolescents: expert opinions from a Delphi study. <i>Pediatrics</i> , <b>2009</b> , 123, 1257-62   | 7.4 | 37  |
| 224 | Mechanisms of adolescent smoking cessation: roles of readiness to quit, nicotine dependence, and smoking of parents and peers. <i>Drug and Alcohol Dependence</i> , <b>2009</b> , 99, 204-14   | 4.9 | 54  |
| 223 | Socioeconomic differences in lack of recreational walking among older adults: the role of neighbourhood and individual factors. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2009</b> , 6, 1  | 8.4 | 152 |
| 222 | Should implementation intentions interventions be implemented in obesity prevention: the impact of if-then plans on daily physical activity in Dutch adults. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2009</b> , 6, 11                | 8.4 | 43  |
| 221 | Ethnic differences in BMI among Dutch adolescents: what is the role of screen-viewing, active commuting to school, and consumption of soft drinks and high-caloric snacks?. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2009</b> , 6, 23 | 8.4 | 14  |
| 220 | Objective and perceived availability of physical activity opportunities: differences in associations with physical activity behavior among urban adolescents. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2009</b> , 6, 70               | 8.4 | 85  |
| 219 | Effectiveness of online word of mouth on exposure to an Internet-delivered intervention. <i>Psychology and Health</i> , <b>2009</b> , 24, 651-61   | 2.9 | 21  |
| 218 | A qualitative exploration of reasons for poor hand hygiene among hospital workers: lack of positive role models and of convincing evidence that hand hygiene prevents cross-infection. <i>Infection Control and Hospital Epidemiology</i> , <b>2009</b> , 30, 415-9          | 2   | 173 |
| 217 | Music venues and hearing loss: Opportunities for and barriers to improving environmental conditions. <i>International Journal of Audiology</i> , <b>2009</b> , 48, 531-6   | 2.6 | 11  |
| 216 | Behavioral and cognitive effects of a worksite-based weight gain prevention program: the NHF-NRG in balance-project. <i>Journal of Occupational and Environmental Medicine</i> , <b>2009</b> , 51, 1437-46   | 2   | 12  |
| 215 | Towards health-promoting and environmentally friendly regional diets - a Nordic example. <i>Public Health Nutrition</i> , <b>2009</b> , 12, 91-6   | 3.3 | 83  |
| 214 | General parenting styles are not strongly associated with fruit and vegetable intake and social-environmental correlates among 11-year-old children in four countries in Europe. <i>Public Health Nutrition</i> , <b>2009</b> , 12, 259-66                                   | 3.3 | 45  |
| 213 | Replacing foods high in saturated fat by low-saturated fat alternatives: a computer simulation of the potential effects on reduction of saturated fat consumption. <i>British Journal of Nutrition</i> , <b>2009</b> , 102, 478-83   | 3.6 | 15  |
| 212 | Household and food shopping environments: do they play a role in socioeconomic inequalities in fruit and vegetable consumption? A multilevel study among Dutch adults. <i>Journal of Epidemiology and Community Health</i> , <b>2009</b> , 63, 113-20                        | 5.1 | 52  |
| 211 | Socioeconomic position at different stages of the life course and its influence on body weight and weight gain in adulthood: a longitudinal study with 13-year follow-up. <i>Obesity</i> , <b>2008</b> , 16, 1377-81   | 8   | 70  |
| 210 | Personal, social and environmental predictors of daily fruit and vegetable intake in 11-year-old children in nine European countries. <i>European Journal of Clinical Nutrition</i> , <b>2008</b> , 62, 834-41   | 5.2 | 87  |



|     |   |      |     |
|-----|---|------|-----|
| 209 | A systematic review of the evidence regarding efficacy of obesity prevention interventions among adults. <i>Obesity Reviews</i> , <b>2008</b> , 9, 446-55   | 10.6 | 153 |
| 208 | Associations between the transtheoretical processes of change, nicotine dependence and adolescent smokers' transition through the stages of change. <i>Addiction</i> , <b>2008</b> , 103, 331-8   | 4.6  | 19  |
| 207 | The ENDORSE study: research into environmental determinants of obesity related behaviors in Rotterdam schoolchildren. <i>BMC Public Health</i> , <b>2008</b> , 8, 142   | 4.1  | 57  |
| 206 | Vitalum study design: RCT evaluating the efficacy of tailored print communication and telephone motivational interviewing on multiple health behaviors. <i>BMC Public Health</i> , <b>2008</b> , 8, 216   | 4.1  | 27  |
| 205 | A school-based intervention to reduce overweight and inactivity in children aged 6-12 years: study design of a randomized controlled trial. <i>BMC Public Health</i> , <b>2008</b> , 8, 257   | 4.1  | 35  |
| 204 | The efficacy of Web-based and print-delivered computer-tailored interventions to reduce fat intake: results of a randomized, controlled trial. <i>Journal of Nutrition Education and Behavior</i> , <b>2008</b> , 40, 226-36  | 2    | 48  |
| 203 | Are positive changes in potential determinants associated with increased fruit and vegetable intakes among primary schoolchildren? Results of two intervention studies in the Netherlands: the Schoolgruiten Project and the Pro Children Study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2008</b> , 5, 21 | 8.4  | 21  |
| 202 | Why did soft drink consumption decrease but screen time not? Mediating mechanisms in a school-based obesity prevention program. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2008</b> , 5, 41  | 8.4  | 33  |
| 201 | Mothers' involvement in a school-based fruit and vegetable promotion intervention is associated with increased fruit and vegetable intakes--the Pro Children study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2008</b> , 5, 48  | 8.4  | 11  |
| 200 | Feeling fat rather than being fat may be associated with psychological well-being in young dutch adolescents. <i>Journal of Adolescent Health</i> , <b>2008</b> , 42, 128-36  | 5.8  | 72  |
| 199 | Saturated fat consumption and the Theory of Planned Behaviour: exploring additive and interactive effects of habit strength. <i>Appetite</i> , <b>2008</b> , 51, 318-23   | 4.5  | 54  |
| 198 | The school food environment associations with adolescent soft drink and snack consumption. <i>American Journal of Preventive Medicine</i> , <b>2008</b> , 35, 217-23  | 6.1  | 94  |
| 197 | A randomized trial of sequential and simultaneous multiple behavior change interventions for physical activity and fat intake. <i>Preventive Medicine</i> , <b>2008</b> , 46, 232-7   | 4.3  | 63  |
| 196 | Socio-demographic factors as correlates of active commuting to school in Rotterdam, the Netherlands. <i>Preventive Medicine</i> , <b>2008</b> , 47, 412-6   | 4.3  | 53  |
| 195 | Effects of tailoring health messages on physical activity. <i>Health Education Research</i> , <b>2008</b> , 23, 402-13  | 1.8  | 58  |
| 194 | Why do parents' education level and income affect the amount of fruits and vegetables adolescents eat?. <i>European Journal of Public Health</i> , <b>2008</b> , 18, 611-5  | 2.1  | 63  |
| 193 | Adolescents' movement towards cessation of smoking: role and relative value of the processes of change and nicotine dependence. <i>Psychology and Health</i> , <b>2008</b> , 23, 729-43   | 2.9  | 6   |
| 192 | Reply to Absinthe and tobacco: new look at an old problem?. <i>International Journal of Epidemiology</i> , <b>2008</b> , 37, 219-219  | 7.8  |     |



|     |   |     |     |
|-----|---|-----|-----|
| 191 | The effectiveness of tailored feedback and action plans in an intervention addressing multiple health behaviors. <i>American Journal of Health Promotion</i> , <b>2008</b> , 22, 417-25   | 2.5 | 159 |
| 190 | Internet-delivered interventions aimed at adolescents: a Delphi study on dissemination and exposure. <i>Health Education Research</i> , <b>2008</b> , 23, 427-39  | 1.8 | 68  |
| 189 | Predictors of stage transitions in the precaution adoption process model. <i>American Journal of Health Promotion</i> , <b>2008</b> , 22, 282-90  | 2.5 | 12  |
| 188 | Do the transtheoretical processes of change predict transitions in stages of change for fruit intake?. <i>Health Education and Behavior</i> , <b>2008</b> , 35, 603-18  | 4.2 | 13  |
| 187 | Determinants of healthy eating: motivation, abilities and environmental opportunities. <i>Family Practice</i> , <b>2008</b> , 25 Suppl 1, i50-5   | 1.9 | 160 |
| 186 | Effects of a comprehensive fruit- and vegetable-promoting school-based intervention in three European countries: the Pro Children Study. <i>British Journal of Nutrition</i> , <b>2008</b> , 99, 893-903  | 3.6 | 96  |
| 185 | Taste preferences, liking and other factors related to fruit and vegetable intakes among schoolchildren: results from observational studies. <i>British Journal of Nutrition</i> , <b>2008</b> , 99 Suppl 1, S7-S14   | 3.6 | 158 |
| 184 | Environmental determinants of healthy eating: in need of theory and evidence. <i>Proceedings of the Nutrition Society</i> , <b>2008</b> , 67, 307-16  | 2.9 | 93  |
| 183 | Krachtvoer: effect evaluation of a Dutch healthful diet promotion curriculum for lower vocational schools. <i>Public Health Nutrition</i> , <b>2008</b> , 11, 271-8   | 3.3 | 33  |
| 182 | Are the Dutch acquainted with and willing to try healthful food products? The role of food neophobia. <i>Public Health Nutrition</i> , <b>2008</b> , 11, 493-500  | 3.3 | 41  |
| 181 | Why do boys eat less fruit and vegetables than girls?. <i>Public Health Nutrition</i> , <b>2008</b> , 11, 321-5   | 3.3 | 79  |
| 180 | Qualitative assessment of adolescents' views about improving exposure to internet-delivered interventions. <i>Health Education</i> , <b>2008</b> , 108, 105-116   | 1   | 15  |
| 179 | Awareness and habit: important factors in physical activity in children. <i>Health Education</i> , <b>2008</b> , 108, 475-488   |     | 17  |
| 178 | Habit strength of physical activity and sedentary behavior among children and adolescents. <i>Pediatric Exercise Science</i> , <b>2008</b> , 20, 5-14; discussion 14-7  | 2   | 45  |
| 177 | Effectiveness of smoking cessation interventions among adults: a systematic review of reviews. <i>European Journal of Cancer Prevention</i> , <b>2008</b> , 17, 535-44  | 2   | 154 |
| 176 | Socioeconomic status, environmental and individual factors, and sports participation. <i>Medicine and Science in Sports and Exercise</i> , <b>2008</b> , 40, 71-81  | 1.2 | 84  |
| 175 | Efficacy and use of an internet-delivered computer-tailored lifestyle intervention, targeting saturated fat intake, physical activity and smoking cessation: a randomized controlled trial. <i>Annals of Behavioral Medicine</i> , <b>2008</b> , 35, 125-35 | 4.5 | 123 |
| 174 | MP3 players and hearing loss: adolescents' perceptions of loud music and hearing conservation. <i>Journal of Pediatrics</i> , <b>2008</b> , 152, 400-4  | 3.6 | 76  |

|     |   |      |     |
|-----|---|------|-----|
| 173 | Differences in prevalence of overweight and stunting in 11-year olds across Europe: The Pro Children Study. <i>European Journal of Public Health</i> , <b>2008</b> , 18, 126-30   | 2.1  | 42  |
| 172 | Examining the minimal required elements of a computer-tailored intervention aimed at dietary fat reduction: results of a randomized controlled dismantling study. <i>Health Education Research</i> , <b>2008</b> , 23, 880-91   | 1.8  | 14  |
| 171 | Appreciation and implementation of a school-based intervention are associated with changes in fruit and vegetable intake in 10- to 13-year old schoolchildren--the Pro Children study. <i>Health Education Research</i> , <b>2008</b> , 23, 997-1007                              | 1.8  | 53  |
| 170 | Assessing psychosocial correlates of parental safety behaviour using Protection Motivation Theory: stair gate presence and use among parents of toddlers. <i>Health Education Research</i> , <b>2008</b> , 23, 723-31   | 1.8  | 14  |
| 169 | Testing the transtheoretical model for fruit intake: comparing web-based tailored stage-matched and stage-mismatched feedback. <i>Health Education Research</i> , <b>2008</b> , 23, 218-27  | 1.8  | 20  |
| 168 | Comparison of use and appreciation of a print-delivered versus CD-ROM-delivered, computer-tailored intervention targeting saturated fat intake: randomized controlled trial. <i>Journal of Medical Internet Research</i> , <b>2008</b> , 10, e12                                  | 7.6  | 14  |
| 167 | An exploration of factors related to dissemination of and exposure to internet-delivered behavior change interventions aimed at adults: a Delphi study approach. <i>Journal of Medical Internet Research</i> , <b>2008</b> , 10, e10  | 7.6  | 78  |
| 166 | Measuring physical activity in field studies: Comparison of a questionnaire, 24-hour recall and an accelerometer. <i>European Journal of Sport Science</i> , <b>2007</b> , 7, 193-201   | 3.9  | 14  |
| 165 | The European charter for counteracting obesity: a late but important step towards action. Observations on the WHO-Europe ministerial conference, Istanbul, November 15-17, 2006. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2007</b> , 4, 11 | 8.4  | 19  |
| 164 | Television viewing and exposure to food-related commercials among European school children, associations with fruit and vegetable intake: a cross sectional study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2007</b> , 4, 46               | 8.4  | 31  |
| 163 | The application of a social cognition model in explaining fruit intake in Austrian, Norwegian and Spanish schoolchildren using structural equation modelling. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2007</b> , 4, 57                    | 8.4  | 12  |
| 162 | Precautionary behavior in response to perceived threat of pandemic influenza. <i>Emerging Infectious Diseases</i> , <b>2007</b> , 13, 1307-13   | 10.2 | 155 |
| 161 | Avian influenza risk perception, Europe and Asia. <i>Emerging Infectious Diseases</i> , <b>2007</b> , 13, 290-3   | 10.2 | 90  |
| 160 | Presence and use of stair gates in homes with toddlers (11-18 months old). <i>Accident Analysis and Prevention</i> , <b>2007</b> , 39, 964-8  | 6.1  | 10  |
| 159 | The evaluation of a mass media campaign aimed at weight gain prevention among young Dutch adults. <i>Obesity</i> , <b>2007</b> , 15, 2780-9   | 8    | 24  |
| 158 | Environmental correlates of physical activity in youth - a review and update. <i>Obesity Reviews</i> , <b>2007</b> , 8, 129-54  | 10.6 | 600 |
| 157 | The NHF-NRG In Balance-project: the application of Intervention Mapping in the development, implementation and evaluation of weight gain prevention at the worksite. <i>Obesity Reviews</i> , <b>2007</b> , 8, 347-61   | 10.6 | 35  |
| 156 | Potential environmental determinants of physical activity in adults: a systematic review. <i>Obesity Reviews</i> , <b>2007</b> , 8, 425-40  | 10.6 | 430 |

|     |  |     |     |
|-----|--|-----|-----|
| 155 | Towards an evidence-based guideline for counselling of chronic hepatitis B virus infected patients. <i>Liver International</i> , <b>2007</b> , 27, 731-2   | 7.9 | 2   |
| 154 | Using Intervention Mapping to develop a programme to prevent sexually transmittable infections, including HIV, among heterosexual migrant men. <i>BMC Public Health</i> , <b>2007</b> , 7, 141   | 4.1 | 31  |
| 153 | Patterns in sedentary and exercise behaviors and associations with overweight in 9-14-year-old boys and girls--a cross-sectional study. <i>BMC Public Health</i> , <b>2007</b> , 7, 16   | 4.1 | 116 |
| 152 | Design and evaluation protocol of "FATaintPHAT", a computer-tailored intervention to prevent excessive weight gain in adolescents. <i>BMC Public Health</i> , <b>2007</b> , 7, 324   | 4.1 | 20  |
| 151 | Perceived environmental determinants of physical activity and fruit and vegetable consumption among high and low socioeconomic groups in the Netherlands. <i>Health and Place</i> , <b>2007</b> , 13, 493-503  | 4.6 | 98  |
| 150 | Training dietitians in basic motivational interviewing skills results in changes in their counseling style and in lower saturated fat intakes in their patients. <i>Journal of Nutrition Education and Behavior</i> , <b>2007</b> , 39, 8-12                       | 2   | 81  |
| 149 | Differences between parents' and adolescents' perceptions of family food rules and availability. <i>Journal of Nutrition Education and Behavior</i> , <b>2007</b> , 39, 84-9   | 2   | 37  |
| 148 | Evaluation of an interactive computer-tailored nutrition intervention in a real-life setting. <i>Annals of Behavioral Medicine</i> , <b>2007</b> , 33, 39-48   | 4.5 | 42  |
| 147 | A computer-tailored dietary fat intake intervention for adolescents: results of a randomized controlled trial. <i>Annals of Behavioral Medicine</i> , <b>2007</b> , 34, 253-62   | 4.5 | 38  |
| 146 | Effects of tailored feedback on multiple health behaviors. <i>Annals of Behavioral Medicine</i> , <b>2007</b> , 33, 117-23   | 3.5 | 62  |
| 145 | Two-year follow-up of sequential and simultaneous interactive computer-tailored interventions for increasing physical activity and decreasing fat intake. <i>Annals of Behavioral Medicine</i> , <b>2007</b> , 33, 213-9   | 4.5 | 45  |
| 144 | Feasibility, reliability, and validity of adolescent health status measurement by the Child Health Questionnaire Child Form (CHQ-CF): internet administration compared with the standard paper version. <i>Quality of Life Research</i> , <b>2007</b> , 16, 675-85 | 3.7 | 68  |
| 143 | Feasibility, acceptability, and quality of Internet-administered adolescent health promotion in a preventive-care setting. <i>Health Education Research</i> , <b>2007</b> , 22, 1-13   | 1.8 | 34  |
| 142 | Comparing stage of change and behavioral intention to understand fruit intake. <i>Health Education Research</i> , <b>2007</b> , 22, 599-608  | 1.8 | 12  |
| 141 | Perceived parenting style and practices and the consumption of sugar-sweetened beverages by adolescents. <i>Health Education Research</i> , <b>2007</b> , 22, 295-304  | 1.8 | 166 |
| 140 | Aging, retirement, and changes in physical activity: prospective cohort findings from the GLOBE study. <i>American Journal of Epidemiology</i> , <b>2007</b> , 165, 1356-63  | 3.8 | 125 |
| 139 | Factorial and convergent validity of nicotine dependence measures in adolescents: toward a multidimensional approach. <i>Nicotine and Tobacco Research</i> , <b>2007</b> , 9, 1109-18  | 4.9 | 19  |
| 138 | Does habit strength moderate the intention-behaviour relationship in the Theory of Planned Behaviour? The case of fruit consumption. <i>Psychology and Health</i> , <b>2007</b> , 22, 899-916  | 2.9 | 120 |

|     |   |     |     |
|-----|---|-----|-----|
| 137 | A systematic review of associations between environmental factors, energy and fat intakes among adults: is there evidence for environments that encourage obesogenic dietary intakes?. <i>Public Health Nutrition</i> , <b>2007</b> , 10, 1005-17 | 3.3 | 84  |
| 136 | Short-term effects of school-based weight gain prevention among adolescents. <i>JAMA Pediatrics</i> , <b>2007</b> , 161, 565-71   |     | 73  |
| 135 | Absinthe--is its history relevant for current public health?. <i>International Journal of Epidemiology</i> , <b>2007</b> , 36, 738-44   | 7.8 | 8   |
| 134 | Association of eating attitudes between teenage girls and their parents. <i>International Journal of Social Psychiatry</i> , <b>2007</b> , 53, 507-13   | 8.5 | 22  |
| 133 | Psychosocial Predictors of Increases in Fruit and Vegetable Consumption. <i>American Journal of Health Behavior</i> , <b>2007</b> , 31, 135-145   | 1.9 | 9   |
| 132 | Ethnic differences in 1-year follow-up effect of the Dutch Schoolgruitem Project - promoting fruit and vegetable consumption among primary-school children. <i>Public Health Nutrition</i> , <b>2007</b> , 10, 1497-507                           | 3.3 | 24  |
| 131 | The effects of a middle-school healthy eating intervention on adolescents' fat and fruit intake and soft drinks consumption. <i>Public Health Nutrition</i> , <b>2007</b> , 10, 443-9   | 3.3 | 65  |
| 130 | School-based internet-tailored fruit and vegetable education combined with brief counselling increases children's awareness of intake levels. <i>Public Health Nutrition</i> , <b>2007</b> , 10, 273-9  | 3.3 | 53  |
| 129 | What young Dutch adults say they do to keep from gaining weight: self-reported prevalence of overeating, compensatory behaviours and specific weight control behaviours. <i>Public Health Nutrition</i> , <b>2007</b> , 10, 790-8                 | 3.3 | 14  |
| 128 | Tracking of fruit and vegetable consumption from adolescence into adulthood and its longitudinal association with overweight. <i>British Journal of Nutrition</i> , <b>2007</b> , 98, 431-8   | 3.6 | 125 |
| 127 | Socioeconomic inequalities in food purchasing: the contribution of respondent-perceived and actual (objectively measured) price and availability of foods. <i>Preventive Medicine</i> , <b>2007</b> , 45, 41-8                                    | 4.3 | 122 |
| 126 | A poster-based intervention to promote stair use in blue- and white-collar worksites. <i>Preventive Medicine</i> , <b>2007</b> , 45, 177-81   | 4.3 | 33  |
| 125 | Moderators of environmental intervention effects on diet and activity in youth. <i>American Journal of Preventive Medicine</i> , <b>2007</b> , 32, 163-72   | 6.1 | 69  |
| 124 | Formation of implementation intentions promotes stair use. <i>American Journal of Preventive Medicine</i> , <b>2007</b> , 32, 254-5   | 6.1 | 22  |
| 123 | Young people's exposure to loud music: a summary of the literature. <i>American Journal of Preventive Medicine</i> , <b>2007</b> , 33, 124-33   | 6.1 | 57  |
| 122 | Adolescent screen-viewing behaviour is associated with consumption of sugar-sweetened beverages: the role of habit strength and perceived parental norms. <i>Appetite</i> , <b>2007</b> , 48, 345-50  | 4.5 | 75  |
| 121 | A systematic review of environmental correlates of obesity-related dietary behaviors in youth. <i>Health Education Research</i> , <b>2007</b> , 22, 203-26  | 1.8 | 389 |
| 120 | Effectiveness of an online computer-tailored physical activity intervention in a real-life setting. <i>Health Education Research</i> , <b>2007</b> , 22, 385-96   | 1.8 | 143 |

|     |  |     |     |
|-----|--|-----|-----|
| 119 | Associations of social-environmental and individual-level factors with adolescent soft drink consumption: results from the SMILE study. <i>Health Education Research</i> , <b>2007</b> , 22, 227-37  | 1.8 | 68  |
| 118 | Psychosocial predictors of increases in fruit and vegetable consumption. <i>American Journal of Health Behavior</i> , <b>2007</b> , 31, 135-45   | 1.9 | 3   |
| 117 | Do implementation intentions help to turn good intentions into higher fruit intakes?. <i>Journal of Nutrition Education and Behavior</i> , <b>2006</b> , 38, 25-9  | 2   | 56  |
| 116 | Predicting fruit consumption: cognitions, intention, and habits. <i>Journal of Nutrition Education and Behavior</i> , <b>2006</b> , 38, 73-81  | 2   | 129 |
| 115 | The reach of a computer-tailored nutrition education program in the Dutch heart health community intervention "Hartslag Limburg". <i>Journal of Nutrition Education and Behavior</i> , <b>2006</b> , 38, 293-7   | 2   | 9   |
| 114 | Correlates of fruit and vegetable consumption among 11-year-old Belgian-Flemish and Dutch schoolchildren. <i>Journal of Nutrition Education and Behavior</i> , <b>2006</b> , 38, 211-21  | 2   | 89  |
| 113 | Design of the Dutch Obesity Intervention in Teenagers (NRG-DOiT): systematic development, implementation and evaluation of a school-based intervention aimed at the prevention of excessive weight gain in adolescents. <i>BMC Public Health</i> , <b>2006</b> , 6, 304                        | 4.1 | 75  |
| 112 | Parents often do not recognize overweight in their child, regardless of their socio-demographic background. <i>European Journal of Public Health</i> , <b>2006</b> , 16, 645-7   | 2.1 | 35  |
| 111 | Smokers living in deprived areas are less likely to quit: a longitudinal follow-up. <i>Tobacco Control</i> , <b>2006</b> , 15, 485-8   | 5.3 | 70  |
| 110 | Participation rates in worksite-based intervention studies: health promotion context as a crucial quality criterion. <i>Health Promotion International</i> , <b>2006</b> , 21, 66-9  | 3   | 31  |
| 109 | Differences in measured and self-reported height and weight in Dutch adolescents. <i>Annals of Nutrition and Metabolism</i> , <b>2006</b> , 50, 339-46   | 4.5 | 58  |
| 108 | Krachtvoer: process evaluation of a Dutch programme for lower vocational schools to promote healthful diet. <i>Health Education Research</i> , <b>2006</b> , 21, 695-704   | 1.8 | 35  |
| 107 | The Transtheoretical model for fruit, vegetable and fish consumption: associations between intakes, stages of change and stage transition determinants. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2006</b> , 3, 13                                       | 8.4 | 29  |
| 106 | Determinants of fruit and vegetable consumption among children and adolescents: a review of the literature. Part I: Quantitative studies. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2006</b> , 3, 22   | 8.4 | 605 |
| 105 | Order is needed to promote linear or quantum changes in nutrition and physical activity behaviors: a reaction to 'A chaotic view of behavior change' by Resnicow and Vaughan. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2006</b> , 3, 29                 | 8.4 | 11  |
| 104 | Differences in fruit and vegetable intake and determinants of intakes between children of Dutch origin and non-Western ethnic minority children in the Netherlands - a cross sectional study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2006</b> , 3, 31 | 8.4 | 16  |
| 103 | Personal, social and environmental correlates of vegetable intake in normal weight and overweight 9 to 13-year old boys. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2006</b> , 3, 37  | 8.4 | 15  |
| 102 | The past, present and future of the International Journal of Behavioral Nutrition and Physical Activity. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2006</b> , 3, 6   | 8.4 | 78  |

|     |   |     |     |
|-----|---|-----|-----|
| 101 | Environmental influences on energy balance-related behaviors: a dual-process view. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2006</b> , 3, 9  | 8.4 | 380 |
| 100 | Modeling individual and physical environmental factors with adolescent physical activity. <i>American Journal of Preventive Medicine</i> , <b>2006</b> , 30, 507-12   | 6.1 | 58  |
| 99  | Revisiting Kurt Lewin: how to gain insight into environmental correlates of obesogenic behaviors. <i>American Journal of Preventive Medicine</i> , <b>2006</b> , 31, 525-9  | 6.1 | 82  |
| 98  | Excuses to continue smoking: the role of disengagement beliefs in smoking cessation. <i>Addictive Behaviors</i> , <b>2006</b> , 31, 2223-37   | 4.2 | 33  |
| 97  | Using epidemiological models to estimate the health effects of diet behaviour change: the example of tailored fruit and vegetable promotion. <i>Public Health Nutrition</i> , <b>2006</b> , 9, 415-20                           | 3.3 | 13  |
| 96  | Evaluation of a Dutch public-private partnership to promote healthier diet. <i>American Journal of Health Promotion</i> , <b>2006</b> , 20, 309-12  | 2.5 | 7   |
| 95  | Increased attention for computer-tailored health communications: an event-related potential study. <i>Health Psychology</i> , <b>2006</b> , 25, 300-6   | 5   | 48  |
| 94  | A multilevel study of socio-economic inequalities in food choice behaviour and dietary intake among the Dutch population: the GLOBE study. <i>Public Health Nutrition</i> , <b>2006</b> , 9, 75-83                              | 3.3 | 69  |
| 93  | Healthful nutrition promotion in Europe: goals, target populations, and strategies. <i>Patient Education and Counseling</i> , <b>2006</b> , 63, 255-7   | 3.1 | 11  |
| 92  | Parent and child reports of fruit and vegetable intakes and related family environmental factors show low levels of agreement. <i>Journal of Human Nutrition and Dietetics</i> , <b>2006</b> , 19, 275-85                       | 3.1 | 38  |
| 91  | Underestimation and overestimation of personal weight status: associations with socio-demographic characteristics and weight maintenance intentions. <i>Journal of Human Nutrition and Dietetics</i> , <b>2006</b> , 19, 253-62 | 3.1 | 46  |
| 90  | Unsafe storage of poisons in homes with toddlers. <i>Accident Analysis and Prevention</i> , <b>2006</b> , 38, 772-6   | 6.1 | 35  |
| 89  | A systematic review of randomized trials on the effectiveness of computer-tailored education on physical activity and dietary behaviors. <i>Annals of Behavioral Medicine</i> , <b>2006</b> , 31, 205-23                        | 4.5 | 426 |
| 88  | The 'balance intervention' for promoting caloric compensatory behaviours in response to overeating: a formative evaluation. <i>Health Education Research</i> , <b>2006</b> , 21, 527-37   | 1.8 | 4   |
| 87  | Environmental determinants of fruit and vegetable consumption among adults: a systematic review. <i>British Journal of Nutrition</i> , <b>2006</b> , 96, 620-35   | 3.6 | 224 |
| 86  | De omgeving als determinant van gezond gedrag. <i>Gedrag &amp; Gezondheid</i> , <b>2006</b> , 34, 26-32   |     |     |
| 85  | Determinants of forward stage transition from precontemplation and contemplation for fruit consumption. <i>American Journal of Health Promotion</i> , <b>2005</b> , 19, 278-85  | 2.5 | 33  |
| 84  | Determinants of adolescent bicycle use for transportation and snacking behavior. <i>Preventive Medicine</i> , <b>2005</b> , 40, 658-67  | 4.3 | 96  |



|    |   |      |     |
|----|---|------|-----|
| 83 | The Dutch heart health community intervention 'Hartslag Limburg': results of an effect study at organizational level. <i>Public Health</i> , <b>2005</b> , 119, 353-60  | 4    | 5   |
| 82 | Correlates of motivation to prevent weight gain: a cross sectional survey. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2005</b> , 2, 1  | 8.4  | 69  |
| 81 | Theory, evidence and Intervention Mapping to improve behavior nutrition and physical activity interventions. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2005</b> , 2, 2  | 8.4  | 251 |
| 80 | Cognitive determinants of energy balance-related behaviours: measurement issues. <i>Sports Medicine</i> , <b>2005</b> , 35, 923-33  | 10.6 | 59  |
| 79 | Determinants of forward stage transitions: a Delphi study. <i>Health Education Research</i> , <b>2005</b> , 20, 195-205   | 1.8  | 93  |
| 78 | The Transtheoretical Model and stages of change: a critique: observations by five commentators on the paper by Adams, J. and White, M. (2004) why don't stage-based activity promotion interventions work?. <i>Health Education Research</i> , <b>2005</b> , 20, 244-58 | 1.8  | 106 |
| 77 | Stages of change in fruit intake: A longitudinal examination of stability, stage transitions and transition profiles. <i>Psychology and Health</i> , <b>2005</b> , 20, 415-428  | 2.9  | 19  |
| 76 | Toothbrushing at school. <i>Health Education</i> , <b>2005</b> , 105, 53-61   | 1    | 12  |
| 75 | Reliability and validity of a questionnaire to measure personal, social and environmental correlates of fruit and vegetable intake in 10-11-year-old children in five European countries. <i>Public Health Nutrition</i> , <b>2005</b> , 8, 189-200                     | 3.3  | 140 |
| 74 | The impact of a national mass media campaign in The Netherlands on the prevention of weight gain. <i>Public Health Nutrition</i> , <b>2005</b> , 8, 1250-7  | 3.3  | 30  |
| 73 | Long-term efficacy of a checklist to improve patient education in cardiology. <i>Patient Education and Counseling</i> , <b>2005</b> , 56, 240-8   | 3.1  | 15  |
| 72 | Short-term efficacy of a web-based computer-tailored nutrition intervention: main effects and mediators. <i>Annals of Behavioral Medicine</i> , <b>2005</b> , 29, 54-63   | 4.5  | 133 |
| 71 | Efficacy of sequential or simultaneous interactive computer-tailored interventions for increasing physical activity and decreasing fat intake. <i>Annals of Behavioral Medicine</i> , <b>2005</b> , 29, 138-46  | 4.5  | 120 |
| 70 | The impact of a nutrition education intervention on main meal quality and fruit intake in people with financial problems. <i>Journal of Human Nutrition and Dietetics</i> , <b>2005</b> , 18, 205-12  | 3.1  | 5   |
| 69 | Determinants of fruit and vegetable consumption among 6-12-year-old children and effective interventions to increase consumption. <i>Journal of Human Nutrition and Dietetics</i> , <b>2005</b> , 18, 431-43  | 3.1  | 349 |
| 68 | Netherlands research programme weight gain prevention (NHF-NRG): rationale, objectives and strategies. <i>European Journal of Clinical Nutrition</i> , <b>2005</b> , 59, 498-507  | 5.2  | 35  |
| 67 | Promoting and sustaining health through increased vegetable and fruit consumption among European schoolchildren: The Pro Children Project. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , <b>2005</b> , 13, 97-101  | 1.4  | 5   |
| 66 | Is personality related to fruit and vegetable intake and physical activity in adolescents?. <i>Health Education Research</i> , <b>2005</b> , 20, 635-44   | 1.8  | 50  |

|    |  |      |     |
|----|--|------|-----|
| 65 | How stable are stages of change for nutrition behaviors in the Netherlands?. <i>Health Promotion International</i> , <b>2005</b> , 20, 27-32   | 3    | 30  |
| 64 | The pro children intervention: applying the intervention mapping protocol to develop a school-based fruit and vegetable promotion programme. <i>Annals of Nutrition and Metabolism</i> , <b>2005</b> , 49, 267-77  | 4.5  | 51  |
| 63 | The positive effect on determinants of physical activity of a tailored, general practice-based physical activity intervention. <i>Health Education Research</i> , <b>2005</b> , 20, 345-56                         | 1.8  | 53  |
| 62 | Promoting fruit and vegetable consumption among European schoolchildren: rationale, conceptualization and design of the pro children project. <i>Annals of Nutrition and Metabolism</i> , <b>2005</b> , 49, 212-20 | 4.5  | 101 |
| 61 | Fruit and vegetable intake in a sample of 11-year-old children in 9 European countries: The Pro Children Cross-sectional Survey. <i>Annals of Nutrition and Metabolism</i> , <b>2005</b> , 49, 236-45              | 4.5  | 223 |
| 60 | Fruit and vegetable intake of mothers of 11-year-old children in nine European countries: The Pro Children Cross-sectional Survey. <i>Annals of Nutrition and Metabolism</i> , <b>2005</b> , 49, 246-54            | 4.5  | 21  |
| 59 | Personal, social and environmental factors regarding fruit and vegetable intake among schoolchildren in nine European countries. <i>Annals of Nutrition and Metabolism</i> , <b>2005</b> , 49, 255-66              | 4.5  | 43  |
| 58 | A qualitative exploration of determinants of fruit and vegetable intake among 10- and 11-year-old schoolchildren in the low countries. <i>Annals of Nutrition and Metabolism</i> , <b>2005</b> , 49, 228-35        | 4.5  | 43  |
| 57 | SARS risk perception, knowledge, precautions, and information sources, the Netherlands. <i>Emerging Infectious Diseases</i> , <b>2004</b> , 10, 1486-9   | 10.2 | 265 |
| 56 | The Dutch Heart Health community intervention 'Hartslag Limburg': results of an effect study at individual level. <i>Health Promotion International</i> , <b>2004</b> , 19, 21-31                                  | 3    | 24  |
| 55 | The Dutch Heart Health Community Intervention 'Hartslag Limburg': design and results of a process study. <i>Health Education Research</i> , <b>2004</b> , 19, 596-607  | 1.8  | 19  |
| 54 | Process evaluation of a school-based education program about organ donation and registration, and the intention for continuance. <i>Health Education Research</i> , <b>2004</b> , 19, 720-9                        | 1.8  | 14  |
| 53 | The Dutch Heart Health Community Intervention 'Hartslag Limburg': effects on smoking behaviour. <i>European Journal of Public Health</i> , <b>2004</b> , 14, 191-3   | 2.1  | 7   |
| 52 | Acceptability and feasibility of an interactive computer-tailored fat intake intervention in Belgium. <i>Health Promotion International</i> , <b>2004</b> , 19, 463-70   | 3    | 43  |
| 51 | The impact and evaluation of two school-based interventions on intention to register an organ donation preference. <i>Health Education Research</i> , <b>2004</b> , 19, 447-56                                     | 1.8  | 20  |
| 50 | Dietary intakes of adults in the Netherlands by childhood and adulthood socioeconomic position. <i>European Journal of Clinical Nutrition</i> , <b>2004</b> , 58, 871-80   | 5.2  | 32  |
| 49 | Dietary change, nutrition education and chronic obstructive pulmonary disease. <i>Patient Education and Counseling</i> , <b>2004</b> , 52, 249-57  | 3.1  | 35  |
| 48 | Unplanned smoking initiation: new insights and implications for interventions. <i>Patient Education and Counseling</i> , <b>2004</b> , 55, 345-52  | 3.1  | 24  |

|    |  |     |     |
|----|--|-----|-----|
| 47 | Clustering of energy balance-related behaviours and their intrapersonal determinants. <i>Psychology and Health</i> , <b>2004</b> , 19, 595-606   | 2.9 | 75  |
| 46 | Intervention mapping: protocol for applying health psychology theory to prevention programmes. <i>Journal of Health Psychology</i> , <b>2004</b> , 9, 85-98  | 3.1 | 249 |
| 45 | Explaining fruit and vegetable consumption: the theory of planned behaviour and misconception of personal intake levels. <i>Appetite</i> , <b>2004</b> , 42, 157-66  | 4.5 | 99  |
| 44 | The (ir)relevance of framing nutrition education messages. <i>Nutrition and Health</i> , <b>2003</b> , 17, 9-20  | 2.1 | 28  |
| 43 | The Dutch heart health community intervention Bartslag Limburg—evaluation design and baseline data. <i>Health Education</i> , <b>2003</b> , 103, 330-341   | 1   | 4   |
| 42 | Past, present, and future of computer-tailored nutrition education. <i>American Journal of Clinical Nutrition</i> , <b>2003</b> , 77, 1028S-1034S  | 7   | 257 |
| 41 | Why do diabetic patients not attend appointments with their dietitian?. <i>Journal of Human Nutrition and Dietetics</i> , <b>2003</b> , 16, 151-8  | 3.1 | 57  |
| 40 | Feedback strategies to raise awareness of personal dietary intake: results of a randomized controlled trial. <i>Preventive Medicine</i> , <b>2003</b> , 36, 429-39   | 4.3 | 49  |
| 39 | Parenting style and adolescent fruit consumption. <i>Appetite</i> , <b>2003</b> , 41, 43-50  | 4.5 | 301 |
| 38 | Exploring the occurrence and nature of comparison of one's own perceived dietary fat intake to that of self-selected others. <i>Appetite</i> , <b>2003</b> , 41, 259-64  | 4.5 | 14  |
| 37 | The Effects of Practicing Registration of Organ Donation Preference on Self-Efficacy and Registration Intention: An Enactive Mastery Experience. <i>Psychology and Health</i> , <b>2003</b> , 18, 585-594          | 2.9 | 16  |
| 36 | A short dutch questionnaire to measure fruit and vegetable intake: relative validity among adults and adolescents. <i>Nutrition and Health</i> , <b>2002</b> , 16, 85-106  | 2.1 | 143 |
| 35 | Differences in impact between a family- versus an individual-based tailored intervention to reduce fat intake. <i>Health Education Research</i> , <b>2002</b> , 17, 435-49   | 1.8 | 21  |
| 34 | A checklist to improve patient education in a cardiology outpatient setting. <i>Patient Education and Counseling</i> , <b>2001</b> , 42, 231-8   | 3.1 | 18  |
| 33 | The relative validity of a short Dutch questionnaire as a means to categorize adults and adolescents to total and saturated fat intake. <i>Journal of Human Nutrition and Dietetics</i> , <b>2001</b> , 14, 377-90 | 3.1 | 132 |
| 32 | Framing of nutrition education messages in persuading consumers of the advantages of a healthy diet. <i>Journal of Human Nutrition and Dietetics</i> , <b>2001</b> , 14, 435-42                                    | 3.1 | 41  |
| 31 | Determinants of the intention of Dutch adolescents to register as organ donors. <i>Social Science and Medicine</i> , <b>2001</b> , 53, 383-92  | 5.1 | 48  |
| 30 | Stages of change, psychological factors and awareness of physical activity levels in The Netherlands. <i>Health Promotion International</i> , <b>2001</b> , 16, 305-14   | 3   | 129 |

|    |  |     |     |
|----|--|-----|-----|
| 29 | Evoked fear and effects of appeals on attitudes to performing breast self-examination: an information-processing perspective. <i>Health Education Research</i> , <b>2001</b> , 16, 307-19                              | 1.8 | 30  |
| 28 | Web-based tailored nutrition education: results of a randomized controlled trial. <i>Health Education Research</i> , <b>2001</b> , 16, 647-60  | 1.8 | 231 |
| 27 | Beliefs About Fat Why do we Hold Beliefs About Fat and why and how do we Study these Beliefs? <b>2001</b> , 39-54  |     | 4   |
| 26 | Predictors of organ donation registration among Dutch adolescents. <i>Transplantation</i> , <b>2001</b> , 72, 51-6   | 1.8 | 17  |
| 25 | Predictors of willingness to register as an organ donor among dutch adolescents. <i>Psychology and Health</i> , <b>2000</b> , 15, 357-368  | 2.9 | 46  |
| 24 | Tailoring dietary feedback to reduce fat intake: an intervention at the family level. <i>Health Education Research</i> , <b>2000</b> , 15, 449-62  | 1.8 | 51  |
| 23 | Differences in use and impact of computer-tailored dietary fat-feedback according to stage of change and education. <i>Appetite</i> , <b>2000</b> , 34, 285-93   | 4.5 | 60  |
| 22 | Computer-tailored nutrition education: differences between two interventions. <i>Health Education Research</i> , <b>1999</b> , 14, 249-56  | 1.8 | 59  |
| 21 | The application and impact of computer-generated personalized nutrition education: a review of the literature. <i>Patient Education and Counseling</i> , <b>1999</b> , 36, 145-56                                      | 3.1 | 274 |
| 20 | An exploratory study into Dutch consumers's experiences with implementing dietary recommendations to reduce fat intake. <i>Journal of Human Nutrition and Dietetics</i> , <b>1999</b> , 12, 103-112                    | 3.1 | 5   |
| 19 | The impact of computer-tailored feedback and iterative feedback on fat, fruit, and vegetable intake. <i>Health Education and Behavior</i> , <b>1998</b> , 25, 517-31   | 4.2 | 193 |
| 18 | Nationwide implementation of guided supermarket tours in The Netherlands: a dissemination study. <i>Health Education Research</i> , <b>1998</b> , 13, 557-66   | 1.8 | 16  |
| 17 | Fat Watch: a nationwide campaign in The Netherlands to reduce fat intake--effect evaluation. <i>Nutrition and Health</i> , <b>1998</b> , 12, 119-30  | 2.1 | 16  |
| 16 | Fat Watch: a nationwide campaign in The Netherlands to reduce fat intake--process evaluations. <i>Nutrition and Health</i> , <b>1998</b> , 12, 107-17  | 2.1 | 11  |
| 15 | Differences in psychosocial factors and fat consumption between stages of change for fat reduction. <i>Psychology and Health</i> , <b>1997</b> , 12, 719-727   | 2.9 | 35  |
| 14 | Nutrition education interventions in a community setting: 2 Dutch examples. <i>Nutrition and Health</i> , <b>1997</b> , 12, 45-54  | 2.1 | 3   |
| 13 | Results of a community-based campaign to reduce fat intake. <i>Nutrition and Health</i> , <b>1997</b> , 11, 207-18   | 2.1 | 15  |
| 12 | The relationship between self-efficacy, attitudes, intake compared to others, consumption, and stages of change related to fruit and vegetables. <i>American Journal of Health Promotion</i> , <b>1997</b> , 12, 25-30 | 2.5 | 94  |

|    |  |     |     |
|----|--|-----|-----|
| 11 | Misconceptions of Fruit and Vegetable Consumption: Differences between Objective and Subjective Estimation of Intake. <i>Journal of Nutrition Education and Behavior</i> , <b>1997</b> , 29, 313-320       |     | 103 |
| 10 | Consumption of fruit and vegetables: how to motivate the population to change their behavior. <i>Cancer Letters</i> , <b>1997</b> , 114, 335-6   | 9.9 | 15  |
| 9  | Are awareness of dietary fat intake and actual fat consumption associated?--a Dutch-American comparison. <i>European Journal of Clinical Nutrition</i> , <b>1997</b> , 51, 542-7                           | 5.2 | 57  |
| 8  | Validity and reliability of self-reported exposure to environmental tobacco smoke in work offices. <i>Journal of Occupational and Environmental Medicine</i> , <b>1997</b> , 39, 1111-4                    | 2   | 23  |
| 7  | The impact of a computer-tailored nutrition intervention. <i>Preventive Medicine</i> , <b>1996</b> , 25, 236-42  | 4.3 | 277 |
| 6  | Differences in cancer incidence and mortality among socio-economic groups. <i>Scandinavian Journal of Public Health</i> , <b>1995</b> , 23, 110-20   |     | 81  |
| 5  | Psychosocial determinants of fruit and vegetable consumption among adults: Results of focus group interviews. <i>Food Quality and Preference</i> , <b>1995</b> , 6, 99-107                                 | 5.8 | 114 |
| 4  | Psychosocial determinants of fruit and vegetable consumption. <i>Appetite</i> , <b>1995</b> , 25, 285-96   | 4.5 | 187 |
| 3  | Self-rated dietary fat intake: Association with objective assessment of fat, psychosocial factors, and intention to change. <i>Journal of Nutrition Education and Behavior</i> , <b>1994</b> , 26, 218-223 |     | 119 |
| 2  | Indicators of iodine status among adults. Dutch Nutrition Surveillance System. <i>Annals of Nutrition and Metabolism</i> , <b>1992</b> , 36, 129-34  | 4.5 | 6   |
| 1  | Evidence of the Influence of Home and Family Environment64-70  |     | 1   |