

Johannes Brug

List of Articles by Year in descending order

Source: [//exaly.com/author-pdf/3307649/publications.pdf](https://exaly.com/author-pdf/3307649/publications.pdf)

Version: 2025-02-01

447

PR articles

27,208

PR citations

3816

84

PR h-index

5506

161

g-index

462

documents

30800

doc citations

4016

90

h-index

42315

citing authors

#	ARTICLE	IF	CITATIONS
1	Higher Neighborhood Drivability Is Associated With a Higher Diabetes Risk in Younger Adults: A Population-Based Cohort Study in Toronto, Canada. <i>Diabetes Care</i> , 2023, 46, 1177-1184.	6.2	6
2	Intervention Fidelity of Telephone Motivational Interviewing On Physical Activity, Fruit Intake, and Vegetable Consumption in Dutch Outpatients With and Without Hypertension. <i>International Journal of Behavioral Medicine</i> , 2022, 30, 108-121.	1.3	3
3	Development of a neighborhood drivability index and its association with transportation behavior in Toronto. <i>Environment International</i> , 2022, 163, 107182.	10.2	9
4	Psychosocial and cultural determinants of dietary intake in community-dwelling older adults: A Determinants of Diet and Physical Activity systematic literature review. <i>Nutrition</i> , 2021, 85, 111131.	2.7	34
5	Neighborhood walkability, physical activity and changes in glycemic markers in people with type 2 diabetes: The Hoorn Diabetes Care System cohort. <i>Health and Place</i> , 2021, 69, 102560.	3.7	15
6	From accelerometer output to physical activity intensities in breast cancer patients. <i>Journal of Science and Medicine in Sport</i> , 2020, 23, 176-181.	2.2	4
7	Moderators of Exercise Effects on Cancer-related Fatigue: A Meta-analysis of Individual Patient Data. <i>Medicine and Science in Sports and Exercise</i> , 2020, 52, 303-314.	0.8	76
8	School- and Leisure Time Factors Are Associated With Sitting Time of German and Irish Children and Adolescents During School: Results of a DEDIPAC Feasibility Study. <i>Frontiers in Sports and Active Living</i> , 2020, 2, .	1.8	2
9	Ultra-processed food consumption patterns among older adults in the Netherlands and the role of the food environment. <i>European Journal of Nutrition</i> , 2020, 60, 2567-2580.	3.4	17
10	Associations of self-reported physical activity and anxiety symptoms and status among 7,874 Irish adults across harmonised datasets: a DEDIPAC-study. <i>BMC Public Health</i> , 2020, 20, .	3.1	16
11	Recent changes in the Dutch foodscape: socioeconomic and urban-rural differences. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020, 17, .	4.3	60
12	Effects and moderators of coping skills training on symptoms of depression and anxiety in patients with cancer: Aggregate data and individual patient data meta-analyses. <i>Clinical Psychology Review</i> , 2020, 80, 101882.	9.2	17
13	Neighbourhood drivability: environmental and individual characteristics associated with car use across Europe. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020, 17, .	4.3	30
14	Sleep characteristics across the lifespan in 1.1â€™million people from the Netherlands, United Kingdom and United States: a systematic review and meta-analysis. <i>Nature Human Behaviour</i> , 2020, 5, 113-122.	9.1	374
15	A randomized controlled trial comparing community lifestyle interventions to improve adherence to diet and physical activity recommendations: the VitalUM study. <i>European Journal of Epidemiology</i> , 2020, 36, 345-360.	5.3	6
16	Environmental and individual characteristics associated with car use across Europe. <i>European Journal of Public Health</i> , 2020, 30, .	0.3	0
17	Development of a neighborhood drivability index and its association with transportation behavior. <i>European Journal of Public Health</i> , 2020, 30, .	0.3	0
18	Comparing Different Residential Neighborhood Definitions and the Association Between Density of Restaurants and Home Cooking Among Dutch Adults. <i>Nutrients</i> , 2019, 11, 1796.	4.5	3

#	ARTICLE	IF	CITATIONS
19	Long-term effectiveness and cost-effectiveness of an 18-week supervised exercise program in patients treated with autologous stem cell transplantation: results from the EXIST study. <i>Journal of Cancer Survivorship</i> , 2019, 13, 558-569.	2.1	40
20	Effects and moderators of exercise on sleep in adults with cancer: Individual patient data and aggregated meta-analyses. <i>Journal of Psychosomatic Research</i> , 2019, 124, 109746.	2.1	34
21	Factors influencing sedentary behaviour: A system based analysis using Bayesian networks within DEDIPAC. <i>PLoS ONE</i> , 2019, 14, e0211546.	2.3	36
22	Development and use of a flexible data harmonization platform to facilitate the harmonization of individual patient data for meta-analyses. <i>BMC Research Notes</i> , 2019, 12, .	1.5	16
23	The association between population density and blood lipid levels in Dutch blood donors. <i>International Journal of Health Geographics</i> , 2019, 18, .	2.6	0
24	How Does a Supervised Exercise Program Improve Quality of Life in Patients with Cancer? A Concept Mapping Study Examining Patients' Perspectives. <i>Oncologist</i> , 2019, 24, e374-e383.	3.4	15
25	Exploring the Relation of Spatial Access to Fast Food Outlets With Body Weight: A Mediation Analysis. <i>Environment and Behavior</i> , 2019, 51, 401-430.	3.7	36
26	Adherence to a food group-based dietary guideline and incidence of prediabetes and type 2 diabetes. <i>European Journal of Nutrition</i> , 2019, 59, 2159-2169.	3.4	11
27	Relationship Between Accelerometer Output And Oxygen Consumption In Patients With Breast Cancer After Chemotherapy Treatment. <i>Medicine and Science in Sports and Exercise</i> , 2019, 51, 880-880.	0.8	0
28	Long-term effectiveness and cost-effectiveness of high versus low-to-moderate intensity resistance and endurance exercise interventions among cancer survivors. <i>Journal of Cancer Survivorship</i> , 2018, 12, 417-429.	2.1	48
29	Effects and moderators of psychosocial interventions on quality of life, and emotional and social function in patients with cancer: An individual patient data meta-analysis of 22 RCTs. <i>Psycho-Oncology</i> , 2018, 27, 1150-1161.	3.0	96
30	Spatial access to restaurants and grocery stores in relation to frequency of home cooking. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2018, 15, .	4.3	10
31	Lessons learnt from a process evaluation of an exercise intervention in patients treated with autologous stem cell transplantation. <i>European Journal of Cancer Care</i> , 2018, 27, e12779.	1.9	9
32	Which exercise prescriptions improve quality of life and physical function in patients with cancer during and following treatment? A systematic review and meta-analysis of randomised controlled trials. <i>British Journal of Sports Medicine</i> , 2018, 52, 505-513.	10.6	225
33	Recent trends in population levels and correlates of occupational and leisure sitting time in full-time employed Australian adults. <i>PLoS ONE</i> , 2018, 13, e0195177.	2.3	15
34	Targeting Exercise Interventions to Patients With Cancer in Need: An Individual Patient Data Meta-Analysis. <i>Journal of the National Cancer Institute</i> , 2018, 110, 1190-1200.	4.6	97
35	Data on Determinants Are Needed to Curb the Sedentary Epidemic in Europe. Lessons Learnt from the DEDIPAC European Knowledge Hub. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 1406.	2.9	11
36	Changes in children's television and computer time according to parental education, parental income and ethnicity: A 6-year longitudinal EYHS study. <i>PLoS ONE</i> , 2018, 13, e0203592.	2.3	18

#	ARTICLE	IF	CITATIONS
37	Associations of self-reported physical activity and depression in 10,000 Irish adults across harmonised datasets: a DEDIPAC-study. BMC Public Health, 2018, 18, .	3.1	28
38	Built environmental characteristics and diabetes: a systematic review and meta-analysis. BMC Medicine, 2018, 16, .	7.1	204
39	Contextual correlates of happiness in European adults. PLoS ONE, 2018, 13, e0190387.	2.3	36
40	The mediating role of social capital in the association between neighbourhood income inequality and body mass index. European Journal of Public Health, 2017, , ckw157.	0.3	9
41	Actual and perceived weight status and its association with slimming and energyâ€balance related behaviours in 10â€to 12â€yearâ€old European children: the ENERGYâ€project. Pediatric Obesity, 2017, 12, 137-145.	2.5	3
42	Built environmental correlates of cycling for transport across Europe. Health and Place, 2017, 44, 35-42.	3.7	112
43	Exploring health education with midwives, as perceived by pregnant women in primary care: A qualitative study in the Netherlands. Midwifery, 2017, 46, 37-44.	2.2	29
44	Measurement of availability and accessibility of food among youth: a systematic review of methodological studies. International Journal of Behavioral Nutrition and Physical Activity, 2017, 14, .	4.3	50
45	Patterns of objectively measured sedentary time in 10- to 12-year-old Belgian children: an observational study within the ENERGY-project. BMC Pediatrics, 2017, 17, .	1.8	21
46	Sitting too much: A hierarchy of socio-demographic correlates. Preventive Medicine, 2017, 101, 77-83.	2.8	55
47	A Validation Study of the Fitbit One in Daily Life Using Different Time Intervals. Medicine and Science in Sports and Exercise, 2017, 49, 1270-1279.	0.8	31
48	Validation and Refinement of Prediction Models to Estimate Exercise Capacity in Cancer Survivors Using the Steep Ramp Test. Archives of Physical Medicine and Rehabilitation, 2017, 98, 2167-2173.	1.9	24
49	Associations of commuting to school and work with demographic variables and with weight status in eight European countries: The ENERGY-cross sectional study. Preventive Medicine, 2017, 99, 305-312.	2.8	26
50	Effects and moderators of exercise on quality of life and physical function in patients with cancer: An individual patient data meta-analysis of 34 RCTs. Cancer Treatment Reviews, 2017, 52, 91-104.	9.6	520
51	Counselor competence for telephone Motivation Interviewing addressing lifestyle change among Dutch older adults. Evaluation and Program Planning, 2017, 65, 47-53.	1.7	11
52	Health behaviour information provided to clients during midwife-led prenatal booking visits: Findings from video analyses. Midwifery, 2017, 54, 7-17.	2.2	17
53	Identifying and sharing data for secondary data analysis of physical activity, sedentary behaviour and their determinants across the life course in Europe: general principles and an example from DEDIPAC. BMJ Open, 2017, 7, e017489.	1.9	12
54	The DONE framework: Creation, evaluation, and updating of an interdisciplinary, dynamic framework 2.0 of determinants of nutrition and eating. PLoS ONE, 2017, 12, e0171077.	2.3	170

#	ARTICLE	IF	CITATIONS
55	Do intrapersonal factors mediate the association of social support with physical activity in young women living in socioeconomically disadvantaged neighbourhoods? A longitudinal mediation analysis. PLoS ONE, 2017, 12, e0173231.	2.3	10
56	Views of policy makers and health promotion professionals on factors facilitating implementation and maintenance of interventions and policies promoting physical activity and healthy eating: results of the DEDIPAC project. BMC Public Health, 2017, 17, .	3.1	73
57	Determinants of diet and physical activity (DEDIPAC): a summary of findings. International Journal of Behavioral Nutrition and Physical Activity, 2017, 14, .	4.3	74
58	Exploring the relationship between perceived barriers to healthy eating and dietary behaviours in European adults. European Journal of Nutrition, 2017, 57, 1761-1770.	3.4	104
59	Patient-reported physical activity and the association with health-related quality of life in head and neck cancer survivors. Supportive Care in Cancer, 2017, 26, 1087-1095.	2.2	16
60	Screen-based sedentary time: Association with soft drink consumption and the moderating effect of parental education in European children: The ENERGY study. PLoS ONE, 2017, 12, e0171537.	2.3	18
61	Randomized controlled trial on the effects of a supervised high intensity exercise program in patients with a hematologic malignancy treated with autologous stem cell transplantation: Results from the EXIST study. PLoS ONE, 2017, 12, e0181313.	2.3	88
62	Objectively measured sedentary time among five ethnic groups in Amsterdam: The HELIUS study. PLoS ONE, 2017, 12, e0182077.	2.3	5
63	Participation in and adherence to physical exercise after completion of primary cancer treatment. International Journal of Behavioral Nutrition and Physical Activity, 2016, 13, .	4.3	88
64	Interactions of individual perceived barriers and neighbourhood destinations with obesity-related behaviours in Europe. Obesity Reviews, 2016, 17, 68-80.	7.5	21
65	Exploring why residents of socioeconomically deprived neighbourhoods have less favourable perceptions of their neighbourhood environment than residents of wealthy neighbourhoods. Obesity Reviews, 2016, 17, 42-52.	7.5	24
66	Neighbourhood typology based on virtual audit of environmental obesogenic characteristics. Obesity Reviews, 2016, 17, 19-30.	7.5	38
67	Perceived environmental correlates of cycling for transport among adults in five regions of Europe. Obesity Reviews, 2016, 17, 53-61.	7.5	35
68	Regular family breakfast was associated with children's overweight and parental education: Results from the ENERGY cross-sectional study. Preventive Medicine, 2016, 91, 197-203.	2.8	21
69	Variation in population levels of sedentary time in European adults according to cross-European studies: a systematic literature review within DEDIPAC. International Journal of Behavioral Nutrition and Physical Activity, 2016, 13, .	4.3	70
70	Variation in population levels of physical activity in European adults according to cross-European studies: a systematic literature review within DEDIPAC. International Journal of Behavioral Nutrition and Physical Activity, 2016, 13, .	4.3	96
71	Variation in population levels of physical activity in European children and adolescents according to cross-European studies: a systematic literature review within DEDIPAC. International Journal of Behavioral Nutrition and Physical Activity, 2016, 13, .	4.3	154
72	The SOS-framework (Systems of Sedentary behaviours): an international transdisciplinary consensus framework for the study of determinants, research priorities and policy on sedentary behaviour across the life course: a DEDIPAC-study. International Journal of Behavioral Nutrition and Physical Activity, 2016, 13, .	4.3	123

#	ARTICLE	IF	CITATIONS
73	Lifestyle correlates of overweight in adults: a hierarchical approach (the SPOTLIGHT project). <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2016, 13, .	4.3	18
74	Do heart failure status and psychosocial variables moderate the relationship between leisure time physical activity and mortality risk among patients with a history of myocardial infarction?. <i>BMC Cardiovascular Disorders</i> , 2016, 16, .	2.0	3
75	Demographic, clinical, psychosocial, and environmental correlates of objectively assessed physical activity among breast cancer survivors. <i>Supportive Care in Cancer</i> , 2016, 24, 3333-3342.	2.2	48
76	Barriers and facilitators to the nationwide dissemination of the Dutch school-based obesity prevention programme DOIT. <i>European Journal of Public Health</i> , 2016, 26, 611-616.	0.3	26
77	Implemented or not implemented? Process evaluation of the school-based obesity prevention program DOIT and associations with program effectiveness. <i>Health Education Research</i> , 2016, 31, 220-233.	1.5	29
78	Mediators of Exercise Effects on HRQoL in Cancer Survivors after Chemotherapy. <i>Medicine and Science in Sports and Exercise</i> , 2016, 48, 1859-1865.	0.8	25
79	Variation in population levels of sedentary time in European children and adolescents according to cross-European studies: a systematic literature review within DEDIPAC. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2016, 13, .	4.3	112
80	Mismatch between perceived and objectively measured environmental obesogenic features in European neighbourhoods. <i>Obesity Reviews</i> , 2016, 17, 31-41.	7.5	49
81	Sedentary Time and Physical Activity Surveillance Through Accelerometer Pooling in Four European Countries. <i>Sports Medicine</i> , 2016, 47, 1421-1435.	6.2	149
82	The Relationships of Health Behaviour and Psychological Characteristics with Spontaneous Preterm Birth in Nulliparous Women. <i>Maternal and Child Health Journal</i> , 2016, 21, 873-882.	1.4	20
83	European Sitting Championship: Prevalence and Correlates of Self-Reported Sitting Time in the 28 European Union Member States. <i>PLoS ONE</i> , 2016, 11, e0149320.	2.3	107
84	Obesity-related behaviours and BMI in five urban regions across Europe: sampling design and results from the SPOTLIGHT cross-sectional survey. <i>BMJ Open</i> , 2015, 5, e008505.	1.9	59
85	Socio-demographic inequalities across a range of health status indicators and health behaviours among pregnant women in prenatal primary care: a cross-sectional study. <i>BMC Pregnancy and Childbirth</i> , 2015, 15, .	2.4	56
86	Individual and family environmental correlates of television and computer time in 10- to 12-year-old European children: the ENERGY-project. <i>BMC Public Health</i> , 2015, 15, .	3.1	17
87	Implementation conditions for diet and physical activity interventions and policies: an umbrella review. <i>BMC Public Health</i> , 2015, 15, .	3.1	74
88	Randomized controlled trial of the effects of high intensity and low-to-moderate intensity exercise on physical fitness and fatigue in cancer survivors: results of the Resistance and Endurance exercise After ChemoTherapy (REACT) study. <i>BMC Medicine</i> , 2015, 13, .	7.1	153
89	Systematic literature review of determinants of sedentary behaviour in older adults: a DEDIPAC study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015, 12, .	4.3	193
90	The effect, moderators, and mediators of resistance and aerobic exercise on health-related quality of life in older long-term survivors of prostate cancer. <i>Cancer</i> , 2015, 121, 2821-2830.	4.0	75

#	ARTICLE	IF	CITATIONS
91	Educational differences in the validity of self-reported physical activity. BMC Public Health, 2015, 15, .	3.1	67
92	Maternal efficacy and sedentary behavior rules predict child obesity resilience. BMC Obesity, 2015, 2, .	3.2	9
93	Occurrence and duration of various operational definitions of sedentary bouts and cross-sectional associations with cardiometabolic health indicators: The ENERGY-project. Preventive Medicine, 2015, 71, 101-106.	2.8	43
94	Good practice characteristics of diet and physical activity interventions and policies: an umbrella review. BMC Public Health, 2015, 15, .	3.1	105
95	Correlates of dietary behavior in adults: an umbrella review. Nutrition Reviews, 2015, 73, 477-499.	5.6	69
96	Moderators of the effects of group-based physical exercise on cancer survivorsâ€™ quality of life. Supportive Care in Cancer, 2015, 23, 2623-2631.	2.2	21
97	Determinants of dietary behavior among youth: an umbrella review. International Journal of Behavioral Nutrition and Physical Activity, 2015, 12, .	4.3	82
98	What features do Dutch university students prefer in a smartphone application for promotion of physical activity? A qualitative approach. International Journal of Behavioral Nutrition and Physical Activity, 2015, 12, .	4.3	94
99	Associations between active video gaming and other energy-balance related behaviours in adolescents: a 24-hour recall diary study. International Journal of Behavioral Nutrition and Physical Activity, 2015, 12, .	4.3	10
100	Successful behavior change in obesity interventions in adults: a systematic review of self-regulation mediators. BMC Medicine, 2015, 13, .	7.1	585
101	An economic evaluation alongside a randomized controlled trial evaluating an individually tailored lifestyle intervention compared with usual care in people with Familial Hypercholesterolemia. BMC Research Notes, 2015, 8, .	1.5	2
102	Parental modeling, education and children's sports and TV time: The ENERGY-project. Preventive Medicine, 2015, 70, 96-101.	2.8	11
103	The association between health related quality of life and survival in patients with head and neck cancer: A systematic review. Oral Oncology, 2015, 51, 1-11.	2.4	75
104	A Randomized Controlled Trial to Examine the Effect of 2-Year Vitamin B12 and Folic Acid Supplementation on Physical Performance, Strength, and Falling: Additional Findings from the B-PROOF Study. Calcified Tissue International, 2015, 98, 18-27.	2.8	37
105	Evaluation of the UP4FUN Intervention: A Cluster Randomized Trial to Reduce and Break Up Sitting Time in European 10-12-Year-Old Children. PLoS ONE, 2015, 10, e0122612.	2.3	27
106	Replacing Non-Active Video Gaming by Active Video Gaming to Prevent Excessive Weight Gain in Adolescents. PLoS ONE, 2015, 10, e0126023.	2.3	38
107	Body mass index, waist circumference and skinâ€™fold thickness in 12â€™to 14â€™yearâ€™old Dutch adolescents: differences between 2003 and 2011. Pediatric Obesity, 2014, 9, .	2.5	4
108	The Dutch Obesity Intervention in Teenagers (DOIT) cluster controlled implementation trial: intervention effects and mediators and moderators of adiposity and energy balance-related behaviours. International Journal of Behavioral Nutrition and Physical Activity, 2014, 11, .	4.3	44

#	ARTICLE	IF	CITATIONS
109	The SPOTLIGHT virtual audit tool: a valid and reliable tool to assess obesogenic characteristics of the built environment. <i>International Journal of Health Geographics</i> , 2014, 13, 52.	2.6	104
110	Environmental interventions in low-SES neighbourhoods to promote healthy behaviour: enhancing and impeding factors. <i>European Journal of Public Health</i> , 2014, 24, 390-395.	0.3	7
111	Effect of daily vitamin B-12 and folic acid supplementation on fracture incidence in elderly individuals with an elevated plasma homocysteine concentration: B-PROOF, a randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2014, 100, 1578-1586.	4.7	81
112	Mediators of physical exercise for improvement in cancer survivors' quality of life. <i>Psycho-Oncology</i> , 2014, 23, 330-338.	3.0	49
113	In Preparation of the Nationwide Dissemination of the School-Based Obesity Prevention Program DOI: Stepwise Development Applying the Intervention Mapping Protocol. <i>Journal of School Health</i> , 2014, 84, 481-492.	1.5	7
114	Agreement between parent and child report on parental practices regarding dietary, physical activity and sedentary behaviours: the ENERGY cross-sectional survey. <i>BMC Public Health</i> , 2014, 14, .	3.1	24
115	Determinants of exercise adherence and maintenance among cancer survivors: a systematic review. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2014, 11, .	4.3	173
116	Parents and friends both matter: simultaneous and interactive influences of parents and friends on European schoolchildren's energy balance-related behaviours – the ENERGY cross-sectional study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2014, 11, .	4.3	32
117	From Sedentary Time to Sedentary Patterns: Accelerometer Data Reduction Decisions in Youth. <i>PLoS ONE</i> , 2014, 9, e111205.	2.3	90
118	Using remote sensing to define environmental characteristics related to physical activity and dietary behaviours: A systematic review (the SPOTLIGHT project). <i>Health and Place</i> , 2014, 25, 1-9.	3.7	95
119	Physical activity and the risk of developing lung cancer among smokers: A meta-analysis. <i>Journal of Science and Medicine in Sport</i> , 2014, 17, 67-71.	2.2	48
120	Neighbourhood social capital as a moderator between individual cognitions and sports behaviour among Dutch adolescents. <i>Social Science and Medicine</i> , 2014, 105, 9-15.	4.1	13
121	Prevalence of depression in cancer patients: a meta-analysis of diagnostic interviews and self-report instruments. <i>Psycho-Oncology</i> , 2014, 23, 121-130.	3.0	811
122	Evidence-based physical activity guidelines for cancer survivors: Current guidelines, knowledge gaps and future research directions. <i>Cancer Treatment Reviews</i> , 2014, 40, 327-340.	9.6	225
123	Mediators of the resistance and aerobic exercise intervention effect on physical and general health in men undergoing androgen deprivation therapy for prostate cancer. <i>Cancer</i> , 2014, 120, 294-301.	4.0	45
124	Differences in beliefs and home environments regarding energy balance behaviors according to parental education and ethnicity among schoolchildren in Europe: the ENERGY cross sectional study. <i>BMC Public Health</i> , 2014, 14, .	3.1	12
125	The role of family-related factors in the effects of the UP4FUN school-based family-focused intervention targeting screen time in 10- to 12-year-old children: the ENERGY project. <i>BMC Public Health</i> , 2014, 14, .	3.1	10
126	Apps to promote physical activity among adults: a review and content analysis. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2014, 11, .	4.3	475

#	ARTICLE	IF	CITATIONS
127	Measured sedentary time and physical activity during the school day of European 10- to 12-year-old children: The ENERGY project. <i>Journal of Science and Medicine in Sport</i> , 2014, 17, 201-206.	2.2	112
128	Obesogenic environments: a systematic review of the association between the physical environment and adult weight status, the SPOTLIGHT project. <i>BMC Public Health</i> , 2014, 14, .	3.1	320
129	The school nutrition environment and its association with soft drink intakes in seven countries across Europe – the ENERGY project. <i>Health and Place</i> , 2014, 30, 28-35.	3.7	17
130	Active and non-active video gaming among Dutch adolescents: Who plays and how much?. <i>Journal of Science and Medicine in Sport</i> , 2014, 17, 597-601.	2.2	26
131	Sequential hand hygiene promotion contributes to a reduced nosocomial bloodstream infection rate among very low-birth weight infants: An interrupted time series over a 10-year period. <i>American Journal of Infection Control</i> , 2014, 42, 718-722.	1.9	14
132	Energy Balance Related Behaviour: Personal, Home- and Friend-Related Factors among Schoolchildren in Europe Studied in the ENERGY-Project. <i>PLoS ONE</i> , 2014, 9, e111775.	2.3	16
133	Parental education associations with children’s body composition: mediation effects of energy balance-related behaviors within the ENERGY-project. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2013, 10, .	4.3	29
134	Associations between eating meals, watching TV while eating meals and weight status among children, ages 10–12 years in eight European countries: the ENERGY cross-sectional study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2013, 10, 58.	4.3	68
135	Direct and indirect associations between the family physical activity environment and sports participation among 10–12 year-old European children: testing the EnRC framework in the ENERGY project. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2013, 10, 15.	4.3	70
136	Clustering of energy balance-related behaviors and parental education in European children: the ENERGY-project. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2013, 10, 5.	4.3	66
137	Associations of physical activity and sedentary time with weight and weight status among 10–to 12-year-old boys and girls in Europe: a cluster analysis within the ENERGY project. <i>Pediatric Obesity</i> , 2013, 8, 367-375.	2.5	48
138	Fatigue mediates the relationship between physical fitness and quality of life in cancer survivors. <i>Journal of Science and Medicine in Sport</i> , 2013, 16, 99-104.	2.2	43
139	Associations between home- and family-related factors and fruit juice and soft drink intake among 10- to 12-year old children. <i>The ENERGY project. Appetite</i> , 2013, 61, 59-65.	2.8	45
140	Effects of exercise in patients treated with stem cell transplantation for a hematologic malignancy: A systematic review and meta-analysis. <i>Cancer Treatment Reviews</i> , 2013, 39, 682-690.	9.6	143
141	Equity-Specific Effects of 26 Dutch Obesity-Related Lifestyle Interventions. <i>American Journal of Preventive Medicine</i> , 2013, 44, e61-e70.	3.2	70
142	Are associations between the perceived home and neighbourhood environment and children’s physical activity and sedentary behaviour moderated by urban/rural location?. <i>Health and Place</i> , 2013, 24, 44-53.	3.7	42
143	Homocysteine and the methylenetetrahydrofolate reductase 677C>T polymorphism in relation to muscle mass and strength, physical performance and postural sway. <i>European Journal of Clinical Nutrition</i> , 2013, 67, 743-748.	2.5	34
144	Self-reported TV and computer time do not represent accelerometer-derived total sedentary time in 10 to 12-year-olds. <i>European Journal of Public Health</i> , 2013, 23, 30-32.	0.3	49

#	ARTICLE	IF	CITATIONS
145	Explaining socio-demographic differences in disengagement from sports in adolescence. <i>European Journal of Public Health</i> , 2013, 23, 811-816.	0.3	15
146	Macroenvironmental Factors Including GDP per Capita and Physical Activity in Europe. <i>Medicine and Science in Sports and Exercise</i> , 2013, 45, 278-285.	0.8	21
147	Cohort Profile: The Resilience for Eating and Activity Despite Inequality (READI) study. <i>International Journal of Epidemiology</i> , 2013, 42, 1629-1639.	4.9	46
148	Process evaluation of FATaintPHAT, a computer-tailored intervention to prevent excessive weight gain among Dutch adolescents. <i>Health Promotion International</i> , 2013, 28, 26-35.	2.0	22
149	Television in the bedroom and increased body weight: potential explanations for their relationship among European schoolchildren. <i>Pediatric Obesity</i> , 2013, 8, 130-141.	2.5	36
150	Mediators of longitudinal changes in measures of adiposity in teenagers using parallel process latent growth modeling. <i>Obesity</i> , 2013, 21, 2387-2395.	4.0	14
151	Physical activity at leisure time and long-term survival among heart failure patients with a history of myocardial infarction: a prospective cohort study. <i>European Heart Journal</i> , 2013, 34, P3645-P3645.	2.2	0
152	Longer Sleep – Slimmer Kids: The ENERGY-Project. <i>PLoS ONE</i> , 2013, 8, e59522.	2.3	18
153	Can Ethnic Background Differences in Children’s Body Composition Be Explained by Differences in Energy Balance-Related Behaviors? A Mediation Analysis within the Energy-Project. <i>PLoS ONE</i> , 2013, 8, e71848.	2.3	6
154	Associations between Family-Related Factors, Breakfast Consumption and BMI among 10- to 12-Year-Old European Children: The Cross-Sectional ENERGY-Study. <i>PLoS ONE</i> , 2013, 8, e79550.	2.3	29
155	Socio-Demographic and Lifestyle-Related Characteristics Associated with Self-Reported Any, Daily and Occasional Smoking during Pregnancy. <i>PLoS ONE</i> , 2013, 8, e74197.	2.3	29
156	Cognitive Determinants of Energy Balance-Related Behaviours. <i>Sports Medicine</i> , 2012, 35, 923-933.	6.2	49
157	Genetic and Environmental Influences on Individual Differences in Sedentary Behavior During Adolescence. <i>JAMA Pediatrics</i> , 2012, 166, .	3.8	13
158	Mediating effects of home-related factors on fat intake from snacks in a school-based nutrition intervention among adolescents. <i>Health Education Research</i> , 2012, 27, 36-45.	1.5	11
159	Effectiveness of workplace interventions in Europe promoting healthy eating: a systematic review. <i>European Journal of Public Health</i> , 2012, 22, 677-683.	0.3	160
160	Methodological quality of front-of-pack labeling studies: a review plus identification of research challenges. <i>Nutrition Reviews</i> , 2012, 70, 709-720.	5.6	43
161	Adolescents' Views on Active and Non-Active Videogames: A Focus Group Study. <i>Games for Health Journal</i> , 2012, 1, 211-218.	2.4	25
162	Predictors of the Intention to Prevent Excessive Weight Gain in Youth. <i>American Journal of Health Behavior</i> , 2012, 36, 472-482.	0.7	2

#	ARTICLE	IF	CITATIONS
163	Evaluation of the Web-Based Computer-Tailored FATaintPHAT Intervention to Promote Energy Balance Among Adolescents. <i>JAMA Pediatrics</i> , 2012, 166, 248.	3.8	108
164	Explaining socio-economic inequalities in daily smoking: a socialâ€œecological approach. <i>European Journal of Public Health</i> , 2012, 22, 238-243.	0.3	21
165	Associations of parental education and parental physical activity (PA) with children's PA: The ENERGY crossâ€œsectional study. <i>Preventive Medicine</i> , 2012, 55, 310-314.	2.8	40
166	Hand disinfection in a neonatal intensive care unit: continuous electronic monitoring over a one-year period. <i>BMC Infectious Diseases</i> , 2012, 12, .	2.6	24
167	Is the process of delivery of an individually tailored lifestyle intervention associated with improvements in LDL cholesterol and multiple lifestyle behaviours in people with Familial Hypercholesterolemia?. <i>BMC Public Health</i> , 2012, 12, .	3.1	27
168	The effect of the UP4FUN pilot intervention on objectively measured sedentary time and physical activity in 10â€œ12 year old children in Belgium: the ENERGY-project. <i>BMC Public Health</i> , 2012, 12, .	3.1	37
169	Socioeconomic inequalities in occupational, leisure-time, and transport related physical activity among European adults: A systematic review. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2012, 9, 116.	4.3	468
170	Micro-level economic factors and incentives in Childrenâ€™s energy balance related behaviours - findings from the ENERGY European cross-section questionnaire survey. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2012, 9, 136.	4.3	19
171	Differences in weight status and energy-balance related behaviors among schoolchildren in German-speaking Switzerland compared to seven countries in Europe. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2012, 9, .	4.3	19
172	Levels of physical activity and sedentary time among 10- to 12-year-old boys and girls across 5 European countries using accelerometers: an observational study within the ENERGY-project. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2012, 9, 34.	4.3	220
173	Are neighbourhood social capital and availability of sports facilities related to sports participation among Dutch adolescents?. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2012, 9, 90.	4.3	53
174	No significant improvement of cardiovascular disease risk indicators by a lifestyle intervention in people with Familial Hypercholesterolemia compared to usual care: results of a randomised controlled trial. <i>BMC Research Notes</i> , 2012, 5, .	1.5	33
175	Exploring the reach and program use of hello world, an email-based health promotion program for pregnant women in the Netherlands. <i>BMC Research Notes</i> , 2012, 5, .	1.5	8
176	Computer screen saver hand hygiene information curbs a negative trend in hand hygiene behavior. <i>American Journal of Infection Control</i> , 2012, 40, 951-954.	1.9	32
177	A Systematic Review of Randomized Controlled Trials on the Effectiveness of Computer-Tailored Physical Activity and Dietary Behavior Promotion Programs: an Update. <i>Annals of Behavioral Medicine</i> , 2012, 44, 259-286.	2.7	232
178	Physical and psychosocial benefits of yoga in cancer patients and survivors, a systematic review and meta-analysis of randomized controlled trials. <i>BMC Cancer</i> , 2012, 12, .	2.9	305
179	Effectiveness of YouRAction, an Intervention to Promote Adolescent Physical Activity Using Personal and Environmental Feedback: A Cluster RCT. <i>PLoS ONE</i> , 2012, 7, e32682.	2.3	20
180	Self-Reported Physical Activity: Its Correlates and Relationship with Health-Related Quality of Life in a Large Cohort of Colorectal Cancer Survivors. <i>PLoS ONE</i> , 2012, 7, e36164.	2.3	92

#	ARTICLE	IF	CITATIONS
181	Objective and Self-Rated Sedentary Time and Indicators of Metabolic Health in Dutch and Hungarian 10-12 Year Olds: The ENERGY-Project. PLoS ONE, 2012, 7, e36657.	2.3	21
182	Can Multiple Lifestyle Behaviours Be Improved in People with Familial Hypercholesterolemia? Results of a Parallel Randomised Controlled Trial. PLoS ONE, 2012, 7, e50032.	2.3	39
183	Does parental involvement make a difference in school-based nutrition and physical activity interventions? A systematic review of randomized controlled trials. International Journal of Public Health, 2012, 57, 673-678.	1.8	99
184	Neighborhood characteristics and TV viewing in youth: Nothing to do but watch TV?. Journal of Science and Medicine in Sport, 2012, 15, 122-128.	2.2	31
185	Weight status of European preschool children and associations with family demographics and energy balance-related behaviours: a pooled analysis of six European studies. Obesity Reviews, 2012, 13, 29-41.	7.5	89
186	Energy balance-related behaviours associated with overweight and obesity in preschool children: a systematic review of prospective studies. Obesity Reviews, 2012, 13, 56-74.	7.5	132
187	Differences in weight status and energy-balance related behaviours according to ethnic background among adolescents in seven countries in Europe: the ENERGY-project. Pediatric Obesity, 2012, 7, 399-411.	2.5	75
188	Predicting nicotine dependence profiles among adolescent smokers: the roles of personal and social-environmental factors in a longitudinal framework. BMC Public Health, 2012, 12, .	3.1	20
189	Direction of the association between body fatness and self-reported screen time in Dutch adolescents. International Journal of Behavioral Nutrition and Physical Activity, 2012, 9, 4.	4.3	35
190	Determinants of adherence to heart failure medication: a systematic literature review. Heart Failure Reviews, 2012, 18, 409-427.	3.3	79
191	Differences in Weight Status and Energy-Balance Related Behaviors among Schoolchildren across Europe: The ENERGY-Project. PLoS ONE, 2012, 7, e34742.	2.3	240
192	Effectiveness of a primary school-based intervention to reduce overweight. Pediatric Obesity, 2011, 6, e70-e77.	3.5	84
193	Longitudinal associations between cycling to school and weight status. Pediatric Obesity, 2011, 6, 182-187.	3.5	42
194	Differences in fruit and vegetable intake and their determinants among 11-year-old schoolchildren between 2003 and 2009. International Journal of Behavioral Nutrition and Physical Activity, 2011, 8, .	4.3	32
195	The effects of tailored and threatening nutrition information on message attention. Evidence from an event-related potential study. Appetite, 2011, 56, 32-38.	2.8	31
196	The association between home environmental variables and soft drink consumption among adolescents. Exploration of mediation by individual cognitions and habit strength. Appetite, 2011, 56, 503-510.	2.8	47
197	Product samples stimulate choice of unfamiliar healthful food products. Appetite, 2011, 57, 197-201.	2.8	12
198	Strategies to Facilitate Exposure to Internet-Delivered Health Behavior Change Interventions Aimed at Adolescents or Young Adults: A Systematic Review. Health Education and Behavior, 2011, 38, 49-62.	1.6	151

#	ARTICLE	IF	CITATIONS
199	More or better: Do the number and specificity of implementation intentions matter in increasing physical activity?. <i>Psychology of Sport and Exercise</i> , 2011, 12, 471-477.	2.6	86
200	School-based interventions promoting both physical activity and healthy eating in Europe: a systematic review within the HOPE project. <i>Obesity Reviews</i> , 2011, 12, 205-216.	7.5	216
201	A systematic review of environmental factors and obesogenic dietary intakes among adults: are we getting closer to understanding obesogenic environments?. <i>Obesity Reviews</i> , 2011, 12, .	7.5	377
202	Interventions for the prevention of overweight and obesity in preschool children: a systematic review of randomized controlled trials. <i>Obesity Reviews</i> , 2011, 12, .	7.5	109
203	Relationship between young peoples' sedentary behaviour and biomedical health indicators: a systematic review of prospective studies. <i>Obesity Reviews</i> , 2011, 12, .	7.5	212
204	Dairy intake from adolescence into adulthood is not associated with being overweight and metabolic syndrome in adulthood: the Amsterdam Growth and Health Longitudinal Study. <i>Journal of Human Nutrition and Dietetics</i> , 2011, 24, 233-244.	2.4	16
205	Information about the taste stimulates choice of unfamiliar healthful food products. <i>Journal of Human Nutrition and Dietetics</i> , 2011, 24, 603-611.	2.4	6
206	The association between cycling to school and being overweight in Rotterdam (The Netherlands) and Kristiansand (Norway). <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2011, 21, 48-53.	3.2	34
207	What works in school-based energy balance behaviour interventions and what does not? A systematic review of mediating mechanisms. <i>International Journal of Obesity</i> , 2011, 35, 1251-1265.	3.0	125
208	Economic incentives and nutritional behavior of children in the school setting: A systematic review. <i>Nutrition Reviews</i> , 2011, 69, 660-674.	5.6	34
209	Do Trends in Physical Activity, Sedentary, and Dietary Behaviors Support Trends in Obesity Prevalence in 2 Border Regions in Texas?. <i>Journal of Nutrition Education and Behavior</i> , 2011, 43, 210-218.	0.5	9
210	Biomarker Evaluation Does Not Confirm Efficacy of Computer-tailored Nutrition Education. <i>Journal of Nutrition Education and Behavior</i> , 2011, 43, 323-330.	0.5	6
211	Test-retest reliability and construct validity of the ENERGY-child questionnaire on energy balance-related behaviours and their potential determinants: the ENERGY-project. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2011, 8, 136.	4.3	114
212	Parental and home influences on adolescents' TV viewing: A mediation analysis. <i>Pediatric Obesity</i> , 2011, 6, e364-e372.	3.5	22
213	For whom and under what circumstances do school-based energy balance behavior interventions work? Systematic review on moderators. <i>Pediatric Obesity</i> , 2011, 6, e46-e57.	3.5	77
214	Influence of Placement of a Nutrition Logo on Cafeteria Menu Items on Lunchtime Food Choices at Dutch Work Sites. <i>Journal of the American Dietetic Association</i> , 2011, 111, 131-136.	1.4	80
215	Associations between availability of facilities within three different neighbourhood buffer sizes and objectively assessed physical activity in adolescents. <i>Health and Place</i> , 2011, 17, 1228-1234.	3.7	41
216	Tailored Print Communication and Telephone Motivational Interviewing Are Equally Successful in Improving Multiple Lifestyle Behaviors in a Randomized Controlled Trial. <i>Annals of Behavioral Medicine</i> , 2011, 41, 104-118.	2.7	69

#	ARTICLE	IF	CITATIONS
217	Psychometric properties of two physical activity questionnaires, the AQuAA and the PASE, in cancer patients. <i>BMC Medical Research Methodology</i> , 2011, 11, .	2.5	53
218	What do parents think about parental participation in school-based interventions on energy balance-related behaviours? a qualitative study in 4 countries. <i>BMC Public Health</i> , 2011, 11, .	3.1	35
219	Determinants of fruit and vegetable consumption among children and adolescents: a review of the literature. Part II: qualitative studies. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2011, 8, 112.	4.3	271
220	Modeling the long term health outcomes and cost-effectiveness of two interventions promoting fruit and vegetable intake among schoolchildren. <i>Economics and Human Biology</i> , 2011, 9, 14-22.	1.7	23
221	Cohort Profile: The Longitudinal Aging Study Amsterdam. <i>International Journal of Epidemiology</i> , 2011, 40, 868-876.	4.9	416
222	Adolescents risky MP3-player listening and its psychosocial correlates. <i>Health Education Research</i> , 2011, 26, 254-264.	1.5	51
223	Evaluation of nationwide health promotion campaigns in the Netherlands: an exploration of practices, wishes and opportunities. <i>Health Promotion International</i> , 2011, 26, 244-254.	2.0	20
224	Resilience to obesity among socioeconomically disadvantaged women: the READI study. <i>International Journal of Obesity</i> , 2011, 36, 855-865.	3.0	51
225	Consuming a diet complying with front-of-pack label criteria may reduce cholesterol levels: a modeling study. <i>European Journal of Clinical Nutrition</i> , 2011, 66, 510-516.	2.5	19
226	Determinants of heart failure self-care: a systematic literature review. <i>Heart Failure Reviews</i> , 2011, 17, 367-385.	3.3	67
227	Alpe dâ€™HuZes Cancer Rehabilitation (A-CaRe) Research: Four Randomized Controlled Exercise Trials and Economic Evaluations in Cancer Patients and Survivors. <i>International Journal of Behavioral Medicine</i> , 2011, 19, 143-156.	1.3	23
228	A systematic review of studies on socioeconomic inequalities in dietary intakes associated with weight gain and overweight/obesity conducted among European adults. <i>Obesity Reviews</i> , 2010, 11, 413-429.	7.5	343
229	Estimating Adolescent Risk for Hearing Loss Based on Data From a Large School-Based Survey. <i>American Journal of Public Health</i> , 2010, 100, 1095-1100.	2.7	59
230	Nicotine dependence subtypes among adolescent smokers: Examining the occurrence, development and validity of distinct symptom profiles.. <i>Psychology of Addictive Behaviors</i> , 2010, 24, 61-74.	1.7	16
231	Sociaal-economische verschillen in recreatief bewegen. <i>TSG: Tijdschrift Voor Gezondheidswetenschappen</i> , 2010, 88, 32-40.	0.1	2
232	Evidence-based development of school-based and family-involved prevention of overweight across Europe: The ENERGY-project's design and conceptual framework. <i>BMC Public Health</i> , 2010, 10, .	3.1	97
233	Why do poor people perceive poor neighbourhoods? The role of objective neighbourhood features and psychosocial factors. <i>Health and Place</i> , 2010, 16, 744-754.	3.7	70
234	The impact of an education program on hand hygiene compliance and nosocomial infection incidence in an urban Neonatal Intensive Care Unit: An intervention study with before and after comparison. <i>International Journal of Nursing Studies</i> , 2010, 47, 1245-1252.	6.0	94

#	ARTICLE	IF	CITATIONS
235	Monitoring of risk perceptions and correlates of precautionary behaviour related to human avian influenza during 2006 - 2007 in the Netherlands: results of seven consecutive surveys. BMC Infectious Diseases, 2010, 10, .	2.6	78
236	Weight status, energyâ€balance behaviours and intentions in 9â€12-year-old inner-city children. Journal of Human Nutrition and Dietetics, 2010, 23, 85-96.	2.4	22
237	The effects of a fruit and vegetable promotion intervention on unhealthy snacks during mid-morning school breaks: results of the Dutch Schoolgruitem Project. Journal of Human Nutrition and Dietetics, 2010, 23, 609-615.	2.4	30
238	Overweight and obesity in infants and pre-school children in the European Union: a review of existing data. Obesity Reviews, 2010, 11, 389-398.	7.5	234
239	Early-life determinants of overweight and obesity: a review of systematic reviews. Obesity Reviews, 2010, 11, 695-708.	7.5	517
240	Does socio-economic status moderate the associations between psychosocial predictors and fruit intake in schoolchildren? The Pro Children study. Health Education Research, 2010, 25, 121-134.	1.5	41
241	Availability of sports facilities as moderator of the intention-sports participation relationship among adolescents. Health Education Research, 2010, 25, 489-497.	1.5	62
242	Characteristics of visitors and revisitors to an Internet-delivered computer-tailored lifestyle intervention implemented for use by the general public. Health Education Research, 2010, 25, 585-595.	1.5	134
243	Towards evidence-based, quality-controlled health promotion: the Dutch recognition system for health promotion interventions. Health Education Research, 2010, 25, 1100-1106.	1.5	35
244	Family Environmental Factors Do Not Explain Differences in the Behavioral Effect of a Healthy Diet Promotion Program in Lower Vocational Schools among 12- to 14-Year-Old Adolescents. American Journal of Health Promotion, 2010, 24, 182-185.	2.3	6
245	Discotheques and the risk of hearing loss among youth: risky listening behavior and its psychosocial correlates. Health Education Research, 2010, 25, 737-747.	1.5	24
246	Changes in skinfold thickness and waist circumference after 12 and 24 months resulting from the NHF-NRG In Balance-project. International Journal of Behavioral Nutrition and Physical Activity, 2010, 7, 26.	4.3	31
247	Cost-effectiveness of tailored print communication, telephone motivational interviewing, and a combination of the two: results of an economic evaluation alongside the Vitalum randomized controlled trial. International Journal of Behavioral Nutrition and Physical Activity, 2010, 7, 64.	4.3	33
248	Front-of-pack nutrition label stimulates healthier product development: a quantitative analysis. International Journal of Behavioral Nutrition and Physical Activity, 2010, 7, 65.	4.3	200
249	Understanding the correlates of adolescents' TV viewing: A social ecological approach. Pediatric Obesity, 2010, 5, 161-168.	3.5	29
250	Young People: Taking Few Precautions Against Hearing Loss in Discotheques. Journal of Adolescent Health, 2010, 46, 499-502.	2.7	8
251	Neuroticism, conscientiousness and fruit consumption: Exploring mediator and moderator effects in the theory of planned behaviour. Psychology and Health, 2009, 24, 1051-1069.	2.5	42
252	Process evaluation of a school-based weight gain prevention program: the Dutch Obesity Intervention in Teenagers (DOiT). Health Education Research, 2009, 24, 772-777.	1.5	31

#	ARTICLE	IF	CITATIONS
253	Dutch Obesity Intervention in Teenagers. <i>JAMA Pediatrics</i> , 2009, 163, 309.	3.8	173
254	The obesity pandemic. Is it bad or worse?. <i>European Journal of Public Health</i> , 2009, 19, 570-571.	0.3	6
255	A conceptual framework for understanding and improving adolescents' exposure to Internet-delivered interventions. <i>Health Promotion International</i> , 2009, 24, 277-284.	2.0	57
256	Adolescents and MP3 Players: Too Many Risks, Too Few Precautions. <i>Pediatrics</i> , 2009, 123, e953-e958.	4.5	86
257	Prevention of adolescents' music-induced hearing loss due to discotheque attendance: a Delphi study. <i>Health Education Research</i> , 2009, 24, 1043-1050.	1.5	19
258	Cultural and Social Influences on Food Consumption in Dutch Residents of Turkish and Moroccan Origin: A Qualitative Study. <i>Journal of Nutrition Education and Behavior</i> , 2009, 41, 232-241.	0.5	92
259	Gender, ethnic and school type differences in overweight and energy balance-related behaviours among Dutch adolescents. <i>Pediatric Obesity</i> , 2009, 4, 371-380.	3.5	20
260	Dose-response associations between screen time and overweight among youth. <i>Pediatric Obesity</i> , 2009, 4, 61-64.	3.5	24
261	SARS Knowledge, Perceptions, and Behaviors: a Comparison between Finns and the Dutch during the SARS Outbreak in 2003. <i>International Journal of Behavioral Medicine</i> , 2009, 16, 41-48.	1.3	89
262	The Perceived Threat of SARS and its Impact on Precautionary Actions and Adverse Consequences: A Qualitative Study Among Chinese Communities in the United Kingdom and the Netherlands. <i>International Journal of Behavioral Medicine</i> , 2009, 16, 58-67.	1.3	74
263	Sources of Information and Health Beliefs Related to SARS and Avian Influenza among Chinese Communities in the United Kingdom and The Netherlands, Compared to the General Population in these Countries. <i>International Journal of Behavioral Medicine</i> , 2009, 16, 49-57.	1.3	71
264	Perceived Threat, Risk Perception, and Efficacy Beliefs Related to SARS and Other (Emerging) Infectious Diseases: Results of an International Survey. <i>International Journal of Behavioral Medicine</i> , 2009, 16, 30-40.	1.3	282
265	Stoppen met roken bij adolescenten: de rol van intentie om te stoppen, nicotineafhankelijkheid en het roken van ouders en vrienden. <i>Psychologie and Gezondheid</i> , 2009, 37, 252-266.	0.1	0
266	A Front-of-Pack Nutrition Logo: A Quantitative and Qualitative Process Evaluation in the Netherlands. <i>Journal of Health Communication</i> , 2009, 14, 631-645.	2.0	86
267	Strategies for the Prevention of MP3-Induced Hearing Loss Among Adolescents: Expert Opinions From a Delphi Study. <i>Pediatrics</i> , 2009, 123, 1257-1262.	4.5	43
268	Mechanisms of adolescent smoking cessation: Roles of readiness to quit, nicotine dependence, and smoking of parents and peers. <i>Drug and Alcohol Dependence</i> , 2009, 99, 204-214.	2.9	62
269	Socioeconomic differences in lack of recreational walking among older adults: the role of neighbourhood and individual factors. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2009, 6, 1.	4.3	208
270	Should implementation intentions interventions be implemented in obesity prevention: the impact of if-then plans on daily physical activity in Dutch adults. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2009, 6, 11.	4.3	54

#	ARTICLE	IF	CITATIONS
271	Ethnic differences in BMI among Dutch adolescents: what is the role of screen-viewing, active commuting to school, and consumption of soft drinks and high-caloric snacks?. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2009, 6, 23.	4.3	17
272	Objective and perceived availability of physical activity opportunities: differences in associations with physical activity behavior among urban adolescents. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2009, 6, 70.	4.3	117
273	Effectiveness of online word of mouth on exposure to an Internet-delivered intervention. <i>Psychology and Health</i> , 2009, 24, 651-661.	2.5	25
274	Music venues and hearing loss: Opportunities for and barriers to improving environmental conditions. <i>International Journal of Audiology</i> , 2009, 48, 531-536.	2.0	13
275	Behavioral and Cognitive Effects of a Worksite-Based Weight Gain Prevention Program: The NHF-NRG In Balance-Project. <i>Journal of Occupational and Environmental Medicine</i> , 2009, 51, 1437-1446.	1.3	14
276	Efficacy and Use of an Internet-delivered Computer-tailored Lifestyle Intervention, Targeting Saturated Fat Intake, Physical Activity and Smoking Cessation: A Randomized Controlled Trial. <i>Annals of Behavioral Medicine</i> , 2008, 35, 125-135.	2.7	147
277	MP3 Players and Hearing Loss: Adolescents'™ Perceptions of Loud Music and Hearing Conservation. <i>Journal of Pediatrics</i> , 2008, 152, 400-404.e1.	2.0	96
278	Socioeconomic Position at Different Stages of the Life Course and Its Influence on Body Weight and Weight Gain in Adulthood: A Longitudinal Study With 13-Year Follow-up. <i>Obesity</i> , 2008, 16, 1377-1381.	4.0	85
279	A systematic review of the evidence regarding efficacy of obesity prevention interventions among adults. <i>Obesity Reviews</i> , 2008, 9, 446-455.	7.5	189
280	Associations between the transtheoretical processes of change, nicotine dependence and adolescent smokers' transition through the stages of change. <i>Addiction</i> , 2008, 103, 331-338.	5.2	20
281	The Efficacy of Web-based and Print-delivered Computer-tailored Interventions to Reduce Fat Intake: Results of a Randomized, Controlled Trial. <i>Journal of Nutrition Education and Behavior</i> , 2008, 40, 226-236.	0.5	60
282	Are positive changes in potential determinants associated with increased fruit and vegetable intakes among primary schoolchildren? Results of two intervention studies in the Netherlands: the Schoolgruitem Project and the Pro Children Study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2008, 5, 21.	4.3	27
283	Why did soft drink consumption decrease but screen time not? Mediating mechanisms in a school-based obesity prevention program. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2008, 5, .	4.3	38
284	Mothers' involvement in a school-based fruit and vegetable promotion intervention is associated with increased fruit and vegetable intakes - The Pro Children study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2008, 5, 48.	4.3	14
285	Feeling Fat Rather than Being Fat May Be Associated with Psychological Well-Being in Young Dutch Adolescents. <i>Journal of Adolescent Health</i> , 2008, 42, 128-136.	2.7	91
286	Saturated fat consumption and the Theory of Planned Behaviour: Exploring additive and interactive effects of habit strength. <i>Appetite</i> , 2008, 51, 318-323.	2.8	61
287	The School Food Environment. <i>American Journal of Preventive Medicine</i> , 2008, 35, 217-223.	3.2	121
288	A randomized trial of sequential and simultaneous multiple behavior change interventions for physical activity and fat intake. <i>Preventive Medicine</i> , 2008, 46, 232-237.	2.8	74

#	ARTICLE	IF	CITATIONS
289	Socio-demographic factors as correlates of active commuting to school in Rotterdam, the Netherlands. <i>Preventive Medicine</i> , 2008, 47, 412-416.	2.8	65
290	Household and food shopping environments: do they play a role in socioeconomic inequalities in fruit and vegetable consumption? A multilevel study among Dutch adults. <i>Journal of Epidemiology and Community Health</i> , 2008, 63, 113-120.	2.9	58
291	Effects of tailoring health messages on physical activity. <i>Health Education Research</i> , 2008, 23, 402-413.	1.5	66
292	Why do parents' education level and income affect the amount of fruits and vegetables adolescents eat?. <i>European Journal of Public Health</i> , 2008, 18, 611-615.	0.3	82
293	Adolescents'™ movement towards cessation of smoking: Role and relative value of the processes of change and nicotine dependence. <i>Psychology and Health</i> , 2008, 23, 729-743.	2.5	7
294	Reply to Absinthe and tobacco—a new look at an old problem?. <i>International Journal of Epidemiology</i> , 2008, 37, 219-219.	4.9	0
295	The Effectiveness of Tailored Feedback and Action Plans in an Intervention Addressing Multiple Health Behaviors. <i>American Journal of Health Promotion</i> , 2008, 22, 417-424.	2.3	184
296	Internet-delivered interventions aimed at adolescents: a Delphi study on dissemination and exposure. <i>Health Education Research</i> , 2008, 23, 427-439.	1.5	85
297	Predictors of Stage Transitions in the Precaution Adoption Process Model. <i>American Journal of Health Promotion</i> , 2008, 22, 282-290.	2.3	19
298	Do the Transtheoretical Processes of Change Predict Transitions in Stages of Change for Fruit Intake?. <i>Health Education and Behavior</i> , 2008, 35, 603-618.	1.6	16
299	Determinants of healthy eating: motivation, abilities and environmental opportunities. <i>Family Practice</i> , 2008, 25, i50-i55.	2.3	220
300	Qualitative assessment of adolescents' views about improving exposure to internet-delivered interventions. <i>Health Education</i> , 2008, 108, 105-116.	1.5	18
301	Awareness and habit: important factors in physical activity in children. <i>Health Education</i> , 2008, 108, 475-488.	1.5	22
302	Effectiveness of smoking cessation interventions among adults: a systematic review of reviews. <i>European Journal of Cancer Prevention</i> , 2008, 17, 535-544.	2.0	192
303	Socioeconomic Status, Environmental and Individual Factors, and Sports Participation. <i>Medicine and Science in Sports and Exercise</i> , 2008, 40, 71-81.	0.8	128
304	Differences in prevalence of overweight and stunting in 11-year olds across Europe: The Pro Children Study. <i>European Journal of Public Health</i> , 2007, 18, 126-130.	0.3	55
305	THE AUTHORS REPLY. <i>American Journal of Epidemiology</i> , 2007, 166, 616-617.	3.3	2
306	Aging, Retirement, and Changes in Physical Activity: Prospective Cohort Findings from the GLOBE Study. <i>American Journal of Epidemiology</i> , 2007, 165, 1356-1363.	3.3	145

#	ARTICLE	IF	CITATIONS
307	Examining the minimal required elements of a computer-tailored intervention aimed at dietary fat reduction: results of a randomized controlled dismantling study. <i>Health Education Research</i> , 2007, 23, 880-891.	1.5	16
308	Appreciation and implementation of a school-based intervention are associated with changes in fruit and vegetable intake in 10- to 13-year old schoolchildren—the Pro Children study. <i>Health Education Research</i> , 2007, 23, 997-1007.	1.5	60
309	Factorial and convergent validity of nicotine dependence measures in adolescents: Toward a multidimensional approach. <i>Nicotine and Tobacco Research</i> , 2007, 9, 1109-1118.	2.3	27
310	Assessing psychosocial correlates of parental safety behaviour using Protection Motivation Theory: stair gate presence and use among parents of toddlers. <i>Health Education Research</i> , 2007, 23, 723-731.	1.5	18
311	Does habit strength moderate the intention-behaviour relationship in the Theory of Planned Behaviour? The case of fruit consumption. <i>Psychology and Health</i> , 2007, 22, 899-916.	2.5	144
312	Short-term Effects of School-Based Weight Gain Prevention Among Adolescents. <i>JAMA Pediatrics</i> , 2007, 161, 565.	3.8	89
313	Absinthe is its history relevant for current public health?. <i>International Journal of Epidemiology</i> , 2007, 36, 738-744.	4.9	26
314	Testing the transtheoretical model for fruit intake: comparing web-based tailored stage-matched and stage-mismatched feedback. <i>Health Education Research</i> , 2007, 23, 218-227.	1.5	24
315	Association of Eating Attitudes Between Teenage Girls and Their Parents. <i>International Journal of Social Psychiatry</i> , 2007, 53, 507-513.	2.2	26
316	Psychosocial Predictors of Increases in Fruit and Vegetable Consumption. <i>American Journal of Health Behavior</i> , 2007, 31, 135-145.	0.7	9
317	Socioeconomic inequalities in food purchasing: The contribution of respondent-perceived and actual (objectively measured) price and availability of foods. <i>Preventive Medicine</i> , 2007, 45, 41-48.	2.8	149
318	A poster-based intervention to promote stair use in blue- and white-collar worksites. <i>Preventive Medicine</i> , 2007, 45, 177-181.	2.8	39
319	Moderators of Environmental Intervention Effects on Diet and Activity in Youth. <i>American Journal of Preventive Medicine</i> , 2007, 32, 163-172.	3.2	80
320	Young People's Exposure to Loud Music. <i>American Journal of Preventive Medicine</i> , 2007, 33, 124-133.	3.2	68
321	Adolescent screen-viewing behaviour is associated with consumption of sugar-sweetened beverages: The role of habit strength and perceived parental norms. <i>Appetite</i> , 2007, 48, 345-350.	2.8	94
322	Measuring physical activity in field studies: Comparison of a questionnaire, 24-hour recall and an accelerometer. <i>European Journal of Sport Science</i> , 2007, 7, 193-201.	2.5	14
323	ISBNPA 2007: Marketing, serious games and nanny states. Observations from the sixth annual meeting of the International Society of Behavioral Nutrition and Physical Activity, Oslo 2007. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2007, 4, 37.	4.3	0
324	Television viewing and exposure to food-related commercials among European school children, associations with fruit and vegetable intake: a cross sectional study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2007, 4, 46.	4.3	38

#	ARTICLE	IF	CITATIONS
325	The application of a social cognition model in explaining fruit intake in Austrian, Norwegian and Spanish schoolchildren using structural equation modelling. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2007, 4, 57.	4.3	18
326	Precautionary Behavior in Response to Perceived Threat of Pandemic Influenza. <i>Emerging Infectious Diseases</i> , 2007, 13, 1307-1313.	3.8	223
327	Avian Influenza Risk Perception, Europe and Asia. <i>Emerging Infectious Diseases</i> , 2007, 13, 290-293.	3.8	126
328	Presence and use of stair gates in homes with toddlers (11-18 months old). <i>Accident Analysis and Prevention</i> , 2007, 39, 964-968.	5.4	10
329	The Evaluation of a Mass Media Campaign Aimed at Weight Gain Prevention Among Young Dutch Adults. <i>Obesity</i> , 2007, 15, 2780-2789.	4.0	29
330	Environmental correlates of physical activity in youth – a review and update. <i>Obesity Reviews</i> , 2007, 8, 129-154.	7.5	759
331	The NHF-NRC In Balance-project: the application of Intervention Mapping in the development, implementation and evaluation of weight gain prevention at the worksite. <i>Obesity Reviews</i> , 2007, 8, 347-361.	7.5	44
332	Potential environmental determinants of physical activity in adults: a systematic review. <i>Obesity Reviews</i> , 2007, 8, 425-440.	7.5	517
333	Towards an evidence-based guideline for counselling of chronic hepatitis B virus infected patients. <i>Liver International</i> , 2007, 27, 731-732.	3.9	2
334	Using Intervention Mapping to develop a programme to prevent sexually transmittable infections, including HIV, among heterosexual migrant men. <i>BMC Public Health</i> , 2007, 7, .	3.1	40
335	Patterns in sedentary and exercise behaviors and associations with overweight in 9-14-year-old boys and girls - a cross-sectional study.. <i>BMC Public Health</i> , 2007, 7, .	3.1	146
336	Perceived environmental determinants of physical activity and fruit and vegetable consumption among high and low socioeconomic groups in the Netherlands. <i>Health and Place</i> , 2007, 13, 493-503.	3.7	122
337	Training Dietitians in Basic Motivational Interviewing Skills Results in Changes in Their Counseling Style and in Lower Saturated Fat Intakes in Their Patients. <i>Journal of Nutrition Education and Behavior</i> , 2007, 39, 8-12.	0.5	99
338	Differences Between Parents' and Adolescents' Perceptions of Family Food Rules and Availability. <i>Journal of Nutrition Education and Behavior</i> , 2007, 39, 84-89.	0.5	40
339	Risicoperceptie van infecties van mensen door het vogelgriepvirus in Nederland. <i>TSG: Tijdschrift Voor Gezondheidswetenschappen</i> , 2007, 85, 86-91.	0.1	1
340	Evaluation of an interactive computer-tailored nutrition intervention in a real-life setting. <i>Annals of Behavioral Medicine</i> , 2007, 33, 39-48.	2.7	45
341	A computer-tailored dietary fat intake intervention for adolescents: Results of a randomized controlled trial. <i>Annals of Behavioral Medicine</i> , 2007, 34, 253-262.	2.7	42
342	Effects of tailored feedback on multiple health behaviors. <i>Annals of Behavioral Medicine</i> , 2007, 33, 117-123.	2.7	69

#	ARTICLE	IF	CITATIONS
343	Two-year follow-up of sequential and simultaneous interactive computer-tailored interventions for increasing physical activity and decreasing fat intake. <i>Annals of Behavioral Medicine</i> , 2007, 33, 213-219.	2.7	57
344	Feasibility, reliability, and validity of adolescent health status measurement by the Child Health Questionnaire Child Form (CHQ-CF): internet administration compared with the standard paper version. <i>Quality of Life Research</i> , 2007, 16, 675-685.	2.1	84
345	Personal, social and environmental predictors of daily fruit and vegetable intake in 11-year-old children in nine European countries. <i>European Journal of Clinical Nutrition</i> , 2007, 62, 834-841.	2.5	112
346	The 'balance intervention' for promoting caloric compensatory behaviours in response to overeating: a formative evaluation. <i>Health Education Research</i> , 2006, 21, 527-537.	1.5	5
347	Krachtvoer: process evaluation of a Dutch programme for lower vocational schools to promote healthful diet. <i>Health Education Research</i> , 2006, 21, 695-704.	1.5	44
348	A systematic review of environmental correlates of obesity-related dietary behaviors in youth. <i>Health Education Research</i> , 2006, 22, 203-226.	1.5	469
349	Title is missing!. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2006, 3, 13.	4.3	35
350	Title is missing!. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2006, 3, 22.	4.3	849
351	Title is missing!. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2006, 3, 29.	4.3	13
352	Title is missing!. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2006, 3, 31.	4.3	22
353	Title is missing!. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2006, 3, 37.	4.3	17
354	Title is missing!. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2006, 3, 6.	4.3	0
355	Effectiveness of an online computer-tailored physical activity intervention in a real-life setting. <i>Health Education Research</i> , 2006, 22, 385-396.	1.5	161
356	Associations of social-environmental and individual-level factors with adolescent soft drink consumption: results from the SMILE study. <i>Health Education Research</i> , 2006, 22, 227-237.	1.5	81
357	Modeling Individual and Physical Environmental Factors with Adolescent Physical Activity. <i>American Journal of Preventive Medicine</i> , 2006, 30, 507-512.	3.2	68
358	Revisiting Kurt Lewin How to Gain Insight into Environmental Correlates of Obesogenic Behaviors. <i>American Journal of Preventive Medicine</i> , 2006, 31, 525-529.	3.2	95
359	Excuses to continue smoking: The role of disengagement beliefs in smoking cessation. <i>Addictive Behaviors</i> , 2006, 31, 2223-2237.	3.1	36
360	Evaluation of a Dutch Public-Private Partnership to Promote Healthier Diet. <i>American Journal of Health Promotion</i> , 2006, 20, 309-312.	2.3	8

#	ARTICLE	IF	CITATIONS
361	Increased attention for computer-tailored health communications: An event-related potential study.. Health Psychology, 2006, 25, 300-306.	1.6	66
362	Parent and child reports of fruit and vegetable intakes and related family environmental factors show low levels of agreement. Journal of Human Nutrition and Dietetics, 2006, 19, 275-285.	2.4	41
363	Underestimation and overestimation of personal weight status: associations with socio-demographic characteristics and weight maintenance intentions. Journal of Human Nutrition and Dietetics, 2006, 19, 253-262.	2.4	52
364	Unsafe storage of poisons in homes with toddlers. Accident Analysis and Prevention, 2006, 38, 772-776.	5.4	59
365	A systematic review of randomized trials on the effectiveness of computer-tailored education on physical activity and dietary behaviors. Annals of Behavioral Medicine, 2006, 31, 205-223.	2.7	500
366	Do Implementation Intentions Help to Turn Good Intentions into Higher Fruit Intakes?. Journal of Nutrition Education and Behavior, 2006, 38, 25-29.	0.5	60
367	Predicting Fruit Consumption: Cognitions, Intention, and Habits. Journal of Nutrition Education and Behavior, 2006, 38, 73-81.	0.5	151
368	The Reach of a Computer-Tailored Nutrition Education Program in the Dutch Heart Health Community Intervention "Hartslag Limburg". Journal of Nutrition Education and Behavior, 2006, 38, 293-297.	0.5	9
369	Correlates of Fruit and Vegetable Consumption Among 11-Year-Old Belgian-Flemish and Dutch Schoolchildren. Journal of Nutrition Education and Behavior, 2006, 38, 211-221.	0.5	99
370	Parents often do not recognize overweight in their child, regardless of their socio-demographic background. European Journal of Public Health, 2006, 16, 645-647.	0.3	42
371	Feasibility, acceptability, and quality of Internet-administered adolescent health promotion in a preventive-care setting. Health Education Research, 2006, 22, 1-13.	1.5	36
372	Participation rates in worksite-based intervention studies: health promotion context as a crucial quality criterion. Health Promotion International, 2006, 21, 66-69.	2.0	40
373	Comparing stage of change and behavioral intention to understand fruit intake. Health Education Research, 2006, 22, 599-608.	1.5	13
374	Perceived parenting style and practices and the consumption of sugar-sweetened beverages by adolescents. Health Education Research, 2006, 22, 295-304.	1.5	209
375	Stages of change in fruit intake: A longitudinal examination of stability, stage transitions and transition profiles. Psychology and Health, 2005, 20, 415-428.	2.5	20
376	Toothbrushing at school. Health Education, 2005, 105, 53-61.	1.5	19
377	Long-term efficacy of a checklist to improve patient education in cardiology. Patient Education and Counseling, 2005, 56, 240-248.	2.1	20
378	Short-term efficacy of a web-based computer-tailored nutrition intervention: Main Effects and Mediators. Annals of Behavioral Medicine, 2005, 29, 54-63.	2.7	145

#	ARTICLE	IF	CITATIONS
379	Efficacy of sequential or simultaneous interactive computer-tailored interventions for increasing physical activity and decreasing fat intake. <i>Annals of Behavioral Medicine</i> , 2005, 29, 138-146.	2.7	131
380	The impact of a nutrition education intervention on main meal quality and fruit intake in people with financial problems. <i>Journal of Human Nutrition and Dietetics</i> , 2005, 18, 205-212.	2.4	9
381	Determinants of fruit and vegetable consumption among 6-12-year-old children and effective interventions to increase consumption. <i>Journal of Human Nutrition and Dietetics</i> , 2005, 18, 431-443.	2.4	426
382	Netherlands Research programme weight Gain prevention (NHF-NRG): rationale, objectives and strategies. <i>European Journal of Clinical Nutrition</i> , 2005, 59, 498-507.	2.5	41
383	The internet and nutrition education: challenges and opportunities. <i>European Journal of Clinical Nutrition</i> , 2005, 59, S130-S139.	2.5	93
384	Neighbourhood inequalities in physical inactivity: the role of neighbourhood attractiveness, proximity to local facilities and safety in the Netherlands. <i>Social Science and Medicine</i> , 2005, 60, 763-775.	4.1	287
385	The impact of an organ donation registration information program for high school students in the Netherlands. <i>Social Science and Medicine</i> , 2005, 60, 1479-1486.	4.1	61
386	Promoting and sustaining health through increased vegetable and fruit consumption among European schoolchildren: The Pro Children Project. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2005, 13, 97-101.	1.1	6
387	Is personality related to fruit and vegetable intake and physical activity in adolescents?. <i>Health Education Research</i> , 2005, 20, 635-644.	1.5	61
388	How stable are stages of change for nutrition behaviors in the Netherlands?. <i>Health Promotion International</i> , 2005, 20, 27-32.	2.0	33
389	The positive effect on determinants of physical activity of a tailored, general practice-based physical activity intervention. <i>Health Education Research</i> , 2005, 20, 345-356.	1.5	65
390	Determinants of Forward Stage Transition from Precontemplation and Contemplation for Fruit Consumption. <i>American Journal of Health Promotion</i> , 2005, 19, 278-285.	2.3	36
391	Determinants of adolescent bicycle use for transportation and snacking behavior. <i>Preventive Medicine</i> , 2005, 40, 658-667.	2.8	117
392	The Dutch heart health community intervention 'Hartslag Limburg': results of an effect study at organizational level. <i>Public Health</i> , 2005, 119, 353-360.	2.6	5
393	Title is missing!. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2005, 2, 1.	4.3	84
394	SARS Risk Perception, Knowledge, Precautions, and Information Sources, the Netherlands. <i>Emerging Infectious Diseases</i> , 2004, 10, 1486-1489.	3.8	455
395	The Dutch Heart Health community intervention 'Hartslag Limburg': results of an effect study at individual level. <i>Health Promotion International</i> , 2004, 19, 21-31.	2.0	26
396	The Dutch Heart Health Community Intervention 'Hartslag Limburg': design and results of a process study. <i>Health Education Research</i> , 2004, 19, 596-607.	1.5	26

#	ARTICLE	IF	CITATIONS
397	Process evaluation of a school-based education program about organ donation and registration, and the intention for continuance. <i>Health Education Research</i> , 2004, 19, 720-729.	1.5	24
398	Determinants of forward stage transitions: a Delphi study. <i>Health Education Research</i> , 2004, 20, 195-205.	1.5	141
399	The Dutch Heart Health Community Intervention 'Hartslag Limburg': Effects on smoking behaviour. <i>European Journal of Public Health</i> , 2004, 14, 191-193.	0.3	13
400	Acceptability and feasibility of an interactive computer-tailored fat intake intervention in Belgium. <i>Health Promotion International</i> , 2004, 19, 463-470.	2.0	48
401	The impact and evaluation of two school-based interventions on intention to register an organ donation preference. <i>Health Education Research</i> , 2004, 19, 447-456.	1.5	27
402	Dietary intakes of adults in the Netherlands by childhood and adulthood socioeconomic position. <i>European Journal of Clinical Nutrition</i> , 2004, 58, 871-880.	2.5	37
403	Dietary change, nutrition education and chronic obstructive pulmonary disease. <i>Patient Education and Counseling</i> , 2004, 52, 249-257.	2.1	48
404	Unplanned smoking initiation: new insights and implications for interventions. <i>Patient Education and Counseling</i> , 2004, 55, 345-352.	2.1	30
405	The Transtheoretical Model and stages of change: a critique: Observations by five Commentators on the paper by Adams, J. and White, M. (2004) Why don't stage-based activity promotion interventions work?. <i>Health Education Research</i> , 2004, 20, 244-258.	1.5	137
406	Clustering of energy balance-related behaviours and their intrapersonal determinants. <i>Psychology and Health</i> , 2004, 19, 595-606.	2.5	81
407	Explaining fruit and vegetable consumption: the theory of planned behaviour and misconception of personal intake levels. <i>Appetite</i> , 2004, 42, 157-166.	2.8	131
408	Why do diabetic patients not attend appointments with their dietitian?. <i>Journal of Human Nutrition and Dietetics</i> , 2003, 16, 151-158.	2.4	68
409	Feedback strategies to raise awareness of personal dietary intake: results of a randomized controlled trial. <i>Preventive Medicine</i> , 2003, 36, 429-439.	2.8	53
410	Parenting style and adolescent fruit consumption. <i>Appetite</i> , 2003, 41, 43-50.	2.8	352
411	Exploring the occurrence and nature of comparison of one's own perceived dietary fat intake to that of self-selected others. <i>Appetite</i> , 2003, 41, 259-264.	2.8	17
412	The Effects of Practicing Registration of Organ Donation Preference on Self-Efficacy and Registration Intention: An Enactive Mastery Experience. <i>Psychology and Health</i> , 2003, 18, 585-594.	2.5	25
413	The (Ir)Relevance of Framing Nutrition Education Messages. <i>Nutrition and Health</i> , 2003, 17, 9-20.	1.5	33
414	The Dutch heart health community intervention 'Hartslag Limburg': evaluation design and baseline data. <i>Health Education</i> , 2003, 103, 330-341.	1.5	7

#	ARTICLE	IF	CITATIONS
415	Past, present, and future of computer-tailored nutrition education. <i>American Journal of Clinical Nutrition</i> , 2003, 77, 1028S-1034S.	4.7	315
416	A Short Dutch Questionnaire to Measure Fruit and Vegetable Intake: Relative Validity Among Adults and Adolescents. <i>Nutrition and Health</i> , 2002, 16, 85-106.	1.5	170
417	Differences in impact between a family- versus an individual-based tailored intervention to reduce fat intake. <i>Health Education Research</i> , 2002, 17, 435-449.	1.5	28
418	A checklist to improve patient education in a cardiology outpatient setting. <i>Patient Education and Counseling</i> , 2001, 42, 231-238.	2.1	24
419	The relative validity of a short Dutch questionnaire as a means to categorize adults and adolescents to total and saturated fat intake. <i>Journal of Human Nutrition and Dietetics</i> , 2001, 14, 377-390.	2.4	145
420	Framing of nutrition education messages in persuading consumers of the advantages of a healthy diet. <i>Journal of Human Nutrition and Dietetics</i> , 2001, 14, 435-442.	2.4	48
421	Determinants of the intention of Dutch adolescents to register as organ donors. <i>Social Science and Medicine</i> , 2001, 53, 383-392.	4.1	51
422	Stages of change, psychological factors and awareness of physical activity levels in the Netherlands. <i>Health Promotion International</i> , 2001, 16, 305-314.	2.0	169
423	Evoked fear and effects of appeals on attitudes to performing breast self-examination: an information-processing perspective. <i>Health Education Research</i> , 2001, 16, 307-319.	1.5	39
424	Web-based tailored nutrition education: results of a randomized controlled trial. <i>Health Education Research</i> , 2001, 16, 647-660.	1.5	275
425	PREDICTORS OF ORGAN DONATION REGISTRATION AMONG DUTCH ADOLESCENTS. <i>Transplantation</i> , 2001, 72, 51-56.	2.1	25
426	Predictors of willingness to register as an organ donor among dutch adolescents. <i>Psychology and Health</i> , 2000, 15, 357-368.	2.5	62
427	Tailoring dietary feedback to reduce fat intake: an intervention at the family level. <i>Health Education Research</i> , 2000, 15, 449-462.	1.5	67
428	Differences in use and impact of computer-tailored dietary fat-feedback according to stage of change and education. <i>Appetite</i> , 2000, 34, 285-293.	2.8	65
429	Computer-tailored nutrition education: differences between two interventions. <i>Health Education Research</i> , 1999, 14, 249-256.	1.5	68
430	The application and impact of computer-generated personalized nutrition education: A review of the literature. <i>Patient Education and Counseling</i> , 1999, 36, 145-156.	2.1	313
431	An exploratory study into Dutch consumers' experiences with implementing dietary recommendations to reduce fat intake. <i>Journal of Human Nutrition and Dietetics</i> , 1999, 12, 103-112.	2.4	5
432	The Impact of Computer-Tailored Feedback and Iterative Feedback on Fat, Fruit, and Vegetable Intake. <i>Health Education and Behavior</i> , 1998, 25, 517-531.	1.6	234

#	ARTICLE	IF	CITATIONS
433	Nationwide implementation of guided supermarket tours in the Netherlands: a dissemination study. <i>Health Education Research</i> , 1998, 13, 557-566.	1.5	17
434	Fat Watch: A Nationwide Campaign in the Netherlands to Reduce Fat Intakeâ€™Effect Evaluation. <i>Nutrition and Health</i> , 1998, 12, 119-130.	1.5	16
435	Fat Watch: A Nationwide Campaign in the Netherlands to Reduce Fat Intakeâ€™Process Evaluations. <i>Nutrition and Health</i> , 1998, 12, 107-117.	1.5	16
436	Differences in psychosocial factors and fat consumption between stages of change for fat reduction. <i>Psychology and Health</i> , 1997, 12, 719-727.	2.5	45
437	Nutrition Education Interventions in a Community Setting: 2 Dutch Examples. <i>Nutrition and Health</i> , 1997, 12, 45-54.	1.5	5
438	Results of a Community-Based Campaign to Reduce Fat Intake. <i>Nutrition and Health</i> , 1997, 11, 207-218.	1.5	17
439	The Relationship between Self-Efficacy, Attitudes, Intake Compared to Others, Consumption, and Stages of Change Related to Fruit and Vegetables. <i>American Journal of Health Promotion</i> , 1997, 12, 25-30.	2.3	101
440	Misconceptions of Fruit and Vegetable Consumption: Differences between Objective and Subjective Estimation of Intake. <i>Journal of Nutrition Education and Behavior</i> , 1997, 29, 313-320.	1.0	118
441	Consumption of fruit and vegetables: how to motivate the population to change their behavior. <i>Cancer Letters</i> , 1997, 114, 335-336.	8.6	16
442	Are awareness of dietary fat intake and actual fat consumption associated?â€™A Dutch-American Comparison. <i>European Journal of Clinical Nutrition</i> , 1997, 51, 542-547.	2.5	70
443	Validity and Reliability of Self-Reported Exposure to Environmental Tobacco Smoke in Work Offices. <i>Journal of Occupational and Environmental Medicine</i> , 1997, 39, 1111-1114.	1.3	27
444	The Impact of a Computer-Tailored Nutrition Intervention. <i>Preventive Medicine</i> , 1996, 25, 236-242.	2.8	314
445	Psychosocial determinants of fruit and vegetable consumption among adults: Results of focus group interviews. <i>Food Quality and Preference</i> , 1995, 6, 99-107.	4.3	129
446	Psychosocial Determinants of Fruit and Vegetable Consumption. <i>Appetite</i> , 1995, 25, 285-296.	2.8	220
447	Self-rated dietary fat intake: Association with objective assessment of fat, psychosocial factors, and intention to change. <i>Journal of Nutrition Education and Behavior</i> , 1994, 26, 218-223.	1.0	139