

Marloes Dekker Nitert

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3310076/publications.pdf>

Version: 2024-02-01

97
papers

5,958
citations

87888
38
h-index

76900
74
g-index

105
all docs

105
docs citations

105
times ranked

9050
citing authors

#	ARTICLE	IF	CITATIONS
1	Reduced Abundance of Nitrate-Reducing Bacteria in the Oral Microbiota of Women with Future Preeclampsia. <i>Nutrients</i> , 2022, 14, 1139.	4.1	6
2	Impact of Food-Based Weight Loss Interventions on Gut Microbiome in Individuals with Obesity: A Systematic Review. <i>Nutrients</i> , 2022, 14, 1953.	4.1	9
3	The influence of wasabi on the gut microbiota of high-carbohydrate, high-fat diet-induced hypertensive Wistar rats. <i>Journal of Human Hypertension</i> , 2021, 35, 170-180.	2.2	17
4	Maternal overnutrition and mitochondrial function. , 2021, , 265-296.		0
5	Pregnant women who develop preeclampsia have lower abundance of the butyrate-producer <i>Coprococcus</i> in their gut microbiota. <i>Pregnancy Hypertension</i> , 2021, 23, 211-219.	1.4	42
6	Capillary Triglycerides in Late Pregnancyâ€”Challenging to Measure, Hard to Interpret: A Cohort Study of Practicality. <i>Nutrients</i> , 2021, 13, 1266.	4.1	1
7	Probiotics for preventing gestational diabetes. <i>The Cochrane Library</i> , 2021, 2021, CD009951.	2.8	28
8	Maternal gut microbiota displays minor changes in overweight and obese women with GDM. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 2131-2139.	2.6	8
9	Increasing pregnancy duration, fetal and early postnatal growth in LMIC: The importance of a gut microbiome that exploits dietary staples. <i>EBioMedicine</i> , 2021, 69, 103449.	6.1	0
10	Ketones in Pregnancy: Why Is It Considered Necessary to Avoid Them and What Is the Evidence Behind Their Perceived Risk?. <i>Diabetes Care</i> , 2021, 44, 280-289.	8.6	16
11	Consumption of a Low Carbohydrate Diet in Overweight or Obese Pregnant Women Is Associated with Longer Gestation of Pregnancy. <i>Nutrients</i> , 2021, 13, 3511.	4.1	0
12	Reâ€”Assessing microbiomes in the lowâ€”biomass reproductive niche. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2020, 127, 147-158.	2.3	50
13	Pregnancy and diet-related changes in the maternal gut microbiota following exposure to an elevated linoleic acid diet. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2020, 318, E276-E285.	3.5	10
14	The Gut Microbiota and Inflammation: An Overview. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 7618.	2.6	296
15	Altered Gut Microbiota Composition Is Associated With Back Pain in Overweight and Obese Individuals. <i>Frontiers in Endocrinology</i> , 2020, 11, 605.	3.5	39
16	Dietary Fiber Intake Alters Gut Microbiota Composition but Does Not Improve Gut Wall Barrier Function in Women with Future Hypertensive Disorders of Pregnancy. <i>Nutrients</i> , 2020, 12, 3862.	4.1	12
17	Wasabi supplementation alters the composition of the gut microbiota of diet-induced obese rats. <i>Journal of Functional Foods</i> , 2020, 67, 103868.	3.4	13
18	Self-reported periconception weight loss attempts do not alter infant body composition. <i>Nutrition</i> , 2020, 77, 110781.	2.4	1

#	ARTICLE	IF	CITATIONS
19	Ketonuria Is Associated with Changes to the Abundance of Roseburia in the Gut Microbiota of Overweight and Obese Women at 16 Weeks Gestation: A Cross-Sectional Observational Study. <i>Nutrients</i> , 2019, 11, 1836.	4.1	14
20	Glucolipotoxicity Alters Insulin Secretion via Epigenetic Changes in Human Islets. <i>Diabetes</i> , 2019, 68, 1965-1974.	0.6	30
21	Probiotics for the Prevention of Gestational Diabetes Mellitus in Overweight and Obese Women: Findings From the SPRING Double-Blind Randomized Controlled Trial. <i>Diabetes Care</i> , 2019, 42, 364-371.	8.6	125
22	Faecal Microbiota Are Related to Insulin Sensitivity and Secretion in Overweight or Obese Adults. <i>Journal of Clinical Medicine</i> , 2019, 8, 452.	2.4	68
23	Effect of Vitamin D Supplementation on Faecal Microbiota: A Randomised Clinical Trial. <i>Nutrients</i> , 2019, 11, 2888.	4.1	58
24	Knights in Shining Armor. <i>Circulation Research</i> , 2019, 124, 12-14.	4.5	4
25	Prevalence of maternal urinary ketones in pregnancy in overweight and obese women. <i>Obstetric Medicine</i> , 2018, 11, 79-82.	1.1	6
26	Probiotics in the Prevention of Gestational Diabetes Mellitus (GDM). , 2018, , 275-288.		0
27	The effects of high glucose exposure on global gene expression and DNA methylation in human pancreatic islets. <i>Molecular and Cellular Endocrinology</i> , 2018, 472, 57-67.	3.2	72
28	Mid-to-Late Gestational Changes in Inflammatory Gene Expression in the Rat Placenta. <i>Reproductive Sciences</i> , 2018, 25, 222-229.	2.5	3
29	Low dietary fiber intake increases <i>Collinsella</i> abundance in the gut microbiota of overweight and obese pregnant women. <i>Gut Microbes</i> , 2018, 9, 189-201.	9.8	233
30	Placental mitochondrial adaptations in preeclampsia associated with progression to term delivery. <i>Cell Death and Disease</i> , 2018, 9, 1150.	6.3	63
31	Iron supplementation has minor effects on gut microbiota composition in overweight and obese women in early pregnancy. <i>British Journal of Nutrition</i> , 2018, 120, 283-289.	2.3	20
32	A Vegetarian Diet Is a Major Determinant of Gut Microbiota Composition in Early Pregnancy. <i>Nutrients</i> , 2018, 10, 890.	4.1	82
33	Review: Is rapid fat accumulation in early life associated with adverse later health outcomes?. <i>Placenta</i> , 2017, 54, 125-130.	1.5	14
34	Review: Alterations in placental glycogen deposition in complicated pregnancies: Current preclinical and clinical evidence. <i>Placenta</i> , 2017, 54, 52-58.	1.5	58
35	Antibiotic treatment at delivery shapes the initial oral microbiome in neonates. <i>Scientific Reports</i> , 2017, 7, 43481.	3.3	72
36	Contributions of the maternal oral and gut microbiome to placental microbial colonization in overweight and obese pregnant women. <i>Scientific Reports</i> , 2017, 7, 2860.	3.3	120

#	ARTICLE	IF	CITATIONS
37	Review: Maternal health and the placental microbiome. Placenta, 2017, 54, 30-37.	1.5	129
38	Review: Placental transport and metabolism of energy substrates in maternal obesity and diabetes. Placenta, 2017, 54, 59-67.	1.5	56
39	Review: Placental mitochondrial function and structure in gestational disorders. Placenta, 2017, 54, 2-9.	1.5	151
40	Home Monitoring of Fasting and Postprandial Triglycerides in Late Pregnancy: A Pilot Study. Diabetes Care, 2017, 40, e1-e2.	8.6	5
41	Successful vaginal delivery following spontaneous adrenal haemorrhage at term. BMJ Case Reports, 2016, 2016, bcr2016215096.	0.5	1
42	Prenatal Exposures to Multiple Thyroid Hormone Disruptors: Effects on Glucose and Lipid Metabolism. Journal of Thyroid Research, 2016, 2016, 1-14.	1.3	11
43	Connections Between the Gut Microbiome and Metabolic Hormones in Early Pregnancy in Overweight and Obese Women. Diabetes, 2016, 65, 2214-2223.	0.6	223
44	Increased Systolic and Diastolic Blood Pressure Is Associated With Altered Gut Microbiota Composition and Butyrate Production in Early Pregnancy. Hypertension, 2016, 68, 974-981.	2.7	293
45	CART is overexpressed in human type 2 diabetic islets and inhibits glucagon secretion and increases insulin secretion. Diabetologia, 2016, 59, 1928-1937.	6.3	24
46	Serotonin (5-HT) receptor 2b activation augments glucose-stimulated insulin secretion in human and mouse islets of Langerhans. Diabetologia, 2016, 59, 744-754.	6.3	64
47	The rat placental renin-angiotensin system - a gestational gene expression study. Reproductive Biology and Endocrinology, 2015, 13, 89.	3.3	15
48	Placental lipase expression in pregnancies complicated by preeclampsia: a caseâ€“control study. Reproductive Biology and Endocrinology, 2015, 13, 100.	3.3	10
49	Gestation Related Gene Expression of the Endocannabinoid Pathway in Rat Placenta. Mediators of Inflammation, 2015, 2015, 1-9.	3.0	11
50	Exercise in pregnancy does not alter gestational weight gain, <scp>MCP</scp>â€“1 or leptin in obese women. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2015, 55, 27-33.	1.0	33
51	Rapid method for growth hormone receptor exon 3 delete (GHRd3) SNP genotyping from archival human placental samples. Endocrine, 2015, 49, 643-652.	2.3	3
52	Placental fibroblast growth factor 21 is not altered in late-onset preeclampsia. Reproductive Biology and Endocrinology, 2015, 13, 14.	3.3	11
53	Less pronounced response to exercise in healthy relatives to type 2 diabetic subjects compared with controls. Journal of Applied Physiology, 2015, 119, 953-960.	2.5	13
54	Altered serotonin (5-HT) 1D and 2A receptor expression may contribute to defective insulin and glucagon secretion in human type 2 diabetes. Peptides, 2015, 71, 113-120.	2.4	82

#	ARTICLE	IF	CITATIONS
55	Rapid method for Growth Hormone Receptor exon 3 delete (GHR d3) SNP genotyping from archival human placental samples. Placenta, 2015, 36, A19.	1.5	0
56	Probiotics and Pregnancy. Current Diabetes Reports, 2015, 15, 567.	4.2	33
57	Periconception Weight Loss: Common Sense for Mothers, but What about for Babies?. Journal of Obesity, 2014, 2014, 1-10.	2.7	17
58	Effects of palmitate on genome-wide mRNA expression and DNA methylation patterns in human pancreatic islets. BMC Medicine, 2014, 12, 103.	5.5	123
59	Validation of a triglyceride meter for use in pregnancy. BMC Research Notes, 2014, 7, 679.	1.4	7
60	Differential response to lipopolysaccharide by JEG-3 and BeWo human choriocarcinoma cell lines. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2014, 175, 129-133.	1.1	18
61	Normalizing Metabolism in Diabetic Pregnancy: Is It Time to Target Lipids?. Diabetes Care, 2014, 37, 1484-1493.	8.6	110
62	Increased Placental Expression of Fibroblast Growth Factor 21 in Gestational Diabetes Mellitus. Journal of Clinical Endocrinology and Metabolism, 2014, 99, E591-E598.	3.6	39
63	Probiotics for preventing gestational diabetes. The Cochrane Library, 2014, , CD009951.	2.8	56
64	Maternal lipids in pre-eclampsia: innocent bystander or culprit?. Hypertension in Pregnancy, 2014, 33, 508-523.	1.1	18
65	Expression of placental fibroblast growth factor 21 (FGF21) is increased in placental tissue from pregnancies with preeclampsia. Placenta, 2014, 35, A84.	1.5	1
66	20. Preconception care and barriers to addressing overweight and obesity: a focus on weight loss advice and weight loss strategies. Human Health Handbooks, 2014, , 327-342.	0.1	0
67	Placental Lipases in Pregnancies Complicated by Gestational Diabetes Mellitus (GDM). PLoS ONE, 2014, 9, e104826.	2.5	33
68	DNA methylation of the glucagon-like peptide 1 receptor (GLP1R) in human pancreatic islets. BMC Medical Genetics, 2013, 14, 76.	2.1	86
69	SPRING: an RCT study of probiotics in the prevention of gestational diabetes mellitus in overweight and obese women. BMC Pregnancy and Childbirth, 2013, 13, 50.	2.4	76
70	Determinants of Maternal Triglycerides in Women With Gestational Diabetes Mellitus in the Metformin in Gestational Diabetes (MiG) Study. Diabetes Care, 2013, 36, 1941-1946.	8.6	27
71	Does a history of hypertensive disorders of pregnancy help predict future essential hypertension? Findings from a prospective pregnancy cohort study. Journal of Human Hypertension, 2013, 27, 309-314.	2.2	16
72	Insights Into the Molecular Mechanism for Type 2 Diabetes Susceptibility at the <i>KCNQ1</i> Locus From Temporal Changes in Imprinting Status in Human Islets. Diabetes, 2013, 62, 987-992.	0.6	112

#	ARTICLE	IF	CITATIONS
73	Maternal high-fat diet alters expression of pathways of growth, blood supply and arachidonic acid in rat placenta. <i>Journal of Nutritional Science</i> , 2013, 2, e41.	1.9	7
74	A Six Months Exercise Intervention Influences the Genome-wide DNA Methylation Pattern in Human Adipose Tissue. <i>PLoS Genetics</i> , 2013, 9, e1003572.	3.5	502
75	Maternal and Neonatal Circulating Markers of Metabolic and Cardiovascular Risk in the Metformin in Gestational Diabetes (MiG) Trial. <i>Diabetes Care</i> , 2013, 36, 529-536.	8.6	39
76	Coordinate Changes in Histone Modifications, mRNA Levels, and Metabolite Profiles in Clonal INS-1 832/13 Î²-Cells Accompany Functional Adaptations to Lipotoxicity. <i>Journal of Biological Chemistry</i> , 2013, 288, 11973-11987.	3.4	66
77	The Effect of Gestational Age on Angiogenic Gene Expression in the Rat Placenta. <i>PLoS ONE</i> , 2013, 8, e83762.	2.5	14
78	A fifteen-year retrospective review of obstetric patients requiring critical care. <i>Obstetric Medicine</i> , 2012, 5, 166-170.	1.1	4
79	Impact of an Exercise Intervention on DNA Methylation in Skeletal Muscle From First-Degree Relatives of Patients With Type 2 Diabetes. <i>Diabetes</i> , 2012, 61, 3322-3332.	0.6	334
80	First-Degree Relatives of Type 2 Diabetic Patients Have Reduced Expression of Genes Involved in Fatty Acid Metabolism in Skeletal Muscle. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, E1332-E1337.	3.6	21
81	Probiotics: a potential role in the prevention of gestational diabetes?. <i>Acta Diabetologica</i> , 2012, 49, 1-13.	2.5	33
82	Increased DNA Methylation and Decreased Expression of PDX-1 in Pancreatic Islets from Patients with Type 2 Diabetes. <i>Molecular Endocrinology</i> , 2012, 26, 1203-1212.	3.7	256
83	Regulation of core clock genes in human islets. <i>Metabolism: Clinical and Experimental</i> , 2012, 61, 978-985.	3.4	84
84	Maternal diet and aging alter the epigenetic control of a promoterâ€“enhancer interaction at the <i>Hnf4a</i> gene in rat pancreatic islets. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 5449-5454.	7.1	311
85	A Common Variant in TFB1M Is Associated with Reduced Insulin Secretion and Increased Future Risk of Type 2 Diabetes. <i>Cell Metabolism</i> , 2011, 13, 80-91.	16.2	81
86	Nesfatin-1 stimulates glucagon and insulin secretion and beta cell NUCB2 is reduced in human type 2 diabetic subjects. <i>Cell and Tissue Research</i> , 2011, 346, 393-405.	2.9	68
87	Insulin promoter DNA methylation correlates negatively with insulin gene expression and positively with HbA1c levels in human pancreatic islets. <i>Diabetologia</i> , 2011, 54, 360-367.	6.3	219
88	Overweight and obesity knowledge prior to pregnancy: a survey study. <i>BMC Pregnancy and Childbirth</i> , 2011, 11, 96.	2.4	33
89	Epigenetics and Type 2 Diabetes. , 2011, , 135-145.		1
90	Decreased expression of genes involved in oxidative phosphorylation in human pancreatic islets from patients with type 2 diabetes. <i>European Journal of Endocrinology</i> , 2011, 165, 589-595.	3.7	64

#	ARTICLE	IF	CITATIONS
91	Apelin is a novel islet peptide. <i>Regulatory Peptides</i> , 2010, 162, 44-51.	1.9	64
92	A beta cell-specific knockout of hormone-sensitive lipase in mice results in hyperglycaemia and disruption of exocytosis. <i>Diabetologia</i> , 2009, 52, 271-280.	6.3	45
93	CaV1.2 rather than CaV1.3 is coupled to glucose-stimulated insulin secretion in INS-1 832/13 cells. <i>Journal of Molecular Endocrinology</i> , 2008, 41, 1-11.	2.5	39
94	Rat insulin promoter 2-Cre recombinase mice bred onto a pure C57BL/6J background exhibit unaltered glucose tolerance. <i>Journal of Endocrinology</i> , 2007, 194, 551-555.	2.6	28
95	Characterisation of receptors for IGF-I and insulin; evidence for hybrid insulin/IGF-I receptor in human coronary artery endothelial cells. <i>Growth Hormone and IGF Research</i> , 2006, 16, 258-266.	1.1	27
96	Enhanced mitochondrial metabolism may account for the adaptation to insulin resistance in islets from C57BL/6J mice fed a high-fat diet. <i>Diabetologia</i> , 2006, 50, 74-83.	6.3	61
97	IGF-I/insulin hybrid receptors in human endothelial cells. <i>Molecular and Cellular Endocrinology</i> , 2005, 229, 31-37.	3.2	53