

# Jiaqi Fan

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3310081/publications.pdf>

Version: 2024-02-01

14  
papers

166  
citations

1478505

6  
h-index

1199594

12  
g-index

19  
all docs

19  
docs citations

19  
times ranked

261  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Brain Injury After Transcatheter Replacement of Bicuspid Versus Tricuspid Aortic Valves. <i>Journal of the American College of Cardiology</i> , 2020, 76, 2579-2590.   | 2.8 | 32        |
| 2  | Impact of tricuspid regurgitation and right ventricular dysfunction on outcomes after transcatheter aortic valve replacement: A systematic review and meta-analysis. <i>Clinical Cardiology</i> , 2019, 42, 206-212.   | 1.8 | 29        |
| 3  | Left ventricular remodeling and dysfunction in obstructive sleep apnea. <i>Herz</i> , 2020, 45, 726-738.   | 1.1 | 28        |
| 4  | Meta-analysis of Predictors of Early Severe Bleeding in Patients Who Underwent Transcatheter Aortic Valve Implantation. <i>American Journal of Cardiology</i> , 2017, 120, 655-661.  | 1.6 | 20        |
| 5  | Oncologic Outcome and Immune Responses of Radiotherapy with Anti-PD-1 Treatment for Brain Metastases Regarding Timing and Benefiting Subgroups. <i>Cancers</i> , 2022, 14, 1240.   | 3.7 | 12        |
| 6  | The Predictors of Conduction Disturbances Following Transcatheter Aortic Valve Replacement in Patients With Bicuspid Aortic Valve: A Multicenter Study. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 757190.   | 2.4 | 8         |
| 7  | Aldo-keto reductase family 1 member B induces aortic valve calcification by activating hippo signaling in valvular interstitial cells. <i>Journal of Molecular and Cellular Cardiology</i> , 2021, 150, 54-64.   | 1.9 | 7         |
| 8  | Wearable Smartwatch Facilitated Remote Health Management for Patients Undergoing Transcatheter Aortic Valve Replacement. <i>Journal of the American Heart Association</i> , 2022, 11, e023219.   | 3.7 | 7         |
| 9  | Fluorescein sodium loaded by polyethyleneimine for fundus fluorescein angiography improves adhesion. <i>Nanomedicine</i> , 2019, 14, 2595-2611.  | 3.3 | 5         |
| 10 | Validation of a novel staging classification system based on the extent of cardiac damage among Chinese patients after transcatheter aortic valve replacement: A single-center retrospective study. <i>Catheterization and Cardiovascular Interventions</i> , 2022, 99, 1482-1489. | 1.7 | 4         |
| 11 | Sealing Behavior in Transcatheter Bicuspid and Tricuspid Aortic Valves Replacement Through Patient-Specific Computational Modeling. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 732784.   | 2.4 | 3         |
| 12 | True cost of surgical aortic valve replacement and implications for price setting and diagnosis-related groups: evidence from a tertiary hospital in Eastern China. <i>Journal of Comparative Effectiveness Research</i> , 2021, 10, 697-708.                                      | 1.4 | 2         |
| 13 | Novel apical-to-femoral rail technique for horizontal aorta in transcatheter aortic valve replacement. <i>Journal of Zhejiang University: Science B</i> , 2022, 23, 613-616.   | 2.8 | 2         |
| 14 |  |     |           |