

Yair Lotan

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/331183/yair-lotan-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

568
papers

27,412
citations

83
h-index

146
g-index

622
ext. papers

32,990
ext. citations

4.7
avg, IF

6.92
L-index

#	Paper	IF	Citations
568	Prognostic value of hepatocyte growth factor for muscle-invasive bladder cancer.. <i>Journal of Cancer Research and Clinical Oncology</i> , 2022 , 1	4.9	1
567	Discomfort and relieving factors among patients with bladder cancer undergoing office-based cystoscopy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2022 , 40, 9.e19-9.e27	2.8	1
566	Identifying the Optimal Number of Neoadjuvant Chemotherapy Cycles in Patients with Muscle Invasive Bladder Cancer. <i>Journal of Urology</i> , 2022 , 207, 70-76	2.5	1
565	Diagnostic and Cost Implications of the 2020 AUA Microhematuria Guidelines: Modeling Impact in a Large Public Health Care System. <i>Journal of Urology</i> , 2022 , 207, 52-60	2.5	1
564	Dose-Intensified Stereotactic Ablative Radiation for Localized Prostate Cancer.. <i>Frontiers in Oncology</i> , 2022 , 12, 779182	5.3	
563	TROP2 Expression Across Molecular Subtypes of Urothelial Carcinoma and Enfortumab Vedotin-resistant Cells.. <i>European Urology Oncology</i> , 2022 ,	6.7	4
562	Actionable genomic landscapes from a real-world cohort of localized urothelial carcinoma patients.. <i>Journal of Clinical Oncology</i> , 2022 , 40, 525-525	2.2	
561	PD-L1 expression and BCG response in nonmuscle invasive bladder cancer.. <i>Journal of Clinical Oncology</i> , 2022 , 40, 545-545	2.2	0
560	VAX014 for instillation in subjects with nonmuscle-invasive bladder cancer.. <i>Journal of Clinical Oncology</i> , 2022 , 40, 488-488	2.2	0
559	Prognostic Role of Preoperative Vascular Cell Adhesion Molecule-1 Plasma Levels in Urothelial Carcinoma of the Bladder Treated With Radical Cystectomy.. <i>Annals of Surgical Oncology</i> , 2022 , 1	3.1	2
558	The Search for the Optimal cut-off Value of p53-Immunohistochemistry to Predict Prognosis of Invasive Bladder Cancer: A Multi-Center, Multi-Laboratory Analysis.. <i>International Journal of Surgical Pathology</i> , 2022 , 10668969221095173	1.2	0
557	ASO Visual Abstract: Prognostic Role of Preoperative Vascular Cell Adhesion Molecule-1 Plasma Levels in Urothelial Carcinoma of the Bladder Treated with Radical Cystectomy.. <i>Annals of Surgical Oncology</i> , 2022 , 1	3.1	
556	Perioperative outcomes and cost of robotic vs open simple prostatectomy in the modern robotic era: results from the National Inpatient Sample. <i>BJU International</i> , 2021 , 128, 168-177	5.6	5
555	The Value of Preoperative Plasma VEGF Levels in Urothelial Carcinoma of the Bladder Treated with Radical Cystectomy. <i>European Urology Focus</i> , 2021 ,	5.1	1
554	Diagnostic Accuracy of Novel Urinary Biomarker Tests in Non-muscle-invasive Bladder Cancer: A Systematic Review and Network Meta-analysis. <i>European Urology Oncology</i> , 2021 ,	6.7	5
553	Prognostic Factors for Contralateral Recurrence of Upper Tract Urothelial Carcinoma after Nephroureterectomy: A Large Multiregional Study. <i>Cancers</i> , 2021 , 13,	6.6	3
552	The early impact of medicaid expansion on urologic malignancies in the United States. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 40, 103.e1-103.e1	2.8	0

551	Utility of Blue Light Cystoscopy for Post-bacillus Calmette-Guérin Bladder Cancer Recurrence Detection: Implications for Clinical Trial Recruitment and Study Comparisons. <i>Journal of Urology</i> , 2021 , 101097JU0000000000002308	2.5	0
550	Patients with Muscle-Invasive Bladder Cancer with Nonluminal Subtype Derive Greatest Benefit from Platinum Based Neoadjuvant Chemotherapy. <i>Journal of Urology</i> , 2021 , 101097JU0000000000002267	2.5	3
549	Role of blue-light cystoscopy in detecting invasive bladder tumours: data from a multi-institutional registry. <i>BJU International</i> , 2021 ,	5.6	1
548	Validation of testicular germ cell tumor staging in nationwide cancer registries. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 838.e1-838.e6	2.8	0
547	Pre-therapy serum albumin-to-globulin ratio in patients treated with neoadjuvant chemotherapy and radical nephroureterectomy for upper tract urothelial carcinoma. <i>World Journal of Urology</i> , 2021 , 39, 2567-2577	4	3
546	Impact of circulating microRNA test (miRNA-371a-3p) on appropriateness of treatment and cost outcomes in patients with Stage I non-seminomatous germ cell tumours. <i>BJU International</i> , 2021 , 128, 57-64	5.6	5
545	Neoadjuvant chemotherapy plus radical cystectomy versus radical cystectomy alone in clinical T2 bladder cancer without hydronephrosis. <i>BJU International</i> , 2021 , 128, 79-87	5.6	7
544	Population-based analysis of cost and peri-operative outcomes between open and robotic primary retroperitoneal lymph node dissection for germ cell tumors. <i>World Journal of Urology</i> , 2021 , 39, 1977-1984	4	2
543	Survival by T Stage for Patients with Localized Bladder Cancer: Implications for Future Screening Trials. <i>Bladder Cancer</i> , 2021 , 7, 23-31	1	0
542	Magnetic Resonance Imaging-Guided Transurethral Ultrasound Ablation of Prostate Cancer. <i>Journal of Urology</i> , 2021 , 205, 769-779	2.5	11
541	Reply by Authors. <i>Journal of Urology</i> , 2021 , 205, 779	2.5	1
540	MicroRNA-940 as a Potential Serum Biomarker for Prostate Cancer. <i>Frontiers in Oncology</i> , 2021 , 11, 628094	3.4	3
539	Simple Nephrectomy in a Tertiary Care Safety Net Hospital-Patient Characteristics, Causes, Cost, and Renal Function Implications. <i>Urology</i> , 2021 , 149, 98-102	1.6	0
538	Urinary-based tumor markers enhance microhematuria risk stratification according to baseline bladder cancer prevalence. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 787.e1-787.e7	2.8	1
537	Urine protein biomarkers of bladder cancer arising from 16-plex antibody-based screens. <i>Oncotarget</i> , 2021 , 12, 783-790	3.3	1
536	Serum Small RNA Sequencing and miR-375 Assay Do Not Identify the Presence of Pure Teratoma at Postchemotherapy Retroperitoneal Lymph Node Dissection. <i>European Urology Open Science</i> , 2021 , 26, 83-87	0.9	6
535	Impact of preoperative plasma levels of interleukin 6 and interleukin 6 soluble receptor on disease outcomes after radical cystectomy for bladder cancer. <i>Cancer Immunology, Immunotherapy</i> , 2021 , 1	7.4	2
534	Longitudinal follow-up and performance validation of an mRNA-based urine test (Xpert Bladder Cancer Monitor) for surveillance in patients with non-muscle-invasive bladder cancer. <i>BJU International</i> , 2021 , 128, 713-721	5.6	5

533	Evaluation of the New American Urological Association Guidelines Risk Classification for Hematuria. <i>Journal of Urology</i> , 2021 , 205, 1387-1393	2.5	4
532	Enhanced Endoscopy with IMAGE1 S CHROMA Improves Detection of Nonmuscle Invasive Bladder Cancer During Transurethral Resection. <i>Journal of Endourology</i> , 2021 , 35, 647-651	2.7	1
531	Heterogeneity in Expression Across Molecular Subtypes of Urothelial Cancer Mediates Sensitivity to Enfortumab Vedotin. <i>Clinical Cancer Research</i> , 2021 , 27, 5123-5130	12.9	13
530	Prognostic Impact of Preoperative Plasma Levels of Urokinase Plasminogen Activator Proteins on Disease Outcomes after Radical Cystectomy. <i>Journal of Urology</i> , 2021 , 206, 1122-1131	2.5	2
529	Metastasis-directed radiation therapy after radical cystectomy for bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 790.e1-790.e7	2.8	2
528	Interethnic differences in the impact of body mass index on upper tract urothelial carcinoma following radical nephroureterectomy. <i>World Journal of Urology</i> , 2021 , 39, 491-500	4	1
527	Robotic Nephroureterectomy Laparoscopic Nephroureterectomy: Increased Utilization, Rates of Lymphadenectomy, Decreased Morbidity Robotically. <i>Journal of Endourology</i> , 2021 , 35, 312-318	2.7	6
526	Prospective evaluation of blue-light flexible cystoscopy with hexaminolevulinate in non-muscle-invasive bladder cancer. <i>BJU International</i> , 2021 , 127, 108-113	5.6	3
525	Comparative effectiveness of neoadjuvant chemotherapy in bladder and upper urinary tract urothelial carcinoma. <i>BJU International</i> , 2021 , 127, 528-537	5.6	1
524	Intravesical nadofaragene firadenovec gene therapy for BCG-unresponsive non-muscle-invasive bladder cancer: a single-arm, open-label, repeat-dose clinical trial. <i>Lancet Oncology</i> , 2021 , 22, 107-117	21.7	53
523	Validation of an mRNA-based Urine Test for the Detection of Bladder Cancer in Patients with Haematuria. <i>European Urology Oncology</i> , 2021 , 4, 93-101	6.7	13
522	Value of tumour-infiltrating immune cells in predicting response to intravesical BCG in patients with non-muscle-invasive bladder cancer: a systematic review and meta-analysis. <i>BJU International</i> , 2021 , 127, 617-625	5.6	3
521	Using Urinary Biomarkers in Urothelial Carcinoma of the Bladder and Upper Tracts 2021 , 21-31		
520	Decision Analysis Model Comparing Cost of IsoPSA vs Repeat Biopsy for Detection of Clinically Significant Prostate Cancer in Men with Previous Negative Findings on Biopsy. <i>Urology Practice</i> , 2021 , 8, 40-46	0.8	0
519	Bladder Cancer Tissue-Based Biomarkers. <i>Société Internationale Durologie Journal</i> , 2021 , 2, 53-71	0.1	
518	Real-World Application of Pre-Orchiectomy miR-371a-3p Test in Testicular Germ Cell Tumor Management. <i>Journal of Urology</i> , 2021 , 205, 137-144	2.5	9
517	Validation of testicular germ cell tumor (GCT) staging in nationwide cancer registries.. <i>Journal of Clinical Oncology</i> , 2021 , 39, 383-383	2.2	
516	Risk factors associated with positive surgical margins' location at radical cystectomy and their impact on bladder cancer survival. <i>World Journal of Urology</i> , 2021 , 39, 4363-4371	4	2

515	Fibroblast growth factor receptor: A systematic review and meta-analysis of prognostic value and therapeutic options in patients with urothelial bladder carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 409-421	2.8	7
514	Molecular Characterization of Residual Bladder Cancer after Neoadjuvant Pembrolizumab. <i>European Urology</i> , 2021 , 80, 149-159	10.2	5
513	A Randomized Feasibility Trial Comparing Surveillance Regimens for Patients with Low and Low-Intermediate Risk Non-Muscle Invasive Bladder Cancer. <i>Bladder Cancer</i> , 2021 , 7, 285-295	1	0
512	Association of age with response to preoperative chemotherapy in patients with muscle-invasive bladder cancer. <i>World Journal of Urology</i> , 2021 , 39, 4345-4354	4	2
511	Alternating Cystoscopy with Bladder EpiCheck [®] in the Surveillance of Low-Grade Intermediate-Risk NMIBC: A Cost Comparison Model. <i>Bladder Cancer</i> , 2021 , 7, 307-315	1	1
510	The Diagnostic Performance of Cxbladder Resolve, Alone and in Combination with Other Cxbladder Tests, in the Identification and Priority Evaluation of Patients at Risk for Urothelial Carcinoma. <i>Journal of Urology</i> , 2021 , 206, 1380-1389	2.5	1
509	A Multi-Institutional Phase 2 Trial of High-Dose SAbR for Prostate Cancer Using Rectal Spacer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2021 , 111, 101-109	4	7
508	Molecular subtyping and immune-gene signatures identify a subset of early bladder tumors as candidates for single-agent immune-checkpoint inhibition. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 734.e11-734.e17	2.8	2
507	Re: ctDNA Guiding Adjuvant Immunotherapy in Urothelial Carcinoma. <i>European Urology</i> , 2021 , 80, 517-518.2	18.2	
506	Prognostic markers in invasive bladder cancer: FGFR3 mutation status versus P53 and KI-67 expression: a multi-center, multi-laboratory analysis in 1058 radical cystectomy patients.. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 ,	2.8	2
505	Pathologic stage as a surrogate for oncologic outcomes after receipt of neoadjuvant chemotherapy for high-grade upper tract urothelial carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 933.e7-933.e12	2.8	4
504	Intraoperative prophylactic intravesical chemotherapy to reduce bladder recurrence following radical nephroureterectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 737.e11-737.e14	2.8	4
503	Impact of sex on response to neoadjuvant chemotherapy in patients with bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 639.e1-639.e9	2.8	7
502	Novel technologies that change the diagnostic and treatment paradigm in urology: standard turbt remains the standard. <i>Current Opinion in Urology</i> , 2020 , 30, 477-478	2.8	
501	Improved survival after cytoreductive nephrectomy for metastatic renal cell carcinoma in the contemporary immunotherapy era: An analysis of the National Cancer Database. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 604.e9-604.e17	2.8	25
500	Validation of Hyponatremia as a Prognostic Predictor in Multiregional Upper Tract Urothelial Carcinoma. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	2
499	Distribution of Molecular Subtypes in Muscle-invasive Bladder Cancer Is Driven by Sex-specific Differences. <i>European Urology Oncology</i> , 2020 , 3, 420-423	6.7	11
498	Financial Considerations in the Management of Small Renal Masses 2020 , 31-40		

497	Urinary-Based Markers for Bladder Cancer Detection. <i>Société Internationale Durologie Journal</i> , 2020 , 1, 49-61	0.1	
496	Clinical Utility of Bladder Cancer Biomarkers. <i>Société Internationale Durologie Journal</i> , 2020 , 1, 62-67	0.1	
495	Reply by Authors. <i>Journal of Urology</i> , 2020 , 204, 246	2.5	
494	A Genomic Classifier for Predicting Clinically Aggressive Luminal Bladder Tumors with Higher Rates of Pathological Up Staging. <i>Journal of Urology</i> , 2020 , 204, 239-246	2.5	2
493	Microhematuria: AUA/SUFU Guideline. <i>Journal of Urology</i> , 2020 , 204, 778-786	2.5	43
492	Implementation of a Urology E-Consult Service at a Safety Net County Hospital. <i>Urology Practice</i> , 2020 , 7, 448-453	0.8	2
491	Serum MicroRNA-371a-3p Levels Predict Viable Germ Cell Tumor in Chemotherapy-naïve Patients Undergoing Retroperitoneal Lymph Node Dissection. <i>European Urology</i> , 2020 , 77, 290-292	10.2	21
490	The prognostic value of the neutrophil-to-lymphocyte ratio in patients with muscle-invasive bladder cancer treated with neoadjuvant chemotherapy and radical cystectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 3.e17-3.e27	2.8	15
489	PTRF independently predicts progression and survival in multiracial upper tract urothelial carcinoma following radical nephroureterectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 496-505	2.8	2
488	Validation of a neuroendocrine-like classifier confirms poor outcomes in patients with bladder cancer treated with cisplatin-based neoadjuvant chemotherapy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 262-268	2.8	9
487	Clinical Utility of a Genomic Classifier in Men Undergoing Radical Prostatectomy: The PRO-IMPACT Trial. <i>Practical Radiation Oncology</i> , 2020 , 10, e82-e90	2.8	7
486	Critical treatment choices for patients with platinum-refractory urothelial carcinoma. <i>Lancet Oncology</i> , 2020 , 21, 11-13	21.7	1
485	Non-visible haematuria for the Detection of Bladder, Upper Tract, and Kidney Cancer: An Updated Systematic Review and Meta-analysis. <i>European Urology</i> , 2020 , 77, 583-598	10.2	16
484	Trends in urologic oncology clinical practice and medical education under COVID-19 pandemic: An international survey of senior clinical and academic urologists. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 929.e1-929.e10	2.8	3
483	Does grossly complete transurethral resection improve response to neoadjuvant chemotherapy?. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 736.e11-736.e18	2.8	2
482	Initial Results from the M-STONE Group: A Multi-Center Collaboration to Study Treatment Outcomes in Nephrolithiasis Evaluation. <i>Journal of Endourology</i> , 2020 , 34, 919-923	2.7	1
481	Overcoming sociodemographic factors in the care of patients with testicular cancer at a safety net hospital. <i>Cancer</i> , 2020 , 126, 4362-4370	6.4	6
480	The Significance of Preoperative Serum Sodium and Hemoglobin in Outcomes of Upper Tract Urothelial Carcinoma: Multi-Center Analysis Between China and the United States. <i>Cancer Management and Research</i> , 2020 , 12, 9825-9836	3.6	2

479	Nationwide Patterns of Care for Stage II Nonseminomatous Germ Cell Tumor of the Testicle. <i>European Urology Oncology</i> , 2020 , 3, 198-206	6.7	3
478	Epigenetic loss of AOX1 expression via EZH2 leads to metabolic deregulations and promotes bladder cancer progression. <i>Oncogene</i> , 2020 , 39, 6265-6285	9.2	18
477	Uptake of HDL-cholesterol contributes to lipid accumulation in clear cell renal cell carcinoma. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2019 , 1864, 158525	5	13
476	Evaluation of Cxbladder and Adjudication of Atypical Cytology and Equivocal Cystoscopy. <i>European Urology</i> , 2019 , 76, 238-243	10.2	15
475	Molecular Subtyping of Clinically Localized Urothelial Carcinoma Reveals Lower Rates of Pathological Upstaging at Radical Cystectomy Among Luminal Tumors. <i>European Urology</i> , 2019 , 76, 200-206	10.2	24
474	Blue light flexible cystoscopy with hexaminolevulinate in non-muscle-invasive bladder cancer: review of the clinical evidence and consensus statement on optimal use in the USA - update 2018. <i>Nature Reviews Urology</i> , 2019 , 16, 377-386	5.5	30
473	Multi-omics Integration Analysis Robustly Predicts High-Grade Patient Survival and Identifies CPT1B Effect on Fatty Acid Metabolism in Bladder Cancer. <i>Clinical Cancer Research</i> , 2019 , 25, 3689-3701	12.9	45
472	Delivery of Bottled Water to Women With Recurrent Urinary Tract Infections: Why in Bulgaria?-Reply. <i>JAMA Internal Medicine</i> , 2019 , 179, 449	11.5	
471	Expression and prognostic utility of PD-L1 in patients with squamous cell carcinoma of the bladder. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019 , 37, 478-484	2.8	7
470	Predicting recurrence in patients with localised renal cell carcinoma after nephrectomy. <i>Lancet Oncology, The</i> , 2019 , 20, 473-475	21.7	2
469	Molecular Characterization of Neuroendocrine-like Bladder Cancer. <i>Clinical Cancer Research</i> , 2019 , 25, 3908-3920	12.9	42
468	Patient-reported outcomes of blue-light flexible cystoscopy with hexaminolevulinate in the surveillance of bladder cancer: results from a prospective multicentre study. <i>BJU International</i> , 2019 , 123, 35-41	5.6	12
467	Open Versus Robotic Cystectomy: A Propensity Score Matched Analysis Comparing Survival Outcomes. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	7
466	Current advances in BCG-unresponsive non-muscle invasive bladder cancer. <i>Expert Opinion on Investigational Drugs</i> , 2019 , 28, 757-770	5.9	12
465	Preoperative predictive model and nomogram for disease recurrence following radical nephroureterectomy for high grade upper tract urothelial carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019 , 37, 758-764	2.8	12
464	Treatment Options and Outcomes in Nonmetastatic Muscle Invasive Bladder Cancer. <i>Trends in Cancer</i> , 2019 , 5, 426-439	12.5	26
463	DNA methylation patterns in bladder tumors of African American patients point to distinct alterations in xenobiotic metabolism. <i>Carcinogenesis</i> , 2019 , 40, 1332-1340	4.6	4
462	Evaluation of Hematuria in a Large Public Health Care System. <i>Bladder Cancer</i> , 2019 , 5, 119-129	1	9

461	Long non-coding RNAs identify a subset of luminal muscle-invasive bladder cancer patients with favorable prognosis. <i>Genome Medicine</i> , 2019 , 11, 60	14.4	21
460	Impact of Hospital Case Volume on Outcomes Following Radical Nephrectomy and Inferior Vena Cava Thrombectomy. <i>European Urology Oncology</i> , 2019 , 2, 691-698	6.7	11
459	Challenging cases in urology: Hematuria in a man with prune belly syndrome 2019 , 8, 9-10		
458	Clinical Validation of IsoPSA, a Single Parameter, Structure Based Assay for Improved Detection of High Grade Prostate Cancer. <i>Journal of Urology</i> , 2019 , 201, 1115-1120	2.5	6
457	Evaluation of the Fluorescence In Situ Hybridization Test to Predict Recurrence and/or Progression of Disease after bacillus Calmette-Guérin for Primary High Grade Nonmuscle Invasive Bladder Cancer: Results from a Prospective Multicenter Trial. <i>Journal of Urology</i> , 2019 , 202, 920-926	2.5	8
456	Reduction of Pain during Flexible Cystoscopy: A Systematic Review and Meta-Analysis. <i>Journal of Urology</i> , 2019 , 202, 1136-1142	2.5	11
455	Recent advances in the metabolomic study of bladder cancer. <i>Expert Review of Proteomics</i> , 2019 , 16, 315-324	4.2	16
454	Molecular Predictors of Complete Response Following Neoadjuvant Chemotherapy in Urothelial Carcinoma of the Bladder and Upper Tracts. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	15
453	Prognostic significance of BAP1 expression in high-grade upper tract urothelial carcinoma: a multi-institutional study. <i>World Journal of Urology</i> , 2019 , 37, 2419-2427	4	4
452	Magnetic Resonance Imaging-guided In-bore and Magnetic Resonance Imaging-transrectal Ultrasound Fusion Targeted Prostate Biopsies: An Adjusted Comparison of Clinically Significant Prostate Cancer Detection Rate. <i>European Urology Oncology</i> , 2019 , 2, 397-404	6.7	25
451	Prospective Validation of an mRNA-based Urine Test for Surveillance of Patients with Bladder Cancer. <i>European Urology</i> , 2019 , 75, 853-860	10.2	42
450	Diagnostic Performance of Prospectively Assigned Likert Scale Scores to Determine Extraprostatic Extension and Seminal Vesicle Invasion With Multiparametric MRI of the Prostate. <i>American Journal of Roentgenology</i> , 2019 , 212, 576-581	5.4	10
449	Optimal sampling scheme in men with abnormal multiparametric MRI undergoing MRI-TRUS fusion prostate biopsy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019 , 37, 57-62	2.8	7
448	Validating the predictors of outcomes after radical cystectomy for bladder cancer. <i>Cancer</i> , 2019 , 125, 223-231	6.4	18
447	Effect of blue-light cystoscopy on contemporary performance of urine cytology. <i>BJU International</i> , 2019 , 124, 251-257	5.6	7
446	Molecular markers in bladder cancer. <i>World Journal of Urology</i> , 2019 , 37, 31-40	4	58
445	Caveolin-1 Expression in Upper Tract Urothelial Carcinoma. <i>European Urology Focus</i> , 2019 , 5, 97-103	5.1	2
444	Detection of Bladder Cancer in Urine Sediments by a Novel Multicolor Fluorescence In Situ Hybridization (Quartet) Test. <i>European Urology Focus</i> , 2019 , 5, 664-675	5.1	4

443	Diagnostic Utility of a Likert Scale Versus Qualitative Descriptors and Length of Capsular Contact for Determining Extraprostatic Tumor Extension at Multiparametric Prostate MRI. <i>American Journal of Roentgenology</i> , 2018 , 210, 1066-1072	5.4	26
442	Re: Who Should be Investigated for Hematuria? Results of a Contemporary Prospective Observational Study of 3556 Patients. <i>European Urology</i> , 2018 , 74, 15-16	10.2	2
441	Modelling cost-effectiveness of a biomarker-based approach to neoadjuvant chemotherapy for muscle-invasive bladder cancer. <i>BJU International</i> , 2018 , 122, 434-440	5.6	7
440	Current approaches for identifying high-risk non-muscle invasive bladder cancer. <i>Expert Review of Anticancer Therapy</i> , 2018 , 18, 223-235	3.5	5
439	Efficacy and Safety of Blue Light Flexible Cystoscopy with Hexaminolevulinate in the Surveillance of Bladder Cancer: A Phase III, Comparative, Multicenter Study. <i>Journal of Urology</i> , 2018 , 199, 1158-1165	2.5	56
438	Differences at Presentation and Treatment of Testicular Cancer in Hispanic Men: Institutional and National Hospital-based Analyses. <i>Urology</i> , 2018 , 112, 103-111	1.6	12
437	Reply by Authors: "Prospective Monitoring and Adapting Strategies for Prevention of Infection Following Transrectal Prostate Procedures". <i>Urology Practice</i> , 2018 , 5, 131	0.8	
436	Advancements in optical techniques and imaging in the diagnosis and management of bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018 , 36, 97-102	2.8	8
435	Usage and survival implications of surgical staging of inguinal lymph nodes in intermediate- to high-risk, clinical localized penile cancer: A propensity-score matched analysis. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018 , 36, 159.e7-159.e17	2.8	13
434	Diagnostic, Prognostic, and Predictive Biomarkers on Bladder Tissue and Blood. <i>Molecular Pathology Library</i> , 2018 , 117-136		
433	Cost-effectiveness of antimicrobial prophylaxis for children in the RIVUR trial. <i>World Journal of Urology</i> , 2018 , 36, 1441-1447	4	4
432	Prospective Monitoring and Adapting Strategies for Prevention of Infection Following Transrectal Prostate Procedures. <i>Urology Practice</i> , 2018 , 5, 124-131	0.8	
431	Distinct Lipidomic Landscapes Associated with Clinical Stages of Urothelial Cancer of the Bladder. <i>European Urology Focus</i> , 2018 , 4, 907-915	5.1	26
430	Impact of hospital case volume on testicular cancer outcomes and practice patterns. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018 , 36, 14.e7-14.e15	2.8	38
429	Development of a 90-Minute Integrated Noninvasive Urinary Assay for Bladder Cancer Detection. <i>Journal of Urology</i> , 2018 , 199, 655-662	2.5	32
428	An up-to-date catalog of available urinary biomarkers for the surveillance of non-muscle invasive bladder cancer. <i>World Journal of Urology</i> , 2018 , 36, 1981-1995	4	52
427	Understanding concepts related to health economics in urology 2018 , 53-58		
426	Multi-institutional evaluation of the prognostic significance of EZH2 expression in high-grade upper tract urothelial carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018 , 36, 343.e1-343.e8	2.8	2

425	Isotope Tracing of Human Clear Cell Renal Cell Carcinomas Demonstrates Suppressed Glucose Oxidation In Vivo. <i>Cell Metabolism</i> , 2018 , 28, 793-800.e2	24.6	118
424	Optimal Trial Design for Studying Urinary Markers in Bladder Cancer: A Collaborative Review. <i>European Urology Oncology</i> , 2018 , 1, 223-230	6.7	17
423	Impact of decipher test on adjuvant and salvage treatments received following radical prostatectomy.. <i>Journal of Clinical Oncology</i> , 2018 , 36, 112-112	2.2	2
422	Utilization and survival implications of a delayed approach to targeted therapy for metastatic renal cell carcinoma: A nationwide cancer registry study.. <i>Journal of Clinical Oncology</i> , 2018 , 36, 586-586	2.2	1
421	Meta-analysis of a 10-plex urine-based biomarker assay for the detection of bladder cancer. <i>Oncotarget</i> , 2018 , 9, 7101-7111	3.3	18
420	Grade progression in urothelial carcinoma can occur with high or low mutational homology: a first-step toward tumor-specific care in initial low-grade bladder cancer. <i>Oncotarget</i> , 2018 , 9, 9415-9424 ^{3.3}	3.3	2
419	A genomic classifier for identifying a neuroendocrine-like bladder cancer subtype.. <i>Journal of Clinical Oncology</i> , 2018 , 36, 440-440	2.2	
418	Preoperative predictors of nonorgan-confined disease in upper-tract urothelial carcinoma differ between China and the United States. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018 , 36, 88.e11-88.e18	2.8	12
417	Impact of age on outcomes of patients with non-muscle-invasive bladder cancer treated with immediate postoperative instillation of mitomycin C. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018 , 36, 89.e1-89.e5	2.8	2
416	Natural history of 'second' biochemical failure after salvage radiation therapy for prostate cancer: a multi-institution study. <i>BJU International</i> , 2018 , 121, 365-372	5.6	6
415	Epidemiology of Bladder Cancer: A Systematic Review and Contemporary Update of Risk Factors in 2018. <i>European Urology</i> , 2018 , 74, 784-795	10.2	265
414	Effect of Increased Daily Water Intake in Premenopausal Women With Recurrent Urinary Tract Infections: A Randomized Clinical Trial. <i>JAMA Internal Medicine</i> , 2018 , 178, 1509-1515	11.5	118
413	A Festschrift in Honor of Edward M. Messing, MD, FACS. <i>Bladder Cancer</i> , 2018 , 4, S1-S43	1	
412	Seniority of primary care physicians is associated with a decrease in PSA ordering habits in the years surrounding the United States Preventative Services Task Force recommendation against PSA screening. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018 , 36, 500.e21-500.e27	2.8	
411	Diagnostic, prognostic and surveillance urinary markers in nonmuscle invasive bladder cancer: any role in clinical practice?. <i>Current Opinion in Urology</i> , 2018 , 28, 577-583	2.8	13
410	Incidence and Outcomes of Delayed Targeted Therapy After Cytoreductive Nephrectomy for Metastatic Renal-Cell Carcinoma: A Nationwide Cancer Registry Study. <i>Clinical Genitourinary Cancer</i> , 2018 , 16, e1221-e1235	3.3	8
409	Pathological characteristics and prognostic indicators of different histopathological types of urinary bladder cancer following radical cystectomy in a large single-center Egyptian cohort. <i>World Journal of Urology</i> , 2018 , 36, 1835-1843	4	5
408	Practice Patterns and Impact of Postchemotherapy Retroperitoneal Lymph Node Dissection on Testicular Cancer Outcomes. <i>European Urology Oncology</i> , 2018 , 1, 242-251	6.7	8

407	Editorial Comment. <i>Urology</i> , 2018 , 118, 111-112	1.6	2
406	The use of blue light flexible cystoscopy with hexaminolevulinate & the diagnosis of bladder cancer. <i>Future Oncology</i> , 2018 , 14, 2805-2810	3.6	2
405	HER2 overexpression is associated with worse outcomes in patients with upper tract urothelial carcinoma (UTUC). <i>World Journal of Urology</i> , 2017 , 35, 251-259	4	16
404	Anti-inflammatory use may not negatively impact oncologic outcomes following intravesical BCG for high-grade non-muscle-invasive bladder cancer. <i>World Journal of Urology</i> , 2017 , 35, 105-111	4	4
403	Role of survivin expression in predicting biochemical recurrence after radical prostatectomy: a multi-institutional study. <i>BJU International</i> , 2017 , 119, 234-238	5.6	11
402	Prognostic role of decreased E-cadherin expression in patients with upper tract urothelial carcinoma: a multi-institutional study. <i>World Journal of Urology</i> , 2017 , 35, 113-120	4	15
401	The kidney stone and increased water intake trial in steel workers: results from a pilot study. <i>Urolithiasis</i> , 2017 , 45, 177-183	3.2	15
400	Long-term Outcome of Prostate Cancer Patients Who Exhibit Biochemical Failure Despite Salvage Radiation Therapy After Radical Prostatectomy. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2017 , 40, 612-620	2.7	9
399	Decision Analysis Model Comparing Cost of Management Strategies for Pelvic Fracture Urethral Injuries. <i>Urology Practice</i> , 2017 , 4, 285-289	0.8	1
398	Guideline of guidelines: non-muscle-invasive bladder cancer. <i>BJU International</i> , 2017 , 119, 371-380	5.6	135
397	Comprehensive Molecular Characterization of Pheochromocytoma and Paraganglioma. <i>Cancer Cell</i> , 2017 , 31, 181-193	24.3	350
396	Prognostic value of tissue-based biomarker signature in clear cell renal cell carcinoma. <i>BJU International</i> , 2017 , 119, 741-747	5.6	13
395	The economics of stone disease. <i>World Journal of Urology</i> , 2017 , 35, 1321-1329	4	22
394	Epidemiology of stone disease across the world. <i>World Journal of Urology</i> , 2017 , 35, 1301-1320	4	225
393	Bladder cancer. <i>Nature Reviews Disease Primers</i> , 2017 , 3, 17022	51.1	360
392	Decipher test impacts decision making among patients considering adjuvant and salvage treatment after radical prostatectomy: Interim results from the Multicenter Prospective PRO-IMPACT study. <i>Cancer</i> , 2017 , 123, 2850-2859	6.4	44
391	Axial Abdominal Imaging after Partial Nephrectomy for T1 Renal Cell Carcinoma Surveillance. <i>Journal of Urology</i> , 2017 , 198, 1021-1026	2.5	2
390	Treatment of Non-Metastatic Muscle-Invasive Bladder Cancer: AUA/ASCO/ASTRO/SUO Guideline. <i>Journal of Urology</i> , 2017 , 198, 552-559	2.5	362

389	Association Between Combined TMPRSS2:ERG and PCA3 RNA Urinary Testing and Detection of Aggressive Prostate Cancer. <i>JAMA Oncology</i> , 2017 , 3, 1085-1093	13.4	88
388	Lynch syndrome in upper tract urothelial carcinoma: significance, screening, and surveillance. <i>Current Opinion in Urology</i> , 2017 , 27, 48-55	2.8	19
387	Association of Distance to Treatment Facility With Survival and Quality Outcomes After Radical Cystectomy: A Multi-Institutional Study. <i>Clinical Genitourinary Cancer</i> , 2017 , 15, 689-695.e2	3.3	10
386	Tackling non-muscle invasive bladder cancer in the clinic. <i>Expert Review of Anticancer Therapy</i> , 2017 , 17, 467-480	3.5	6
385	Aurora Kinase A is a Biomarker for Bladder Cancer Detection and Contributes to its Aggressive Behavior. <i>Scientific Reports</i> , 2017 , 7, 40714	4.9	31
384	Clinical comparison of noninvasive urine tests for ruling out recurrent urothelial carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 531.e15-531.e22	2.8	71
383	Performance Characteristics of a Multigene Urine Biomarker Test for Monitoring for Recurrent Urothelial Carcinoma in a Multicenter Study. <i>Journal of Urology</i> , 2017 , 197, 1419-1426	2.5	66
382	An initial negative round of targeted biopsies in men with highly suspicious multiparametric magnetic resonance findings does not exclude clinically significant prostate cancer-Preliminary experience. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 149.e15-149.e21	2.8	12
381	Comprehensive Molecular Characterization of Muscle-Invasive Bladder Cancer. <i>Cell</i> , 2017 , 171, 540-556.e25	9.5	961
380	Expression of ganglioside GD2, reprogram the lipid metabolism and EMT phenotype in bladder cancer. <i>Oncotarget</i> , 2017 , 8, 95620-95631	3.3	26
379	Spotlight on atezolizumab and its potential in the treatment of advanced urothelial bladder cancer. <i>OncoTargets and Therapy</i> , 2017 , 10, 1487-1502	4.4	8
378	Intravesical rAd-IFN γ /Syn3 for Patients With High-Grade, Bacillus Calmette-Guerin-Refractory or Relapsed Non-Muscle-Invasive Bladder Cancer: A Phase II Randomized Study. <i>Journal of Clinical Oncology</i> , 2017 , 35, 3410-3416	2.2	86
377	Treatment of Nonmetastatic Muscle-Invasive Bladder Cancer: American Urological Association/American Society of Clinical Oncology/American Society for Radiation Oncology/Society of Urologic Oncology Clinical Practice Guideline Summary. <i>Journal of Oncology Practice</i> , 2017 , 13, 621-625	3.1	27
376	Cost consideration in utilization of multiparametric magnetic resonance imaging in prostate cancer. <i>Translational Andrology and Urology</i> , 2017 , 6, 345-354	2.3	18
375	Tobacco-Specific Carcinogens Induce Hypermethylation, DNA Adducts, and DNA Damage in Bladder Cancer. <i>Cancer Prevention Research</i> , 2017 , 10, 588-597	3.2	34
374	Tissue-based biomarkers in prostate cancer. <i>Expert Review of Precision Medicine and Drug Development</i> , 2017 , 2, 249-260	1.6	13
373	Increased use of antihypertensive medications after partial nephrectomy vs. radical nephrectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 660.e17-660.e25	2.8	2
372	Predictive and Prognostic Value of Preoperative Thrombocytosis in Upper Tract Urothelial Carcinoma. <i>Clinical Genitourinary Cancer</i> , 2017 , 15, e1039-e1045	3.3	7

371	Re: Multi-institutional Assessment of Adverse Health Outcomes Among North American Testicular Cancer Survivors After Modern Cisplatin-based Chemotherapy. <i>European Urology</i> , 2017 , 72, 857-858	10.2	
370	Metabolomics analysis reveals distinct profiles of nonmuscle-invasive and muscle-invasive bladder cancer. <i>Cancer Medicine</i> , 2017 , 6, 2106-2120	4.8	37
369	Dosimetric comparison of rectal-sparing capabilities of rectal balloon vs injectable spacer gel in stereotactic body radiation therapy for prostate cancer: lessons learned from prospective trials. <i>Medical Dosimetry</i> , 2017 , 42, 341-347	1.3	19
368	Editorial comment. <i>Current Opinion in Urology</i> , 2017 , 27, 34	2.8	
367	Frequency and Prognostic Value of PTEN Loss in Patients with Upper Tract Urothelial Carcinoma Treated with Radical Nephroureterectomy. <i>Journal of Urology</i> , 2017 , 198, 1269-1277	2.5	3
366	Prognostic Value of PD-1 and PD-L1 Expression in Patients with High Grade Upper Tract Urothelial Carcinoma. <i>Journal of Urology</i> , 2017 , 198, 1253-1262	2.5	41
365	Postoperative Nomogram for Relapse-Free Survival in Patients with High Grade Upper Tract Urothelial Carcinoma. <i>Journal of Urology</i> , 2017 , 197, 580-589	2.5	23
364	Superior Cost Effectiveness of Penile Plication vs Intralesional Collagenase Injection for Treatment of Peyronie's Disease Deformities. <i>Urology Practice</i> , 2017 , 4, 118-125	0.8	16
363	A Multi-Institutional Comparison of Clinicopathological Characteristics and Oncologic Outcomes of Upper Tract Urothelial Carcinoma in China and the United States. <i>Journal of Urology</i> , 2017 , 197, 1208-1215	2.5	30
362	Epidemiology, diagnosis, preoperative evaluation and prognostic assessment of upper-tract urothelial carcinoma (UTUC). <i>World Journal of Urology</i> , 2017 , 35, 379-387	4	132
361	Early and multiple PSA bounces can occur following high-dose prostate stereotactic body radiation therapy: Subset analysis of a phase 1/2 trial. <i>Practical Radiation Oncology</i> , 2017 , 7, e43-e49	2.8	15
360	Prevention of Recurrent Acute Uncomplicated Cystitis by Increasing Daily Water in Premenopausal Women: A Prospective, Randomized, Controlled Study. <i>Open Forum Infectious Diseases</i> , 2017 , 4, S736-S736	1.6	3
359	Shed urinary ALCAM is an independent prognostic biomarker of three-year overall survival after cystectomy in patients with bladder cancer. <i>Oncotarget</i> , 2017 , 8, 722-741	3.3	15
358	Review of the Clinical Approaches to the Use of Urine-based Tumor Markers in Bladder Cancer. <i>Rambam Maimonides Medical Journal</i> , 2017 , 8,	1.8	10
357	Alternative therapies in patients with non-muscle invasive bladder cancer. <i>Turkish Journal of Urology</i> , 2017 , 43, 414-424	1.3	7
356	Effect of decipher test on adjuvant treatment decision-making among men with high-risk pathology at radical prostatectomy: Results from a multicenter prospective PRO-IMPACT study.. <i>Journal of Clinical Oncology</i> , 2017 , 35, 24-24	2.2	
355	Value of nutrition supplementation prior to cystectomy. <i>Canadian Journal of Urology</i> , 2017 , 24, 8902	0.8	
354	Gender and Bladder Cancer: A Collaborative Review of Etiology, Biology, and Outcomes. <i>European Urology</i> , 2016 , 69, 300-10	10.2	285

353	Molecular profile of urothelial carcinoma of the upper urinary tract: are pelvicalyceal and ureteral tumors different?. <i>World Journal of Urology</i> , 2016 , 34, 105-12	4	6
352	A Multi-Institutional Analysis of Outcomes of Patients with Clinically Node Positive Urothelial Bladder Cancer Treated with Induction Chemotherapy and Radical Cystectomy. <i>Journal of Urology</i> , 2016 , 195, 53-9	2.5	72
351	Assessment of Prospectively Assigned Likert Scores for Targeted Magnetic Resonance Imaging-Transrectal Ultrasound Fusion Biopsies in Patients with Suspected Prostate Cancer. <i>Journal of Urology</i> , 2016 , 195, 80-7	2.5	23
350	Lymphovascular invasion is associated with oncologic outcomes following radical cystectomy for squamous cell carcinoma of the urinary bladder. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016 , 34, 417.e1-8	2.8	9
349	Cell-cycle markers do not improve discrimination of EORTC and CUETO risk models in predicting recurrence and progression of non-muscle-invasive high-grade bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016 , 34, 485.e7-485.e14	2.8	16
348	Incidence, Characteristics and Implications of Thromboembolic Events in Patients with Muscle Invasive Urothelial Carcinoma of the Bladder Undergoing Neoadjuvant Chemotherapy. <i>Journal of Urology</i> , 2016 , 196, 1627-1633	2.5	26
347	Altered Expression of the Transcription Factor Forkhead Box A1 (FOXA1) Is Associated With Poor Prognosis in Urothelial Carcinoma of the Upper Urinary Tract. <i>Urology</i> , 2016 , 94, 314.e1-7	1.6	13
346	Bladder cancer. <i>Lancet, The</i> , 2016 , 388, 2796-2810	40	669
345	Comparison of prostate cancer detection at 3-T MRI with and without an endorectal coil: A prospective, paired-patient study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016 , 34, 255.e7-255.e13	2.8	32
344	Tissue Effects in a Randomized Controlled Trial of Short-term Finasteride in Early Prostate Cancer. <i>EBioMedicine</i> , 2016 , 7, 85-93	8.8	6
343	The Neutrophil-to-lymphocyte Ratio as a Prognostic Factor for Patients with Urothelial Carcinoma of the Bladder Following Radical Cystectomy: Validation and Meta-analysis. <i>European Urology Focus</i> , 2016 , 2, 79-85	5.1	29
342	Magnetic resonance/transrectal ultrasound fusion biopsy of the prostate compared to systematic 12-core biopsy for the diagnosis and characterization of prostate cancer: multi-institutional retrospective analysis of 389 patients. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016 , 34, 416.e9-416.e14	2.8	25
341	Should patients newly diagnosed with bladder cancer be screened for lung cancer?. <i>International Journal of Urology</i> , 2016 , 23, 346-7	2.3	1
340	Integrative Pathway Analysis of Metabolic Signature in Bladder Cancer: A Linkage to The Cancer Genome Atlas Project and Prediction of Survival. <i>Journal of Urology</i> , 2016 , 195, 1911-9	2.5	28
339	Renal-cell carcinoma risk estimates based on participants in the prostate, lung, colorectal, and ovarian cancer screening trial and national lung screening trial. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016 , 34, 167.e9-16	2.8	19
338	Validation of lymphovascular invasion is an independent prognostic factor for biochemical recurrence after radical prostatectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016 , 34, 233.e1-6	2.8	19
337	Use of an Electronic Medical Record to Assess Patient-Reported Morbidity Following Ureteroscopy. <i>Journal of Endourology</i> , 2016 , 30 Suppl 1, S46-51	2.7	6
336	The Usefulness of Chest X-Rays for T1a Renal Cell Carcinoma Surveillance. <i>Journal of Urology</i> , 2016 , 196, 321-6	2.5	10

335	Prognostic role of ERCC1 protein expression in upper tract urothelial carcinoma following radical nephroureterectomy with curative intent. <i>World Journal of Urology</i> , 2016 , 34, 1155-61	4	4
334	The economic effect of using magnetic resonance imaging and magnetic resonance ultrasound fusion biopsy for prostate cancer diagnosis. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016 , 34, 296-302	2.8	20
333	Current Status of Urinary Biomarkers for Detection and Surveillance of Bladder Cancer. <i>Urologic Clinics of North America</i> , 2016 , 43, 47-62	2.9	58
332	Prognostic Role of Cell Cycle and Proliferative Markers in Clear Cell Renal Cell Carcinoma. <i>Urologic Clinics of North America</i> , 2016 , 43, 105-18	2.9	8
331	Final Pathological Stage after Neoadjuvant Chemotherapy and Radical Cystectomy for Bladder Cancer-Does pT0 Predict Better Survival than pTa/Tis/T1?. <i>Journal of Urology</i> , 2016 , 195, 886-93	2.5	59
330	Reimbursement for Prostate Cancer Treatment 2016 , 367-374		
329	Effect of a genomic classifier on adjuvant treatment decision-making among patients with high-risk pathology at radical prostatectomy: Results from the multicenter prospective PRO-IMPACT study.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 5053-5053	2.2	
328	Effect of a genomic classifier on treatment decision-making among patients with biochemical recurrence after radical prostatectomy: Results from the multicenter prospective PRO-IMPACT study.. <i>Journal of Clinical Oncology</i> , 2016 , 34, e16558-e16558	2.2	
327	Concordance in Biomarker Status Between Bladder Tumors at Time of Transurethral Resection and Subsequent Radical Cystectomy: Results of a 5-year Prospective Study. <i>Bladder Cancer</i> , 2016 , 2, 91-99	1	5
326	Microscopic haematuria at time of diagnosis is associated with lower disease stage in patients with newly diagnosed bladder cancer. <i>BJU International</i> , 2016 , 117, 783-6	5.6	41
325	Long-term outcomes in a high-risk bladder cancer screening cohort. <i>BJU International</i> , 2016 , 117, 611-7	5.6	11
324	Prognostic value of Caveolin-1 in patients treated with radical prostatectomy: a multicentric validation study. <i>BJU International</i> , 2016 , 118, 243-9	5.6	11
323	Cost Comparisons Between Different Techniques of Percutaneous Renal Biopsy for Small Renal Masses. <i>Journal of Endourology</i> , 2016 , 30 Suppl 1, S28-33	2.7	11
322	Stereotactic body radiation therapy for low and intermediate risk prostate cancer-Results from a multi-institutional clinical trial. <i>European Journal of Cancer</i> , 2016 , 59, 142-151	7.5	93
321	Decision analysis model evaluating the cost of a temporary hydrogel rectal spacer before prostate radiation therapy to reduce the incidence of rectal complications. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016 , 34, 291.e19-26	2.8	21
320	Re: Efficacy of High-intensity Local Treatment for Metastatic Urothelial Carcinoma of the Bladder: A Propensity Score-Weighted Analysis from the National Cancer Data Base. <i>European Urology</i> , 2016 , 70, 893	10.2	
319	Testing and referral patterns in the years surrounding the US Preventive Services Task Force recommendation against prostate-specific antigen screening. <i>Cancer</i> , 2016 , 122, 3785-3793	6.4	19
318	Comparing Changes in Renal Function After Radical Surgery for Upper Tract Urothelial Carcinoma and Renal Cell Carcinoma. <i>Urology</i> , 2016 , 96, 44-53	1.6	6

317	Improving diagnostic molecular tests to monitor urothelial carcinoma recurrence. <i>Expert Review of Molecular Diagnostics</i> , 2016 , 16, 1189-1199	3.8	7
316	Effect of tumor location on survival in urinary bladder adenocarcinoma: A population-based analysis. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016 , 34, 531.e1-531.e6	2.8	17
315	Preoperative hydronephrosis is associated with less decline in renal function after radical nephroureterectomy for upper tract urothelial carcinoma. <i>Canadian Journal of Urology</i> , 2016 , 23, 8334-41	0.8	2
314	Capsule commentary on Bassett et al., Gender, race, and variations in the evaluation of microscopic hematuria among Medicare beneficiaries. <i>Journal of General Internal Medicine</i> , 2015 , 30, 491	4	
313	Molecular markers for bladder cancer screening, early diagnosis, and surveillance: the WHO/ICUD consensus. <i>Urologia Internationalis</i> , 2015 , 94, 1-24	1.9	114
312	Association of distance to treatment facility on quality and survival outcomes after radical cystectomy for bladder cancer. <i>Urology</i> , 2015 , 85, 876-82	1.6	26
311	Validation of tertiary Gleason pattern 5 in Gleason score 7 prostate cancer as an independent predictor of biochemical recurrence and development of a prognostic model. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015 , 33, 71.e21-6	2.8	26
310	Bladder cancer risk: Use of the PLCO and NLST to identify a suitable screening cohort. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015 , 33, 65.e19-25	2.8	32
309	Summary of the 8th Annual Bladder Cancer Think Tank: Collaborating to move research forward. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015 , 33, 53-64	2.8	11
308	Role of fibroblast growth factor in squamous cell carcinoma of the bladder: prognostic biomarker and potential therapeutic target. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015 , 33, 111.e1-7	2.8	6
307	Decision analysis model comparing cost of multiparametric magnetic resonance imaging vs. repeat biopsy for detection of prostate cancer in men with prior negative findings on biopsy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015 , 33, 266.e9-16	2.8	30
306	Cost-Effectiveness in Minimally Invasive Urologic Surgery 2015 , 239-250		0
305	Survivin is not an independent prognostic factor for patients with upper tract urothelial carcinoma: a multi-institutional study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015 , 33, 495.e15-22	2.8	10
304	Statin Use and Serum Lipid Levels Are Associated With Survival Outcomes After Surgery for Renal Cell Carcinoma. <i>Urology</i> , 2015 , 86, 1146-52	1.6	14
303	ATDC/TRIM29 Drives Invasive Bladder Cancer Formation through miRNA-Mediated and Epigenetic Mechanisms. <i>Cancer Research</i> , 2015 , 75, 5155-66	10.1	48
302	Prospective evaluation of plasma levels of ANGPT2, TuM2PK, and VEGF in patients with renal cell carcinoma. <i>BMC Urology</i> , 2015 , 15, 24	2.2	5
301	TALL score for prediction of oncological outcomes after radical nephroureterectomy for high-grade upper tract urothelial carcinoma. <i>World Journal of Urology</i> , 2015 , 33, 1965-72	4	8
300	Multi-institutional validation of the predictive value of Ki-67 in patients with high grade urothelial carcinoma of the upper urinary tract. <i>Journal of Urology</i> , 2015 , 193, 1486-93	2.5	28

299	Feasibility of obtaining biomarker profiles from endoscopic biopsy specimens in upper tract urothelial carcinoma: preliminary results. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015 , 33, 18.e21-18.e26	2.8	6
298	Multicenter evaluation of the role of UroVysion FISH assay in surveillance of patients with bladder cancer: does FISH positivity anticipate recurrence?. <i>World Journal of Urology</i> , 2015 , 33, 1309-13	4	36
297	Adjuvant cisplatin-based combined chemotherapy for lymph node (LN)-positive urothelial carcinoma of the bladder (UCB) after radical cystectomy (RC): a retrospective international study of >1500 patients. <i>BJU International</i> , 2015 , 115, 722-7	5.6	18
296	The role of adjuvant chemotherapy for lymph node-positive upper tract urothelial carcinoma following radical nephroureterectomy: a retrospective study. <i>BJU International</i> , 2015 , 116, 72-8	5.6	26
295	Spectrum of diverse genomic alterations define non-clear cell renal carcinoma subtypes. <i>Nature Genetics</i> , 2015 , 47, 13-21	36.3	247
294	Cost-Effectiveness of Therapeutic Drug Monitoring in Diagnosing Primary Aldosteronism in Patients With Resistant Hypertension. <i>Journal of Clinical Hypertension</i> , 2015 , 17, 713-9	2.3	14
293	Economics of bladder cancer 2015 , 90-102		
292	Multi-institutional analysis of renal function outcomes following radical nephroureterectomy and partial ureterectomy for upper tract urothelial carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015 , 33, 268.e1-7	2.8	19
291	Lynch Syndrome: A Primer for Urologists and Panel Recommendations. <i>Journal of Urology</i> , 2015 , 194, 21-9	2.5	53
290	We Should Screen Smokers for Bladder and Kidney Cancer. <i>European Urology Focus</i> , 2015 , 1, 50-51	5.1	1
289	Multicenter assessment of neoadjuvant chemotherapy for muscle-invasive bladder cancer. <i>European Urology</i> , 2015 , 67, 241-9	10.2	178
288	Conditional survival after radical nephroureterectomy for upper tract carcinoma. <i>European Urology</i> , 2015 , 67, 803-12	10.2	54
287	Projecting Benefits and Harms of Novel Cancer Screening Biomarkers: A Study of PCA3 and Prostate Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015 , 24, 677-82	4	15
286	Utility of biomarkers in the prediction of oncologic outcome after radical cystectomy for squamous cell carcinoma. <i>Journal of Urology</i> , 2015 , 193, 451-6	2.5	11
285	Histologic upgrading in patients eligible for active surveillance on saturation biopsy. <i>Canadian Journal of Urology</i> , 2015 , 22, 7656-60	0.8	5
284	Changing trends in utilization of neoadjuvant chemotherapy in muscle-invasive bladder cancer. <i>Canadian Journal of Urology</i> , 2015 , 22, 7865-75	0.8	12
283	What is evaluation of hematuria by primary care physicians? Use of electronic medical records to assess practice patterns with intermediate follow-up. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 128-34	2.8	43
282	Blood- and tissue-based biomarkers for prediction of outcomes in urothelial carcinoma of the bladder. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 230-42	2.8	31

281	The economics of bladder cancer: costs and considerations of caring for this disease. <i>European Urology</i> , 2014 , 66, 253-62	10.2	311
280	From genomics to imaging-advances along the care continuum. <i>Nature Reviews Urology</i> , 2014 , 11, 71-3	5.5	
279	Urine markers for detection and surveillance of bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 222-9	2.8	77
278	Screening for bladder cancer with urinary tumor markers in chemical workers with exposure to aromatic amines. <i>International Archives of Occupational and Environmental Health</i> , 2014 , 87, 715-24	3.2	32
277	Insulin-like growth factor messenger RNA-binding protein 3 expression helps prognostication in patients with upper tract urothelial carcinoma. <i>European Urology</i> , 2014 , 66, 379-85	10.2	21
276	Degree of hydronephrosis predicts adverse pathological features and worse oncologic outcomes in patients with high-grade urothelial carcinoma of the upper urinary tract. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 981-8	2.8	33
275	Evaluation of the prognostic significance of altered mammalian target of rapamycin pathway biomarkers in upper tract urothelial carcinoma. <i>Urology</i> , 2014 , 84, 1134-40	1.6	17
274	Electrophysiological analysis of biopsy samples using elasticity as an inherent cell marker for cancer detection. <i>Analytical Methods</i> , 2014 , 6, 7166-7174	3.2	20
273	Can urinary PCA3 supplement PSA in the early detection of prostate cancer?. <i>Journal of Clinical Oncology</i> , 2014 , 32, 4066-72	2.2	186
272	Use of the National Health and Nutrition Examination Survey to calculate the impact of obesity and diabetes on cost and prevalence of urolithiasis in 2030. <i>European Urology</i> , 2014 , 66, 724-9	10.2	155
271	Medical management strategies to prevent recurrent nephrolithiasis are stagnant and stronger evidence is needed to reduce morbidity. <i>Evidence-Based Medicine</i> , 2014 , 19, 12		1
270	Pathologic nodal staging scores in patients treated with radical prostatectomy: a postoperative decision tool. <i>European Urology</i> , 2014 , 66, 439-46	10.2	18
269	Impact of ABO blood type on outcomes in patients with primary nonmuscle invasive bladder cancer. <i>Journal of Urology</i> , 2014 , 191, 1238-43	2.5	22
268	Conditional survival after radical cystectomy for bladder cancer: evidence for a patient changing risk profile over time. <i>European Urology</i> , 2014 , 66, 361-70	10.2	94
267	Evaluation of anatomic and morphologic nomogram to predict malignant and high-grade disease in a cohort of patients with small renal masses. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 37.e17-23	2.8	14
266	Surgical management of the distal ureter during radical nephroureterectomy is an independent predictor of oncological outcomes: results of a current series and a review of the literature. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 54.e19-26	2.8	22
265	Does increasing the nodal yield improve outcomes in contemporary patients without nodal metastasis undergoing radical prostatectomy?. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 47.e1-8	2.8	7
264	Prospective external validation of a bladder cancer detection model. <i>Journal of Urology</i> , 2014 , 192, 1343-8	3.2	30

263	Predictors of rectal tolerance observed in a dose-escalated phase 1-2 trial of stereotactic body radiation therapy for prostate cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014 , 89, 509-17	4	145
262	BAP1 immunohistochemistry predicts outcomes in a multi-institutional cohort with clear cell renal cell carcinoma. <i>Journal of Urology</i> , 2014 , 191, 603-10	2.5	58
261	Costs of radical prostatectomy for prostate cancer: a systematic review. <i>European Urology</i> , 2014 , 65, 316-24	10.2	69
260	Bladder cancer biomarker discovery using global metabolomic profiling of urine. <i>PLoS ONE</i> , 2014 , 9, e115870	5.7	71
259	Triglycerides in the human kidney cortex: relationship with body size. <i>PLoS ONE</i> , 2014 , 9, e101285	3.7	49
258	Words of wisdom. Re: prognostic factors and risk groups in T1G3 nonmuscle-invasive bladder cancer patients initially treated with Bacillus Calmette-Guérin: results of a retrospective multicenter study of 2451 patients. <i>European Urology</i> , 2014 , 66, 968-9	10.2	
257	Aspirin improves outcome in high risk prostate cancer patients treated with radiation therapy. <i>Cancer Biology and Therapy</i> , 2014 , 15, 699-706	4.6	29
256	Ki67 is an independent predictor of oncological outcomes in patients with localized clear-cell renal cell carcinoma. <i>BJU International</i> , 2014 , 113, 668-73	5.6	40
255	Prospective evaluation of a preoperative biomarker panel for prediction of upstaging at radical cystectomy. <i>BJU International</i> , 2014 , 113, 70-6	5.6	33
254	Ablation of the oncogenic transcription factor ERG by deubiquitinase inhibition in prostate cancer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 4251-6	11.5	94
253	Prospective comparison of molecular signatures in urothelial cancer of the bladder and the upper urinary tract--is there evidence for discordant biology?. <i>Journal of Urology</i> , 2014 , 191, 926-31	2.5	23
252	Lymphovascular invasion in clear cell renal cell carcinoma--association with disease-free and cancer-specific survival. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 30.e23-8	2.8	19
251	Squamous cell carcinogenesis and squamous cell carcinoma of the urinary bladder: a contemporary review with focus on nonbilharzial squamous cell carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 32.e11-6	2.8	17
250	Dysregulation of E-catenin is an independent predictor of oncologic outcomes in patients with clear cell renal cell carcinoma. <i>Journal of Urology</i> , 2014 , 191, 1671-7	2.5	19
249	Female gender is associated with a worse survival after radical cystectomy for urothelial carcinoma of the bladder: a competing risk analysis. <i>Urology</i> , 2014 , 83, 863-7	1.6	69
248	Prospective analysis of Ki-67 as an independent predictor of oncologic outcomes in patients with high grade upper tract urothelial carcinoma. <i>Journal of Urology</i> , 2014 , 191, 28-34	2.5	30
247	Effect of diabetes mellitus and metformin use on oncologic outcomes of patients treated with radical cystectomy for urothelial carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 49.e7-14	2.8	32
246	Effect of ABO blood type on mortality in patients with urothelial carcinoma of the bladder treated with radical cystectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 625-30	2.8	20

245	Gender-specific differences in clinicopathologic outcomes following radical cystectomy: an international multi-institutional study of more than 8000 patients. <i>European Urology</i> , 2014 , 66, 913-9	10.2	77
244	Prediction of intravesical recurrence after radical nephroureterectomy: development of a clinical decision-making tool. <i>European Urology</i> , 2014 , 65, 650-8	10.2	94
243	Changing trends in utilization of neoadjuvant chemotherapy in muscle-invasive bladder cancer.. <i>Journal of Clinical Oncology</i> , 2014 , 32, e15518-e15518	2.2	1
242	Outcomes and prognostic factors in patients with a single lymph node metastasis at time of radical cystectomy. <i>BJU International</i> , 2013 , 111, 74-84	5.6	24
241	Systematic review of complications of prostate biopsy. <i>European Urology</i> , 2013 , 64, 876-92	10.2	564
240	Metabolomic signatures of aggressive prostate cancer. <i>Prostate</i> , 2013 , 73, 1547-60	4.2	98
239	A gain-of-function mutation in DHT synthesis in castration-resistant prostate cancer. <i>Cell</i> , 2013 , 154, 1074-1084	56.2	210
238	Prediction of true nodal status in patients with pathological lymph node negative upper tract urothelial carcinoma at radical nephroureterectomy. <i>Journal of Urology</i> , 2013 , 189, 468-73	2.5	31
237	Comprehensive handbook for developing a bladder cancer cystectomy database. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013 , 31, 812-26	2.8	6
236	Prognostic role of cell cycle and proliferative biomarkers in patients with clear cell renal cell carcinoma. <i>Journal of Urology</i> , 2013 , 190, 1662-7	2.5	18
235	Cumulative number of altered biomarkers in mammalian target of rapamycin pathway is an independent predictor of outcome in patients with clear cell renal cell carcinoma. <i>Urology</i> , 2013 , 81, 581-6	1.6	34
234	Pathologic nodal staging score for bladder cancer: a decision tool for adjuvant therapy after radical cystectomy. <i>European Urology</i> , 2013 , 63, 371-8	10.2	39
233	ICUD-EAU International Consultation on Bladder Cancer 2012: Screening, diagnosis, and molecular markers. <i>European Urology</i> , 2013 , 63, 4-15	10.2	190
232	Epidemiology and risk factors of urothelial bladder cancer. <i>European Urology</i> , 2013 , 63, 234-41	10.2	1180
231	Predictors of cancer-specific mortality after disease recurrence following radical cystectomy. <i>BJU International</i> , 2013 , 111, E30-6	5.6	60
230	Words of Wisdom: re: radiotherapy with or without chemotherapy in muscle-invasive bladder cancer. <i>European Urology</i> , 2013 , 63, 580-1	10.2	2
229	Reduction in hospital admission rates due to post-prostate biopsy infections after augmenting standard antibiotic prophylaxis. <i>Journal of Urology</i> , 2013 , 189, 535-40	2.5	75
228	Cost-effectiveness of fluorescence in situ hybridization in patients with atypical cytology for the detection of urothelial carcinoma. <i>Journal of Urology</i> , 2013 , 190, 1181-6	2.5	27

227	Impact of histological variants on oncological outcomes of patients with urothelial carcinoma of the bladder treated with radical cystectomy. <i>European Journal of Cancer</i> , 2013 , 49, 1889-97	7.5	119
226	How much is a kidney worth? Cost-effectiveness of routine imaging after ureteroscopy to prevent silent obstruction. <i>Journal of Urology</i> , 2013 , 189, 2136-41	2.5	19
225	Summary of the 6th Annual Bladder Cancer Think Tank: new directions in urologic research. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013 , 31, 968-73	2.8	6
224	Impact of smoking and smoking cessation on outcomes in bladder cancer patients treated with radical cystectomy. <i>European Urology</i> , 2013 , 64, 456-64	10.2	75
223	Extranodal extension is a powerful prognostic factor in bladder cancer patients with lymph node metastasis. <i>European Urology</i> , 2013 , 64, 837-45	10.2	47
222	Urinary cytology for the detection of urothelial carcinoma of the bladder--a flawed adjunct to cystoscopy?. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013 , 31, 366-71	2.8	10
221	Alvimopan for prevention of postoperative paralytic ileus in radical cystectomy patients: a cost-effectiveness analysis. <i>BJU International</i> , 2013 , 111, 1054-60	5.6	31
220	Screening for bladder cancer: rationale, limitations, whom to target, and perspectives. <i>European Urology</i> , 2013 , 63, 1049-58	10.2	47
219	Prospective evaluation of a molecular marker panel for prediction of recurrence and cancer-specific survival after radical cystectomy. <i>European Urology</i> , 2013 , 64, 465-71	10.2	59
218	Effect of statin use on outcomes of non-muscle-invasive bladder cancer. <i>BJU International</i> , 2013 , 112, E4-12	5.6	21
217	Predictors of survival in patients with soft tissue surgical margin involvement at radical cystectomy. <i>Annals of Surgical Oncology</i> , 2013 , 20, 1027-34	3.1	22
216	Impact of fluid intake in the prevention of urinary system diseases: a brief review. <i>Current Opinion in Nephrology and Hypertension</i> , 2013 , 22 Suppl 1, S1-10	3.5	45
215	Pathogenesis and Cost-Effectiveness of Preventing Kidney Stones. <i>Nutrition Today</i> , 2013 , 48, S22-S24	1.6	
214	Impact of renal function on eligibility for chemotherapy and survival in patients who have undergone radical nephro-ureterectomy. <i>BJU International</i> , 2013 , 112, 453-61	5.6	97
213	Lymphovascular invasion is independently associated with bladder cancer recurrence and survival in patients with final stage T1 disease and negative lymph nodes after radical cystectomy. <i>BJU International</i> , 2013 , 111, 1215-21	5.6	43
212	Death certificates are valid for the determination of cause of death in patients with upper and lower tract urothelial carcinoma. <i>European Urology</i> , 2012 , 61, 854-5	10.2	138
211	Prospective evaluation of molecular markers for the staging and prognosis of upper tract urothelial carcinoma. <i>European Urology</i> , 2012 , 62, e27-9	10.2	15
210	Words of wisdom. Re: Long-term survival following partial vs radical nephrectomy among older patients with early-stage kidney cancer. <i>European Urology</i> , 2012 , 62, 352-3	10.2	0

209	Decision curve analysis assessing the clinical benefit of NMP22 in the detection of bladder cancer: secondary analysis of a prospective trial. <i>BJU International</i> , 2012 , 109, 685-90	5.6	23
208	Cost-effectiveness of standard vs intensive antibiotic regimens for transrectal ultrasonography (TRUS)-guided prostate biopsy prophylaxis. <i>BJU International</i> , 2012 , 110, E86-91	5.6	38
207	Prognostic value of apoptotic markers in squamous cell carcinoma of the urinary bladder. <i>BJU International</i> , 2012 , 110, 961-6	5.6	9
206	Reported use of intravesical therapy for non-muscle-invasive bladder cancer (NMIBC): results from the Bladder Cancer Advocacy Network (BCAN) survey. <i>BJU International</i> , 2012 , 110, 967-72	5.6	20
205	Primary prevention of nephrolithiasis is cost-effective for a national healthcare system. <i>BJU International</i> , 2012 , 110, E1060-7	5.6	42
204	Stage-specific impact of tumor location on oncologic outcomes in patients with upper and lower tract urothelial carcinoma following radical surgery. <i>European Urology</i> , 2012 , 62, 677-84	10.2	74
203	Risk stratification of organ confined bladder cancer after radical cystectomy using cell cycle related biomarkers. <i>Journal of Urology</i> , 2012 , 187, 457-62	2.5	38
202	Evaluation of vitamin E and selenium supplementation for the prevention of bladder cancer in SWOG coordinated SELECT. <i>Journal of Urology</i> , 2012 , 187, 2005-10	2.5	33
201	Cost-effectiveness of fluorescent cystoscopy for noninvasive papillary tumors: pro. <i>Journal of Urology</i> , 2012 , 187, 1537-9	2.5	2
200	Risk of cancer-specific mortality following recurrence after radical nephroureterectomy. <i>Annals of Surgical Oncology</i> , 2012 , 19, 4337-44	3.1	42
199	Role of fluorescence in situ hybridization in bladder cancer surveillance of patients with negative cytology. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2012 , 30, 273-7	2.8	25
198	Cost-Effective Strategies for Management of Renal and Ureteral Calculi 2012 , 756-771		
197	Biomolecular predictors of urothelial cancer behavior and treatment outcomes. <i>Current Urology Reports</i> , 2012 , 13, 122-35	2.9	45
196	Cost-effectiveness analysis of stereotactic body radiation therapy versus intensity-modulated radiation therapy: an emerging initial radiation treatment option for organ-confined prostate cancer. <i>Journal of Oncology Practice</i> , 2012 , 8, e31s-7s	3.1	63
195	Is robotic surgery cost-effective: no. <i>Current Opinion in Urology</i> , 2012 , 22, 66-9	2.8	39
194	A validated tumorgraft model reveals activity of dovitinib against renal cell carcinoma. <i>Science Translational Medicine</i> , 2012 , 4, 137ra75	17.5	141
193	Cost comparison of robot-assisted and laparoscopic pyeloplasty. <i>Journal of Endourology</i> , 2012 , 26, 1044-8.7		19
192	Three differentiation states risk-stratify bladder cancer into distinct subtypes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 2078-83	11.5	185

191	BAP1 loss defines a new class of renal cell carcinoma. <i>Nature Genetics</i> , 2012 , 44, 751-9	36.3	630
190	Novel oncogenic function of ATDC in bladder cancer.. <i>Journal of Clinical Oncology</i> , 2012 , 30, 4591-4591	2.2	
189	Neoadjuvant therapy preceding cytoreductive nephrectomy to develop individualized first-line therapy with everolimus for advanced renal cell carcinoma (RCC).. <i>Journal of Clinical Oncology</i> , 2012 , 30, TPS4678-TPS4678	2.2	
188	Cost-effectiveness of fluorescent cystoscopy for noninvasive papillary tumors: con. <i>Journal of Urology</i> , 2012 , 187, 1538-9	2.5	2
187	Disease-free survival at 2 or 3 years correlates with 5-year overall survival of patients undergoing radical cystectomy for muscle invasive bladder cancer. <i>Journal of Urology</i> , 2011 , 185, 456-61	2.5	70
186	Cost comparison of robotic, laparoscopic, and open partial nephrectomy. <i>Journal of Endourology</i> , 2011 , 25, 447-53	2.7	86
185	Metabolomic profiling reveals potential markers and bioprocesses altered in bladder cancer progression. <i>Cancer Research</i> , 2011 , 71, 7376-86	10.1	134
184	Expression of cell cycle-related molecular markers in patients treated with radical cystectomy for squamous cell carcinoma of the bladder. <i>Human Pathology</i> , 2011 , 42, 347-55	3.7	19
183	Predictors of costs for robotic-assisted laparoscopic radical prostatectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2011 , 29, 325-9	2.8	11
182	Practice variation in the surgical management of urinary lithiasis. <i>Journal of Urology</i> , 2011 , 186, 146-50	2.5	56
181	Cost-effectiveness of primary prevention strategies for nephrolithiasis. <i>Journal of Urology</i> , 2011 , 186, 550-5	2.5	30
180	Patients with a negative cystoscopy and negative Nmp22 ⁺ Bladderchek ⁺ test are at low risk of missed transitional cell carcinoma of the bladder: a prospective evaluation. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2011 , 37, 706-11	2	3
179	Predictors of outcome of non-muscle-invasive and muscle-invasive bladder cancer. <i>Scientific World Journal, The</i> , 2011 , 11, 369-81	2.2	59
178	Bilharzial vs non-bilharzial related bladder cancer: pathological characteristics and value of cyclooxygenase-2 expression. <i>BJU International</i> , 2011 , 108, 31-7	5.6	18
177	Upper urinary tract urothelial carcinoma with loco-regional nodal metastases: insights from the Upper Tract Urothelial Carcinoma Collaboration. <i>BJU International</i> , 2011 , 108, 1286-91	5.6	61
176	Select screening in a specific high-risk population of patients suggests a stage migration toward detection of non-muscle-invasive bladder cancer. <i>European Urology</i> , 2011 , 59, 1026-31	10.2	39
175	Contemporary use of perioperative cisplatin-based chemotherapy in patients with muscle-invasive bladder cancer. <i>Cancer</i> , 2011 , 117, 276-82	6.4	104
174	Mesh kits for anterior vaginal prolapse are not cost effective. <i>International Urogynecology Journal</i> , 2011 , 22, 447-52	2	9

173	Longitudinal evaluation of the SF-36 quality of life questionnaire in patients with kidney stones. <i>Urological Research</i> , 2011 , 39, 141-6		39
172	Prognostic risk stratification of pathological stage T2N0 bladder cancer after radical cystectomy. <i>BJU International</i> , 2011 , 108, 687-92	5.6	19
171	Prognostic value of cyclooxygenase-2 expression in squamous cell carcinoma of the bladder. <i>Journal of Urology</i> , 2011 , 185, 1112-7	2.5	7
170	Prognostic risk stratification of pathological stage T3N0 bladder cancer after radical cystectomy. <i>Journal of Urology</i> , 2011 , 185, 1216-21	2.5	27
169	Detection of bladder cancer using novel DNA methylation biomarkers in urine sediments. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 1483-91	4	104
168	Primary adenocarcinoma of the urinary bladder: value of cell cycle biomarkers. <i>American Journal of Clinical Pathology</i> , 2011 , 135, 822-30	1.9	17
167	Cost utility of prostate cancer chemoprevention with dutasteride in men with an elevated prostate specific antigen. <i>Cancer Prevention Research</i> , 2011 , 4, 277-83	3.2	7
166	Interplay between pVHL and mTORC1 pathways in clear-cell renal cell carcinoma. <i>Molecular Cancer Research</i> , 2011 , 9, 1255-65	6.6	88
165	Cost-effectiveness of robotic-assisted laparoscopic procedures in urologic surgery in the USA. <i>Expert Review of Medical Devices</i> , 2011 , 8, 97-103	3.5	18
164	Economics of Bladder Cancer Diagnosis and Surveillance 2011 , 121-137		1
163	p53 expression in patients with advanced urothelial cancer of the urinary bladder. <i>BJU International</i> , 2010 , 105, 489-95	5.6	57
162	Human epidermal growth factor receptor 2 expression status provides independent prognostic information in patients with urothelial carcinoma of the urinary bladder. <i>BJU International</i> , 2010 , 106, 1216-22	5.6	62
161	International validation of the prognostic value of lymphovascular invasion in patients treated with radical cystectomy. <i>BJU International</i> , 2010 , 105, 1402-12	5.6	114
160	The influence of body mass index on the cost of radical prostatectomy for prostate cancer. <i>BJU International</i> , 2010 , 106, 1188-93	5.6	10
159	Translational research in bladder cancer: from molecular pathogenesis to useful tissue biomarkers. <i>Cancer Biology and Therapy</i> , 2010 , 10, 407-15	4.6	19
158	Characteristics and outcomes of patients with pT4 urothelial carcinoma at radical cystectomy: a retrospective international study of 583 patients. <i>Journal of Urology</i> , 2010 , 183, 87-93	2.5	50
157	1021 PROSPECTIVE VALIDATION OF MULTIPLE BIOMARKERS FOR IMPROVED CLINICAL DECISION-MAKING IN PATIENTS WITH UROTHELIAL CARCINOMA OF THE BLADDER. <i>Journal of Urology</i> , 2010 , 183,	2.5	2
156	Combination of multiple molecular markers can improve prognostication in patients with locally advanced and lymph node positive bladder cancer. <i>Journal of Urology</i> , 2010 , 183, 68-75	2.5	120

155	Residual fragments after percutaneous nephrolithotomy: cost comparison of immediate second look flexible nephroscopy versus expectant management. <i>Journal of Urology</i> , 2010 , 183, 188-93	2.5	51
154	Prospective validation of the clinical usefulness of reflex fluorescence in situ hybridization assay in patients with atypical cytology for the detection of urothelial carcinoma of the bladder. <i>Journal of Urology</i> , 2010 , 183, 62-7	2.5	80
153	Stage pT0 at radical cystectomy confers improved survival: an international study of 4,430 patients. <i>Journal of Urology</i> , 2010 , 184, 888-94	2.5	52
152	Preoperative hydronephrosis, ureteroscopic biopsy grade and urinary cytology can improve prediction of advanced upper tract urothelial carcinoma. <i>Journal of Urology</i> , 2010 , 184, 69-73	2.5	178
151	Soft tissue surgical margin status is a powerful predictor of outcomes after radical cystectomy: a multicenter study of more than 4,400 patients. <i>Journal of Urology</i> , 2010 , 183, 2165-70	2.5	159
150	Preoperative multivariable prognostic model for prediction of nonorgan confined urothelial carcinoma of the upper urinary tract. <i>Journal of Urology</i> , 2010 , 184, 453-8	2.5	151
149	Are patients with hematuria appropriately referred to Urology? A multi-institutional questionnaire based survey. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2010 , 28, 500-3	2.8	66
148	Role of biomarkers to predict outcomes and response to therapy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2010 , 28, 97-101	2.8	4
147	Considerations on implementing diagnostic markers into clinical decision making in bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2010 , 28, 441-8	2.8	79
146	Statistical consideration for clinical biomarker research in bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2010 , 28, 389-400	2.8	99
145	Management of elderly patients with urothelial carcinoma of the bladder: guideline concordance and predictors of overall survival. <i>BJU International</i> , 2010 , 106, 1324-9	5.6	20
144	Characteristics and outcomes of patients with clinical carcinoma in situ only treated with radical cystectomy: an international study of 243 patients. <i>Journal of Urology</i> , 2010 , 183, 1757-63	2.5	59
143	Economics of robotics in urology. <i>Current Opinion in Urology</i> , 2010 , 20, 92-7	2.8	30
142	The effect of the approach to radical prostatectomy on the profitability of hospitals and surgeons. <i>BJU International</i> , 2010 , 105, 1531-5	5.6	35
141	Impact of tumor location on prognosis for patients with upper tract urothelial carcinoma managed by radical nephroureterectomy. <i>European Urology</i> , 2010 , 57, 1072-9	10.2	133
140	Characteristics and outcomes of patients with clinical T1 grade 3 urothelial carcinoma treated with radical cystectomy: results from an international cohort. <i>European Urology</i> , 2010 , 57, 300-9	10.2	127
139	Cost comparison of robotic, laparoscopic, and open radical prostatectomy for prostate cancer. <i>European Urology</i> , 2010 , 57, 453-8	10.2	185
138	Validation of the AJCC TNM substaging of pT2 bladder cancer: deep muscle invasion is associated with significantly worse outcome. <i>European Urology</i> , 2010 , 58, 112-7	10.2	37

137	Words of wisdom. Re: randomized phase III trial on gemcitabine versus mytomicin in recurrent superficial bladder cancer: evaluation of efficacy and tolerance. <i>European Urology</i> , 2010 , 57, 1116-7	10.2	
136	High-risk patients with hematuria are not evaluated according to guideline recommendations. <i>Cancer</i> , 2010 , 116, 2954-9	6.4	52
135	Urothelial Bladder Cancer: Screening with Urine-Based Tumor Markers 2010 , 196-209		
134	Multi-institutional validation of the predictive value of Ki-67 labeling index in patients with urinary bladder cancer. <i>Journal of the National Cancer Institute</i> , 2009 , 101, 114-9	9.7	119
133	Survivin as a prognostic marker for urothelial carcinoma of the bladder: a multicenter external validation study. <i>Clinical Cancer Research</i> , 2009 , 15, 7012-9	12.9	57
132	Lymphovascular invasion predicts clinical outcomes in patients with node-negative upper tract urothelial carcinoma. <i>Journal of Clinical Oncology</i> , 2009 , 27, 612-8	2.2	209
131	Prostate cancer biomarker discovery using high performance mass spectral serum profiling. <i>Computer Methods and Programs in Biomedicine</i> , 2009 , 96, 33-41	6.9	14
130	Words of wisdom. Re: Evaluating the learning curve for robot- assisted laparoscopic radical cystectomy. <i>European Urology</i> , 2009 , 55, 1237-9	10.2	0
129	Editorial comment on: Serum proteomic profiling in patients with bladder cancer. <i>European Urology</i> , 2009 , 56, 996-7	10.2	1
128	Recurrence and progression of disease in non-muscle-invasive bladder cancer: from epidemiology to treatment strategy. <i>European Urology</i> , 2009 , 56, 430-42	10.2	466
127	Outcomes of radical nephroureterectomy: a series from the Upper Tract Urothelial Carcinoma Collaboration. <i>Cancer</i> , 2009 , 115, 1224-33	6.4	739
126	Key concerns about the current state of bladder cancer: a position paper from the Bladder Cancer Think Tank, the Bladder Cancer Advocacy Network, and the Society of Urologic Oncology. <i>Cancer</i> , 2009 , 115, 4096-103	6.4	57
125	Tumour architecture is an independent predictor of outcomes after nephroureterectomy: a multi-institutional analysis of 1363 patients. <i>BJU International</i> , 2009 , 103, 307-11	5.6	131
124	Impact of body mass index on clinical and cost outcomes after radical cystectomy. <i>BJU International</i> , 2009 , 104, 326-30	5.6	16
123	Impact of clinical factors, including a point-of-care nuclear matrix protein-22 assay and cytology, on bladder cancer detection. <i>BJU International</i> , 2009 , 103, 1368-74	5.6	50
122	Radiofrequency ablation of small renal cortical tumours in healthy adults: renal function preservation and intermediate oncological outcome. <i>BJU International</i> , 2009 , 104, 786-9	5.6	32
121	General anesthesia and contrast-enhanced computed tomography to optimize renal percutaneous radiofrequency ablation: multi-institutional intermediate-term results. <i>Journal of Endourology</i> , 2009 , 23, 1099-105	2.7	55
120	Synchronous bilateral percutaneous nephrostolithotomy: analysis of clinical outcomes, cost and surgeon reimbursement. <i>Journal of Urology</i> , 2009 , 181, 149-53	2.5	30

119	Predictors of cost and clinical outcomes of percutaneous nephrostolithotomy. <i>Journal of Urology</i> , 2009 , 182, 586-90	2.5	35
118	Predictive value of combined immunohistochemical markers in patients with pT1 urothelial carcinoma at radical cystectomy. <i>Journal of Urology</i> , 2009 , 182, 78-84; discussion 84	2.5	80
117	Bladder cancer screening in a high risk asymptomatic population using a point of care urine based protein tumor marker. <i>Journal of Urology</i> , 2009 , 182, 52-7; discussion 58	2.5	61
116	p53 predictive value for pT1-2 N0 disease at radical cystectomy. <i>Journal of Urology</i> , 2009 , 182, 907-13	2.5	44
115	Residual pathological stage at radical cystectomy significantly impacts outcomes for initial T2N0 bladder cancer. <i>Journal of Urology</i> , 2009 , 182, 459-65; discussion 465	2.5	14
114	How physician and patient perceptions differ regarding medical management of stone disease. <i>Journal of Urology</i> , 2009 , 182, 998-1004	2.5	29
113	Economics and cost of care of stone disease. <i>Advances in Chronic Kidney Disease</i> , 2009 , 16, 5-10	4.7	97
112	Impact of risk factors on the performance of the nuclear matrix protein 22 point-of-care test for bladder cancer detection. <i>BJU International</i> , 2008 , 101, 1362-7	5.6	31
111	Adjuvant chemotherapy for bladder cancer does not alter cancer-specific survival after cystectomy in a matched case-control study. <i>BJU International</i> , 2008 , 101, 1356-61	5.6	14
110	Conservative management in selected patients with upper tract urothelial carcinoma compares favourably with early radical surgery. <i>BJU International</i> , 2008 , 102, 172-6	5.6	65
109	Predicting survival after radical cystectomy for bladder cancer. <i>BJU International</i> , 2008 , 102, 15-22	5.6	38
108	Urothelial bladder cancer: biomarkers for detection and screening. <i>BJU International</i> , 2008 , 102, 1234-41	5.6	17
107	Editorial comment on: Prognostic implications of lymphangiogenesis in muscle-invasive transitional cell carcinoma of the bladder. <i>European Urology</i> , 2008 , 53, 579-80	10.2	1
106	Cost-effectiveness of medical expulsive therapy using alpha-blockers for the treatment of distal ureteral stones. <i>European Urology</i> , 2008 , 53, 411-8	10.2	85
105	Nomograms for bladder cancer. <i>European Urology</i> , 2008 , 54, 41-53	10.2	70
104	COMBINATION OF CELL CYCLE REGULATING BIO-MARKERS IMPROVES PROGNOSIS IN PATIENTS WITH ORGAN CONFINED UROTHELIAL CANCER AT RADICAL CYSTECTOMY. <i>Journal of Urology</i> , 2008 , 179, 578-578	2.5	7
103	Outcomes of patients with clinical T1 grade 3 urothelial cell bladder carcinoma treated with radical cystectomy. <i>Urology</i> , 2008 , 71, 302-7	1.6	55
102	Are urologists fairly reimbursed for complex procedures: failure of 22 modifier?. <i>Urology</i> , 2008 , 72, 494-7	1.6	12

101	Impact of body mass index on cost and clinical outcomes after percutaneous nephrostolithotomy. <i>Urology</i> , 2008 , 72, 756-60	1.6	51
100	Determinants of quality of life for patients with kidney stones. <i>Journal of Urology</i> , 2008 , 179, 2238-43; discussion 2243	2.5	80
99	Does obesity impact the costs of partial and radical nephrectomy?. <i>Journal of Urology</i> , 2008 , 179, 1714-7; discussion 1717-8	2.5	14
98	Prospective evaluation of the clinical usefulness of reflex fluorescence in situ hybridization assay in patients with atypical cytology for the detection of urothelial carcinoma of the bladder. <i>Journal of Urology</i> , 2008 , 179, 2164-9	2.5	70
97	Climate-related increase in the prevalence of urolithiasis in the United States. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 9841-6	11.5	216
96	Quantitation of Aurora kinase A gene copy number in urine sediments and bladder cancer detection. <i>Journal of the National Cancer Institute</i> , 2008 , 100, 1401-11	9.7	63
95	Sirolimus in metastatic renal cell carcinoma. <i>Journal of Clinical Oncology</i> , 2008 , 26, 3457-60	2.2	13
94	Prevention of bladder cancer recurrence by retinoic acid-ketoconazole: a promising strategy?. <i>Cancer Biology and Therapy</i> , 2008 , 7, 101-2	4.6	4
93	Molecular biomarkers for urothelial carcinoma of the bladder: challenges in clinical use. <i>Nature Reviews Urology</i> , 2008 , 5, 676-85		29
92	Macroscopic, but not microscopic, perivesical fat invasion at radical cystectomy is an adverse predictor of recurrence and survival. <i>BJU International</i> , 2008 , 101, 450-4	5.6	17
91	Evaluation of costs and morbidity associated with laparoscopic radiofrequency ablation and laparoscopic partial nephrectomy for treating small renal tumours. <i>BJU International</i> , 2008 , 101, 467-71	5.6	19
90	Survivin: a promising biomarker for detection and prognosis of bladder cancer. <i>World Journal of Urology</i> , 2008 , 26, 59-65	4	81
89	Screening for bladder cancer: a perspective. <i>World Journal of Urology</i> , 2008 , 26, 13-8	4	35
88	Is there a rationale for bladder cancer screening?. <i>Current Urology Reports</i> , 2008 , 9, 339-41	2.9	4
87	Multiple biomarkers improve prediction of bladder cancer recurrence and mortality in patients undergoing cystectomy. <i>Cancer</i> , 2008 , 112, 315-25	6.4	160
86	Cost-effectiveness of prostate cancer chemoprevention: a quality of life-years analysis. <i>Cancer</i> , 2008 , 112, 1058-65	6.4	50
85	The screening for Occult Renal Disease (SCORED) value is associated with a higher risk for having or developing chronic kidney disease in patients treated for small, unilateral renal masses. <i>Cancer</i> , 2008 , 113, 2681-6	6.4	13
84	Critical evaluation of urinary markers for bladder cancer detection and monitoring. <i>Reviews in Urology</i> , 2008 , 10, 120-35	1	60

83	Radiofrequency ablation for T1a tumors in a solitary kidney: promising intermediate oncologic and renal function outcomes. <i>Canadian Journal of Urology</i> , 2008 , 15, 3980-5	0.8	18
82	Efficacy of laser-activated gold nanoshells in ablating prostate cancer cells in vitro. <i>Journal of Endourology</i> , 2007 , 21, 939-43	2.7	87
81	NotleyR.G., ReynardJ.M. and BadenochJ.: Urology and the Law: Lessons From Litigation. New York: Informa Healthcare2007. 256 pages.. <i>Journal of Urology</i> , 2007 , 178, 1126-1126	2.5	
80	Predictive value of cell cycle biomarkers in nonmuscle invasive bladder transitional cell carcinoma. <i>Journal of Urology</i> , 2007 , 177, 481-7; discussion 487	2.5	110
79	Expression of cyclooxygenase-2 in normal urothelium, and superficial and advanced transitional cell carcinoma of bladder. <i>Journal of Urology</i> , 2007 , 177, 1163-8	2.5	39
78	Economics of stone management. <i>Urologic Clinics of North America</i> , 2007 , 34, 443-53	2.9	55
77	Survivin expression is associated with bladder cancer presence, stage, progression, and mortality. <i>Cancer</i> , 2007 , 109, 1106-13	6.4	117
76	Cooperative effect of cell-cycle regulators expression on bladder cancer development and biologic aggressiveness. <i>Modern Pathology</i> , 2007 , 20, 445-59	9.8	112
75	Intermediate comparison of partial nephrectomy and radiofrequency ablation for clinical T1a renal tumours. <i>BJU International</i> , 2007 , 100, 287-90	5.6	104
74	A delay in radical cystectomy of >3 months is not associated with a worse clinical outcome. <i>BJU International</i> , 2007 , 100, 1015-20	5.6	50
73	Discrepancy between clinical and pathologic stage: impact on prognosis after radical cystectomy. <i>European Urology</i> , 2007 , 51, 137-49; discussion 149-51	10.2	248
72	Incidence of initial local therapy among men with lower-risk prostate cancer in the United States. <i>European Urology</i> , 2007 , 51, 567-8	10.2	
71	Advanced age is associated with poorer bladder cancer-specific survival in patients treated with radical cystectomy. <i>European Urology</i> , 2007 , 51, 699-706; discussion 706-8	10.2	125
70	Cost-effectiveness of bladder cancer screening. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2007 , 7, 627-32	2.2	0
69	Bladder Cancer Screening and Future Directions in Urine-Based Markers for Bladder Urothelial Carcinoma. <i>Laboratory Medicine</i> , 2007 , 38, 116-120	1.6	
68	Laparoscopic and open partial nephrectomy: cost comparison with analysis of individual parameters. <i>Journal of Endourology</i> , 2007 , 21, 1449-54	2.7	13
67	Radical Cystectomy for Transitional Cell Carcinoma of the Bladder: What Percentage of Patients Qualifies for Bladder Preservation Protocols?. <i>Current Urology</i> , 2007 , 1, 24-27	1.7	
66	Contemporary laparoscopic and open radical retropubic prostatectomy: pathologic outcomes and Kattan postoperative nomograms are equivalent. <i>Urology</i> , 2007 , 69, 118-22	1.6	5

65	In vitro assessment of the efficacy of thermal therapy in human renal cell carcinoma. <i>Urology</i> , 2007 , 70, 380-4	1.6	17
64	Prostate cancer disease-free survival after radical retropubic prostatectomy in patients older than 70 years compared to younger cohorts. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2007 , 25, 291-7	2.8	23
63	Association of cyclin D1 and E1 expression with disease progression and biomarkers in patients with nonmuscle-invasive urothelial cell carcinoma of the bladder. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2007 , 25, 468-75	2.8	35
62	Persistent uroplakin expression in advanced urothelial carcinomas: implications in urothelial tumor progression and clinical outcome. <i>Human Pathology</i> , 2007 , 38, 1703-13	3.7	65
61	Use of combined apoptosis biomarkers for prediction of bladder cancer recurrence and mortality after radical cystectomy. <i>Lancet Oncology</i> , 2007 , 8, 128-36	21.7	176
60	Despite PSA screening and the control by radical prostatectomy, patients treatment fails and have a PSA recurrence. <i>European Urology</i> , 2007 , 52, 453-4	10.2	1
59	Open to debate. The motion: prevention of prostate cancer with a 5alpha-reductase inhibitor is feasible. <i>European Urology</i> , 2006 , 49, 396-400	10.2	1
58	For the motion. <i>European Urology</i> , 2006 , 49, 396-398	10.2	5
57	Efficacy of ablative high-dose-per-fraction radiation for implanted human renal cell cancer in a nude mouse model. <i>European Urology</i> , 2006 , 50, 795-800; discussion 800	10.2	47
56	Precystectomy nomogram for prediction of advanced bladder cancer stage. <i>European Urology</i> , 2006 , 50, 1254-60; discussion 1261-2	10.2	125
55	Soluble Fas--a promising novel urinary marker for the detection of recurrent superficial bladder cancer. <i>Cancer</i> , 2006 , 106, 1701-7	6.4	48
54	Should we screen for bladder cancer in a high-risk population?: A cost per life-year saved analysis. <i>Cancer</i> , 2006 , 107, 982-90	6.4	102
53	Nomograms provide improved accuracy for predicting survival after radical cystectomy. <i>Clinical Cancer Research</i> , 2006 , 12, 6663-76	12.9	188
52	Ki-67 is an independent predictor of bladder cancer outcome in patients treated with radical cystectomy for organ-confined disease. <i>Clinical Cancer Research</i> , 2006 , 12, 7369-73	12.9	124
51	Radiofrequency ablation of renal tumors: intermediate-term results. <i>Journal of Endourology</i> , 2006 , 20, 569-73	2.7	117
50	The cost of prostate cancer chemoprevention: a decision analysis model. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006 , 15, 1485-9	4	26
49	Outcomes of radical cystectomy for transitional cell carcinoma of the bladder: a contemporary series from the Bladder Cancer Research Consortium. <i>Journal of Urology</i> , 2006 , 176, 2414-22; discussion 2422	2.5	514
48	Nomogram for predicting disease recurrence after radical cystectomy for transitional cell carcinoma of the bladder. <i>Journal of Urology</i> , 2006 , 176, 1354-61; discussion 1361-2	2.5	165

47	Cancer specific outcomes in patients with pT0 disease following radical cystectomy. <i>Journal of Urology</i> , 2006 , 175, 1645-9; discussion 1649	2.5	41
46	Efficacy of high dose per fraction radiation for implanted human prostate cancer in a nude mouse model. <i>Journal of Urology</i> , 2006 , 175, 1932-6	2.5	23
45	Clinical outcomes following radical cystectomy for primary nontransitional cell carcinoma of the bladder compared to transitional cell carcinoma of the bladder. <i>Journal of Urology</i> , 2006 , 175, 2048-53; discussion 2053	2.5	135
44	Correlation of cyclin D1 and E1 expression with bladder cancer presence, invasion, progression, and metastasis. <i>Human Pathology</i> , 2006 , 37, 1568-76	3.7	75
43	Characteristics and outcomes of patients with carcinoma in situ only at radical cystectomy. <i>Urology</i> , 2006 , 68, 538-42	1.6	26
42	Economic impact of screening for bladder cancer using bladder tumor markers: a decision analysis. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2006 , 24, 338-43	2.8	35
41	Discovery and validation of new protein biomarkers for urothelial cancer: A prospective analysis: Theodorescu D, Wittke S, Ross MM, Walden M, Conaway M, Just I, Mischak H, Frierson HF, Department of Molecular Physiology, Mellon Prostate Cancer Institute, University of Virginia, Charlottesville, VA. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2006 , 24, 561-562	2.8	
40	Novel blood biomarkers of human urinary bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2006 , 24, 562-563	2.8	1
39	A survivin gene signature predicts aggressive tumor behavior. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2006 , 24, 563-564	2.8	
38	Clinically Significant Molecular Markers for Urologic Disease: Focus on Bladder, Kidney, and Prostate Cancer. <i>Laboratory Medicine</i> , 2006 , 37, 429-435	1.6	
37	Nomograms including nuclear matrix protein 22 for prediction of disease recurrence and progression in patients with Ta, T1 or CIS transitional cell carcinoma of the bladder. <i>Journal of Urology</i> , 2005 , 173, 1518-25	2.5	141
36	Economics of Stone Management. <i>EAU Update Series</i> , 2005 , 3, 51-60		3
35	Conservative management of priapism in acute spinal cord injury. <i>Urology</i> , 2005 , 65, 1195-7	1.6	15
34	Correlation of office-based cystoscopy and cytology with histologic diagnosis: how good is the reference standard?. <i>Urology</i> , 2005 , 66, 65-8	1.6	25
33	Cost comparison of laparoscopic versus radical retropubic prostatectomy. <i>Urology</i> , 2005 , 66, 557-60	1.6	30
32	The utility of screening renal ultrasonography: identifying renal cell carcinoma in an elderly asymptomatic population. <i>BJU International</i> , 2005 , 95, 977-81	5.6	34
31	A cost comparison of nephron-sparing surgical techniques for renal tumour. <i>BJU International</i> , 2005 , 95, 1039-42	5.6	49
30	International comparison of cost effectiveness of medical management strategies for nephrolithiasis. <i>Urological Research</i> , 2005 , 33, 223-30		61

29	Implications of the prostate cancer prevention trial: a decision analysis model of survival outcomes. <i>Journal of Clinical Oncology</i> , 2005 , 23, 1911-20	2.2	29
28	Lymphovascular invasion is independently associated with overall survival, cause-specific survival, and local and distant recurrence in patients with negative lymph nodes at radical cystectomy. <i>Journal of Clinical Oncology</i> , 2005 , 23, 6533-9	2.2	242
27	Changing management of organ-confined renal masses. <i>Journal of Endourology</i> , 2004 , 18, 263-8	2.7	16
26	The percent of biopsy cores positive for cancer is a predictor of advanced pathological stage and poor clinical outcomes in patients treated with radical prostatectomy. <i>Journal of Urology</i> , 2004 , 171, 2209-14	2.5	35
25	Cost-effectiveness of medical management strategies for nephrolithiasis. <i>Journal of Urology</i> , 2004 , 172, 2275-81	2.5	69
24	The value of your time: evaluation of effects of changes in medicare reimbursement rates on the practice of urology. <i>Journal of Urology</i> , 2004 , 172, 1958-62	2.5	38
23	The new economics of radical prostatectomy: cost comparison of open, laparoscopic and robot assisted techniques. <i>Journal of Urology</i> , 2004 , 172, 1431-5	2.5	227
22	Laparoscopic partial nephrectomy using holmium laser in a porcine model. <i>Journal of the Society of Laparoendoscopic Surgeons</i> , 2004 , 8, 51-5	2.2	24
21	Cost-Effective Treatment for Ureteropelvic Junction Obstruction: A Decision Tree Analysis. <i>Journal of Urology</i> , 2003 , 169, 228-232	2.5	27
20	Sensitivity and specificity of commonly available bladder tumor markers versus cytology: results of a comprehensive literature review and meta-analyses. <i>Urology</i> , 2003 , 61, 109-18; discussion 118	1.6	348
19	Histopathology of surgically managed renal tumors: analysis of a contemporary series. <i>Urology</i> , 2003 , 62, 827-30	1.6	133
18	Factors influencing the outcomes of penile prosthesis surgery at a teaching institution. <i>Urology</i> , 2003 , 62, 918-21	1.6	87
17	Cost comparison of hand assisted laparoscopic nephrectomy and open nephrectomy: analysis of individual parameters. <i>Journal of Urology</i> , 2003 , 170, 752-5	2.5	14
16	Laparoscopic nephrectomy is cost effective compared with open nephrectomy in a large county hospital. <i>Journal of the Society of Laparoendoscopic Surgeons</i> , 2003 , 7, 111-5	2.2	7
15	Laparoscopic treatment of ovarian vein syndrome. <i>Journal of the Society of Laparoendoscopic Surgeons</i> , 2003 , 7, 257-60	2.2	5
14	Clinical use of the holmium: YAG laser in laparoscopic partial nephrectomy. <i>Journal of Endourology</i> , 2002 , 16, 289-92	2.7	60
13	Radiofrequency coagulation of renal parenchyma: comparison of effects of energy generators on treatment efficacy. <i>Journal of Endourology</i> , 2002 , 16, 83-8	2.7	41
12	Laparoscopic interstitial laser coagulation of renal tissue with and without hilar occlusion in the porcine model. <i>Journal of Endourology</i> , 2002 , 16, 565-70	2.7	11

11	Laparoscopic partial nephrectomy with a diode laser: porcine results. <i>Journal of Endourology</i> , 2002 , 16, 749-53	2.7	38
10	Transvaginal laparoscopic nephrectomy: development and feasibility in the porcine model. <i>Urology</i> , 2002 , 59, 446-50	1.6	215
9	Cost comparison for laparoscopic nephrectomy and open nephrectomy: analysis of individual parameters. <i>Urology</i> , 2002 , 59, 821-5	1.6	26
8	Laparoscopic Versus Open Retroperitoneal Lymph Node Dissection: a Cost Analysis. <i>Journal of Urology</i> , 2002 , 168, 1945-1949	2.5	21
7	Management Of Ureteral Calculi: A Cost Comparison And Decision Making Analysis. <i>Journal of Urology</i> , 2002 , 167, 1621-1629	2.5	139
6	COST-EFFECTIVENESS OF A MODIFIED CARE PROTOCOL SUBSTITUTING BLADDER TUMOR MARKERS FOR CYSTOSCOPY FOR THE FOLLOWUP OF PATIENTS WITH TRANSITIONAL CELL CARCINOMA OF THE BLADDER: A DECISION ANALYTICAL APPROACH. <i>Journal of Urology</i> , 2002 , 167, 75-79	2.5	80
5	Laparoscopic versus open retroperitoneal lymph node dissection: a cost analysis. <i>Journal of Urology</i> , 2002 , 168, 1945-9; discussion 1949	2.5	4
4	Cost-effectiveness of a modified care protocol substituting bladder tumor markers for cystoscopy for the followup of patients with transitional cell carcinoma of the bladder: a decision analytical approach. <i>Journal of Urology</i> , 2002 , 167, 75-9	2.5	18
3	Management of ureteral calculi: a cost comparison and decision making analysis. <i>Journal of Urology</i> , 2002 , 167, 1621-9	2.5	38
2	Differential expression of nuclear retinoid receptors in normal and malignant prostates. <i>Journal of Clinical Oncology</i> , 2000 , 18, 116-21	2.2	66
1	Understanding Concepts Related to Health Economics in Urology45-49		