Dunhai Li

List of Publications by Citations

Source: https://exaly.com/author-pdf/3312719/dunhai-li-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

 100
 2,364
 30
 45

 papers
 citations
 h-index
 g-index

 105
 2,700
 4.8
 4.89

 ext. papers
 ext. citations
 avg, IF
 L-index

#	Paper	IF	Citations
100	Microbial secreted exopolysaccharides affect the hydrological behavior of induced biological soil crusts in desert sandy soils. <i>Soil Biology and Biochemistry</i> , 2014 , 68, 62-70	7.5	135
99	Feasibility of cyanobacterial inoculation for biological soil crusts formation in desert area. <i>Soil Biology and Biochemistry</i> , 2009 , 41, 926-929	7.5	134
98	Man-made desert algal crusts as affected by environmental factors in Inner Mongolia, China. <i>Journal of Arid Environments</i> , 2006 , 67, 521-527	2.5	89
97	An integrated method for removal of harmful cyanobacterial blooms in eutrophic lakes. <i>Environmental Pollution</i> , 2012 , 160, 34-41	9.3	74
96	Cyanobacteria-/cyanotoxin-contaminations and eutrophication status before Wuxi drinking water crisis in Lake Taihu, China. <i>Journal of Environmental Sciences</i> , 2011 , 23, 575-81	6.4	74
95	Detection of anatoxin-a(s) in environmental samples of cyanobacteria by using a biosensor with engineered acetylcholinesterases. <i>Applied and Environmental Microbiology</i> , 2002 , 68, 4102-6	4.8	74
94	First report of aphantoxins in Chinawaterblooms of toxigenic Aphanizomenon flos-aquae in Lake Dianchi. <i>Ecotoxicology and Environmental Safety</i> , 2006 , 65, 84-92	7	71
93	Relationships between the biomass of algal crusts in fields and their compressive strength. <i>Soil Biology and Biochemistry</i> , 2007 , 39, 567-572	7.5	69
92	Microcystin-RR-induced accumulation of reactive oxygen species and alteration of antioxidant systems in tobacco BY-2 cells. <i>Toxicon</i> , 2005 , 46, 507-12	2.8	68
91	Influence of dew on biomass and photosystem II activity of cyanobacterial crusts in the Hopq Desert, northwest China. <i>Soil Biology and Biochemistry</i> , 2009 , 41, 2387-2393	7.5	63
90	Mechanism of photosynthetic response in Microcystis aeruginosa PCC7806 to low inorganic phosphorus. <i>Harmful Algae</i> , 2010 , 9, 613-619	5.3	62
89	Development of artificially induced biological soil crusts in fields and their effects on top soil. <i>Plant and Soil</i> , 2013 , 370, 115-124	4.2	59
88	Physiological and biochemical responses of Scytonema javanicum (cyanobacterium) to salt stress. <i>Journal of Arid Environments</i> , 2007 , 71, 312-320	2.5	59
87	Salt tolerance of Microcoleus vaginatus Gom., a cyanobacterium isolated from desert algal crust, was enhanced by exogenous carbohydrates. <i>Journal of Arid Environments</i> , 2003 , 55, 645-656	2.5	52
86	Growth and antioxidant system of the cyanobacterium Synechococcus elongatus in response to microcystin-RR. <i>Hydrobiologia</i> , 2005 , 534, 23-29	2.4	52
85	Microcystin-RR uptake and its effects on the growth of submerged macrophyte Vallisneria natans (lour.) hara. <i>Environmental Toxicology</i> , 2005 , 20, 308-13	4.2	50
84	Lysis of Aphanizomenon flos-aquae (Cyanobacterium) by a bacterium Bacillus cereus. <i>Biological Control</i> , 2006 , 39, 345-351	3.8	49

(2013-2006)

83	Effects of Salt Stress on Carbohydrate Metabolism in Desert Soil Alga Microcoleus vaginatus Gom Journal of Integrative Plant Biology, 2006 , 48, 914-919	8.3	49
82	Effects of iron on growth, pigment content, photosystem II efficiency, and siderophores production of Microcystis aeruginosa and Microcystis wesenbergii. <i>Current Microbiology</i> , 2007 , 55, 94-8	2.4	47
81	Population growth and physiological characteristics of microalgae in a miniaturized bioreactor during space flight. <i>Acta Astronautica</i> , 2006 , 58, 264-269	2.9	46
80	Physiological and biochemical analyses of microcystin-RR toxicity to the cyanobacterium Synechococcus elongatus. <i>Environmental Toxicology</i> , 2004 , 19, 571-7	4.2	45
79	Real-time studies on microalgae under microgravity. Acta Astronautica, 2004, 55, 131-7	2.9	43
78	Competition between toxic Microcystis aeruginosa and nontoxic Microcystis wesenbergii with Anabaena PCC7120. <i>Journal of Applied Phycology</i> , 2012 , 24, 69-78	3.2	41
77	Microcystin-RR induced apoptosis in tobacco BY-2 suspension cells is mediated by reactive oxygen species and mitochondrial permeability transition pore status. <i>Toxicology in Vitro</i> , 2008 , 22, 328-37	3.6	35
76	Antioxidative responses of Elodea nuttallii (Planch.) H. St. John to short-term iron exposure. <i>Plant Physiology and Biochemistry</i> , 2010 , 48, 873-8	5.4	34
75	Effects of sand burial stress on the early developments of cyanobacterial crusts in the field. <i>European Journal of Soil Biology</i> , 2012 , 48, 48-55	2.9	33
74	Spatial heterogeneity of cyanobacteria-inoculated sand dunes significantly influences artificial biological soil crusts in the Hopq Desert (China). <i>Environmental Earth Sciences</i> , 2014 , 71, 245-253	2.9	32
73	Effects of gibberellin A(3) on growth and microcystin production in Microcystis aeruginosa (cyanophyta). <i>Journal of Plant Physiology</i> , 2008 , 165, 1691-7	3.6	32
72	Decomposition of cyanobacterial bloom contributes to the formation and distribution of iron-bound phosphorus (Fe-P): Insight for cycling mechanism of internal phosphorus loading. <i>Science of the Total Environment</i> , 2019 , 652, 696-708	10.2	32
71	Analysis of paralytic shellfish toxins in Aphanizomenon DC-1 from Lake Dianchi, China. <i>Environmental Toxicology</i> , 2006 , 21, 289-95	4.2	30
70	The response of antioxidant systems in Nostoc sphaeroides against UV-B radiation and the protective effects of exogenous antioxidants. <i>Advances in Space Research</i> , 2007 , 39, 1034-1042	2.4	26
69	Revegetation in the water level fluctuation zone of a reservoir: An ideal measure to reduce the input of nutrients and sediment. <i>Ecological Engineering</i> , 2014 , 71, 574-577	3.9	25
68	Harvesting Microalgae with Different Sources of Starch-Based Cationic Flocculants. <i>Applied Biochemistry and Biotechnology</i> , 2017 , 181, 112-124	3.2	25
67	Application of sodium alginate in induced biological soil crusts: enhancing the sand stabilization in the early stage. <i>Journal of Applied Phycology</i> , 2017 , 29, 1421-1428	3.2	24
66	Lipid peroxidation and antioxidant responses in zebrafish brain induced by Aphanizomenon flos-aquae DC-1 aphantoxins. <i>Aquatic Toxicology</i> , 2013 , 144-145, 250-6	5.1	23

65	Shifting species interaction in soil microbial community and its influence on ecosystem functions modulating. <i>Microbial Ecology</i> , 2013 , 65, 700-8	4.4	23
64	Responses of antioxidant system in Arabidopsis thaliana suspension cells to the toxicity of microcystin-RR. <i>Toxicon</i> , 2005 , 46, 859-64	2.8	22
63	Zebrafish neurotoxicity from aphantoxinscyanobacterial paralytic shellfish poisons (PSPs) from Aphanizomenon flos-aquae DC-1. <i>Environmental Toxicology</i> , 2013 , 28, 239-54	4.2	21
62	Morphological alterations and acetylcholinesterase and monoamine oxidase inhibition in liver of zebrafish exposed to Aphanizomenon flos-aquae DC-1 aphantoxins. <i>Aquatic Toxicology</i> , 2014 , 157, 215	·25⁄4 ⁻¹	18
61	Zebrafish locomotor capacity and brain acetylcholinesterase activity is altered by Aphanizomenon flos-aquae DC-1 aphantoxins. <i>Aquatic Toxicology</i> , 2013 , 138-139, 139-49	5.1	18
60	Microbial Succession and Nitrogen Cycling in Cultured Biofilms as Affected by the Inorganic Nitrogen Availability. <i>Microbial Ecology</i> , 2017 , 73, 1-15	4.4	17
59	Biosorption of copper by cyanobacterial bloom-derived biomass harvested from the eutrophic Lake Dianchi in China. <i>Current Microbiology</i> , 2010 , 61, 340-5	2.4	15
58	The role of non-rainfall water on physiological activation in desert biological soil crusts. <i>Journal of Hydrology</i> , 2018 , 556, 790-799	6	15
57	Effects of sand burial on biomass, chlorophyll fluorescence and extracellular polysaccharides of man-made cyanobacterial crusts under experimental conditions. <i>Science in China Series C: Life Sciences</i> , 2007 , 50, 530-4		14
56	Trends in Diatom Research Since 1991 Based on Topic Modeling. <i>Microorganisms</i> , 2019 , 7,	4.9	13
55	Antioxidative responses in zebrafish liver exposed to sublethal doses Aphanizomenon flos-aquae DC-1 aphantoxins. <i>Ecotoxicology and Environmental Safety</i> , 2015 , 113, 425-32	7	13
54	Physiological variations of bloom-forming Microcystis (Cyanophyceae) related to colony size changes during blooms. <i>Phycologia</i> , 2012 , 51, 599-603	2.7	13
53	Nostoc sphaeroides KEzing, an excellent candidate producer for CELSS. <i>Advances in Space Research</i> , 2011 , 48, 1565-1571	2.4	12
52	Cytochemical changes in the developmental process of Nostoc sphaeroides (cyanobacterium). <i>Journal of Applied Phycology</i> , 2009 , 21, 119-125	3.2	12
51	The role of glutathione metabolism in tolerance of tobacco BY-2 suspension cells to microcystin-RR. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2008 , 80, 215-9	2.7	12
50	The relative role of spatial and environmental processes on seasonal variations of phytoplankton beta diversity along different anthropogenic disturbances of subtropical rivers in China. <i>Environmental Science and Pollution Research</i> , 2019 , 26, 1422-1434	5.1	12
49	The decline process and major pathways of Microcystis bloom in Taihu Lake, China. <i>Chinese Journal of Oceanology and Limnology</i> , 2012 , 30, 37-46		11
48	Interactions between a cyanobacterial bloom (Microcystis) and the submerged aquatic plant Ceratophyllum oryzetorum Kom <i>Chinese Journal of Oceanology and Limnology</i> , 2009 , 27, 38-42		11

(2008-2009)

47	Mouse toxicity of Anabaena flos-aquae from Lake Dianchi, China. <i>Environmental Toxicology</i> , 2009 , 24, 10-8	4.2	11
46	Nitrogen-cycling microbial community functional potential and enzyme activities in cultured biofilms with response to inorganic nitrogen availability. <i>Journal of Environmental Sciences</i> , 2019 , 76, 89-99	6.4	11
45	Fenced cultivation of water hyacinth for cyanobacterial bloom control. <i>Environmental Science and Pollution Research</i> , 2016 , 23, 17742-52	5.1	10
44	An improved method for determining phytoplankton chlorophyll a concentration without filtration. <i>Hydrobiologia</i> , 2013 , 707, 81-95	2.4	10
43	Morphological and ultrastructural changes in tobacco BY-2 cells exposed to microcystin-RR. <i>Chemosphere</i> , 2009 , 76, 1006-12	8.4	10
42	Growth and antioxidant system of Escherichia coli in response to microcystin-RR. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2008 , 81, 427-31	2.7	10
41	Influence of phosphorus availability on the community structure and physiology of cultured biofilms. <i>Journal of Environmental Sciences</i> , 2016 , 42, 19-31	6.4	10
40	Seasonal succession of phytoplankton in response to the variation of environmental factors in the Gaolan River, Three Gorges Reservoir, China. <i>Chinese Journal of Oceanology and Limnology</i> , 2013 , 31, 737-749		9
39	Environmentally relevant concentrations of geosmin affect the development, oxidative stress, apoptosis and endocrine disruption of embryo-larval zebrafish. <i>Science of the Total Environment</i> , 2020 , 735, 139373	10.2	8
38	DIFFERENTIAL RESPONSES OF ANABAENA SP. PCC 7120 (CYANOPHYCEAE) CULTURED IN NITROGEN-DEFICIENT AND NITROGEN-ENRICHED MEDIA TO ULTRAVIOLET-B RADIATION(1). <i>Journal of Phycology</i> , 2012 , 48, 615-25	3	8
37	A niche model to predict Microcystis bloom decline in Chaohu Lake, China. <i>Chinese Journal of Oceanology and Limnology</i> , 2012 , 30, 587-594		8
36	Differentiation of microbial activity and functional diversity between various biocrust elements in a heterogeneous crustal community. <i>Catena</i> , 2016 , 147, 138-145	5.8	8
35	Temperature and silicate are significant driving factors for the seasonal shift of dominant diatoms in a drinking water reservoir. <i>Journal of Oceanology and Limnology</i> , 2019 , 37, 568-579	1.5	8
34	Nitrogen limitation significantly reduces the competitive advantage of toxic Microcystis at high light conditions. <i>Chemosphere</i> , 2019 , 237, 124508	8.4	7
33	Photosynthesis regulates succession of toxic and nontoxic strains in blooms of Microcystis (Cyanobacteria). <i>Phycologia</i> , 2015 , 54, 640-648	2.7	7
32	Operation of an enclosed aquatic ecosystem in the Shenzhou-8 mission. <i>Acta Astronautica</i> , 2017 , 134, 17-22	2.9	6
31	Conformational changes in photosynthetic pigment proteins on thylakoid membranes can lead to fast non-photochemical quenching in cyanobacteria. <i>Science China Life Sciences</i> , 2012 , 55, 726-34	8.5	6
30	Microcystin-RR induces physiological stress and cell death in the cyanobacterium Aphanizomenon sp. DC01 isolated from Lake Dianchi, China. <i>Fundamental and Applied Limnology</i> , 2008 , 173, 111-120	1.9	6

29	Photoregulated or Energy Dependent Process of Hormogonia Differentiation in Nostoc sphaeroides Klizing (Cyanobacterium). <i>Journal of Integrative Plant Biology</i> , 2005 , 47, 709-716	8.3	6
28	Replacing nitrogen fertilizer with nitrogen-fixing cyanobacteria reduced nitrogen leaching in red soil paddy fields. <i>Agriculture, Ecosystems and Environment</i> , 2021 , 312, 107320	5.7	6
27	The trophic state of lake water regulates spatial-temporal variations of bloom-forming Microcystis. <i>Chinese Journal of Oceanology and Limnology</i> , 2017 , 35, 415-422		5
26	Sediment phosphorus release in response to flood event across different land covers in a restored wetland. <i>Environmental Science and Pollution Research</i> , 2019 , 26, 9113-9122	5.1	5
25	Differential responses of different phenotypes of Microcystis (Cyanophyceae) to UV-B radiation. <i>Phycologia</i> , 2015 , 54, 118-129	2.7	5
24	Photosynthetic characteristics and inferred changes in thylakoid membrane fluidity determine bloom succession between Anabaena and Microcystis in eutrophic lakes. <i>Journal of Applied Phycology</i> , 2016 , 28, 2353-2365	3.2	5
23	Improving photosynthesis of microalgae by changing the ratio of light-harvesting pigments. <i>Science Bulletin</i> , 2005 , 50, 1622		4
22	The Species-Specific Responses of Freshwater Diatoms to Elevated Temperatures Are Affected by Interspecific Interactions. <i>Microorganisms</i> , 2018 , 6,	4.9	4
21	Physiological and transcriptomic changes of zebrafish (Danio rerio) embryos-larvae in response to 2-MIB exposure. <i>Journal of Hazardous Materials</i> , 2021 , 416, 126142	12.8	4
20	Spatiotemporal distribution of microplastics in surface water, biofilms, and sediments in the worldd largest drinking water diversion project. <i>Science of the Total Environment</i> , 2021 , 789, 148001	10.2	4
19	Enhanced resistance to UV-B radiation in Anabaena sp. PCC 7120 (Cyanophyceae) by repeated exposure. <i>Current Microbiology</i> , 2014 , 69, 1-9	2.4	3
18	Mitochondrial electron transport chain is involved in microcystin-RR induced tobacco BY-2 cells apoptosis. <i>Journal of Environmental Sciences</i> , 2014 , 26, 1930-5	6.4	3
17	The influence of soil and water physicochemical properties on the distribution of Nostoc sphaeroides (Cyanophyceae) in paddy fields and biochemical comparison with indoor cultured biomass. <i>Journal of Applied Phycology</i> , 2013 , 25, 1737-1745	3.2	3
16	Photosynthetic adaptation mechanism of Microcystis (Cyanophyceae) related to changes of colony size in a eutrophic lake. <i>Phycologia</i> , 2014 , 53, 552-560	2.7	3
15	Morphological characteristics and phylogenetic relationship of Anabaena species from Lakes Dianchi and Erhai, China. <i>Hydrobiologia</i> , 2008 , 614, 353-362	2.4	3
14	Modulation and adaptation of carbonic anhydrase activity in Microcystis spp. under different environmental factors. <i>Acta Ecologica Sinica</i> , 2006 , 26, 2443-2448	2.7	3
13	Competition between toxic and nontoxic Microcystis (Cyanophyceae) under different light and temperature conditions. <i>Science China Life Sciences</i> , 2017 , 60, 674-676	8.5	2
12	Study on the safe disposal and resource utilization of cyanobacterial bloom biomass in Dianchi Lake, China. <i>Journal of Applied Phycology</i> , 2020 , 32, 1201-1213	3.2	2

LIST OF PUBLICATIONS

11	Effect of substituting nitrogen fertilizer with nitrogen-fixing cyanobacteria on yield in a double-rice cropping system in southern China. <i>Journal of Applied Phycology</i> , 2021 , 33, 2221-2232	3.2	2
10	The effect of gradient cooling on bloom decline in Microcystis (Cyanophyceae, Chroococcales). <i>Phycologia</i> , 2016 , 55, 109-117	2.7	2
9	Physiological changes of submerged macrophytes in response to a floating filamentous green algae bloom in clear-water conditions. <i>Journal of Oceanology and Limnology</i> , 2018 , 36, 1604-1614	1.5	2
8	Different Assembly Patterns of Planktonic and Sedimentary Bacterial Community in a Few Connected Eutrophic Lakes. <i>Water (Switzerland)</i> , 2022 , 14, 723	3	2
7	Comparison of the photosynthetic characteristics of two developmental stages inNostoc sphaeroides KEzing (cyanophyta). <i>Wuhan University Journal of Natural Sciences</i> , 2005 , 10, 931-935	0.4	1
6	Nitrogen-fixing cyanobacteria have the potential to improve nitrogen use efficiency through the reduction of ammonia volatilization in red soil paddy fields. <i>Soil and Tillage Research</i> , 2022 , 217, 105274	6.5	1
5	Environmental factors associated with the filamentous green algae Cladophora blooms: A mesocosm experiment in a shallow eutrophic lake <i>Journal of Environmental Management</i> , 2022 , 313, 114977	7.9	1
4	Elonone causes endocrine disruption, hyperpigmentation and hypoactivity in zebrafish early life stages <i>Science of the Total Environment</i> , 2022 , 155433	10.2	1
3	Insights into the spatiotemporal differences in tailings seepage pollution by assessing the diversity and metabolic functions of the soil microbial community <i>Environmental Pollution</i> , 2022 , 306, 119408	9.3	O
2	The influence of desiccation on the recovery process of nitrogenase activity in restored biological soil crusts. <i>Science China Life Sciences</i> , 2017 , 60, 1283-1285	8.5	
1	Regulating Nutrients and Phytoplankton by Extending the Habitats of Periphyton in a Deep River-Type Reservoir. <i>Clean - Soil, Air, Water</i> , 2018 , 46, 1800034	1.6	