

Katie Allen

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3315677/katie-allen-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

337
papers

17,054
citations

65
h-index

120
g-index

365
ext. papers

20,738
ext. citations

5.9
avg, IF

6.58
L-index

#	Paper	IF	Citations
337	Breastfeeding in the 21st century: epidemiology, mechanisms, and lifelong effect. <i>Lancet, The</i> , 2016 , 387, 475-90	40	2857
336	Prevalence of challenge-proven IgE-mediated food allergy using population-based sampling and predetermined challenge criteria in infants. <i>Journal of Allergy and Clinical Immunology</i> , 2011 , 127, 668-76.e1-2	11.5	678
335	Iron-overload-related disease in HFE hereditary hemochromatosis. <i>New England Journal of Medicine</i> , 2008 , 358, 221-30	59.2	516
334	A global survey of changing patterns of food allergy burden in children. <i>World Allergy Organization Journal</i> , 2013 , 6, 21	5.2	331
333	Food allergy: riding the second wave of the allergy epidemic. <i>Pediatric Allergy and Immunology</i> , 2011 , 22, 155-60	4.2	306
332	International consensus guidelines for the diagnosis and management of food protein-induced enterocolitis syndrome: Executive summary-Workgroup Report of the Adverse Reactions to Foods Committee, American Academy of Allergy, Asthma & Immunology. <i>Journal of Allergy and Clinical Immunology</i> , 2017 , 139, 1111-1126.e4	11.5	295
331	Can early introduction of egg prevent egg allergy in infants? A population-based study. <i>Journal of Allergy and Clinical Immunology</i> , 2010 , 126, 807-13	11.5	292
330	A WAO - ARIA - GALEN consensus document on molecular-based allergy diagnostics. <i>World Allergy Organization Journal</i> , 2013 , 6, 17	5.2	283
329	Breastfeeding and asthma and allergies: a systematic review and meta-analysis. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2015 , 104, 38-53	3.1	264
328	Atopic dermatitis and the atopic march revisited. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2014 , 69, 17-27	9.3	219
327	Management guidelines of eosinophilic esophagitis in childhood. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2014 , 58, 107-18	2.8	207
326	Childhood predictors of lung function trajectories and future COPD risk: a prospective cohort study from the first to the sixth decade of life. <i>Lancet Respiratory Medicine, the</i> , 2018 , 6, 535-544	35.1	205
325	Establishment of Reference Doses for residues of allergenic foods: report of the VITAL Expert Panel. <i>Food and Chemical Toxicology</i> , 2014 , 63, 9-17	4.7	191
324	Increasing the accuracy of peanut allergy diagnosis by using Ara h 2. <i>Journal of Allergy and Clinical Immunology</i> , 2012 , 129, 1056-63	11.5	179
323	Vitamin D insufficiency is associated with challenge-proven food allergy in infants. <i>Journal of Allergy and Clinical Immunology</i> , 2013 , 131, 1109-16, 1116.e1-6	11.5	176
322	Which infants with eczema are at risk of food allergy? Results from a population-based cohort. <i>Clinical and Experimental Allergy</i> , 2015 , 45, 255-64	4.1	174
321	Diagnosis and management of iron deficiency anaemia: a clinical update. <i>Medical Journal of Australia</i> , 2010 , 193, 525-32	4	173

320	The gut microbiota and inflammatory noncommunicable diseases: associations and potentials for gut microbiota therapies. <i>Journal of Allergy and Clinical Immunology</i> , 2015 , 135, 3-13; quiz 14	11.5	170
319	Skin prick test responses and allergen-specific IgE levels as predictors of peanut, egg, and sesame allergy in infants. <i>Journal of Allergy and Clinical Immunology</i> , 2013 , 132, 874-80	11.5	150
318	Allergen reference doses for precautionary labeling (VITAL 2.0): clinical implications. <i>Journal of Allergy and Clinical Immunology</i> , 2014 , 133, 156-64	11.5	147
317	The prevalence of food allergy and other allergic diseases in early childhood in a population-based study: HealthNuts age 4-year follow-up. <i>Journal of Allergy and Clinical Immunology</i> , 2017 , 140, 145-153.e8	11.5	146
316	Food allergy. <i>Nature Reviews Disease Primers</i> , 2018 , 4, 17098	51.1	139
315	Breastfeeding and childhood acute otitis media: a systematic review and meta-analysis. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2015 , 104, 85-95	3.1	134
314	Screening for hemochromatosis in asymptomatic subjects with or without a family history. <i>Archives of Internal Medicine</i> , 2006 , 166, 294-301		131
313	Natural history of peanut allergy and predictors of resolution in the first 4 years of life: A population-based assessment. <i>Journal of Allergy and Clinical Immunology</i> , 2015 , 135, 1257-66.e1-2	11.5	130
312	The Prevalence of Tree Nut Allergy: A Systematic Review. <i>Current Allergy and Asthma Reports</i> , 2015 , 15, 54	5.6	122
311	Effect of a partially hydrolyzed whey infant formula at weaning on risk of allergic disease in high-risk children: a randomized controlled trial. <i>Journal of Allergy and Clinical Immunology</i> , 2011 , 128, 360-365.e4	11.5	111
310	Breastfeeding and the risk of dental caries: a systematic review and meta-analysis. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2015 , 104, 62-84	3.1	109
309	The natural history and clinical predictors of egg allergy in the first 2 years of life: a prospective, population-based cohort study. <i>Journal of Allergy and Clinical Immunology</i> , 2014 , 133, 485-91	11.5	108
308	Consensus communication on early peanut introduction and the prevention of peanut allergy in high-risk infants. <i>Journal of Allergy and Clinical Immunology</i> , 2015 , 136, 258-61	11.5	102
307	Early clinical predictors of remission of peanut allergy in children. <i>Journal of Allergy and Clinical Immunology</i> , 2008 , 121, 731-6	11.5	101
306	The march from early life food sensitization to allergic disease: a systematic review and meta-analyses of birth cohort studies. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2016 , 71, 77-89	9.3	96
305	HFE C282Y homozygotes are at increased risk of breast and colorectal cancer. <i>Hepatology</i> , 2010 , 51, 1311-8	11.5	95
304	Precautionary allergen labelling: perspectives from key stakeholder groups. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2015 , 70, 1039-51	9.3	94
303	Precautionary labelling of foods for allergen content: are we ready for a global framework?. <i>World Allergy Organization Journal</i> , 2014 , 7, 10	5.2	93

302	Environmental and demographic risk factors for egg allergy in a population-based study of infants. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2012 , 67, 1415-22	9.3	90
301	Epigenome-wide association study reveals longitudinally stable DNA methylation differences in CD4+ T cells from children with IgE-mediated food allergy. <i>Epigenetics</i> , 2014 , 9, 998-1006	5.7	89
300	Prevalence of eczema and food allergy is associated with latitude in Australia. <i>Journal of Allergy and Clinical Immunology</i> , 2012 , 129, 865-7	11.5	87
299	Paleoreconstruction of estuarine sediments reveal human-induced weakening of coastal carbon sinks. <i>Global Change Biology</i> , 2012 , 18, 891-901	11.4	87
298	Understanding the evidence for and against the role of breastfeeding in allergy prevention. <i>Clinical and Experimental Allergy</i> , 2012 , 42, 827-51	4.1	86
297	The HealthNuts population-based study of paediatric food allergy: validity, safety and acceptability. <i>Clinical and Experimental Allergy</i> , 2010 , 40, 1516-22	4.1	86
296	House dust mite sensitization in toddlers predicts current wheeze at age 12 years. <i>Journal of Allergy and Clinical Immunology</i> , 2011 , 128, 782-788.e9	11.5	84
295	Food protein-induced enterocolitis syndrome in Australia: A population-based study, 2012-2014. <i>Journal of Allergy and Clinical Immunology</i> , 2017 , 140, 1323-1330	11.5	82
294	An Australian Consensus on Infant Feeding Guidelines to Prevent Food Allergy: Outcomes From the Australian Infant Feeding Summit. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2017 , 5, 1617-1624	5.4	78
293	Prevalence of challenge-proven IgE-mediated food allergy in infants in the Barwon Region, Victoria, Australia. <i>Clinical and Translational Allergy</i> , 2015 , 5, P89	5.2	78
292	Maternal antenatal folate levels and offspring risk of IgE-mediated food sensitisation. <i>Clinical and Translational Allergy</i> , 2015 , 5, P90	5.2	78
291	Food allergy and anaphylaxis 2053. New diagnostic algorithms that will reduce the need for oral food challenges. <i>World Allergy Organization Journal</i> , 2013 , 6, P136	5.2	78
290	Understanding the feasibility and implications of implementing early peanut introduction for prevention of peanut allergy. <i>Journal of Allergy and Clinical Immunology</i> , 2016 , 138, 1131-1141.e2	11.5	77
289	Paracetamol use in early life and asthma: prospective birth cohort study. <i>BMJ, The</i> , 2010 , 341, c4616	5.9	76
288	Is caesarean delivery associated with sensitization to food allergens and IgE-mediated food allergy: a systematic review. <i>Pediatric Allergy and Immunology</i> , 2008 , 19, 682-7	4.2	76
287	Peanut Allergen Threshold Study (PATS): Novel single-dose oral food challenge study to validate eliciting doses in children with peanut allergy. <i>Journal of Allergy and Clinical Immunology</i> , 2017 , 139, 1583-1590	11.5	75
286	The skin as a target for prevention of the atopic march. <i>Annals of Allergy, Asthma and Immunology</i> , 2018 , 120, 145-151	3.2	75
285	Use of community genetic screening to prevent HFE-associated hereditary haemochromatosis. <i>Lancet, The</i> , 2005 , 366, 314-6	4.0	75

284	Filaggrin loss-of-function mutations do not predict food allergy over and above the risk of food sensitization among infants. <i>Journal of Allergy and Clinical Immunology</i> , 2012 , 130, 1211-1213.e3	11.5	74
283	Childhood eczema and rhinitis predict atopic but not nonatopic adult asthma: a prospective cohort study over 4 decades. <i>Journal of Allergy and Clinical Immunology</i> , 2011 , 127, 1473-9.e1	11.5	73
282	Increased risk of peanut allergy in infants of Asian-born parents compared to those of Australian-born parents. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2014 , 69, 1639-47	9.3	72
281	A randomized trial of a barrier lipid replacement strategy for the prevention of atopic dermatitis and allergic sensitization: the PEBBLES pilot study. <i>British Journal of Dermatology</i> , 2018 , 178, e19-e21	4	71
280	Predetermined challenge eligibility and cessation criteria for oral food challenges in the HealthNuts population-based study of infants. <i>Journal of Allergy and Clinical Immunology</i> , 2012 , 129, 1145-7	11.5	70
279	Guidelines for the use of infant formulas to treat cows milk protein allergy: an Australian consensus panel opinion. <i>Medical Journal of Australia</i> , 2008 , 188, 109-12	4	70
278	The epidemiology of IgE-mediated food allergy and anaphylaxis. <i>Immunology and Allergy Clinics of North America</i> , 2012 , 32, 35-50	3.3	69
277	An update on epidemiology of anaphylaxis in children and adults. <i>Current Opinion in Allergy and Clinical Immunology</i> , 2011 , 11, 492-6	3.3	69
276	Blood DNA methylation biomarkers predict clinical reactivity in food-sensitized infants. <i>Journal of Allergy and Clinical Immunology</i> , 2015 , 135, 1319-28.e1-12	11.5	68
275	Cohort Profile: The Barwon Infant Study. <i>International Journal of Epidemiology</i> , 2015 , 44, 1148-60	7.8	67
274	Perinatal cat and dog exposure and the risk of asthma and allergy in the urban environment: a systematic review of longitudinal studies. <i>Clinical and Developmental Immunology</i> , 2012 , 2012, 176484		65
273	The natural history of serum iron indices for HFE C282Y homozygosity associated with hereditary hemochromatosis. <i>Gastroenterology</i> , 2008 , 135, 1945-52	13.3	65
272	Exome sequencing in HFE C282Y homozygous men with extreme phenotypes identifies a GNPAT variant associated with severe iron overload. <i>Hepatology</i> , 2015 , 62, 429-39	11.2	64
271	HFE C282Y/H63D compound heterozygotes are at low risk of hemochromatosis-related morbidity. <i>Hepatology</i> , 2009 , 50, 94-101	11.2	64
270	Cell-mediated rejection results in allograft loss after liver cell transplantation. <i>Liver Transplantation</i> , 2008 , 14, 688-94	4.5	63
269	Liver cell transplantation: the road to clinical application. <i>Translational Research</i> , 2001 , 138, 298-312		63
268	Cord blood monocyte-derived inflammatory cytokines suppress IL-2 and induce nonclassic "T(H)2-type" immunity associated with development of food allergy. <i>Science Translational Medicine</i> , 2016 , 8, 321ra8	17.5	62
267	Childhood wheeze phenotypes show less than expected growth in FEV1 across adolescence. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2014 , 189, 1351-8	10.2	62

266	The prevalence of food allergy in infants in Chongqing, China. <i>Pediatric Allergy and Immunology</i> , 2011 , 22, 356-60	4.2	62
265	Management of cow's milk protein allergy in infants and young children: an expert panel perspective. <i>Journal of Paediatrics and Child Health</i> , 2009 , 45, 481-6	1.3	62
264	The impact of family history of allergy on risk of food allergy: a population-based study of infants. <i>International Journal of Environmental Research and Public Health</i> , 2013 , 10, 5364-77	4.6	61
263	Prevalence of clinic-defined food allergy in early adolescence: The SchoolNuts study. <i>Journal of Allergy and Clinical Immunology</i> , 2018 , 141, 391-398.e4	11.5	61
262	Cohort Profile: The HealthNuts Study: Population prevalence and environmental/genetic predictors of food allergy. <i>International Journal of Epidemiology</i> , 2015 , 44, 1161-71	7.8	60
261	Advantages and Challenges of Dried Blood Spot Analysis by Mass Spectrometry Across the Total Testing Process. <i>Electronic Journal of the International Federation of Clinical Chemistry and Laboratory Medicine</i> , 2016 , 27, 288-317	2.4	60
260	Critical Issues in Food Allergy: A National Academies Consensus Report. <i>Pediatrics</i> , 2017 , 140,	7.4	55
259	Food Allergen Labeling and Purchasing Habits in the United States and Canada. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2017 , 5, 345-351.e2	5.4	55
258	Infant feeding and allergy prevention: a review of current knowledge and recommendations. A EuroPrevall state of the art paper. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2009 , 64, 1407-1416	9.3	54
257	Nut allergy prevalence and differences between Asian-born children and Australian-born children of Asian descent: a state-wide survey of children at primary school entry in Victoria, Australia. <i>Clinical and Experimental Allergy</i> , 2016 , 46, 602-9	4.1	54
256	The prevalence and socio-demographic risk factors of clinical eczema in infancy: a population-based observational study. <i>Clinical and Experimental Allergy</i> , 2013 , 43, 642-51	4.1	53
255	The role of genetics and environment in the rise of childhood food allergy. <i>Clinical and Experimental Allergy</i> , 2012 , 42, 20-9	4.1	53
254	The urgent need for a harmonized severity scoring system for acute allergic reactions. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2018 , 73, 1792-1800	9.3	52
253	Immune Modulation by Vitamin D and Its Relevance to Food Allergy. <i>Nutrients</i> , 2015 , 7, 6088-108	6.7	52
252	A novel association between a SNP in CYBRD1 and serum ferritin levels in a cohort study of HFE hereditary haemochromatosis. <i>British Journal of Haematology</i> , 2009 , 147, 140-9	4.5	49
251	Genome-wide association study and meta-analysis in multiple populations identifies new loci for peanut allergy and establishes C11orf30/EMSY as a genetic risk factor for food allergy. <i>Journal of Allergy and Clinical Immunology</i> , 2018 , 141, 991-1001	11.5	47
250	Differential factors associated with challenge-proven food allergy phenotypes in a population cohort of infants: a latent class analysis. <i>Clinical and Experimental Allergy</i> , 2015 , 45, 953-963	4.1	47
249	IgE food sensitization in infants with eczema attending a dermatology department. <i>Journal of Pediatrics</i> , 2007 , 151, 359-63	3.6	47

248	A homozygous HAMP mutation in a multiply consanguineous family with pseudo-dominant juvenile hemochromatosis. <i>Clinical Genetics</i> , 2004 , 65, 378-83	4	47
247	The global incidence and prevalence of anaphylaxis in children in the general population: A systematic review. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2019 , 74, 1063-1080	9.3	46
246	The predictive value of skin prick testing for challenge-proven food allergy: a systematic review. <i>Pediatric Allergy and Immunology</i> , 2012 , 23, 347-52	4.2	46
245	Conducting an Oral Food Challenge to Peanut in an Infant. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2017 , 5, 301-311.e1	5.4	44
244	Is there a march from early food sensitization to later childhood allergic airway disease? Results from two prospective birth cohort studies. <i>Pediatric Allergy and Immunology</i> , 2017 , 28, 30-37	4.2	43
243	The skin barrier function gene SPINK5 is associated with challenge-proven IgE-mediated food allergy in infants. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2017 , 72, 1356-1364	9.3	42
242	Early-life risk factors for childhood wheeze phenotypes in a high-risk birth cohort. <i>Journal of Pediatrics</i> , 2014 , 164, 289-94.e1-2	3.6	42
241	Population response to change in infant feeding guidelines for allergy prevention. <i>Journal of Allergy and Clinical Immunology</i> , 2014 , 133, 476-84	11.5	42
240	Optimal timing for solids introduction - why are the guidelines always changing?. <i>Clinical and Experimental Allergy</i> , 2013 , 43, 826-34	4.1	41
239	Chronological changes in tissue copper, zinc and iron in the toxic milk mouse and effects of copper loading. <i>BioMetals</i> , 2006 , 19, 555-64	3.4	41
238	Defective localization of the Wilson disease protein (ATP7B) in the mammary gland of the toxic milk mouse and the effects of copper supplementation. <i>Biochemical Journal</i> , 2000 , 352, 565-571	3.8	41
237	Epigenetic dysregulation of naive CD4+ T-cell activation genes in childhood food allergy. <i>Nature Communications</i> , 2018 , 9, 3308	17.4	40
236	Epidemiology of anaphylaxis. <i>Current Opinion in Allergy and Clinical Immunology</i> , 2009 , 9, 351-6	3.3	40
235	The Consequences of Precautionary Allergen Labeling: Safe Haven or Unjustifiable Burden?. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2018 , 6, 400-407	5.4	39
234	Elevated IL-33 expression is associated with pediatric eosinophilic esophagitis, and exogenous IL-33 promotes eosinophilic esophagitis development in mice. <i>American Journal of Physiology - Renal Physiology</i> , 2016 , 310, G13-25	5.1	39
233	Polymorphisms affecting vitamin D-binding protein modify the relationship between serum vitamin D (25[OH]D3) and food allergy. <i>Journal of Allergy and Clinical Immunology</i> , 2016 , 137, 500-506.e4	11.5	39
232	The South African Food Sensitisation and Food Allergy population-based study of IgE-mediated food allergy: validity, safety, and acceptability. <i>Annals of Allergy, Asthma and Immunology</i> , 2015 , 115, 113-9	3.2	39
231	Vitamin D insufficiency in the first 6 months of infancy and challenge-proven IgE-mediated food allergy at 1 year of age: a case-cohort study. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2017 , 72, 1222-1231	9.3	38

230	HFE Cys282Tyr homozygotes with serum ferritin concentrations below 1000 microg/L are at low risk of hemochromatosis. <i>Hepatology</i> , 2010 , 52, 925-33	11.2	38
229	Patterns of tree nut sensitization and allergy in the first 6 years of life in a population-based cohort. <i>Journal of Allergy and Clinical Immunology</i> , 2019 , 143, 644-650.e5	11.5	38
228	Precautionary allergen labelling following new labelling practice in Australia. <i>Journal of Paediatrics and Child Health</i> , 2013 , 49, E306-10	1.3	37
227	Early life innate immune signatures of persistent food allergy. <i>Journal of Allergy and Clinical Immunology</i> , 2018 , 142, 857-864.e3	11.5	36
226	Egg allergen specific IgE diversity predicts resolution of egg allergy in the population cohort HealthNuts. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2019 , 74, 318-326	9.3	36
225	Epidemiology of food allergy and food-induced anaphylaxis: is there really a Western world epidemic?. <i>Current Opinion in Allergy and Clinical Immunology</i> , 2015 , 15, 409-16	3.3	36
224	Maternal carriage of <i>Prevotella</i> during pregnancy associates with protection against food allergy in the offspring. <i>Nature Communications</i> , 2020 , 11, 1452	17.4	35
223	The potential link between gut microbiota and IgE-mediated food allergy in early life. <i>International Journal of Environmental Research and Public Health</i> , 2013 , 10, 7235-56	4.6	35
222	Perceptions of precautionary labelling among parents of children with food allergy and anaphylaxis. <i>Medical Journal of Australia</i> , 2013 , 198, 621-3	4	35
221	4. Food allergy in childhood. <i>Medical Journal of Australia</i> , 2006 , 185, 394-400	4	35
220	Liver cell transplantation leads to repopulation and functional correction in a mouse model of Wilson's disease. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2004 , 19, 1283-90	4	34
219	Persistent pollen exposure during infancy is associated with increased risk of subsequent childhood asthma and hayfever. <i>Clinical and Experimental Allergy</i> , 2013 , 43, 337-43	4.1	33
218	Hidden allergens in foods and implications for labelling and clinical care of food allergic patients. <i>Current Allergy and Asthma Reports</i> , 2012 , 12, 292-6	5.6	32
217	Prognostic implications of centrilobular necrosis in pediatric liver transplant recipients. <i>Transplantation</i> , 1998 , 65, 692-8	1.8	32
216	The effect of provision of an adrenaline autoinjector on quality of life in children with food allergy. <i>Journal of Allergy and Clinical Immunology</i> , 2013 , 131, 238-40.e1	11.5	30
215	Consensus Communication on Early Peanut Introduction and Prevention of Peanut Allergy in High-Risk Infants. <i>Pediatric Dermatology</i> , 2016 , 33, 103-6	1.9	29
214	Prospects for Prevention of Food Allergy. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2016 , 4, 215-20	5.4	29
213	Pets at birth do not increase allergic disease in at-risk children. <i>Clinical and Experimental Allergy</i> , 2012 , 42, 1377-85	4.1	29

212	Implementation of HaemScreen, a workplace-based genetic screening program for hemochromatosis. <i>Clinical Genetics</i> , 2004 , 65, 358-67	4	29
211	Self-reported adverse food reactions and anaphylaxis in the SchoolNuts study: A population-based study of adolescents. <i>Journal of Allergy and Clinical Immunology</i> , 2018 , 141, 982-990	11.5	29
210	The natural history of IgE-mediated food allergy: can skin prick tests and serum-specific IgE predict the resolution of food allergy?. <i>International Journal of Environmental Research and Public Health</i> , 2013 , 10, 5039-61	4.6	28
209	Clinical haemochromatosis in HFE mutation carriers. <i>Lancet, The</i> , 2002 , 360, 412-3; author reply 413-4	40	28
208	The Impact of Timing of Introduction of Solids on Infant Body Mass Index. <i>Journal of Pediatrics</i> , 2016 , 179, 104-110.e1	3.6	28
207	Earlier ingestion of peanut after changes to infant feeding guidelines: The EarlyNuts study. <i>Journal of Allergy and Clinical Immunology</i> , 2019 , 144, 1327-1335.e5	11.5	28
206	Clinical penetrance in hereditary hemochromatosis: estimates of the cumulative incidence of severe liver disease among HFE C282Y homozygotes. <i>Genetics in Medicine</i> , 2018 , 20, 383-389	8.1	28
205	Genomewide association study of peanut allergy reproduces association with amino acid polymorphisms in HLA-DRB1. <i>Clinical and Experimental Allergy</i> , 2017 , 47, 217-223	4.1	27
204	VITALITY trial: protocol for a randomised controlled trial to establish the role of postnatal vitamin D supplementation in infant immune health. <i>BMJ Open</i> , 2015 , 5, e009377	3	27
203	Vitamin A supplementation and BCG vaccination at birth may affect atopy in childhood: long-term follow-up of a randomized controlled trial. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2013 , 68, 1168-76	9.3	27
202	The impact of breastfeeding on lung development and function: a systematic review. <i>Expert Review of Clinical Immunology</i> , 2013 , 9, 1253-65	5.1	27
201	Identification and analysis of peanut-specific effector T and regulatory T cells in children allergic and tolerant to peanut. <i>Journal of Allergy and Clinical Immunology</i> , 2018 , 141, 1699-1710.e7	11.5	26
200	Foods with precautionary allergen labeling in Australia rarely contain detectable allergen. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2013 , 1, 401-3	5.4	26
199	The ontogeny of naïve and regulatory CD4(+) T-cell subsets during the first postnatal year: a cohort study. <i>Clinical and Translational Immunology</i> , 2015 , 4, e34	6.8	25
198	The role of food allergy in the atopic march. <i>Clinical and Experimental Allergy</i> , 2010 , 40, 1439-41	4.1	25
197	Variability in skin prick test results performed by multiple operators depends on the device used. <i>World Allergy Organization Journal</i> , 2012 , 5, 200-4	5.2	25
196	Early Exposure to Cow's Milk Protein Is Associated with a Reduced Risk of Cow's Milk Allergic Outcomes. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2019 , 7, 462-470.e1	5.4	25
195	Food Challenge and Community-Reported Reaction Profiles in Food-Allergic Children Aged 1 and 4 Years: A Population-Based Study. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2017 , 5, 398-409.e3	5.4	24

194	Childhood Respiratory Risk Factor Profiles and Middle-Age Lung Function: A Prospective Cohort Study from the First to Sixth Decade. <i>Annals of the American Thoracic Society</i> , 2018 , 15, 1057-1066	4.7	24
193	Sensitization to milk, egg and peanut from birth to 18 years: A longitudinal study of a cohort at risk of allergic disease. <i>Pediatric Allergy and Immunology</i> , 2016 , 27, 83-91	4.2	24
192	Age at introduction to complementary solid food and food allergy and sensitization: A systematic review and meta-analysis. <i>Clinical and Experimental Allergy</i> , 2019 , 49, 754-769	4.1	23
191	PEBBLES study protocol: a randomised controlled trial to prevent atopic dermatitis, food allergy and sensitisation in infants with a family history of allergic disease using a skin barrier improvement strategy. <i>BMJ Open</i> , 2019 , 9, e024594	3	23
190	Gut microbiota composition during infancy and subsequent behavioural outcomes. <i>EBioMedicine</i> , 2020 , 52, 102640	8.8	23
189	Food-allergic infants have impaired regulatory T-cell responses following in vivo allergen exposure. <i>Pediatric Allergy and Immunology</i> , 2016 , 27, 35-43	4.2	23
188	Genetic determinants of paediatric food allergy: A systematic review. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2019 , 74, 1631-1648	9.3	22
187	Consensus communication on early peanut introduction and the prevention of peanut allergy in high-risk infants. <i>Annals of Allergy, Asthma and Immunology</i> , 2015 , 115, 87-90	3.2	22
186	Natural history of HFE simple heterozygosity for C282Y and H63D: a prospective 12-year study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015 , 30, 719-25	4	22
185	Severity and threshold of peanut reactivity during hospital-based open oral food challenges: An international multicenter survey. <i>Pediatric Allergy and Immunology</i> , 2018 , 29, 754-761	4.2	22
184	Prevalence and determinants of antibiotic exposure in infants: A population-derived Australian birth cohort study. <i>Journal of Paediatrics and Child Health</i> , 2017 , 53, 942-949	1.3	22
183	Environmental and genetic determinants of vitamin D insufficiency in 12-month-old infants. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2014 , 144 Pt B, 445-54	5.1	22
182	Early childhood infections and immunisation and the development of allergic disease in particular asthma in a high-risk cohort: A prospective study of allergy-prone children from birth to six years. <i>Pediatric Allergy and Immunology</i> , 2010 , 21, 1076-85	4.2	22
181	The potential of bone marrow stem cells to correct liver dysfunction in a mouse model of Wilson's disease. <i>Cell Transplantation</i> , 2004 , 13, 765-73	4	22
180	Should we genetically test everyone for haemochromatosis?. <i>Journal of Medical Ethics</i> , 1999 , 25, 209-14	2.5	22
179	Genetic variation at the Th2 immune gene IL13 is associated with IgE-mediated paediatric food allergy. <i>Clinical and Experimental Allergy</i> , 2017 , 47, 1032-1037	4.1	21
178	Deriving individual threshold doses from clinical food challenge data for population risk assessment of food allergens. <i>Journal of Allergy and Clinical Immunology</i> , 2019 , 144, 1290-1309	11.5	21
177	Statewide prevalence of school children at risk of anaphylaxis and rate of adrenaline autoinjector activation in Victorian government schools, Australia. <i>Journal of Allergy and Clinical Immunology</i> , 2016 , 138, 529-35	11.5	21

176	Persistent Food Allergy and Food Allergy Coexistent with Eczema Is Associated with Reduced Growth in the First 4 Years of Life. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2016 , 4, 248-56.e3	5.4	21
175	Bedroom air quality and vacuuming frequency are associated with repeat child asthma hospital admissions. <i>Journal of Asthma</i> , 2015 , 52, 727-31	1.9	21
174	Defective localization of the Wilson disease protein (ATP7B) in the mammary gland of the toxic milk mouse and the effects of copper supplementation. <i>Biochemical Journal</i> , 2000 , 352, 565	3.8	21
173	Food Allergy Is an Important Risk Factor for Childhood Asthma, Irrespective of Whether It Resolves. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2018 , 6, 1336-1341.e3	5.4	21
172	Consensus Communication on Early Peanut Introduction and the Prevention of Peanut Allergy in High-risk Infants. <i>Pediatrics</i> , 2015 , 136, 600-604	7.4	20
171	Association of breast milk fatty acids with allergic disease outcomes-A systematic review. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2018 , 73, 295-312	9.3	20
170	Debates in allergy medicine: baked egg and milk do not accelerate tolerance to egg and milk. <i>World Allergy Organization Journal</i> , 2016 , 9, 2	5.2	20
169	Characterization of plasma cytokines in an infant population cohort of challenge-proven food allergy. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2013 , 68, 1233-40	9.3	20
168	Peanut Allergen Threshold Study (PATS): validation of eliciting doses using a novel single-dose challenge protocol. <i>Allergy, Asthma and Clinical Immunology</i> , 2013 , 9, 35	3.2	20
167	Soy consumption is not a risk factor for peanut sensitization. <i>Journal of Allergy and Clinical Immunology</i> , 2008 , 121, 1455-9	11.5	20
166	Insurance agreement to facilitate genetic testing. <i>Lancet, The</i> , 2002 , 359, 1433	4.0	20
165	Timing of routine infant vaccinations and risk of food allergy and eczema at one year of age. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2016 , 71, 541-9	9.3	20
164	Formula and breast feeding in infant food allergy: A population-based study. <i>Journal of Paediatrics and Child Health</i> , 2016 , 52, 377-84	1.3	19
163	The role of partially hydrolyzed whey formula for the prevention of allergic disease: evidence and gaps. <i>Expert Review of Clinical Immunology</i> , 2013 , 9, 31-41	5.1	19
162	Liver transplantation for argininosuccinic aciduria: clinical, biochemical, and metabolic outcome. <i>Liver Transplantation</i> , 2008 , 14, 41-5	4.5	19
161	Stem cells for the treatment of liver disease. <i>Transplant Immunology</i> , 2005 , 15, 99-112	1.7	19
160	Defective localization of the Wilson disease protein (ATP7B) in the mammary gland of the toxic milk mouse and the effects of copper supplementation. <i>Biochemical Journal</i> , 2000 , 352 Pt 2, 565-71	3.8	19
159	Cohort Profile: The Tasmanian Longitudinal Health STUDY (TAHS). <i>International Journal of Epidemiology</i> , 2017 , 46, 407-408i	7.8	19

158	Cohort Profile: Melbourne Atopy Cohort study (MACS). <i>International Journal of Epidemiology</i> , 2017 , 46, 25-26	7.8	19
157	SNP selection for genes of iron metabolism in a study of genetic modifiers of hemochromatosis. <i>BMC Medical Genetics</i> , 2008 , 9, 18	2.1	18
156	Genetic susceptibility screening in schools: attitudes of the school community towards hereditary haemochromatosis. <i>Clinical Genetics</i> , 2005 , 67, 166-74	4	18
155	Screening for hereditary haemochromatosis should be implemented now 2000 , 320, 183-183		18
154	Age at onset and persistence of eczema are related to subsequent risk of asthma and hay fever from birth to 18 years of age. <i>Pediatric Allergy and Immunology</i> , 2017 , 28, 384-390	4.2	17
153	Early smoke exposure is associated with asthma and lung function deficits in adolescents. <i>Journal of Asthma</i> , 2017 , 54, 662-669	1.9	17
152	A phase I study of daily treatment with a ceramide-dominant triple lipid mixture commencing in neonates. <i>BMC Dermatology</i> , 2012 , 12, 3	2.1	17
151	Hereditary hemochromatosis genetic testing of at-risk children: what is the appropriate age?. <i>Genetic Testing and Molecular Biomarkers</i> , 2004 , 8, 98-103		17
150	Why Does Australia Appear to Have the Highest Rates of Food Allergy?. <i>Pediatric Clinics of North America</i> , 2015 , 62, 1441-51	3.6	16
149	A Canadian genome-wide association study and meta-analysis confirm HLA as a risk factor for peanut allergy independent of asthma. <i>Journal of Allergy and Clinical Immunology</i> , 2018 , 141, 1513-1516	11.5	16
148	IgE reactivity to shrimp allergens in infants and their cross-reactivity to house dust mite. <i>Pediatric Allergy and Immunology</i> , 2017 , 28, 703-707	4.2	16
147	Do human rhinovirus infections and food allergy modify grass pollen-induced asthma hospital admissions in children?. <i>Journal of Allergy and Clinical Immunology</i> , 2015 , 136, 1118-20.e2	11.5	16
146	Overview of evidence in prevention and aetiology of food allergy: a review of systematic reviews. <i>International Journal of Environmental Research and Public Health</i> , 2013 , 10, 5781-806	4.6	16
145	Specific oral tolerance induction in childhood. <i>Pediatric Allergy and Immunology</i> , 2016 , 27, 784-794	4.2	16
144	The Prevalence of Food Sensitization Appears Not to Have Changed between 2 Melbourne Cohorts of High-Risk Infants Recruited 15 Years Apart. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2018 , 6, 440-448.e2	5.4	15
143	HFE C282Y homozygosity is associated with an increased risk of total hip replacement for osteoarthritis. <i>Seminars in Arthritis and Rheumatism</i> , 2012 , 41, 872-8	5.3	15
142	Reduction of body iron in HFE-related haemochromatosis and moderate iron overload (Mi-Iron): a multicentre, participant-blinded, randomised controlled trial. <i>Lancet Haematology</i> , 2017 , 4, e607-e614	14.6	15
141	Are vitamins A and D important in the development of food allergy and how are they best measured?. <i>Clinical Biochemistry</i> , 2014 , 47, 804-11	3.5	15

140	Trends in asthma readmissions among children and adolescents over time by age, gender and season. <i>Journal of Asthma</i> , 2014 , 51, 1055-60	1.9	14
139	Potential links between the emerging risk factors for food allergy and vitamin D status. <i>Clinical and Experimental Allergy</i> , 2013 , 43, 599-607	4.1	14
138	Do Variants in GSTs Modify the Association between Traffic Air Pollution and Asthma in Adolescence?. <i>International Journal of Molecular Sciences</i> , 2016 , 17, 485	6.3	14
137	Patterns of Carriage of Prescribed Adrenaline Autoinjectors in 10- to 14-Year-Old Food-Allergic Students: A Population-Based Study. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2019 , 7, 437-443	5.4	14
136	Conditionally immortalized mouse hepatocytes for use in liver gene therapy. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2000 , 15, 1325-32	4	14
135	Increasing hospital presentations for anaphylaxis in the pediatric population in Hong Kong. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2018 , 6, 1050-1052.e2	5.4	13
134	Preliminary Development of the Food Allergy Coping and Emotions Questionnaires for Children, Adolescents, and Young People: Qualitative Analysis of Data on IgE-Mediated Food Allergy from Five Countries. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2018 , 6, 506-513.e11	5.4	13
133	Asian children living in Australia have a different profile of allergy and anaphylaxis than Australian-born children: A State-wide survey. <i>Clinical and Experimental Allergy</i> , 2018 , 48, 1317-1324	4.1	13
132	Determination of the clinical egg allergy phenotypes using component-resolved diagnostics. <i>Pediatric Allergy and Immunology</i> , 2014 , 25, 639-43	4.2	13
131	Eosinophilic esophagitis: trials and tribulations. <i>Journal of Clinical Gastroenterology</i> , 2011 , 45, 574-82	3	13
130	Heterozygous tx mice have an increased sensitivity to copper loading: implications for Wilson's disease carriers. <i>BioMetals</i> , 2007 , 20, 751-7	3.4	13
129	Epigenetic modifications: mechanisms of disease and biomarkers of food allergy. <i>Current Opinion in Immunology</i> , 2016 , 42, 9-15	7.8	13
128	Primary Prevention of Food Allergy. <i>Current Allergy and Asthma Reports</i> , 2017 , 17, 52	5.6	12
127	Risk Factors for Food Allergy in Early Adolescence: The SchoolNuts Study. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2018 , 6, 496-505	5.4	12
126	Management of food allergy: a survey of Australian paediatricians. <i>Journal of Paediatrics and Child Health</i> , 2014 , 50, 432-7	1.3	12
125	Perinatal microbial exposure may influence aortic intima-media thickness in early infancy. <i>International Journal of Epidemiology</i> , 2017 , 46, 209-218	7.8	12
124	A comparison of self-reported and record-linked blood donation history in an Australian cohort. <i>Transfusion</i> , 2011 , 51, 2189-98	2.9	12
123	Whole-Cell Pertussis Vaccination and Decreased Risk of IgE-Mediated Food Allergy: A Nested Case-Control Study. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2020 , 8, 2004-2014	5.4	12

122	Effect of season of birth on cord blood IgE and IgE at birth: A systematic review and meta-analysis. <i>Environmental Research</i> , 2017 , 157, 198-205	7.9	11
121	Breast milk polyunsaturated fatty acids: associations with adolescent allergic disease and lung function. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2017 , 72, 1193-1201	9.3	11
120	Naïve regulatory T cells in infancy: Associations with perinatal factors and development of food allergy. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2019 , 74, 1760-1768	9.3	11
119	Vitamins D and A can be successfully measured by LC-MS/MS in cord blood diluted plasma. <i>Clinical Biochemistry</i> , 2015 , 48, 1105-12	3.5	11
118	Association between the age of solid food introduction and eczema: A systematic review and a meta-analysis. <i>Clinical and Experimental Allergy</i> , 2018 , 48, 1000-1015	4.1	11
117	Knowledge, practice, and views on precautionary allergen labeling for the management of patients with IgE-mediated food allergy--a survey of Australasian and UK health care professionals. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2016 , 4, 165-7.e14	5.4	11
116	Food Allergen Management in Australia. <i>Journal of AOAC INTERNATIONAL</i> , 2018 , 101, 60-69	1.7	11
115	Determinants of Neonatal Vitamin D Levels as Measured on Neonatal Dried Blood Spot Samples. <i>Neonatology</i> , 2017 , 111, 153-161	4	11
114	Clinical aspects of pediatric food allergy and failed oral immune tolerance. <i>Journal of Clinical Gastroenterology</i> , 2010 , 44, 391-401	3	11
113	Paracetamol as a risk factor for allergic disorders. <i>Lancet, The</i> , 2009 , 373, 120; author reply 120-1	4.0	11
112	Asymptomatic individuals at genetic risk of haemochromatosis take appropriate steps to prevent disease related to iron overload. <i>Liver International</i> , 2008 , 28, 363-9	7.9	11
111	Identifying and managing patients at risk of severe allergic reactions to food: Report from two iFAAM workshops. <i>Clinical and Experimental Allergy</i> , 2019 , 49, 1558-1566	4.1	10
110	Anaphylaxis to packaged foods in Australasia. <i>Journal of Paediatrics and Child Health</i> , 2018 , 54, 551-555	1.3	10
109	Methylation of the filaggrin gene promoter does not affect gene expression and allergy. <i>Pediatric Allergy and Immunology</i> , 2014 , 25, 608-10	4.2	10
108	Debunking the Myth of Wool Allergy: Reviewing the Evidence for Immune and Non-immune Cutaneous Reactions. <i>Acta Dermato-Venereologica</i> , 2017 , 97, 906-915	2.2	10
107	Frequent baked egg ingestion was not associated with change in rate of decline in egg skin prick test in children with challenge confirmed egg allergy. <i>Clinical and Experimental Allergy</i> , 2012 , 42, 1782-90	4.1	10
106	Implementation of ironXS: a study of the acceptability and feasibility of genetic screening for hereditary hemochromatosis in high schools. <i>Clinical Genetics</i> , 2010 , 77, 241-8	4	10
105	Educational outcomes of a workplace screening program for genetic susceptibility to hemochromatosis. <i>Clinical Genetics</i> , 2006 , 69, 163-70	4	10

104	Consensus of stakeholders on precautionary allergen labelling: A report from the Centre for Food and Allergy Research. <i>Journal of Paediatrics and Child Health</i> , 2016 , 52, 797-801	1.3	10
103	GNPAT p.D519G is independently associated with markedly increased iron stores in HFE p.C282Y homozygotes. <i>Blood Cells, Molecules, and Diseases</i> , 2017 , 63, 15-20	2.1	9
102	Factors Affecting Vitamin D Status in Infants. <i>Children</i> , 2019 , 6,	2.8	9
101	HFE p.C282Y homozygosity predisposes to rapid serum ferritin rise after menopause: A genotype-stratified cohort study of hemochromatosis in Australian women. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017 , 32, 797-802	4	9
100	Consensus communication on early peanut introduction and the prevention of peanut allergy in high-risk infants. <i>Allergy, Asthma and Clinical Immunology</i> , 2015 , 11, 23	3.2	9
99	Should HFE p.C282Y homozygotes with moderately elevated serum ferritin be treated? A randomised controlled trial comparing iron reduction with sham treatment (Mi-iron). <i>BMJ Open</i> , 2015 , 5, e008938	3	9
98	HFE p.C282Y heterozygosity is associated with earlier disease onset in Friedreich ataxia. <i>Movement Disorders</i> , 2014 , 29, 940-3	7	9
97	The role of hydrolysates for atopy prevention--con. <i>Pediatric Allergy and Immunology</i> , 2013 , 24, 724-6	4.2	9
96	Does regular paracetamol ingestion increase the risk of developing asthma?. <i>Clinical and Experimental Allergy</i> , 2011 , 41, 459-60	4.1	9
95	Prevalence of allergen avoidance advisory statements on packaged processed foods in a supermarket. <i>Medical Journal of Australia</i> , 2010 , 193, 426-7	4	9
94	Is advising food allergic patients to avoid food with precautionary allergen labelling out of date?. <i>Current Opinion in Allergy and Clinical Immunology</i> , 2016 , 16, 272-7	3.3	9
93	Children with East Asian-Born Parents Have an Increased Risk of Allergy but May Not Have More Asthma in Early Childhood. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2019 , 7, 539-547.e3	5.4	9
92	Self-reported anaphylaxis to packaged foods in Australia. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2019 , 7, 687-689	5.4	9
91	Potential for improving therapy and defining new research targets in eosinophilic oesophagitis based on understanding of immunopathogenesis. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2013 , 57, 529-34	2.8	8
90	Emerging management concepts for eosinophilic esophagitis in children. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2011 , 26, 1106-13	4	8
89	Advances in food allergy in 2017. <i>Journal of Allergy and Clinical Immunology</i> , 2018 , 142, 1719-1729	11.5	8
88	Understanding food allergen thresholds requires careful analysis of the available clinical data. <i>Journal of Allergy and Clinical Immunology</i> , 2015 , 135, 583-4	11.5	7
87	Prevention of Food Allergies. <i>Immunology and Allergy Clinics of North America</i> , 2018 , 38, 1-11	3.3	7

86	The establishment of DOHaD working groups in Australia and New Zealand. <i>Journal of Developmental Origins of Health and Disease</i> , 2016 , 7, 433-439	2.4	7
85	NO in exhaled breath condensate is related to allergic sensitization in young and middle-aged adults. <i>Clinical and Experimental Allergy</i> , 2019 , 49, 171-179	4.1	7
84	BCG for the prevention of food allergy - exploring a new use for an old vaccine. <i>Medical Journal of Australia</i> , 2015 , 202, 565-6	4	7
83	Is Low Vitamin D Status A Risk Factor For Food Allergy? Current Evidence And Future Directions. <i>Mini-Reviews in Medicinal Chemistry</i> , 2015 , 15, 944-52	3.2	7
82	Conditionally immortalized mouse hepatocytes for use in liver gene therapy. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2000 , 15, 1325-1332	4	7
81	Managing simple food allergy in community settings: A pilot study investigating a new model of care. <i>Journal of Paediatrics and Child Health</i> , 2016 , 52, 315-20	1.3	7
80	Skin Prick Test Predictive Values for the Outcome of Cashew Challenges in Children. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2020 , 8, 141-148.e2	5.4	7
79	Advice about infant feeding for allergy prevention: A confusing picture for Australian consumers?. <i>Journal of Paediatrics and Child Health</i> , 2017 , 53, 870-875	1.3	6
78	No obvious impact of caesarean delivery on childhood allergic outcomes: findings from Australian cohorts. <i>Archives of Disease in Childhood</i> , 2020 , 105, 664-670	2.2	6
77	Introducing Allergenic Foods in Infants. <i>New England Journal of Medicine</i> , 2016 , 375, e16	59.2	6
76	Correction of copper metabolism is not sustained long term in Wilson's disease mice post bone marrow transplantation. <i>Hepatology International</i> , 2008 , 2, 72-9	8.8	6
75	Important risk factors for the development of food allergy and potential options for prevention. <i>Expert Review of Clinical Immunology</i> , 2019 , 15, 147-152	5.1	6
74	Hereditary haemochromatosis - diagnosis and management. <i>Australian Family Physician</i> , 2010 , 39, 938-41		6
73	Meeting the challenges of measuring human immune regulation. <i>Journal of Immunological Methods</i> , 2015 , 424, 1-6	2.5	5
72	The role of gene-environment interactions in the development of food allergy. <i>Expert Review of Gastroenterology and Hepatology</i> , 2015 , 9, 1371-8	4.2	5
71	Reduced mortality due to phlebotomy in moderately iron-loaded HFE haemochromatosis? The need for clinical trials. <i>Journal of Hepatology</i> , 2015 , 63, 282-3	13.4	5
70	Reduced risk of pertussis among persons ever vaccinated with whole-cell pertussis vaccine compared to recipients of acellular pertussis vaccines may have been confounded by age. <i>Clinical Infectious Diseases</i> , 2013 , 57, 770	11.6	5
69	Infant feeding and the development of food allergies and atopic eczema: An update. <i>Australasian Journal of Dermatology</i> , 2013 , 54, 85-9	1.3	5

68	ironXS: high-school screening for hereditary haemochromatosis is acceptable and feasible. <i>European Journal of Human Genetics</i> , 2012 , 20, 505-9	5.3	5
67	Clinical application of hepatocyte transplantation: what are the current limitations?. <i>Current Opinion in Organ Transplantation</i> , 2006 , 11, 648-653	2.5	5
66	Community-Based Adverse Food Reactions and Anaphylaxis in Children with IgE-Mediated Food Allergy at Age 6 Years: A Population-Based Study. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2020 , 8, 3515-3524	5.4	5
65	Determinants of placental leptin receptor gene expression and association with measures at birth. <i>Placenta</i> , 2020 , 100, 89-95	3.4	5
64	The effect of breastfeeding on lung function at 12 and 18 years: a prospective cohort study. <i>European Respiratory Journal</i> , 2016 , 48, 125-32	13.6	5
63	Does LEAP change the screening paradigm for food allergy in infants with eczema?. <i>Clinical and Experimental Allergy</i> , 2016 , 46, 42-7	4.1	5
62	B-cell phenotype and function in infants with egg allergy. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2019 , 74, 1022-1025	9.3	5
61	Contraception - common issues and practical suggestions. <i>Australian Family Physician</i> , 2012 , 41, 770-2		5
60	The practice and perception of precautionary allergen labelling by the Australasian food manufacturing industry. <i>Clinical and Experimental Allergy</i> , 2017 , 47, 961-968	4.1	4
59	Effect of a 4-Food Elimination Diet and Omeprazole in Children with Eosinophilic Esophagitis [A Randomized, Controlled Trial]. <i>Journal of Allergy and Clinical Immunology</i> , 2019 , 143, AB309	11.5	4
58	Medical intervention in parent-reported infant gastro-oesophageal reflux: A population-based study. <i>Journal of Paediatrics and Child Health</i> , 2015 , 51, 515-523	1.3	4
57	Are food allergic consumers ready for informative precautionary allergen labelling?. <i>Allergy, Asthma and Clinical Immunology</i> , 2017 , 13, 42	3.2	4
56	Fecal microbial transplantation in a pediatric case of recurrent <i>Clostridium difficile</i> infection and specific antibody deficiency. <i>Pediatric Allergy and Immunology</i> , 2016 , 27, 872-874	4.2	4
55	Nutrition-related interventions targeting childhood overweight and obesity: A narrative review. <i>Obesity Reviews</i> , 2019 , 20 Suppl 1, 45-60	10.6	4
54	Should Australia tax sugar-sweetened beverages?. <i>Journal of Paediatrics and Child Health</i> , 2020 , 56, 8-15	1.3	4
53	The vomiting child--what to do and when to consult. <i>Australian Family Physician</i> , 2007 , 36, 684-7		4
52	Protocol for Pertussis Immunisation and Food Allergy (PIFA): a case-control study of the association between pertussis vaccination in infancy and the risk of IgE-mediated food allergy among Australian children. <i>BMJ Open</i> , 2018 , 8, e020232	3	3
51	Reply: To PMID 23453797. <i>Journal of Allergy and Clinical Immunology</i> , 2013 , 132, 1011-2	11.5	3

50	Dietary intervention for preventing food allergy in children. <i>Current Opinion in Pediatrics</i> , 2017 , 29, 704-710	3
49	Fetal progenitor cell transplantation treats methylmalonic aciduria in a mouse model. <i>Biochemical and Biophysical Research Communications</i> , 2012 , 427, 30-5	3-4 3
48	Folate levels in pregnancy and offspring food allergy and eczema. <i>Pediatric Allergy and Immunology</i> , 2020 , 31, 38-46	4-2 3
47	Deserters on the atopic march: Risk factors, immune profile and clinical outcomes of food sensitized-tolerant infants. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020 , 75, 1404-1413	4-3 3
46	Candidate reference method for determination of vitamin D from dried blood spot samples. <i>Clinical Chemistry and Laboratory Medicine</i> , 2020 , 58, 817-827	5-9 3
45	The Role of Early Life Food Sensitization in Adolescent Lung Function: Results from 2 Birth Cohort Studies. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2019 , 7, 1825-1834.e12	5-4 2
44	High consumption of peanuts or tree nuts by non-allergic mothers around the time of pregnancy reduces the risk of nut allergy in the child. <i>Evidence-based Nursing</i> , 2015 , 18, 45	0-3 2
43	Eosinophilic oesophagitis: A paediatric update. <i>Journal of Paediatrics and Child Health</i> , 2015 , 51, 512-514	1-3 2
42	Primary prevention of food allergy in children and adults. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2014 , 69, 971-2	9-3 2
41	Eosinophilic oesophagitis. <i>Chemical Immunology and Allergy</i> , 2015 , 101, 199-208	2
40	To tell or not to tell - what to do about p.C282Y heterozygotes identified by HFE screening. <i>Clinical Genetics</i> , 2013 , 84, 286-9	4 2
39	Cow's milk protein allergy: an entity for recognition in developing countries. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2010 , 25, 4-6	4 2
38	Prevalence of self-reported allergies to food in Australia as assessed by Internet-based questionnaires. <i>Medical Journal of Australia</i> , 2009 , 190, 46-7	4 2
37	Exome Sequencing Identifies a GNPAT Variant Associated with Severe Iron Overload in HFE C282Y Homozygous Men with Extreme Phenotypes; Possible Role in Regulation of Hcpidin Expression. <i>Blood</i> , 2014 , 124, 745-745	2-2 2
36	In response to Cadet et al. <i>Journal of Medical Genetics</i> , 2006 , 43, e3	5-8 2
35	Children of Asian ethnicity in Australia have higher risk of food allergy and early-onset eczema than those in Singapore. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021 , 76, 3171-3182	9-3 2
34	Neonatal Bacille Calmette-Guérin Vaccination and Infections in the First Year of Life: The MIS BAIR Randomized Controlled Trial. <i>Journal of Infectious Diseases</i> , 2021 , 224, 1115-1127	7 2
33	Self-reported asthma prevalence and control in a population-based cohort of Australian school students aged 10-14 years. <i>Archives of Disease in Childhood</i> , 2019 , 104, 612-613	2-2 2

32	International compliance with WHO infant feeding guidelines - Is the confusion cause for concern?. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020 , 75, 673-674	9.3	2
31	Gastro-oesophageal reflux in children--what's the worry?. <i>Australian Family Physician</i> , 2012 , 41, 268-72		2
30	Determination of haemoglobin derivatives in aged dried blood spot to estimate haematocrit. <i>Clinical Chemistry and Laboratory Medicine</i> , 2019 , 57, 1026-1034	5.9	1
29	Palm reading and water divining: A cross-sectional study of the accuracy of palmar hyperlinearity and transepidermal water loss to identify individuals with a filaggrin gene null mutation. <i>Journal of the American Academy of Dermatology</i> , 2020 , 83, 1186-1188	4.5	1
28	Multiple food protein intolerance of infancy or severe spectrum of non-IgE-mediated cow's milk allergy?--A case series. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2016 , 4, 324-6	5.4	1
27	Early Introduction of Foods for Food Allergy Prevention. <i>Current Treatment Options in Allergy</i> , 2014 , 1, 107-116	1	1
26	Theories on the Increasing Prevalence of Food Allergy 2014 , 121-133		1
25	Food allergy and anaphylaxis 2052. Vitamin D insufficiency is associated with challenge-proven food allergy in infants. <i>World Allergy Organization Journal</i> , 2013 , 6, P135	5.2	1
24	The Epidemiology of Food Allergy 2012 , 33-48		1
23	No H1N1 detected in children admitted to hospital with asthma during the H1N1 pandemic. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2012 , 186, 462; author reply 463	10.2	1
22	Fetal gender and cocaine exposure as determinants of cord blood gamma-glutamyl transferase activity. <i>Journal of Perinatology</i> , 2002 , 22, 133-6	3.1	1
21	Exome Sequencing Identifies Genes and Variant Alleles Associated With Severity Of Iron Overload In Hemochromatosis HFE C282Y Homozygotes. <i>Blood</i> , 2013 , 122, 179-179	2.2	1
20	Associations between grass pollen exposures and in early life with food allergy in 12-month-old infants. <i>International Journal of Environmental Health Research</i> , 2020 , 1-11	3.6	1
19	Need of a dedicated isotopic internal standard for accurate 3-epi-25(OH)D3 quantification by LC-MS/MS. <i>Clinical Chemistry and Laboratory Medicine</i> , 2019 , 57, e141-e144	5.9	1
18	Are young children with asthma more likely to be less physically active?. <i>Pediatric Allergy and Immunology</i> , 2021 , 32, 288-294	4.2	1
17	Time trends in adrenaline auto-injector dispensing patterns using Australian Pharmaceutical Benefits Scheme data. <i>Journal of Paediatrics and Child Health</i> , 2021 ,	1.3	1
16	The newborn metabolome: associations with gestational diabetes, sex, gestation, birth mode, and birth weight. <i>Pediatric Research</i> , 2021 ,	3.2	1
15	Promoting evidence-based practice and raising concerns: considerations for the newly-qualified midwife. <i>British Journal of Midwifery</i> , 2019 , 27, 453-459	0.3	0

14	Early-life exposure to sibling modifies the relationship between CD14 polymorphisms and allergic sensitization. <i>Clinical and Experimental Allergy</i> , 2019 , 49, 331-340	4.1	o
13	Prevention and Natural History of Food Allergy 2016 , 383-391.e4		
12	Changes to infant feeding guidelines: Relevance to dermatologists. <i>Australasian Journal of Dermatology</i> , 2017 , 58, e171-e175	1.3	
11	Reply. <i>Journal of Allergy and Clinical Immunology</i> , 2017 , 139, 1406-1407	11.5	
10	Bivariate mixture models for the joint distribution of repeated serum ferritin and transferrin saturation measured 12 years apart in a cohort of healthy middle-aged Australians. <i>PLoS ONE</i> , 2019 , 14, e0214196	3.7	
9	The Role of Hypoallergenic Formula and Dietary Supplements in the Prevention of Early Onset Allergic Disease. <i>Current Pediatrics Reports</i> , 2016 , 4, 101-109	0.7	
8	Food allergy at 1 year predicts persistence of eczema at 6 years. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2019 , 7, 2078-2081.e6	5.4	
7	Filaggrin and Non-cutaneous Disease: Food Allergy 2014 , 195-207		
6	Diet in infancy and later signs of beta-cell autoimmunity. <i>New England Journal of Medicine</i> , 2011 , 364, 879-80; author reply 880	59.2	
5	Conditionally immortalized mouse hepatocytes for use in liver gene therapy. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2000 , 15, 1325-1332	4	
4	Potential Factors Related to Food Allergy Development 2020 , 135-146		
3	Bivariate Mixture Models of Serum Ferritin and Transferrin Saturation Predict Stable Components Measured 12 Years Apart in a Healthy Australian Population. <i>Blood</i> , 2011 , 118, 5281-5281	2.2	
2	Antiallergic Strategies 2016 , 351-376		
1	Catching up on contraception. <i>Australian Family Physician</i> , 2009 , 38, 380-2		