Boris Bikbov

List of Publications by Citations

Source: https://exaly.com/author-pdf/3317748/boris-bikbov-publications-by-citations.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

79 73,035 47 87 g-index

87 96,234 22.7 7.64 ext. papers ext. citations avg, IF L-index

| # | Paper | IF | Citations |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|-----------|
| 79 | Global and regional mortality from 235 causes of death for 20 age groups in 1990 and 2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012 , 380, 2095-128 | 40 | 8873 |
| 78 | Disability-adjusted life years (DALYs) for 291 diseases and injuries in 21 regions, 1990-2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012 , 380, 2197-223 | 40 | 5768 |
| 77 | Years lived with disability (YLDs) for 1160 sequelae of 289 diseases and injuries 1990-2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012 , 380, 2163-96 | 40 | 4971 |
| 76 | Global, regional, and national age-sex specific all-cause and cause-specific mortality for 240 causes of death, 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2015 , 385, 117-71 | 40 | 4599 |
| 75 | Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1789-1858 | 40 | 4524 |
| 74 | Global, regional, and national incidence, prevalence, and years lived with disability for 301 acute and chronic diseases and injuries in 188 countries, 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2015 , 386, 743-800 | 40 | 3802 |
| 73 | Global, regional, and national incidence, prevalence, and years lived with disability for 310 diseases and injuries, 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1545-1602 | 40 | 3801 |
| 72 | Global, regional, and national life expectancy, all-cause mortality, and cause-specific mortality for 249 causes of death, 1980-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1459-1544 | 40 | 3525 |
| 71 | Global, regional, and national incidence, prevalence, and years lived with disability for 328 diseases and injuries for 195 countries, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017 , 390, 1211-1259 | 40 | 3432 |
| 70 | Global, regional, and national age-sex-specific mortality for 282 causes of death in 195 countries and territories, 1980-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1736-1788 | 40 | 2850 |
| 69 | Global, regional, and national age-sex specific mortality for 264 causes of death, 1980-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017 , 390, 1151-1210 | 40 | 2542 |
| 68 | Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1659-1724 | 40 | 2431 |
| 67 | Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks for 195 countries and territories, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1923-1994 | 40 | 1964 |
| 66 | Global burden of 369 diseases and injuries in 204 countries and territories, 1990-2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020 , 396, 1204-1222 | 40 | 1847 |
| 65 | Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks in 188 countries, 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2015 , 386, 2287-323 | 40 | 1776 |
| 64 | Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017 , 390, 1345-1422 | 40 | 1378 |
| 63 | Global, regional, and national disability-adjusted life-years (DALYs) for 359 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1859-1922 | 40 | 1283 |

(2017-2016)

| 62 | Global, regional, and national disability-adjusted life-years (DALYs) for 315 diseases and injuries and healthy life expectancy (HALE), 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1603-1658 | 40 | 1216 |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|------|
| 61 | Global, regional, and national disability-adjusted life years (DALYs) for 306 diseases and injuries and healthy life expectancy (HALE) for 188 countries, 1990-2013: quantifying the epidemiological transition. <i>Lancet, The</i> , 2015 , 386, 2145-91 | 40 | 1203 |
| 60 | Global, regional, and national disability-adjusted life-years (DALYs) for 333 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017 , 390, 1260-1344 | 40 | 1152 |
| 59 | Global, regional, and national burden of stroke, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology, The</i> , 2019 , 18, 439-458 | 24.1 | 1102 |
| 58 | Global, regional, and national burden of chronic kidney disease, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2020 , 395, 709-733 | 40 | 1021 |
| 57 | Global burden of 87 risk factors in 204 countries and territories, 1990-2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020 , 396, 1223-1249 | 40 | 1013 |
| 56 | Global Burden of Cardiovascular Diseases and Risk Factors, 1990-2019: Update From the GBD 2019 Study. <i>Journal of the American College of Cardiology</i> , 2020 , 76, 2982-3021 | 15.1 | 922 |
| 55 | Global, regional, and national age-sex-specific mortality and life expectancy, 1950-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1684-1735 | 40 | 483 |
| 54 | Global, regional, and national levels of maternal mortality, 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1775-1812 | 40 | 476 |
| 53 | Global, regional, and national under-5 mortality, adult mortality, age-specific mortality, and life expectancy, 1970-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017 , 390, 1084-1150 | 40 | 421 |
| 52 | Global, regional, national, and selected subnational levels of stillbirths, neonatal, infant, and under-5 mortality, 1980-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1725-1774 | 40 | 413 |
| 51 | Estimates of global, regional, and national incidence, prevalence, and mortality of HIV, 1980-2015: the Global Burden of Disease Study 2015. <i>Lancet HIV,the</i> , 2016 , 3, e361-e387 | 7.8 | 382 |
| 50 | Measuring performance on the Healthcare Access and Quality Index for 195 countries and territories and selected subnational locations: a systematic analysis from the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2018 , 391, 2236-2271 | 40 | 381 |
| 49 | Healthcare Access and Quality Index based on mortality from causes amenable to personal health care in 195 countries and territories, 1990-2015: a novel analysis from the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2017 , 390, 231-266 | 40 | 352 |
| 48 | Global and National Burden of Diseases and Injuries Among Children and Adolescents Between 1990 and 2013: Findings From the Global Burden of Disease 2013 Study. <i>JAMA Pediatrics</i> , 2016 , 170, 267-87 | 8.3 | 347 |
| 47 | Measuring the health-related Sustainable Development Goals in 188 countries: a baseline analysis from the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1813-1850 | 40 | 302 |
| 46 | Global, regional, and national burden of stroke and its risk factors, 1990-2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet Neurology, The</i> , 2021 , 20, 795-820 | 24.1 | 229 |
| 45 | Measuring progress and projecting attainment on the basis of past trends of the health-related Sustainable Development Goals in 188 countries: an analysis from the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017 , 390, 1423-1459 | 40 | 224 |

| 44 | Child and Adolescent Health From 1990 to 2015: Findings From the Global Burden of Diseases, Injuries, and Risk Factors 2015 Study. <i>JAMA Pediatrics</i> , 2017 , 171, 573-592 | 8.3 | 216 |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 43 | Measuring progress from 1990 to 2017 and projecting attainment to 2030 of the health-related Sustainable Development Goals for 195 countries and territories: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 2091-2138 | 40 | 210 |
| 42 | Chronic kidney disease and cardiovascular risk in six regions of the world (ISN-KDDC): a cross-sectional study. <i>The Lancet Global Health</i> , 2016 , 4, e307-19 | 13.6 | 195 |
| 41 | Population and fertility by age and sex for 195 countries and territories, 1950-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1995-2051 | 40 | 189 |
| 40 | Hepatitis C infection and chronic renal diseases. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2009 , 4, 207-20 | 6.9 | 152 |
| 39 | Global Cardiovascular and Renal Outcomes of Reduced GFR. <i>Journal of the American Society of Nephrology: JASN</i> , 2017 , 28, 2167-2179 | 12.7 | 127 |
| 38 | Maintenance Dialysis throughout the World in Years 1990 and 2010. <i>Journal of the American Society of Nephrology: JASN</i> , 2015 , 26, 2621-33 | 12.7 | 123 |
| 37 | Five insights from the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020 , 396, 1135-1159 | 40 | 113 |
| 36 | Measuring universal health coverage based on an index of effective coverage of health services in 204 countries and territories, 1990-2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020 , 396, 1250-1284 | 40 | 112 |
| 35 | Disparities in Chronic Kidney Disease Prevalence among Males and Females in 195 Countries: Analysis of the Global Burden of Disease 2016 Study. <i>Nephron</i> , 2018 , 139, 313-318 | 3.3 | 87 |
| 34 | Mapping child growth failure across low- and middle-income countries. <i>Nature</i> , 2020 , 577, 231-234 | 50.4 | 62 |
| 33 | Renal replacement therapy in Europe: a summary of the 2013 ERA-EDTA Registry Annual Report with a focus on diabetes mellitus. <i>CKJ: Clinical Kidney Journal</i> , 2016 , 9, 457-69 | 4.5 | 56 |
| 32 | The burden of disease in Russia from 1980 to 2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2018 , 392, 1138-1146 | 40 | 45 |
| 31 | Global, regional, and national progress towards Sustainable Development Goal 3.2 for neonatal and child health: all-cause and cause-specific mortality findings from the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2021 , 398, 870-905 | 40 | 43 |
| 30 | Renal replacement therapy in Europe: a summary of the 2011 ERA-EDTA Registry Annual Report. <i>CKJ: Clinical Kidney Journal</i> , 2014 , 7, 227-38 | 4.5 | 31 |
| 29 | Mapping geographical inequalities in childhood diarrhoeal morbidity and mortality in low-income and middle-income countries, 2000-17: analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2020 , 395, 1779-1801 | 40 | 30 |
| 28 | Italy ß health performance, 1990-2017: findings from the Global Burden of Disease Study 2017. <i>Lancet Public Health, The</i> , 2019 , 4, e645-e657 | 22.4 | 28 |
| 27 | Mapping geographical inequalities in access to drinking water and sanitation facilities in low-income and middle-income countries, 2000-17. <i>The Lancet Global Health</i> , 2020 , 8, e1162-e1185 | 13.6 | 27 |

| 26 | Mapping disparities in education across low- and middle-income countries. <i>Nature</i> , 2020 , 577, 235-238 | 50.4 | 21 |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----|
| 25 | Mapping local patterns of childhood overweight and wasting in low- and middle-income countries between 2000 and 2017. <i>Nature Medicine</i> , 2020 , 26, 750-759 | 50.5 | 21 |
| 24 | Diabetes mellitus and chronic kidney disease in the Eastern Mediterranean Region: findings from the Global Burden of Disease 2015 study. <i>International Journal of Public Health</i> , 2018 , 63, 177-186 | 4 | 19 |
| 23 | Hemodialysis practice patterns in the Russia Dialysis Outcomes and Practice Patterns Study (DOPPS), with international comparisons. <i>Hemodialysis International</i> , 2017 , 21, 393-408 | 1.7 | 14 |
| 22 | Mortality landscape in the global burden of diseases, injuries and risk factors study. <i>European Journal of Internal Medicine</i> , 2014 , 25, 1-5 | 3.9 | 13 |
| 21 | Mapping geographical inequalities in oral rehydration therapy coverage in low-income and middle-income countries, 2000-17. <i>The Lancet Global Health</i> , 2020 , 8, e1038-e1060 | 13.6 | 12 |
| 20 | Anemia prevalence in women of reproductive age in low- and middle-income countries between 2000 and 2018. <i>Nature Medicine</i> , 2021 , 27, 1761-1782 | 50.5 | 10 |
| 19 | Trends in cardiovascular diseases burden and vascular risk factors in Italy: The Global Burden of Disease study 1990-2017. <i>European Journal of Preventive Cardiology</i> , 2021 , 28, 385-396 | 3.9 | 10 |
| 18 | Global, regional, and national mortality among young people aged 10-24 years, 1950-2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2021 , 398, 1593-1618 | 40 | 8 |
| 17 | Maximum incubation period for COVID-19 infection: Do we need to rethink the 14-day quarantine policy?. <i>Travel Medicine and Infectious Disease</i> , 2021 , 40, 101976 | 8.4 | 7 |
| 16 | Chronic kidney disease and neurological disorders: are uraemic toxins the missing piece of the puzzle?. <i>Nephrology Dialysis Transplantation</i> , 2021 , | 4.3 | 7 |
| 15 | RENAL REPLACEMENT THERAPY FOR END-STAGE RENAL DISEASE PATIENTS IN RUSSIAN FEDERATION, 1998\(\textit{D}\)011 (Report of the Russian Registry of Renal Replacement Therapy). Vestnik Transplantologii I Iskusstvennykh Organov, 2015, 17, 35-58 | 0.3 | 6 |
| 14 | Global, regional, and national sex differences in the global burden of tuberculosis by HIV status, 1990-2019: results from the Global Burden of Disease Study 2019. <i>Lancet Infectious Diseases, The</i> , 2021 , | 25.5 | 6 |
| 13 | Some notes about the usage of the Charlson co-morbidity index. <i>Nephrology Dialysis Transplantation</i> , 2004 , 19, 2926-7; author reply 2927 | 4.3 | 5 |
| 12 | Communication on COVID-19 to community [measures to prevent a second wave of epidemic | | 5 |
| 11 | Fighting the unbearable lightness of neglecting kidney health: the decade of the kidney. <i>CKJ:</i> Clinical Kidney Journal, 2021 , 14, 1719-1730 | 4.5 | 4 |
| 10 | High serum cholesterol: a missed risk factor for chronic kidney disease mortality. <i>Lancet Diabetes and Endocrinology,the</i> , 2014 , 2, 613-4 | 18.1 | 3 |
| 9 | Albuminuria as a risk factor for mild cognitive impairment and dementia-what is the evidence?. <i>Nephrology Dialysis Transplantation</i> , 2021 , | 4.3 | 3 |

| 8 | Hepatitis C Virus and Kidney Disease: Evidence, Hope, and Hurdles. <i>Nephron</i> , 2017 , 136, 51-53 | 3.3 | 2 |
|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|---|
| 7 | SP245EPIDEMIOLOGY OF ACUTE KIDNEY INJURY IN RUSSIA: A REGISTRY DATA. <i>Nephrology Dialysis Transplantation</i> , 2015 , 30, iii459-iii460 | 4.3 | 2 |
| 6 | R Open Source Programming Code for Calculation of the Kidney Donor Profile Index and Kidney Donor Risk Index. <i>Kidney Diseases (Basel, Switzerland)</i> , 2018 , 4, 269-272 | 3.3 | 2 |
| 5 | A comparison of metrics and performance characteristics of different search strategies for article retrieval for a systematic review of the global epidemiology of kidney and urinary diseases. <i>BMC Medical Research Methodology</i> , 2018 , 18, 110 | 4.7 | 1 |
| 4 | Long-Term Outcomes of Kidney Transplants from Older/Marginal Donors: A Cohort Study. <i>Nephron</i> , 2021 , 145, 642-652 | 3.3 | Ο |
| 3 | The Authorß Response: Economic Burden of Chronic Kidney Disease in Korea. <i>Journal of Korean Medical Science</i> , 2019 , 34, e221 | 4.7 | |
| 2 | Letter to the Editor: Chronic Kidney Disease - a Neglected Disease in the Economic Conditions Burden Analysis in Korea. <i>Journal of Korean Medical Science</i> , 2019 , 34, e220 | 4.7 | |
| 1 | Transmission of SARS-CoV-2. <i>Annals of Internal Medicine</i> , 2021 , 174, 1036-1037 | 8 | |