

Eric Batard

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3318454/publications.pdf>

Version: 2024-02-01

82
papers

2,644
citations

257357

24
h-index

197736

49
g-index

88
all docs

88
docs citations

88
times ranked

3927
citing authors

#	ARTICLE	IF	CITATIONS
1	Comparison of the global prevalence and trend of human intestinal carriage of ESBL-producing <i>Escherichia coli</i> between healthcare and community settings: a systematic review and meta-analysis. <i>JAC-Antimicrobial Resistance</i> , 2022, 4, .	0.9	30
2	An Evidence-Based Narrative Review of the Emergency Department Management of Acute Hyperkalemia. <i>Journal of Emergency Medicine</i> , 2021, 60, 599-606.	0.3	11
3	Incidence of hyperkalemia in the emergency department: a 10-year retrospective study. <i>Internal and Emergency Medicine</i> , 2020, 15, 727-728.	1.0	4
4	The effects of inulin on gut microbial composition: a systematic review of evidence from human studies. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2020, 39, 403-413.	1.3	117
5	US Immigration Is Associated With Rapid and Persistent Acquisition of Antibiotic Resistance Genes in the Gut. <i>Clinical Infectious Diseases</i> , 2020, 71, 419-421.	2.9	10
6	Modeling the risk of fluoroquinolone resistance in non-severe community-onset pyelonephritis. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2020, 39, 1123-1127.	1.3	0
7	Psychoactive drug prescription and urine colonization with extended-spectrum β -lactamase-producing <i>Enterobacteriaceae</i> . <i>Infection and Drug Resistance</i> , 2019, Volume 12, 1763-1770.	1.1	3
8	Trends and prediction of antimicrobial susceptibility in urinary bacteria isolated in European emergency departments: the EuroUTI 2010-2016 Study. <i>Journal of Antimicrobial Chemotherapy</i> , 2019, 74, 3069-3076.	1.3	9
9	Antibiotics prescription and guidelines adherence in elderly: impact of the comorbidities. <i>BMC Geriatrics</i> , 2019, 19, 291.	1.1	21
10	Guideline-Based Clinical Assessment Versus Procalcitonin-Guided Antibiotic Use in Pneumonia: A Pragmatic Randomized Trial. <i>Annals of Emergency Medicine</i> , 2019, 74, 580-591.	0.3	23
11	Discrepancies between emergency physician and radiologist's interpretation of chest radiographs: prospective observational study on 403 patients. <i>European Journal of Emergency Medicine</i> , 2019, 26, 308-308.	0.5	0
12	Association between excreta management and incidence of extended-spectrum β -lactamase-producing <i>Enterobacteriaceae</i> : role of healthcare workers' knowledge and practices. <i>Journal of Hospital Infection</i> , 2019, 102, 31-36.	1.4	4
13	Is There an Association Between Use of Amoxicillin-Clavulanate and Resistance to Third-Generation Cephalosporins in <i>Klebsiella pneumoniae</i> and <i>Escherichia coli</i> at the Hospital Level?. <i>Microbial Drug Resistance</i> , 2018, 24, 987-994.	0.9	4
14	Acute fissuration of a giant splenic artery aneurysm detected by point-of-care ultrasound: case report. <i>The Ultrasound Journal</i> , 2018, 10, 5.	2.0	1
15	Prognostic performance of early absence of pupillary light reaction after recovery of out of hospital cardiac arrest. <i>Resuscitation</i> , 2018, 127, 8-13.	1.3	31
16	Key performance indicators' assessment to develop best practices in an Emergency Medical Communication Centre. <i>European Journal of Emergency Medicine</i> , 2018, 25, 335-340.	0.5	9
17	Tetracycline use in the community may promote decreased susceptibility to quinolones in <i>Escherichia coli</i> isolates. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2018, 37, 271-276.	1.3	2
18	Are third-generation cephalosporins associated with a better prognosis than amoxicillin-clavulanate in patients hospitalized in the medical ward for community-onset pneumonia?. <i>Clinical Microbiology and Infection</i> , 2018, 24, 1171-1176.	2.8	5

#	ARTICLE	IF	CITATIONS
19	Are third-generation cephalosporins associated with a better prognosis than amoxicillin/clavulanate in patients hospitalized in the medical ward for community-onset pneumonia? Author's reply. <i>Clinical Microbiology and Infection</i> , 2018, 24, 1224.	2.8	0
20	Systematic review: human gut dysbiosis induced by non-antibiotic prescription medications. <i>Alimentary Pharmacology and Therapeutics</i> , 2018, 47, 332-345.	1.9	172
21	Use of broad-spectrum antibiotics in French EDs: different trends for third-generation cephalosporins and fluoroquinolones. <i>European Journal of Emergency Medicine</i> , 2017, 24, 189-195.	0.5	1
22	ECG interpretation in Emergency Department residents: an update and e-learning as a resource to improve skills. <i>European Journal of Emergency Medicine</i> , 2017, 24, 149-156.	0.5	26
23	Is severe hypercalcemia immediately life-threatening?. <i>European Journal of Emergency Medicine</i> , 2017, 25, 1.	0.5	11
24	Evaluation of S100B blood level as a biomarker to avoid computed tomography in patients with mild head trauma under antithrombotic medication. <i>Diagnostic and Interventional Imaging</i> , 2017, 98, 551-556.	1.8	16
25	Multi-drug-resistant Enterobacteriaceae carriage in highly exposed nursing homes: prevalence in western France. <i>Journal of Hospital Infection</i> , 2017, 97, 258-259.	1.4	3
26	Association between dementia and reduced walking ability and 30-day mortality in patients with extended-spectrum beta-lactamase-producing <i>Escherichia coli</i> bacteremia. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2017, 36, 2417-2422.	1.3	3
27	Diagnostic performance of serum blood urea nitrogen to creatinine ratio for distinguishing prerenal from intrinsic acute kidney injury in the emergency department. <i>BMC Nephrology</i> , 2017, 18, 173.	0.8	53
28	Is there an association between prior anti-inflammatory drug exposure and occurrence of peritonsillar abscess (PTA)? A national multicenter prospective observational case-control study. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2017, 36, 57-63.	1.3	14
29	Recognition and treatment of severe sepsis in the emergency department: retrospective study in two French teaching hospitals. <i>BMC Emergency Medicine</i> , 2017, 17, 27.	0.7	8
30	e-Learning versus lecture-based courses in ECG interpretation for undergraduate medical students. <i>European Journal of Emergency Medicine</i> , 2016, 23, 108-113.	0.5	38
31	Community-acquired <i>Clostridium difficile</i> infections. <i>Médecine Et Maladies Infectieuses</i> , 2016, 46, 131-139.	5.1	7
32	High prevalence of cross-resistance to fluoroquinolone and cotrimoxazole in tetracycline-resistant <i>Escherichia coli</i> human clinical isolates. <i>Journal of Chemotherapy</i> , 2016, 28, 510-512.	0.7	4
33	Rapid detection of amoxicillin-susceptible <i>Escherichia coli</i> in fresh uncultured urine: a new tool to limit the use of broad-spectrum empirical therapy of community-acquired pyelonephritis. <i>International Journal of Antimicrobial Agents</i> , 2016, 47, 486-489.	1.1	4
34	Pretreatment gut microbiome predicts chemotherapy-related bloodstream infection. <i>Genome Medicine</i> , 2016, 8, 49.	3.6	136
35	Peritonsillar abscess (PTA): clinical characteristics, microbiology, drug exposures and outcomes of a large multicenter cohort survey of 412 patients hospitalized in 13 French university hospitals. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2016, 35, 867-873.	1.3	15
36	Chemotherapy-driven dysbiosis in the intestinal microbiome. <i>Alimentary Pharmacology and Therapeutics</i> , 2015, 42, 515-528.	1.9	334

#	ARTICLE	IF	CITATIONS
37	Escherichia coli antibiotic resistance in emergency departments. Do local resistance rates matter?. European Journal of Clinical Microbiology and Infectious Diseases, 2015, 34, 571-577.	1.3	9
38	Challenges of controlling a large outbreak of OXA-48 carbapenemase-producing Klebsiella pneumoniae in a French university hospital. Journal of Hospital Infection, 2015, 89, 248-253.	1.4	26
39	Systematic analysis of the relationship between antibiotic use and extended-spectrum beta-lactamase resistance in Enterobacteriaceae in a French hospital: a time series analysis. European Journal of Clinical Microbiology and Infectious Diseases, 2015, 34, 1957-1963.	1.3	16
40	High variability among Emergency Departments in 3rd-generation cephalosporins and fluoroquinolones use for community-acquired pneumonia. Infection, 2015, 43, 681-689.	2.3	10
41	Use of fluoroquinolones and third-generation cephalosporins in the emergency department. European Journal of Emergency Medicine, 2014, 21, 442-446.	0.5	4
42	Increasing use of third-generation cephalosporins for pneumonia in the emergency department: may some prescriptions be avoided?. European Journal of Clinical Microbiology and Infectious Diseases, 2014, 33, 1095-1099.	1.3	8
43	16S rRNA Gene Pyrosequencing Reveals Shift in Patient Faecal Microbiota During High-Dose Chemotherapy as Conditioning Regimen for Bone Marrow Transplantation. Microbial Ecology, 2014, 67, 690-699.	1.4	120
44	Why is antimicrobial de-escalation under-prescribed for urinary tract infections?. Infection, 2013, 41, 211-214.	2.3	12
45	Recent changes in bacteremia in patients with cancer: a systematic review of epidemiology and antibiotic resistance. European Journal of Clinical Microbiology and Infectious Diseases, 2013, 32, 841-850.	1.3	220
46	Relationship between hospital antibiotic use and quinolone resistance in Escherichia coli. International Journal of Infectious Diseases, 2013, 17, e254-e258.	1.5	18
47	How to reduce antibiotic consumption for community-acquired pneumonia?. Médecine Et Maladies Infectieuses, 2013, 43, 52-59.	5.1	2
48	Comparison of three methods to study biofilm formation by clinical strains of Escherichia coli. Diagnostic Microbiology and Infectious Disease, 2013, 75, 252-255.	0.8	60
49	Palliative care for patients who died in emergency departments: analysis of a multicentre cross-sectional survey. Emergency Medicine Journal, 2012, 29, 795-797.	0.4	31
50	Effect of early reassessment of antimicrobial prescription on antibiotic use in acute respiratory tract infections. International Journal of Infectious Diseases, 2012, 16, e73-e74.	1.5	4
51	Identification of potential organ donors of advanced age in EDs. American Journal of Emergency Medicine, 2012, 30, 170-173.	0.7	13
52	Base excess is an accurate predictor of elevated lactate in ED septic patients. American Journal of Emergency Medicine, 2012, 30, 184-187.	0.7	18
53	Outcome of Chest Pain Patients Discharged From a French Emergency Department: A 60-day Prospective Study. Journal of Emergency Medicine, 2012, 42, 341-344.	0.3	11
54	Synchrotron radiation infrared microspectroscopy to assess the activity of vancomycin against endocarditis vegetation bacteria. Journal of Microbiological Methods, 2011, 85, 235-238.	0.7	4

#	ARTICLE	IF	CITATIONS
55	Comparison of ceftaroline fosamil, daptomycin and tigecycline in an experimental rabbit endocarditis model caused by methicillin-susceptible, methicillin-resistant and glycopeptide-intermediate <i>Staphylococcus aureus</i> . <i>Journal of Antimicrobial Chemotherapy</i> , 2011, 66, 863-866.	1.3	38
56	<i>Streptococcus pneumoniae</i> meningitis in an adult with normal cerebrospinal fluid. <i>Cmaj</i> , 2011, 183, 1618-1620.	0.9	8
57	Diffusion of Ofloxacin in the Endocarditis Vegetation Assessed with Synchrotron Radiation UV Fluorescence Microspectroscopy. <i>PLoS ONE</i> , 2011, 6, e19440.	1.1	11
58	Death in emergency departments: a multicenter cross-sectional survey with analysis of withholding and withdrawing life support. <i>Intensive Care Medicine</i> , 2010, 36, 765-772.	3.9	109
59	Accuracy of C-reactive protein, procalcitonin, and mid-regional pro-atrial natriuretic peptide to guide site of care of community-acquired pneumonia. <i>Intensive Care Medicine</i> , 2010, 36, 799-809.	3.9	46
60	Can C-reactive protein, procalcitonin and mid-regional pro-atrial natriuretic peptide measurements guide choice of in-patient or out-patient care in acute pyelonephritis? Biomarkers In Sepsis (BIS) multicentre study. <i>Clinical Microbiology and Infection</i> , 2010, 16, 753-760.	2.8	27
61	Evaluation of the in vivo efficacy of intramuscularly administered ceftaroline fosamil, a novel cephalosporin, against a methicillin-resistant <i>Staphylococcus aureus</i> strain in a rabbit endocarditis model. <i>Journal of Antimicrobial Chemotherapy</i> , 2010, 65, 2264-2265.	1.3	16
62	Efficacy of the new cephalosporin ceftaroline in the treatment of experimental methicillin-resistant <i>Staphylococcus aureus</i> acute osteomyelitis. <i>Journal of Antimicrobial Chemotherapy</i> , 2010, 65, 1749-1752.	1.3	63
63	Influence of the AtlE autolysin on the activity of cell wall-active agents against <i>Staphylococcus epidermidis</i> . <i>International Journal of Antimicrobial Agents</i> , 2010, 35, 204-206.	1.1	3
64	Relationship between autolysis and teicoplanin activity against <i>Staphylococcus epidermidis</i> . <i>International Journal of Antimicrobial Agents</i> , 2010, 36, 574-575.	1.1	0
65	Fourier Transform Infrared Microspectroscopy of Endocarditis Vegetation. <i>Applied Spectroscopy</i> , 2010, 64, 901-906.	1.2	9
66	In Vivo Activity of a Novel Anti-Methicillin-Resistant <i>Staphylococcus aureus</i> Cephalosporin, Ceftaroline, against Vancomycin-Susceptible and -Resistant <i>Enterococcus faecalis</i> Strains in a Rabbit Endocarditis Model: a Comparative Study with Linezolid and Vancomycin. <i>Antimicrobial Agents and Chemotherapy</i> , 2009, 53, 5300-5302.	1.4	36
67	Intermittent active motion versus immobilization in the treatment of <i>Staphylococcus aureus</i> -induced arthritis in a rabbit model. <i>Journal of Children's Orthopaedics</i> , 2008, 2, 491-495.	0.4	7
68	Aortic involvement in recent-onset giant cell (temporal) arteritis: A case-control prospective study using helical aortic computed tomodensitometric scan. <i>Arthritis and Rheumatism</i> , 2008, 59, 670-676.	6.7	152
69	Efficacy of quinupristin/dalfopristin versus vancomycin, alone or in combination with rifampicin, against methicillin-resistant <i>Staphylococcus aureus</i> in a rabbit arthritis model. <i>International Journal of Antimicrobial Agents</i> , 2008, 31, 158-160.	1.1	6
70	Trough serum concentrations of β -lactam antibiotics in cancer patients: inappropriateness of conventional schedules to pharmacokinetic/pharmacodynamic properties of β -lactams. <i>International Journal of Antimicrobial Agents</i> , 2006, 27, 102-107.	1.1	25
71	In Vitro and In Vivo Assessment of Linezolid Combined with Ertapenem: a Highly Synergistic Combination against Methicillin-Resistant <i>Staphylococcus aureus</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2006, 50, 2547-2549.	1.4	32
72	Influence of Carbon Dioxide on the MIC of Telithromycin for <i>Streptococcus pneumoniae</i> : an In Vitro - In Vivo Study. <i>Antimicrobial Agents and Chemotherapy</i> , 2005, 49, 464-466.	1.4	6

#	ARTICLE	IF	CITATIONS
73	Activity of Glycopeptides against Staphylococcus aureus Infection in a Rabbit Endocarditis Model: MICs Do Not Predict In Vivo Efficacy. Antimicrobial Agents and Chemotherapy, 2005, 49, 857-859.	1.4	24
74	In Vitro and In Vivo Synergistic Activities of Linezolid Combined with Subinhibitory Concentrations of Imipenem against Methicillin-Resistant Staphylococcus aureus. Antimicrobial Agents and Chemotherapy, 2005, 49, 45-51.	1.4	85
75	DÃ©cÃ©s survenus dans un service d'accueil et d'urgence. Presse Medicale, 2005, 34, 566-568.	0.8	8
76	Silent versus cranial giant cell arteritis. Initial presentation and outcome of 50 biopsy-proven cases. European Journal of Internal Medicine, 2005, 16, 183-186.	1.0	16
77	In vivo efficacy of linezolid in combination with gentamicin for the treatment of experimental endocarditis due to methicillin-resistant Staphylococcus aureus. International Journal of Antimicrobial Agents, 2004, 24, 393-396.	1.1	34
78	Fatal Acute Granulomatous Pulmonary Aspergillosis in a Healthy Subject After Inhalation of Vegetal Dust. European Journal of Clinical Microbiology and Infectious Diseases, 2003, 22, 357-359.	1.3	12
79	Efficacy of alteplase thrombolysis for ED treatment of pulmonary embolism with shock. American Journal of Emergency Medicine, 2003, 21, 438-440.	0.7	17
80	In Vivo Efficacy of Continuous Infusion versus Intermittent Dosing of Linezolid Compared to Vancomycin in a Methicillin-Resistant Staphylococcus aureus Rabbit Endocarditis Model. Antimicrobial Agents and Chemotherapy, 2002, 46, 3706-3711.	1.4	75
81	Combination of Quinupristin-Dalfopristin and Gentamicin against Methicillin-Resistant Staphylococcus aureus : Experimental Rabbit Endocarditis Study. Antimicrobial Agents and Chemotherapy, 2002, 46, 2174-2178.	1.4	25
82	Antibiotics Against Endocarditis " Past, Present and Future (Experimental Data). , 0, , .		0