

Ji A Seo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3318471/publications.pdf>

Version: 2024-02-01

146
papers

4,620
citations

94381

37
h-index

118793

62
g-index

148
all docs

148
docs citations

148
times ranked

7959
citing authors

#	ARTICLE	IF	CITATIONS
1	Prevalence and Determinant Factors of Sarcopenia in Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2010, 33, 1497-1499.	4.3	471
2	Relationship between sarcopenia and nonalcoholic fatty liver disease: The Korean Sarcopenic Obesity Study. <i>Hepatology</i> , 2014, 59, 1772-1778.	3.6	316
3	Evening Chronotype Is Associated With Metabolic Disorders and Body Composition in Middle-Aged Adults. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 1494-1502.	1.8	254
4	Skeletal muscle mass to visceral fat area ratio is associated with metabolic syndrome and arterial stiffness: The Korean Sarcopenic Obesity Study (KSOS). <i>Diabetes Research and Clinical Practice</i> , 2011, 93, 285-291.	1.1	128
5	Vascular endothelial growth factor (VEGF) and soluble VEGF receptor FLT-1 in diabetic nephropathy. <i>Kidney International</i> , 2005, 67, 167-177.	2.6	119
6	Higher mortality in metabolically obese normal-weight people than in metabolically healthy obese subjects in elderly Koreans. <i>Clinical Endocrinology</i> , 2013, 79, 364-370.	1.2	111
7	Vascular Inflammation in Patients With Impaired Glucose Tolerance and Type 2 Diabetes. <i>Circulation: Cardiovascular Imaging</i> , 2010, 3, 142-148.	1.3	106
8	Association of circulating omentin-1 level with arterial stiffness and carotid plaque in type 2 diabetes. <i>Cardiovascular Diabetology</i> , 2011, 10, 103.	2.7	106
9	Circulating angiopoietin-like protein 8 (ANGPTL8) and ANGPTL3 concentrations in relation to anthropometric and metabolic profiles in Korean children: a prospective cohort study. <i>Cardiovascular Diabetology</i> , 2016, 15, 1.	2.7	104
10	Depression Is Associated with Sarcopenia, Not Central Obesity, in Elderly Korean Men. <i>Journal of the American Geriatrics Society</i> , 2011, 59, 2062-2068.	1.3	101
11	Increased Selenoprotein P Levels in Subjects with Visceral Obesity and Nonalcoholic Fatty Liver Disease. <i>Diabetes and Metabolism Journal</i> , 2013, 37, 63.	1.8	95
12	Serum retinol-binding protein 4 levels are elevated in nonalcoholic fatty liver disease. <i>Clinical Endocrinology</i> , 2008, 68, 555-560.	1.2	81
13	Body Size Phenotypes and Low Muscle Mass: The Korean Sarcopenic Obesity Study (KSOS). <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, 811-817.	1.8	75
14	Association of metabolically abnormal but normal weight (MANW) and metabolically healthy but obese (MHO) individuals with arterial stiffness and carotid atherosclerosis. <i>Atherosclerosis</i> , 2014, 234, 218-223.	0.4	63
15	A dipeptidyl peptidase-IV inhibitor improves hepatic steatosis and insulin resistance by AMPK-dependent and JNK-dependent inhibition of LECT2 expression. <i>Biochemical Pharmacology</i> , 2015, 98, 157-166.	2.0	63
16	Progranulin Protects Vascular Endothelium against Atherosclerotic Inflammatory Reaction via Akt/eNOS and Nuclear Factor- κ B Pathways. <i>PLoS ONE</i> , 2013, 8, e76679.	1.1	60
17	The cutoff values of visceral fat area and waist circumference for identifying subjects at risk for metabolic syndrome in elderly Korean: Ansan Geriatric (AGE) cohort study. <i>BMC Public Health</i> , 2009, 9, 443.	1.2	59
18	Clinical and metabolic factors associated with development and regression of nonalcoholic fatty liver disease in nonobese subjects. <i>Liver International</i> , 2014, 34, 604-611.	1.9	57

#	ARTICLE	IF	CITATIONS
19	Rho-kinase/AMPK axis regulates hepatic lipogenesis during overnutrition. <i>Journal of Clinical Investigation</i> , 2018, 128, 5335-5350.	3.9	57
20	Association Between Visceral Obesity and Sarcopenia and Vitamin D Deficiency in Older Koreans: The Ansan Geriatric Study. <i>Journal of the American Geriatrics Society</i> , 2012, 60, 700-706.	1.3	56
21	Risk of the Development of Diabetes and Cardiovascular Disease in Metabolically Healthy Obese People. <i>Medicine (United States)</i> , 2016, 95, e3384.	0.4	56
22	Association of Adiponectin, Resistin, and Vascular Inflammation. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011, 31, 944-949.	1.1	52
23	Clinical Study of Adrenal Incidentaloma in Korea. <i>Korean Journal of Internal Medicine</i> , 2005, 20, 303.	0.7	51
24	Knockdown of sestrin2 increases pro-inflammatory reactions and ER stress in the endothelium via an AMPK dependent mechanism. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2017, 1863, 1436-1444.	1.8	50
25	Melatonin improves insulin resistance and hepatic steatosis through attenuation of alpha α 2 α HS glycoprotein. <i>Journal of Pineal Research</i> , 2018, 65, e12493.	3.4	50
26	Vascular Inflammation Stratified by C-Reactive Protein and Low-Density Lipoprotein Cholesterol Levels: Analysis with $\sup > 18 < /sup >$ F-FDG PET. <i>Journal of Nuclear Medicine</i> , 2011, 52, 10-17.	2.8	49
27	LECT2 induces atherosclerotic inflammatory reaction via CD209 receptor-mediated JNK phosphorylation in human endothelial cells. <i>Metabolism: Clinical and Experimental</i> , 2015, 64, 1175-1182.	1.5	49
28	Effect of rosiglitazone on plasma adiponectin levels and arterial stiffness in subjects with prediabetes or non-diabetic metabolic syndrome. <i>European Journal of Endocrinology</i> , 2006, 154, 433-440.	1.9	47
29	ROCK1 isoform-specific deletion reveals a role for diet-induced insulin resistance. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2014, 306, E332-E343.	1.8	47
30	Association of Obstructive Sleep Apnea and Glucose Metabolism in Subjects With or Without Obesity. <i>Diabetes Care</i> , 2013, 36, 3909-3915.	4.3	46
31	Nut consumption has favorable effects on lipid profiles of Korean women with metabolic syndrome. <i>Nutrition Research</i> , 2014, 34, 814-820.	1.3	46
32	Adiposity parameters and cognitive function in the elderly: Application of "Jolly Fat" hypothesis to cognition. <i>Archives of Gerontology and Geriatrics</i> , 2009, 49, e133-e138.	1.4	45
33	Circulating Chemerin Level is Independently Correlated with Arterial Stiffness. <i>Journal of Atherosclerosis and Thrombosis</i> , 2012, 19, 59-68.	0.9	45
34	Low Vitamin D Status Is Associated with Nonalcoholic Fatty Liver Disease Independent of Visceral Obesity in Korean Adults. <i>PLoS ONE</i> , 2013, 8, e75197.	1.1	45
35	Short Sleep Duration Combined with Obstructive Sleep Apnea is Associated with Visceral Obesity in Korean Adults. <i>Sleep</i> , 2013, 36, 723-729.	0.6	44
36	Association of serum sclerostin levels with low skeletal muscle mass: The Korean Sarcopenic Obesity Study (KSOS). <i>Bone</i> , 2019, 128, 115053.	1.4	42

#	ARTICLE	IF	CITATIONS
37	Impact of Visit-to-Visit Fasting Plasma Glucose Variability on the Development of Type 2 Diabetes: A Nationwide Population-Based Cohort Study. <i>Diabetes Care</i> , 2018, 41, 2610-2616.	4.3	41
38	Serum Adipocyte Fatty Acid-Binding Protein Is Associated Independently with Vascular Inflammation: Analysis with ¹⁸ F-Fluorodeoxyglucose Positron Emission Tomography. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011, 96, E488-E492.	1.8	40
39	The dipeptidyl peptidase-IV inhibitor inhibits the expression of vascular adhesion molecules and inflammatory cytokines in HUVECs via Akt- and AMPK-dependent mechanisms. <i>Molecular and Cellular Endocrinology</i> , 2015, 405, 25-34.	1.6	40
40	Liver enzymes and vitamin D levels in metabolically healthy but obese individuals: Korean National Health and Nutrition Examination Survey. <i>Metabolism: Clinical and Experimental</i> , 2013, 62, 1305-1312.	1.5	38
41	Incidence and Risk Factors for Dementia in Type 2 Diabetes Mellitus: A Nationwide Population-Based Study in Korea. <i>Diabetes and Metabolism Journal</i> , 2020, 44, 113.	1.8	36
42	Knockdown of Sestrin2 Increases Lipopolysaccharide-Induced Oxidative Stress, Apoptosis, and Fibrotic Reactions in H9c2 Cells and Heart Tissues of Mice via an AMPK-Dependent Mechanism. <i>Mediators of Inflammation</i> , 2018, 2018, 1-10.	1.4	34
43	Effects of long-term glycemic variability on incident cardiovascular disease and mortality in subjects without diabetes. <i>Medicine (United States)</i> , 2019, 98, e16317.	0.4	34
44	Apolipoprotein A is a hepatokine regulating muscle glucose metabolism and insulin sensitivity. <i>Nature Communications</i> , 2020, 11, 2024.	5.8	34
45	Association between sRAGE, esRAGE levels and vascular inflammation: Analysis with ¹⁸ F-fluorodeoxyglucose positron emission tomography. <i>Atherosclerosis</i> , 2012, 220, 402-406.	0.4	33
46	The influence of diabetes and antidiabetic medications on the risk of pancreatic cancer: a nationwide population-based study in Korea. <i>Scientific Reports</i> , 2018, 8, 9719.	1.6	33
47	Plasma visfatin levels are positively associated with circulating interleukin-6 in apparently healthy Korean women. <i>Diabetes Research and Clinical Practice</i> , 2008, 79, 108-111.	1.1	32
48	Dipeptidyl peptidase-IV inhibitor (gemigliptin) inhibits tunicamycin-induced endoplasmic reticulum stress, apoptosis and inflammation in H9c2 cardiomyocytes. <i>Molecular and Cellular Endocrinology</i> , 2014, 392, 1-7.	1.6	32
49	HIF-1 α Expression as a Protective Strategy of HepG2 Cells Against Fatty Acid-Induced Toxicity. <i>Journal of Cellular Biochemistry</i> , 2014, 115, 1147-1158.	1.2	31
50	Association between vascular inflammation and non-alcoholic fatty liver disease: Analysis by ¹⁸ F-fluorodeoxyglucose positron emission tomography. <i>Metabolism: Clinical and Experimental</i> , 2017, 67, 72-79.	1.5	31
51	Ten-Year Mortality Trends for Adults with and without Diabetes Mellitus in South Korea, 2003 to 2013. <i>Diabetes and Metabolism Journal</i> , 2018, 42, 394.	1.8	31
52	Obesity and Hyperglycemia in Korean Men with Klinefelter Syndrome: The Korean Endocrine Society Registry. <i>Endocrinology and Metabolism</i> , 2016, 31, 598.	1.3	25
53	Methylsulfonylmethane (MSM), an organosulfur compound, is effective against obesity-induced metabolic disorders in mice. <i>Metabolism: Clinical and Experimental</i> , 2016, 65, 1508-1521.	1.5	25
54	Cut-off value for needle washout thyroglobulin in athyrotropic patients. <i>Laryngoscope</i> , 2010, 120, 1120-1124.	1.1	24

#	ARTICLE	IF	CITATIONS
55	Waist-to-hip ratio is better at predicting subclinical atherosclerosis than body mass index and waist circumference in postmenopausal women. <i>Maturitas</i> , 2015, 80, 323-328.	1.0	24
56	Circulating ApoJ is closely associated with insulin resistance in human subjects. <i>Metabolism: Clinical and Experimental</i> , 2018, 78, 155-166.	1.5	24
57	Glucose variability and the risks of stroke, myocardial infarction, and all-cause mortality in individuals with diabetes: retrospective cohort study. <i>Cardiovascular Diabetology</i> , 2020, 19, 144.	2.7	24
58	Effects of valsartan and amlodipine on oxidative stress in type 2 diabetic patients with hypertension: a randomized, multicenter study. <i>Korean Journal of Internal Medicine</i> , 2017, 32, 497-504.	0.7	23
59	Association of serum Sestrin2 level with metabolic risk factors in newly diagnosed drug-naïve type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2018, 144, 34-41.	1.1	23
60	Variability in Total Cholesterol Concentration Is Associated With the Risk of Dementia: A Nationwide Population-Based Cohort Study. <i>Frontiers in Neurology</i> , 2019, 10, 441.	1.1	23
61	Time to Reach Target Glycosylated Hemoglobin Is Associated with Long-Term Durable Glycemic Control and Risk of Diabetic Complications in Patients with Newly Diagnosed Type 2 Diabetes Mellitus: A 6-Year Observational Study. <i>Diabetes and Metabolism Journal</i> , 2021, 45, 368-378.	1.8	23
62	Fibroblast Growth Factor 21: A Novel Metabolic Regulator. <i>Diabetes and Metabolism Journal</i> , 2012, 36, 26.	1.8	22
63	The synergistic impact of nonalcoholic fatty liver disease and metabolic syndrome on subclinical atherosclerosis. <i>Clinical Endocrinology</i> , 2016, 84, 203-209.	1.2	22
64	Differential circulating and visceral fat microRNA expression of non-obese and obese subjects. <i>Clinical Nutrition</i> , 2020, 39, 910-916.	2.3	20
65	Body Weight Variability Increases Dementia Risk Among Older Adults: A Nationwide Population-Based Cohort Study. <i>Frontiers in Endocrinology</i> , 2020, 11, 291.	1.5	20
66	Combined Effect of High-Normal Blood Pressure and Low HDL Cholesterol on Mortality in an Elderly Korean Population: The South-West Seoul (SWS) Study. <i>American Journal of Hypertension</i> , 2011, 24, 918-923.	1.0	18
67	Comparison of cytological results obtained by repeated US-guided fine-needle aspiration biopsies of thyroid nodules: Focus on the rate of malignancy and diagnostic concordance. <i>Diagnostic Cytopathology</i> , 2009, 37, 492-497.	0.5	17
68	Association between body size phenotype and sleep duration: Korean National Health and Nutrition Examination Survey V (KNHANES V). <i>Metabolism: Clinical and Experimental</i> , 2015, 64, 460-466.	1.5	17
69	Obstructive sleep apnea with excessive daytime sleepiness is associated with non-alcoholic fatty liver disease regardless of visceral fat. <i>Korean Journal of Internal Medicine</i> , 2015, 30, 846-855.	0.7	17
70	Vitamin D status and associated metabolic risk factors among North Korean refugees in South Korea: a cross-sectional study. <i>BMJ Open</i> , 2015, 5, e009140.	0.8	16
71	Dipeptidyl peptidase-4 inhibitor compared with sulfonylurea in combination with metformin: cardiovascular and renal outcomes in a propensity-matched cohort study. <i>Cardiovascular Diabetology</i> , 2019, 18, 28.	2.7	16
72	Proportion and Characteristics of the Subjects with Low Muscle Mass and Abdominal Obesity among the Newly Diagnosed and Drug-Naïve Type 2 Diabetes Mellitus Patients. <i>Diabetes and Metabolism Journal</i> , 2019, 43, 105.	1.8	16

#	ARTICLE	IF	CITATIONS
73	Effect of Metabolic Health and Obesity Phenotype on the Risk of Pancreatic Cancer: A Nationwide Population-Based Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 521-528.	1.1	16
74	The association of diabetes duration and glycemic control with depression in elderly men with type 2 diabetes mellitus. <i>Journal of Research in Medical Sciences</i> , 2019, 24, 17.	0.4	16
75	Diagnosis and Treatment of Growth Hormone Deficiency: A Position Statement from Korean Endocrine Society and Korean Society of Pediatric Endocrinology. <i>Endocrinology and Metabolism</i> , 2020, 35, 272-287.	1.3	15
76	A pooled analysis of 29 patients with fulminant type 1 diabetes in Korea: A comparison with a nationwide survey in Japan. <i>Diabetes Research and Clinical Practice</i> , 2009, 86, e43-e45.	1.1	14
77	Changes in the clinical manifestations of primary aldosteronism. <i>Korean Journal of Internal Medicine</i> , 2014, 29, 217.	0.7	14
78	Effects of radioactive iodine treatment on cardiovascular disease in thyroid cancer patients: a nationwide cohort study. <i>Annals of Translational Medicine</i> , 2020, 8, 1235-1235.	0.7	14
79	Association of the triglyceride and glucose index with low muscle mass: KNHANES 2008-2011. <i>Scientific Reports</i> , 2021, 11, 450.	1.6	14
80	Effect of Eplerenone, a Selective Aldosterone Blocker, on the Development of Diabetic Nephropathy in Type 2 Diabetic Rats. <i>Diabetes and Metabolism Journal</i> , 2012, 36, 128.	1.8	13
81	Vascular Inflammation in Metabolically Abnormal but Normal-Weight and Metabolically Healthy Obese Individuals Analyzed With 18F-Fluorodeoxyglucose Positron Emission Tomography. <i>American Journal of Cardiology</i> , 2015, 115, 523-528.	0.7	13
82	Habitual late sleep initiation is associated with increased incidence of type 2 diabetes mellitus in Korean adults: the Korean Genome and Epidemiology Study. <i>Sleep</i> , 2019, 42, .	0.6	13
83	Total cholesterol variability and risk of atrial fibrillation: A nationwide population-based cohort study. <i>PLoS ONE</i> , 2019, 14, e0215687.	1.1	13
84	High-sensitivity C-reactive protein in the low- and intermediate-Framingham risk score groups: Analysis with 18F-fluorodeoxyglucose positron emission tomography. <i>International Journal of Cardiology</i> , 2013, 163, 277-281.	0.8	12
85	Relationship of Circulating Fetuin-A Levels with Body Size and Metabolic Phenotypes. <i>International Journal of Endocrinology</i> , 2018, 2018, 1-8.	0.6	12
86	̢-Glutamyltransferase Variability and the Risk of Mortality, Myocardial Infarction, and Stroke: A Nationwide Population-Based Cohort Study. <i>Journal of Clinical Medicine</i> , 2019, 8, 832.	1.0	12
87	Gamma-glutamyl transferase variability and the risk of hospitalisation for heart failure. <i>Heart</i> , 2020, 106, 1080-1086.	1.2	12
88	U-shaped association between sleep duration and urinary albumin excretion in Korean adults: 2011-2014 Korea National Health and Nutrition Examination Survey. <i>PLoS ONE</i> , 2018, 13, e0192980.	1.1	12
89	Sarcopenia is associated with decreased gray matter volume in the parietal lobe: a longitudinal cohort study. <i>BMC Geriatrics</i> , 2021, 21, 622.	1.1	12
90	GLP-1 receptor agonists in diabetic kidney disease: current evidence and future directions. <i>Kidney Research and Clinical Practice</i> , 2022, 41, 136-149.	0.9	12

#	ARTICLE	IF	CITATIONS
91	Implications of Pericardial, Visceral and Subcutaneous Adipose Tissue on Vascular Inflammation Measured Using 18FDG-PET/CT. PLoS ONE, 2015, 10, e0135294.	1.1	11
92	Gamma-glutamyl transferase variability can predict the development of end-stage of renal disease: a nationwide population-based study. Scientific Reports, 2020, 10, 11668.	1.6	11
93	Pheochromocytoma with Markedly Abnormal Liver Function Tests and Severe Leukocytosis. Endocrinology and Metabolism, 2014, 29, 83.	1.3	10
94	<scp>PROPIT</scp>: A <scp>PRO</scp>spective comparative clinical study evaluating the efficacy and safety of <scp>PIT</scp>avastatin in patients with metabolic syndrome. Clinical Endocrinology, 2015, 82, 670-677.	1.2	10
95	Efficacy and safety of lobeglitazone versus sitagliptin as an add&Eon to metformin in patients with type 2 diabetes with two or more components of metabolic syndrome over 24&Eweeks. Diabetes, Obesity and Metabolism, 2020, 22, 1869-1873.	2.2	8
96	Actual causes of death in thyroid cancer patients in Korea: A Nationwide Case Control Cohort Study. European Journal of Endocrinology, 2020, 182, 103-110.	1.9	8
97	Effect of cilostazol on arterial stiffness and vascular adhesion molecules in type 2 diabetic patients with metabolic syndrome: a randomised, double-blind, placebo-controlled, crossover trial. Diabetology and Metabolic Syndrome, 2013, 5, 41.	1.2	7
98	Clusterin overexpression protects against western diet-induced obesity and NAFLD. Scientific Reports, 2020, 10, 17484.	1.6	7
99	Relationship Between Metabolic Syndrome and Risk of Chronic Complications in Koreans with Type 2 Diabetes. Korean Diabetes Journal, 2009, 33, 392.	0.8	7
100	Malignant Pseudothyroiditis Induced by Thyroid Metastasis of Rectal Cancer. Thyroid, 2007, 17, 589-590.	2.4	6
101	Predictive Mortality Index for Community-Dwelling Elderly Koreans. Medicine (United States), 2016, 95, e2696.	0.4	6
102	Comparison of anthropometric indices for the screening of nonalcoholic fatty liver disease in pre- and postmenopausal women. Menopause, 2020, 27, 88-94.	0.8	6
103	Prognostic value of long-term gamma-glutamyl transferase variability in individuals with diabetes: a nationwide population-based study. Scientific Reports, 2020, 10, 15375.	1.6	5
104	Age- and Sex-Related Differential Associations between Body Composition and Diabetes Mellitus. Diabetes and Metabolism Journal, 2021, 45, 183-194.	1.8	5
105	Association Between Visit-to-Visit Fasting Plasma Glucose Variability and Osteoporotic Fractures in Nondiabetic Subjects. Journal of Clinical Endocrinology and Metabolism, 2021, 106, e3449-e3460.	1.8	5
106	Glycemic variability and the risk of nonalcoholic fatty liver disease : A nationwide population-based cohort study. Diabetes Research and Clinical Practice, 2021, 177, 108922.	1.1	5
107	Clinical features of recently diagnosed papillary thyroid carcinoma in elderly patients aged 65 and older based on 10 years of sonographic experience at a single institution in Korea. Ultrasonography, 2017, 36, 355-362.	1.0	5
108	Prevalence of osteoporosis among North Korean women refugees living in South Korea: a comparative cross-sectional study. BMJ Open, 2020, 10, e036230.	0.8	4

#	ARTICLE	IF	CITATIONS
109	Statin Therapy and the Risk of Osteoporotic Fractures in Patients with Metabolic Syndrome: a Nested Case-Control Study. <i>Journal of Lipid and Atherosclerosis</i> , 2021, 10, 322.	1.1	4
110	LRP1 regulates food intake and energy balance in GABAergic neurons independently of leptin action. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2021, 320, E379-E389.	1.8	4
111	Association of pooled cohort risk scores with vascular inflammation and coronary artery calcification in Korean adults. <i>Metabolism: Clinical and Experimental</i> , 2016, 65, 1-7.	1.5	3
112	The FTO rs9939609 polymorphism is associated with short leukocyte telomere length in nonobese individuals. <i>Medicine (United States)</i> , 2017, 96, e7565.	0.4	3
113	A Case of Pulmonary Carcinoid Tumor with a Superimposed Aspergilloma Presenting As a Covert Ectopic Adrenocorticotrophic Hormone Syndrome. <i>Frontiers in Endocrinology</i> , 2017, 8, 123.	1.5	3
114	Time to Reach Target Glycosylated Hemoglobin Is Associated with Long-Term Durable Glycemic Control and Risk of Diabetic Complications in Patients with Newly Diagnosed Type 2 Diabetes Mellitus: A 6-Year Observational Study (<i>Diabetes Metab J</i> 2021;45:368-78). <i>Diabetes and Metabolism Journal</i> , 2021, 45, 617-618.	1.8	3
115	Comparison of Target Organ Damages between Primary Aldosteronism and Essential Hypertension. <i>Journal of Korean Endocrine Society</i> , 2007, 22, 11.	0.1	3
116	Implications of fasting plasma glucose variability on the risk of incident peripheral artery disease in a population without diabetes: a nationwide population-based cohort study. <i>Cardiovascular Diabetology</i> , 2022, 21, 15.	2.7	3
117	Fasting Glucose Variability as a Risk Indicator for End-Stage Kidney Disease in Patients with Diabetes: A Nationwide Population-Based Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 5948.	1.0	3
118	Extensive venous thrombosis of the upper extremity in a diabetic patient with a hyperosmolar hyperglycemic state. <i>Korean Journal of Internal Medicine</i> , 2006, 21, 244.	0.7	2
119	Prevalence of sarcopenia and sarcopenic obesity in Korean adults: The Korean Sarcopenic Obesity Study (KSOS). <i>Nature Precedings</i> , 2009, , .	0.1	2
120	Thyroid Dysfunction of North Korean Women Living in South Korea, Focusing on Subclinical Hypothyroidism. <i>Endocrinology and Metabolism</i> , 2012, 27, 200.	1.3	2
121	Metabolic Syndrome: A Warning Sign of Liver Fibrosis. <i>Journal of Obesity and Metabolic Syndrome</i> , 2022, 31, 1-3.	1.5	2
122	The Effect of Cellular Phone-Based Telemedicine on Glycemic Control in Type 2 Diabetes Patients Using Insulin Therapy. <i>Korean Diabetes Journal</i> , 2009, 33, 232.	0.8	1
123	The dipeptidyl peptidase-IV inhibitor (gemigliptin) inhibits the expression of vascular adhesion molecules and inflammatory cytokines in HUVECs via Akt- and AMPK-dependent mechanisms. <i>Endocrine Abstracts</i> , 0, , .	0.0	1
124	Hyperprolactinemia-Associated Breast Uptake of Radioiodine Following ¹³¹ I Postablation Scan in Differentiated Thyroid Cancer. <i>Endocrinology and Metabolism</i> , 2011, 26, 345.	1.3	1
125	A Case of Graves' Disease with Pheochromocytoma. <i>Journal of Korean Endocrine Society</i> , 2007, 22, 465.	0.1	1
126	Successful Localization of Distant Metastasis in Parathyroid Carcinoma Using Intraoperative Parathyroid Hormone Assay. <i>Endocrinology and Metabolism</i> , 2011, 26, 92.	1.3	1

#	ARTICLE	IF	CITATIONS
127	Sodium-Glucose Co-transporter 2 Inhibitor: The Magic Bullet for Obesity in Diabetes?. Journal of Obesity and Metabolic Syndrome, 2018, 27, 1-3.	1.5	1
128	Comparison of Laser and Conventional Lancing Devices for Blood Glucose Measurement Conformance and Patient Satisfaction in Diabetes Mellitus. Diabetes and Metabolism Journal, 2022, 46, 936-940.	1.8	1
129	Effects of Telmisartan Compared with Valsartan on Plasma Adiponectin Levels and Arterial Stiffness in Patients with Type 2 Diabetes - A Pilot Study. Korean Diabetes Journal, 2008, 32, 236.	0.8	0
130	Effect of Valsartan on Blood Pressure and Urinary Albumin Excretion in Hypertensive Type 2 Diabetic Patients: An Open-Label, Multicenter Study. Korean Diabetes Journal, 2008, 32, 513.	0.8	0
131	Short leukocyte telomere length is associated with the FTO rs9939609 polymorphism in non-obese individuals. Diabetes Research and Clinical Practice, 2016, 120, S193.	1.1	0
132	Impaired fasting glucose and risk of cardiovascular mortality in Korean adults. Diabetes Research and Clinical Practice, 2016, 120, S205-S206.	1.1	0
133	Changes in the Bone Mineral Density of Femur Neck and Total Hip Over a 52-Week Treatment with Lobeglitazone. Diabetes and Metabolism Journal, 2017, 41, 374.	1.8	0
134	TET2: Is a potential gatekeeper for the action of thiazolidinedione in fat cells?. Metabolism: Clinical and Experimental, 2018, 89, A1-A2.	1.5	0
135	Skeletal Muscle Should Not Be Overlooked. Diabetes and Metabolism Journal, 2021, 45, 173-174.	1.8	0
136	Effect of Statin Use on the Risk of Osteoporotic Fracture in Patients With Metabolic Syndrome: A Nested Case-Control Study. Journal of the Endocrine Society, 2021, 5, A244-A245.	0.1	0
137	A Case of Primary Hyperparathyroidism Caused by Cystic Parathyroid Adenoma, Diagnosed during Intra-Operative PTH Monitoring. Journal of Korean Endocrine Society, 2005, 20, 278.	0.1	0
138	A Case of Sheehan's Syndrome Presenting Central Diabetes Insipidus. Journal of Korean Endocrine Society, 2006, 21, 333.	0.1	0
139	A Case of Recurrent Ectopic Parathyroid Adenoma Developed 22 Years after the Initial Parathyroidectomy. Journal of Korean Endocrine Society, 2009, 24, 260.	0.1	0
140	Normal Repetitive Pregnancies and Tumor Regression Induced by Low-Dose Bromocriptine in a Patient with Macroprolactinoma. Journal of Korean Endocrine Society, 2009, 24, 42.	0.1	0
141	A Case of Multiple Osteoporotic Compression Fractures in Young Man with Budd-Chiari Syndrome. Endocrinology and Metabolism, 2012, 27, 334.	1.3	0
142	Relation between Body Mass Index, Waist Circumference, and Echocardiographic Index of Left Ventricular Diastolic Function (Korean J Obes 2016;25:84-91). The Korean Journal of Obesity, 2016, 25, 255-256.	0.2	0
143	An Age of Sodium-Glucose Cotransporter-2 Inhibitor Priority: Are We Ready?. Diabetes and Metabolism Journal, 2019, 43, 578.	1.8	0
144	17-LB: Prognostic Value of Gamma-Glutamyl Transferase Variability in Individuals with Diabetes: A Nationwide Population-Based Study. Diabetes, 2019, 68, .	0.3	0

#	ARTICLE	IF	CITATIONS
145	277-LB: LRP1 Mediates the Transport of Leptin Across the Blood-CSF Barrier at the Choroid Plexus. Diabetes, 2019, 68, 277-LB.	0.3	0
146	Letter: The Differential Association between Muscle Strength and Diabetes Mellitus According to the Presence or Absence of Obesity (J Obes Metab Syndr 2019;28:46-52). Journal of Obesity and Metabolic Syndrome, 2019, 28, 295-296.	1.5	0