

Ji A Seo

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3318471/ji-a-seo-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

136
papers

3,440
citations

34
h-index

55
g-index

148
ext. papers

4,129
ext. citations

5.2
avg, IF

4.82
L-index

#	Paper	IF	Citations
136	Prevalence and determinant factors of sarcopenia in patients with type 2 diabetes: the Korean Sarcopenic Obesity Study (KSOS). <i>Diabetes Care</i> , 2010 , 33, 1497-9	14.6	363
135	Relationship between sarcopenia and nonalcoholic fatty liver disease: the Korean Sarcopenic Obesity Study. <i>Hepatology</i> , 2014 , 59, 1772-8	11.2	230
134	Evening chronotype is associated with metabolic disorders and body composition in middle-aged adults. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 1494-502	5.6	182
133	Skeletal muscle mass to visceral fat area ratio is associated with metabolic syndrome and arterial stiffness: The Korean Sarcopenic Obesity Study (KSOS). <i>Diabetes Research and Clinical Practice</i> , 2011 , 93, 285-291	7.4	105
132	Vascular endothelial growth factor (VEGF) and soluble VEGF receptor FLT-1 in diabetic nephropathy. <i>Kidney International</i> , 2005 , 67, 167-77	9.9	97
131	Higher mortality in metabolically obese normal-weight people than in metabolically healthy obese subjects in elderly Koreans. <i>Clinical Endocrinology</i> , 2013 , 79, 364-70	3.4	90
130	Association of circulating omentin-1 level with arterial stiffness and carotid plaque in type 2 diabetes. <i>Cardiovascular Diabetology</i> , 2011 , 10, 103	8.7	88
129	Vascular inflammation in patients with impaired glucose tolerance and type 2 diabetes: analysis with 18F-fluorodeoxyglucose positron emission tomography. <i>Circulation: Cardiovascular Imaging</i> , 2010 , 3, 142-8	3.9	88
128	Effect of Statin Use on the Risk of Osteoporotic Fracture in Patients With Metabolic Syndrome: A Nested Case-Control Study. <i>Journal of the Endocrine Society</i> , 2021 , 5, A244-A245	0.4	78
127	Increased selenoprotein p levels in subjects with visceral obesity and nonalcoholic Fatty liver disease. <i>Diabetes and Metabolism Journal</i> , 2013 , 37, 63-71	5	77
126	Depression is associated with sarcopenia, not central obesity, in elderly Korean men. <i>Journal of the American Geriatrics Society</i> , 2011 , 59, 2062-8	5.6	74
125	Body size phenotypes and low muscle mass: the Korean sarcopenic obesity study (KSOS). <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, 811-7	5.6	67
124	Serum retinol-binding protein 4 levels are elevated in non-alcoholic fatty liver disease. <i>Clinical Endocrinology</i> , 2008 , 68, 555-60	3.4	67
123	Circulating angiopoietin-like protein 8 (ANGPTL8) and ANGPTL3 concentrations in relation to anthropometric and metabolic profiles in Korean children: a prospective cohort study. <i>Cardiovascular Diabetology</i> , 2016 , 15, 1	8.7	65
122	Association of metabolically abnormal but normal weight (MANW) and metabolically healthy but obese (MHO) individuals with arterial stiffness and carotid atherosclerosis. <i>Atherosclerosis</i> , 2014 , 234, 218-23	3.1	49
121	Association between visceral obesity and sarcopenia and vitamin D deficiency in older Koreans: the Ansan Geriatric Study. <i>Journal of the American Geriatrics Society</i> , 2012 , 60, 700-6	5.6	48
120	Association of adiponectin, resistin, and vascular inflammation: analysis with 18F-fluorodeoxyglucose positron emission tomography. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011 , 31, 944-9	9.4	48

119	A dipeptidyl peptidase-IV inhibitor improves hepatic steatosis and insulin resistance by AMPK-dependent and JNK-dependent inhibition of LECT2 expression. <i>Biochemical Pharmacology</i> , 2015 , 98, 157-66	6	46
118	The cutoff values of visceral fat area and waist circumference for identifying subjects at risk for metabolic syndrome in elderly Korean: Ansan Geriatric (AGE) cohort study. <i>BMC Public Health</i> , 2009 , 9, 443	4.1	46
117	Clinical and metabolic factors associated with development and regression of nonalcoholic fatty liver disease in nonobese subjects. <i>Liver International</i> , 2014 , 34, 604-11	7.9	45
116	Progranulin protects vascular endothelium against atherosclerotic inflammatory reaction via Akt/eNOS and nuclear factor-B pathways. <i>PLoS ONE</i> , 2013 , 8, e76679	3.7	45
115	Vascular inflammation stratified by C-reactive protein and low-density lipoprotein cholesterol levels: analysis with 18F-FDG PET. <i>Journal of Nuclear Medicine</i> , 2011 , 52, 10-7	8.9	44
114	Clinical study of adrenal incidentaloma in Korea. <i>Korean Journal of Internal Medicine</i> , 2005 , 20, 303-9	2.5	44
113	Effect of rosiglitazone on plasma adiponectin levels and arterial stiffness in subjects with prediabetes or non-diabetic metabolic syndrome. <i>European Journal of Endocrinology</i> , 2006 , 154, 433-40	6.5	42
112	Adiposity parameters and cognitive function in the elderly: application of "Jolly Fat" hypothesis to cognition. <i>Archives of Gerontology and Geriatrics</i> , 2009 , 49, e133-e138	4	39
111	Knockdown of sestrin2 increases pro-inflammatory reactions and ER stress in the endothelium via an AMPK dependent mechanism. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2017 , 1863, 1436-1444	6.9	38
110	ROCK1 isoform-specific deletion reveals a role for diet-induced insulin resistance. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2014 , 306, E332-43	6	38
109	Low vitamin D status is associated with nonalcoholic Fatty liver disease independent of visceral obesity in Korean adults. <i>PLoS ONE</i> , 2013 , 8, e75197	3.7	38
108	Risk of the Development of Diabetes and Cardiovascular Disease in Metabolically Healthy Obese People: The Korean Genome and Epidemiology Study. <i>Medicine (United States)</i> , 2016 , 95, e3384	1.8	37
107	Nut consumption has favorable effects on lipid profiles of Korean women with metabolic syndrome. <i>Nutrition Research</i> , 2014 , 34, 814-20	4	35
106	The dipeptidyl peptidase-IV inhibitor inhibits the expression of vascular adhesion molecules and inflammatory cytokines in HUVECs via Akt- and AMPK-dependent mechanisms. <i>Molecular and Cellular Endocrinology</i> , 2015 , 405, 25-34	4.4	35
105	Circulating chemerin level is independently correlated with arterial stiffness. <i>Journal of Atherosclerosis and Thrombosis</i> , 2012 , 19, 59-66; discussion 67-8	4	35
104	Serum adipocyte fatty acid-binding protein is associated independently with vascular inflammation: analysis with (18)F-fluorodeoxyglucose positron emission tomography. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011 , 96, E488-92	5.6	35
103	Association of obstructive sleep apnea and glucose metabolism in subjects with or without obesity. <i>Diabetes Care</i> , 2013 , 36, 3909-15	14.6	34
102	LECT2 induces atherosclerotic inflammatory reaction via CD209 receptor-mediated JNK phosphorylation in human endothelial cells. <i>Metabolism: Clinical and Experimental</i> , 2015 , 64, 1175-82	12.7	33

101	Short sleep duration combined with obstructive sleep apnea is associated with visceral obesity in Korean adults. <i>Sleep</i> , 2013 , 36, 723-9	1.1	32
100	Rho-kinase/AMPK axis regulates hepatic lipogenesis during overnutrition. <i>Journal of Clinical Investigation</i> , 2018 , 128, 5335-5350	15.9	31
99	Melatonin improves insulin resistance and hepatic steatosis through attenuation of alpha-2-HS-glycoprotein. <i>Journal of Pineal Research</i> , 2018 , 65, e12493	10.4	30
98	Impact of Visit-to-Visit Fasting Plasma Glucose Variability on the Development of Type 2 Diabetes: A Nationwide Population-Based Cohort Study. <i>Diabetes Care</i> , 2018 , 41, 2610-2616	14.6	30
97	Dipeptidyl peptidase-IV inhibitor (gemigliptin) inhibits tunicamycin-induced endoplasmic reticulum stress, apoptosis and inflammation in H9c2 cardiomyocytes. <i>Molecular and Cellular Endocrinology</i> , 2014 , 392, 1-7	4.4	29
96	Association between sRAGE, esRAGE levels and vascular inflammation: analysis with (18)F-fluorodeoxyglucose positron emission tomography. <i>Atherosclerosis</i> , 2012 , 220, 402-6	3.1	29
95	Liver enzymes and vitamin D levels in metabolically healthy but obese individuals: Korean National Health and Nutrition Examination Survey. <i>Metabolism: Clinical and Experimental</i> , 2013 , 62, 1305-12	12.7	29
94	Plasma visfatin levels are positively associated with circulating interleukin-6 in apparently healthy Korean women. <i>Diabetes Research and Clinical Practice</i> , 2008 , 79, 108-11	7.4	27
93	Effects of long-term glycemic variability on incident cardiovascular disease and mortality in subjects without diabetes: A nationwide population-based study. <i>Medicine (United States)</i> , 2019 , 98, e16317	18.7	24
92	Knockdown of Sestrin2 Increases Lipopolysaccharide-Induced Oxidative Stress, Apoptosis, and Fibrotic Reactions in H9c2 Cells and Heart Tissues of Mice via an AMPK-Dependent Mechanism. <i>Mediators of Inflammation</i> , 2018 , 2018, 6209140	4.3	23
91	HIF-1 α expression as a protective strategy of HepG2 cells against fatty acid-induced toxicity. <i>Journal of Cellular Biochemistry</i> , 2014 , 115, 1147-58	4.7	22
90	Cut-off value for needle washout thyroglobulin in athyrotropic patients. <i>Laryngoscope</i> , 2010 , 120, 1120-4	3.6	22
89	Association between vascular inflammation and non-alcoholic fatty liver disease: Analysis by F-fluorodeoxyglucose positron emission tomography. <i>Metabolism: Clinical and Experimental</i> , 2017 , 67, 72-79	12.7	19
88	Waist-to-hip ratio is better at predicting subclinical atherosclerosis than body mass index and waist circumference in postmenopausal women. <i>Maturitas</i> , 2015 , 80, 323-8	5	19
87	Fibroblast growth factor 21: a novel metabolic regulator. <i>Diabetes and Metabolism Journal</i> , 2012 , 36, 26-8	5	19
86	Obesity and Hyperglycemia in Korean Men with Klinefelter Syndrome: The Korean Endocrine Society Registry. <i>Endocrinology and Metabolism</i> , 2016 , 31, 598-603	3.5	18
85	Effects of valsartan and amlodipine on oxidative stress in type 2 diabetic patients with hypertension: a randomized, multicenter study. <i>Korean Journal of Internal Medicine</i> , 2017 , 32, 497-504	2.5	17
84	Apolipoprotein B is a hepatokine regulating muscle glucose metabolism and insulin sensitivity. <i>Nature Communications</i> , 2020 , 11, 2024	17.4	16

83	Circulating ApoJ is closely associated with insulin resistance in human subjects. <i>Metabolism: Clinical and Experimental</i> , 2018 , 78, 155-166	12.7	16
82	Incidence and Risk Factors for Dementia in Type 2 Diabetes Mellitus: A Nationwide Population-Based Study in Korea. <i>Diabetes and Metabolism Journal</i> , 2020 , 44, 113-124	5	16
81	The synergistic impact of nonalcoholic fatty liver disease and metabolic syndrome on subclinical atherosclerosis. <i>Clinical Endocrinology</i> , 2016 , 84, 203-209	3.4	16
80	Ten-Year Mortality Trends for Adults with and without Diabetes Mellitus in South Korea, 2003 to 2013. <i>Diabetes and Metabolism Journal</i> , 2018 , 42, 394-401	5	16
79	Association of serum sclerostin levels with low skeletal muscle mass: The Korean Sarcopenic Obesity Study (KSOS). <i>Bone</i> , 2019 , 128, 115053	4.7	15
78	Methylsulfonylmethane (MSM), an organosulfur compound, is effective against obesity-induced metabolic disorders in mice. <i>Metabolism: Clinical and Experimental</i> , 2016 , 65, 1508-21	12.7	15
77	Association of serum Sestrin2 level with metabolic risk factors in newly diagnosed drug-naïve type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2018 , 144, 34-41	7.4	15
76	The influence of diabetes and antidiabetic medications on the risk of pancreatic cancer: a nationwide population-based study in Korea. <i>Scientific Reports</i> , 2018 , 8, 9719	4.9	15
75	Dipeptidyl peptidase-4 inhibitor compared with sulfonylurea in combination with metformin: cardiovascular and renal outcomes in a propensity-matched cohort study. <i>Cardiovascular Diabetology</i> , 2019 , 18, 28	8.7	14
74	Vitamin D status and associated metabolic risk factors among North Korean refugees in South Korea: a cross-sectional study. <i>BMJ Open</i> , 2015 , 5, e009140	3	14
73	Comparison of cytological results obtained by repeated US-guided fine-needle aspiration biopsies of thyroid nodules: focus on the rate of malignancy and diagnostic concordance. <i>Diagnostic Cytopathology</i> , 2009 , 37, 492-7	1.4	14
72	Combined effect of high-normal blood pressure and low HDL cholesterol on mortality in an elderly Korean population: the South-West Seoul (SWS) study. <i>American Journal of Hypertension</i> , 2011 , 24, 918-23 ³		14
71	Glucose variability and the risks of stroke, myocardial infarction, and all-cause mortality in individuals with diabetes: retrospective cohort study. <i>Cardiovascular Diabetology</i> , 2020 , 19, 144	8.7	14
70	Association between body size phenotype and sleep duration: Korean National Health and Nutrition Examination Survey V (KNHANES V). <i>Metabolism: Clinical and Experimental</i> , 2015 , 64, 460-6	12.7	13
69	A pooled analysis of 29 patients with fulminant type 1 diabetes in Korea: a comparison with a nationwide survey in Japan. <i>Diabetes Research and Clinical Practice</i> , 2009 , 86, e43-5	7.4	13
68	High-sensitivity C-reactive protein in the low- and intermediate-Framingham risk score groups: analysis with 18F-fluorodeoxyglucose positron emission tomography. <i>International Journal of Cardiology</i> , 2013 , 163, 277-281	3.2	12
67	Vascular inflammation in metabolically abnormal but normal-weight and metabolically healthy obese individuals analyzed with 18F-fluorodeoxyglucose positron emission tomography. <i>American Journal of Cardiology</i> , 2015 , 115, 523-8	3	11
66	Effect of eplerenone, a selective aldosterone blocker, on the development of diabetic nephropathy in type 2 diabetic rats. <i>Diabetes and Metabolism Journal</i> , 2012 , 36, 128-35	5	11

65	Obstructive sleep apnea with excessive daytime sleepiness is associated with non-alcoholic fatty liver disease regardless of visceral fat. <i>Korean Journal of Internal Medicine</i> , 2015 , 30, 846-55	2.5	11
64	Differential circulating and visceral fat microRNA expression of non-obese and obese subjects. <i>Clinical Nutrition</i> , 2020 , 39, 910-916	5.9	11
63	Variability in Total Cholesterol Concentration Is Associated With the Risk of Dementia: A Nationwide Population-Based Cohort Study. <i>Frontiers in Neurology</i> , 2019 , 10, 441	4.1	10
62	PROPIT: A PROspective comparative clinical study evaluating the efficacy and safety of PITavastatin in patients with metabolic syndrome. <i>Clinical Endocrinology</i> , 2015 , 82, 670-7	3.4	10
61	Implications of Pericardial, Visceral and Subcutaneous Adipose Tissue on Vascular Inflammation Measured Using 18FDG-PET/CT. <i>PLoS ONE</i> , 2015 , 10, e0135294	3.7	10
60	Body Weight Variability Increases Dementia Risk Among Older Adults: A Nationwide Population-Based Cohort Study. <i>Frontiers in Endocrinology</i> , 2020 , 11, 291	5.7	9
59	Pheochromocytoma with markedly abnormal liver function tests and severe leukocytosis. <i>Endocrinology and Metabolism</i> , 2014 , 29, 83-90	3.5	9
58	Total cholesterol variability and risk of atrial fibrillation: A nationwide population-based cohort study. <i>PLoS ONE</i> , 2019 , 14, e0215687	3.7	8
57	U-shaped association between sleep duration and urinary albumin excretion in Korean adults: 2011-2014 Korea National Health and Nutrition Examination Survey. <i>PLoS ONE</i> , 2018 , 13, e0192980	3.7	8
56	Proportion and Characteristics of the Subjects with Low Muscle Mass and Abdominal Obesity among the Newly Diagnosed and Drug-Naïve Type 2 Diabetes Mellitus Patients. <i>Diabetes and Metabolism Journal</i> , 2019 , 43, 105-113	5	8
55	Relationship of Circulating Fetuin-A Levels with Body Size and Metabolic Phenotypes. <i>International Journal of Endocrinology</i> , 2018 , 2018, 7918714	2.7	8
54	Changes in the clinical manifestations of primary aldosteronism. <i>Korean Journal of Internal Medicine</i> , 2014 , 29, 217-25	2.5	7
53	Diagnosis and Treatment of Growth Hormone Deficiency: A Position Statement from Korean Endocrine Society and Korean Society of Pediatric Endocrinology. <i>Endocrinology and Metabolism</i> , 2020 , 35, 272-287	3.5	7
52	γ-Glutamyltransferase Variability and the Risk of Mortality, Myocardial Infarction, and Stroke: A Nationwide Population-Based Cohort Study. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	6
51	Relationship Between Metabolic Syndrome and Risk of Chronic Complications in Koreans with Type 2 Diabetes. <i>Korean Diabetes Journal</i> , 2009 , 33, 392		6
50	The association of diabetes duration and glycemic control with depression in elderly men with type 2 diabetes mellitus. <i>Journal of Research in Medical Sciences</i> , 2019 , 24, 17	1.6	6
49	Time to Reach Target Glycosylated Hemoglobin Is Associated with Long-Term Durable Glycemic Control and Risk of Diabetic Complications in Patients with Newly Diagnosed Type 2 Diabetes Mellitus: A 6-Year Observational Study. <i>Diabetes and Metabolism Journal</i> , 2021 , 45, 368-378	5	6
48	Effect of cilostazol on arterial stiffness and vascular adhesion molecules in type 2 diabetic patients with metabolic syndrome: a randomised, double-blind, placebo-controlled, crossover trial. <i>Diabetology and Metabolic Syndrome</i> , 2013 , 5, 41	5.6	5

47	Malignant pseudothyroiditis induced by thyroid metastasis of rectal cancer. <i>Thyroid</i> , 2007 , 17, 589-90	6.2	5
46	Clinical features of recently diagnosed papillary thyroid carcinoma in elderly patients aged 65 and older based on 10 years of sonographic experience at a single institution in Korea. <i>Ultrasonography</i> , 2017 , 36, 355-362	4.3	4
45	Gamma-glutamyl transferase variability can predict the development of end-stage of renal disease: a nationwide population-based study. <i>Scientific Reports</i> , 2020 , 10, 11668	4.9	4
44	Predictive Mortality Index for Community-Dwelling Elderly Koreans. <i>Medicine (United States)</i> , 2016 , 95, e2696	1.8	4
43	Gamma-glutamyl transferase variability and the risk of hospitalisation for heart failure. <i>Heart</i> , 2020 , 106, 1080-1086	5.1	4
42	Effect of Metabolic Health and Obesity Phenotype on the Risk of Pancreatic Cancer: A Nationwide Population-Based Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 521-528	4	4
41	Habitual late sleep initiation is associated with increased incidence of type 2 diabetes mellitus in Korean adults: the Korean Genome and Epidemiology Study. <i>Sleep</i> , 2019 , 42,	1.1	3
40	Efficacy and safety of lobeglitazone versus sitagliptin as an add-on to metformin in patients with type 2 diabetes with two or more components of metabolic syndrome over 24 weeks. <i>Diabetes, Obesity and Metabolism</i> , 2020 , 22, 1869-1873	6.7	3
39	Association of pooled cohort risk scores with vascular inflammation and coronary artery calcification in Korean adults. <i>Metabolism: Clinical and Experimental</i> , 2016 , 65, 1-7	12.7	3
38	The FTO rs9939609 polymorphism is associated with short leukocyte telomere length in nonobese individuals. <i>Medicine (United States)</i> , 2017 , 96, e7565	1.8	3
37	Actual causes of death in thyroid cancer patients in Korea: A Nationwide Case Control Cohort Study. <i>European Journal of Endocrinology</i> , 2020 , 182, 103-110	6.5	3
36	Comparison of Target Organ Damages between Primary Aldosteronism and Essential Hypertension. <i>Journal of Korean Endocrine Society</i> , 2007 , 22, 11		3
35	Comparison of anthropometric indices for the screening of nonalcoholic fatty liver disease in pre- and postmenopausal women. <i>Menopause</i> , 2020 , 27, 88-94	2.5	3
34	Effects of radioactive iodine treatment on cardiovascular disease in thyroid cancer patients: a nationwide cohort study. <i>Annals of Translational Medicine</i> , 2020 , 8, 1235	3.2	3
33	Prevalence of osteoporosis among North Korean women refugees living in South Korea: a comparative cross-sectional study. <i>BMJ Open</i> , 2020 , 10, e036230	3	2
32	A Case of Pulmonary Carcinoid Tumor with a Superimposed Aspergilloma Presenting As a Covert Ectopic Adrenocorticotrophic Hormone Syndrome. <i>Frontiers in Endocrinology</i> , 2017 , 8, 123	5.7	2
31	Thyroid Dysfunction of North Korean Women Living in South Korea, Focusing on Subclinical Hypothyroidism. <i>Endocrinology and Metabolism</i> , 2012 , 27, 200	3.5	2
30	Age- and Sex-Related Differential Associations between Body Composition and Diabetes Mellitus. <i>Diabetes and Metabolism Journal</i> , 2021 , 45, 183-194	5	2

29	The Effect of Cellular Phone-Based Telemedicine on Glycemic Control in Type 2 Diabetes Patients Using Insulin Therapy. <i>Korean Diabetes Journal</i> , 2009 , 33, 232		1
28	Prevalence of sarcopenia and sarcopenic obesity in Korean adults: The Korean Sarcopenic Obesity Study (KSOS). <i>Nature Precedings</i> , 2009 ,		1
27	Extensive venous thrombosis of the upper extremity in a diabetic patient with a hyperosmolar hyperglycemic state. <i>Korean Journal of Internal Medicine</i> , 2006 , 21, 244-7	2.5	1
26	Implications of fasting plasma glucose variability on the risk of incident peripheral artery disease in a population without diabetes: a nationwide population-based cohort study.. <i>Cardiovascular Diabetology</i> , 2022 , 21, 15	8.7	1
25	Sarcopenia is associated with decreased gray matter volume in the parietal lobe: a longitudinal cohort study. <i>BMC Geriatrics</i> , 2021 , 21, 622	4.1	1
24	Hyperprolactinemia-Associated Breast Uptake of Radioiodine Following 131I Postablation Scan in Differentiated Thyroid Cancer. <i>Endocrinology and Metabolism</i> , 2011 , 26, 345	3.5	1
23	A Case of GravesSDisease with Pheochromocytoma. <i>Journal of Korean Endocrine Society</i> , 2007 , 22, 465		1
22	Successful Localization of Distant Metastasis in Parathyroid Carcinoma Using Intraoperative Parathyroid Hormone Assay. <i>Endocrinology and Metabolism</i> , 2011 , 26, 92	3.5	1
21	Clusterin overexpression protects against western diet-induced obesity and NAFLD. <i>Scientific Reports</i> , 2020 , 10, 17484	4.9	1
20	Prognostic value of long-term gamma-glutamyl transferase variability in individuals with diabetes: a nationwide population-based study. <i>Scientific Reports</i> , 2020 , 10, 15375	4.9	1
19	Association Between Visit-to-Visit Fasting Plasma Glucose Variability and Osteoporotic Fractures in Nondiabetic Subjects. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, e3449-e3460	5.6	1
18	Glycemic variability and the risk of nonalcoholic fatty liver disease : A nationwide population-based cohort study. <i>Diabetes Research and Clinical Practice</i> , 2021 , 177, 108922	7.4	1
17	Association of the triglyceride and glucose index with low muscle mass: KNHANES 2008-2011. <i>Scientific Reports</i> , 2021 , 11, 450	4.9	1
16	LRP1 regulates food intake and energy balance in GABAergic neurons independently of leptin action. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2021 , 320, E379-E389	6	1
15	Fasting Glucose Variability as a Risk Indicator for End-Stage Kidney Disease in Patients with Diabetes: A Nationwide Population-Based Study.. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	1
14	Statin Therapy and the Risk of Osteoporotic Fractures in Patients with Metabolic Syndrome: a Nested Case-Control Study. <i>Journal of Lipid and Atherosclerosis</i> , 2021 , 10, 322-333	3	0
13	Time to Reach Target Glycosylated Hemoglobin Is Associated with Long-Term Durable Glycemic Control and Risk of Diabetic Complications in Patients with Newly Diagnosed Type 2 Diabetes Mellitus: A 6-Year Observational Study (Diabetes Metab J 2021;45:368-78). <i>Diabetes and Metabolism Journal</i> , 2021 , 45, 617-618	5	0
12	GLP-1 receptor agonists in diabetic kidney disease: current evidence and future directions.. <i>Kidney Research and Clinical Practice</i> , 2022 , 41, 136-149	3.6	0

- 11 Effects of Telmisartan Compared with Valsartan on Plasma Adiponectin Levels and Arterial Stiffness in Patients with Type 2 Diabetes - A Pilot Study. *Korean Diabetes Journal*, **2008**, 32, 236
- 10 Effect of Valsartan on Blood Pressure and Urinary Albumin Excretion in Hypertensive Type 2 Diabetic Patients: An Open-Label, Multicenter Study. *Korean Diabetes Journal*, **2008**, 32, 513
- 9 A Case of Primary Hyperparathyroidism Caused by Cystic Parathyroid Adenoma, Diagnosed during Intra-Operative PTH Monitoring. *Journal of Korean Endocrine Society*, **2005**, 20, 278
- 8 A Case of Sheehan's Syndrome Presenting Central Diabetes Insipidus. *Journal of Korean Endocrine Society*, **2006**, 21, 333
- 7 17-LB: Prognostic Value of Gamma-Glutamyl Transferase Variability in Individuals with Diabetes: A Nationwide Population-Based Study. *Diabetes*, **2019**, 68, 17-LB 0.9
- 6 277-LB: LRP1 Mediates the Transport of Leptin Across the Blood-CSF Barrier at the Choroid Plexus. *Diabetes*, **2019**, 68, 277-LB 0.9
- 5 Letter: The Differential Association between Muscle Strength and Diabetes Mellitus According to the Presence or Absence of Obesity (J Obes Metab Syndr 2019;28:46-52). *Journal of Obesity and Metabolic Syndrome*, **2019**, 28, 295-296 4.4
- 4 Relation between Body Mass Index, Waist Circumference, and Echocardiographic Index of Left Ventricular Diastolic Function (Korean J Obes 2016;25:84-91). *The Korean Journal of Obesity*, **2016**, 25, 255-256
- 3 A Case of Recurrent Ectopic Parathyroid Adenoma Developed 22 Years after the Initial Parathyroidectomy. *Journal of Korean Endocrine Society*, **2009**, 24, 260
- 2 Normal Repetitive Pregnancies and Tumor Regression Induced by Low-Dose Bromocriptine in a Patient with Macroprolactinoma. *Journal of Korean Endocrine Society*, **2009**, 24, 42
- 1 A Case of Multiple Osteoporotic Compression Fractures in Young Man with Budd-Chiari Syndrome. *Endocrinology and Metabolism*, **2012**, 27, 334 3.5