

Ji A Seo

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3318471/ji-a-seo-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

136
papers

3,440
citations

34
h-index

55
g-index

148
ext. papers

4,129
ext. citations

5.2
avg, IF

4.82
L-index

#	Paper	IF	Citations
136	Implications of fasting plasma glucose variability on the risk of incident peripheral artery disease in a population without diabetes: a nationwide population-based cohort study.. <i>Cardiovascular Diabetology</i> , 2022 , 21, 15	8.7	1
135	GLP-1 receptor agonists in diabetic kidney disease: current evidence and future directions.. <i>Kidney Research and Clinical Practice</i> , 2022 , 41, 136-149	3.6	0
134	Sarcopenia is associated with decreased gray matter volume in the parietal lobe: a longitudinal cohort study. <i>BMC Geriatrics</i> , 2021 , 21, 622	4.1	1
133	Age- and Sex-Related Differential Associations between Body Composition and Diabetes Mellitus. <i>Diabetes and Metabolism Journal</i> , 2021 , 45, 183-194	5	2
132	Association Between Visit-to-Visit Fasting Plasma Glucose Variability and Osteoporotic Fractures in Nondiabetic Subjects. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, e3449-e3460	5.6	1
131	Time to Reach Target Glycosylated Hemoglobin Is Associated with Long-Term Durable Glycemic Control and Risk of Diabetic Complications in Patients with Newly Diagnosed Type 2 Diabetes Mellitus: A 6-Year Observational Study. <i>Diabetes and Metabolism Journal</i> , 2021 , 45, 368-378	5	6
130	Effect of Statin Use on the Risk of Osteoporotic Fracture in Patients With Metabolic Syndrome: A Nested Case-Control Study. <i>Journal of the Endocrine Society</i> , 2021 , 5, A244-A245	0.4	78
129	Glycemic variability and the risk of nonalcoholic fatty liver disease : A nationwide population-based cohort study. <i>Diabetes Research and Clinical Practice</i> , 2021 , 177, 108922	7.4	1
128	Effect of Metabolic Health and Obesity Phenotype on the Risk of Pancreatic Cancer: A Nationwide Population-Based Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 521-528	4	4
127	Statin Therapy and the Risk of Osteoporotic Fractures in Patients with Metabolic Syndrome: a Nested Case-Control Study. <i>Journal of Lipid and Atherosclerosis</i> , 2021 , 10, 322-333	3	0
126	Association of the triglyceride and glucose index with low muscle mass: KNHANES 2008-2011. <i>Scientific Reports</i> , 2021 , 11, 450	4.9	1
125	LRP1 regulates food intake and energy balance in GABAergic neurons independently of leptin action. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2021 , 320, E379-E389	6	1
124	Time to Reach Target Glycosylated Hemoglobin Is Associated with Long-Term Durable Glycemic Control and Risk of Diabetic Complications in Patients with Newly Diagnosed Type 2 Diabetes Mellitus: A 6-Year Observational Study (Diabetes Metab J 2021;45:368-78). <i>Diabetes and Metabolism Journal</i> , 2021 , 45, 617-618	5	0
123	Fasting Glucose Variability as a Risk Indicator for End-Stage Kidney Disease in Patients with Diabetes: A Nationwide Population-Based Study.. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	1
122	Efficacy and safety of lobeglitazone versus sitagliptin as an add-on to metformin in patients with type 2 diabetes with two or more components of metabolic syndrome over 24 weeks. <i>Diabetes, Obesity and Metabolism</i> , 2020 , 22, 1869-1873	6.7	3
121	Body Weight Variability Increases Dementia Risk Among Older Adults: A Nationwide Population-Based Cohort Study. <i>Frontiers in Endocrinology</i> , 2020 , 11, 291	5.7	9
120	Prevalence of osteoporosis among North Korean women refugees living in South Korea: a comparative cross-sectional study. <i>BMJ Open</i> , 2020 , 10, e036230	3	2

119	Apolipoprotein \square is a hepatokine regulating muscle glucose metabolism and insulin sensitivity. <i>Nature Communications</i> , 2020 , 11, 2024	17.4	16
118	Actual causes of death in thyroid cancer patients in Korea: A Nationwide Case Control Cohort Study. <i>European Journal of Endocrinology</i> , 2020 , 182, 103-110	6.5	3
117	Diagnosis and Treatment of Growth Hormone Deficiency: A Position Statement from Korean Endocrine Society and Korean Society of Pediatric Endocrinology. <i>Endocrinology and Metabolism</i> , 2020 , 35, 272-287	3.5	7
116	Incidence and Risk Factors for Dementia in Type 2 Diabetes Mellitus: A Nationwide Population-Based Study in Korea. <i>Diabetes and Metabolism Journal</i> , 2020 , 44, 113-124	5	16
115	Comparison of anthropometric indices for the screening of nonalcoholic fatty liver disease in pre- and postmenopausal women. <i>Menopause</i> , 2020 , 27, 88-94	2.5	3
114	Clusterin overexpression protects against western diet-induced obesity and NAFLD. <i>Scientific Reports</i> , 2020 , 10, 17484	4.9	1
113	Effects of radioactive iodine treatment on cardiovascular disease in thyroid cancer patients: a nationwide cohort study. <i>Annals of Translational Medicine</i> , 2020 , 8, 1235	3.2	3
112	Prognostic value of long-term gamma-glutamyl transferase variability in individuals with diabetes: a nationwide population-based study. <i>Scientific Reports</i> , 2020 , 10, 15375	4.9	1
111	Glucose variability and the risks of stroke, myocardial infarction, and all-cause mortality in individuals with diabetes: retrospective cohort study. <i>Cardiovascular Diabetology</i> , 2020 , 19, 144	8.7	14
110	Gamma-glutamyl transferase variability can predict the development of end-stage of renal disease: a nationwide population-based study. <i>Scientific Reports</i> , 2020 , 10, 11668	4.9	4
109	Differential circulating and visceral fat microRNA expression of non-obese and obese subjects. <i>Clinical Nutrition</i> , 2020 , 39, 910-916	5.9	11
108	Gamma-glutamyl transferase variability and the risk of hospitalisation for heart failure. <i>Heart</i> , 2020 , 106, 1080-1086	5.1	4
107	Association of serum sclerostin levels with low skeletal muscle mass: The Korean Sarcopenic Obesity Study (KSOS). <i>Bone</i> , 2019 , 128, 115053	4.7	15
106	Variability in Total Cholesterol Concentration Is Associated With the Risk of Dementia: A Nationwide Population-Based Cohort Study. <i>Frontiers in Neurology</i> , 2019 , 10, 441	4.1	10
105	Glutamyltransferase Variability and the Risk of Mortality, Myocardial Infarction, and Stroke: A Nationwide Population-Based Cohort Study. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	6
104	Habitual late sleep initiation is associated with increased incidence of type 2 diabetes mellitus in Korean adults: the Korean Genome and Epidemiology Study. <i>Sleep</i> , 2019 , 42,	1.1	3
103	Total cholesterol variability and risk of atrial fibrillation: A nationwide population-based cohort study. <i>PLoS ONE</i> , 2019 , 14, e0215687	3.7	8
102	Dipeptidyl peptidase-4 inhibitor compared with sulfonylurea in combination with metformin: cardiovascular and renal outcomes in a propensity-matched cohort study. <i>Cardiovascular Diabetology</i> , 2019 , 18, 28	8.7	14

101	The association of diabetes duration and glycemic control with depression in elderly men with type 2 diabetes mellitus. <i>Journal of Research in Medical Sciences</i> , 2019 , 24, 17	1.6	6
100	17-LB: Prognostic Value of Gamma-Glutamyl Transferase Variability in Individuals with Diabetes: A Nationwide Population-Based Study. <i>Diabetes</i> , 2019 , 68, 17-LB	0.9	
99	277-LB: LRP1 Mediates the Transport of Leptin Across the Blood-CSF Barrier at the Choroid Plexus. <i>Diabetes</i> , 2019 , 68, 277-LB	0.9	
98	Letter: The Differential Association between Muscle Strength and Diabetes Mellitus According to the Presence or Absence of Obesity (J Obes Metab Syndr 2019;28:46-52). <i>Journal of Obesity and Metabolic Syndrome</i> , 2019 , 28, 295-296	4.4	
97	Proportion and Characteristics of the Subjects with Low Muscle Mass and Abdominal Obesity among the Newly Diagnosed and Drug-Naïve Type 2 Diabetes Mellitus Patients. <i>Diabetes and Metabolism Journal</i> , 2019 , 43, 105-113	5	8
96	Effects of long-term glycemic variability on incident cardiovascular disease and mortality in subjects without diabetes: A nationwide population-based study. <i>Medicine (United States)</i> , 2019 , 98, e16317	1.8	24
95	Melatonin improves insulin resistance and hepatic steatosis through attenuation of alpha-2-HS-glycoprotein. <i>Journal of Pineal Research</i> , 2018 , 65, e12493	10.4	30
94	Circulating ApoJ is closely associated with insulin resistance in human subjects. <i>Metabolism: Clinical and Experimental</i> , 2018 , 78, 155-166	12.7	16
93	Knockdown of Sestrin2 Increases Lipopolysaccharide-Induced Oxidative Stress, Apoptosis, and Fibrotic Reactions in H9c2 Cells and Heart Tissues of Mice via an AMPK-Dependent Mechanism. <i>Mediators of Inflammation</i> , 2018 , 2018, 6209140	4.3	23
92	Association of serum Sestrin2 level with metabolic risk factors in newly diagnosed drug-naïve type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2018 , 144, 34-41	7.4	15
91	Rho-kinase/AMPK axis regulates hepatic lipogenesis during overnutrition. <i>Journal of Clinical Investigation</i> , 2018 , 128, 5335-5350	15.9	31
90	U-shaped association between sleep duration and urinary albumin excretion in Korean adults: 2011-2014 Korea National Health and Nutrition Examination Survey. <i>PLoS ONE</i> , 2018 , 13, e0192980	3.7	8
89	Relationship of Circulating Fetuin-A Levels with Body Size and Metabolic Phenotypes. <i>International Journal of Endocrinology</i> , 2018 , 2018, 7918714	2.7	8
88	Impact of Visit-to-Visit Fasting Plasma Glucose Variability on the Development of Type 2 Diabetes: A Nationwide Population-Based Cohort Study. <i>Diabetes Care</i> , 2018 , 41, 2610-2616	14.6	30
87	Ten-Year Mortality Trends for Adults with and without Diabetes Mellitus in South Korea, 2003 to 2013. <i>Diabetes and Metabolism Journal</i> , 2018 , 42, 394-401	5	16
86	The influence of diabetes and antidiabetic medications on the risk of pancreatic cancer: a nationwide population-based study in Korea. <i>Scientific Reports</i> , 2018 , 8, 9719	4.9	15
85	Knockdown of sestrin2 increases pro-inflammatory reactions and ER stress in the endothelium via an AMPK dependent mechanism. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2017 , 1863, 1436-1444	6.9	38
84	Effects of valsartan and amlodipine on oxidative stress in type 2 diabetic patients with hypertension: a randomized, multicenter study. <i>Korean Journal of Internal Medicine</i> , 2017 , 32, 497-504	2.5	17

83	The FTO rs9939609 polymorphism is associated with short leukocyte telomere length in nonobese individuals. <i>Medicine (United States)</i> , 2017 , 96, e7565	1.8	3
82	Association between vascular inflammation and non-alcoholic fatty liver disease: Analysis by F-fluorodeoxyglucose positron emission tomography. <i>Metabolism: Clinical and Experimental</i> , 2017 , 67, 72-79	12.7	19
81	A Case of Pulmonary Carcinoid Tumor with a Superimposed Aspergilloma Presenting As a Covert Ectopic Adrenocorticotrophic Hormone Syndrome. <i>Frontiers in Endocrinology</i> , 2017 , 8, 123	5.7	2
80	Clinical features of recently diagnosed papillary thyroid carcinoma in elderly patients aged 65 and older based on 10 years of sonographic experience at a single institution in Korea. <i>Ultrasonography</i> , 2017 , 36, 355-362	4.3	4
79	Methylsulfonylmethane (MSM), an organosulfur compound, is effective against obesity-induced metabolic disorders in mice. <i>Metabolism: Clinical and Experimental</i> , 2016 , 65, 1508-21	12.7	15
78	Circulating angiopoietin-like protein 8 (ANGPTL8) and ANGPTL3 concentrations in relation to anthropometric and metabolic profiles in Korean children: a prospective cohort study. <i>Cardiovascular Diabetology</i> , 2016 , 15, 1	8.7	65
77	Association of pooled cohort risk scores with vascular inflammation and coronary artery calcification in Korean adults. <i>Metabolism: Clinical and Experimental</i> , 2016 , 65, 1-7	12.7	3
76	Relation between Body Mass Index, Waist Circumference, and Echocardiographic Index of Left Ventricular Diastolic Function (Korean J Obes 2016;25:84-91). <i>The Korean Journal of Obesity</i> , 2016 , 25, 255-256		
75	Obesity and Hyperglycemia in Korean Men with Klinefelter Syndrome: The Korean Endocrine Society Registry. <i>Endocrinology and Metabolism</i> , 2016 , 31, 598-603	3.5	18
74	Risk of the Development of Diabetes and Cardiovascular Disease in Metabolically Healthy Obese People: The Korean Genome and Epidemiology Study. <i>Medicine (United States)</i> , 2016 , 95, e3384	1.8	37
73	The synergistic impact of nonalcoholic fatty liver disease and metabolic syndrome on subclinical atherosclerosis. <i>Clinical Endocrinology</i> , 2016 , 84, 203-209	3.4	16
72	Predictive Mortality Index for Community-Dwelling Elderly Koreans. <i>Medicine (United States)</i> , 2016 , 95, e2696	1.8	4
71	LECT2 induces atherosclerotic inflammatory reaction via CD209 receptor-mediated JNK phosphorylation in human endothelial cells. <i>Metabolism: Clinical and Experimental</i> , 2015 , 64, 1175-82	12.7	33
70	PROPIT: A PROspective comparative clinical study evaluating the efficacy and safety of PITavastatin in patients with metabolic syndrome. <i>Clinical Endocrinology</i> , 2015 , 82, 670-7	3.4	10
69	Evening chronotype is associated with metabolic disorders and body composition in middle-aged adults. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 1494-502	5.6	182
68	A dipeptidyl peptidase-IV inhibitor improves hepatic steatosis and insulin resistance by AMPK-dependent and JNK-dependent inhibition of LECT2 expression. <i>Biochemical Pharmacology</i> , 2015 , 98, 157-66	6	46
67	Vitamin D status and associated metabolic risk factors among North Korean refugees in South Korea: a cross-sectional study. <i>BMJ Open</i> , 2015 , 5, e009140	3	14
66	Implications of Pericardial, Visceral and Subcutaneous Adipose Tissue on Vascular Inflammation Measured Using 18FDG-PET/CT. <i>PLoS ONE</i> , 2015 , 10, e0135294	3.7	10

65	Association between body size phenotype and sleep duration: Korean National Health and Nutrition Examination Survey V (KNHANES V). <i>Metabolism: Clinical and Experimental</i> , 2015 , 64, 460-6	12.7	13
64	The dipeptidyl peptidase-IV inhibitor inhibits the expression of vascular adhesion molecules and inflammatory cytokines in HUVECs via Akt- and AMPK-dependent mechanisms. <i>Molecular and Cellular Endocrinology</i> , 2015 , 405, 25-34	4.4	35
63	Waist-to-hip ratio is better at predicting subclinical atherosclerosis than body mass index and waist circumference in postmenopausal women. <i>Maturitas</i> , 2015 , 80, 323-8	5	19
62	Vascular inflammation in metabolically abnormal but normal-weight and metabolically healthy obese individuals analyzed with 18 F-fluorodeoxyglucose positron emission tomography. <i>American Journal of Cardiology</i> , 2015 , 115, 523-8	3	11
61	Obstructive sleep apnea with excessive daytime sleepiness is associated with non-alcoholic fatty liver disease regardless of visceral fat. <i>Korean Journal of Internal Medicine</i> , 2015 , 30, 846-55	2.5	11
60	Association of metabolically abnormal but normal weight (MANW) and metabolically healthy but obese (MHO) individuals with arterial stiffness and carotid atherosclerosis. <i>Atherosclerosis</i> , 2014 , 234, 218-23	3.1	49
59	Nut consumption has favorable effects on lipid profiles of Korean women with metabolic syndrome. <i>Nutrition Research</i> , 2014 , 34, 814-20	4	35
58	ROCK1 isoform-specific deletion reveals a role for diet-induced insulin resistance. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2014 , 306, E332-43	6	38
57	Dipeptidyl peptidase-IV inhibitor (gemigliptin) inhibits tunicamycin-induced endoplasmic reticulum stress, apoptosis and inflammation in H9c2 cardiomyocytes. <i>Molecular and Cellular Endocrinology</i> , 2014 , 392, 1-7	4.4	29
56	Pheochromocytoma with markedly abnormal liver function tests and severe leukocytosis. <i>Endocrinology and Metabolism</i> , 2014 , 29, 83-90	3.5	9
55	Changes in the clinical manifestations of primary aldosteronism. <i>Korean Journal of Internal Medicine</i> , 2014 , 29, 217-25	2.5	7
54	Relationship between sarcopenia and nonalcoholic fatty liver disease: the Korean Sarcopenic Obesity Study. <i>Hepatology</i> , 2014 , 59, 1772-8	11.2	230
53	Clinical and metabolic factors associated with development and regression of nonalcoholic fatty liver disease in nonobese subjects. <i>Liver International</i> , 2014 , 34, 604-11	7.9	45
52	HIF-1 α expression as a protective strategy of HepG2 cells against fatty acid-induced toxicity. <i>Journal of Cellular Biochemistry</i> , 2014 , 115, 1147-58	4.7	22
51	Higher mortality in metabolically obese normal-weight people than in metabolically healthy obese subjects in elderly Koreans. <i>Clinical Endocrinology</i> , 2013 , 79, 364-70	3.4	90
50	Effect of cilostazol on arterial stiffness and vascular adhesion molecules in type 2 diabetic patients with metabolic syndrome: a randomised, double-blind, placebo-controlled, crossover trial. <i>Diabetology and Metabolic Syndrome</i> , 2013 , 5, 41	5.6	5
49	High-sensitivity C-reactive protein in the low- and intermediate-Framingham risk score groups: analysis with 18 F-fluorodeoxyglucose positron emission tomography. <i>International Journal of Cardiology</i> , 2013 , 163, 277-281	3.2	12
48	Liver enzymes and vitamin D levels in metabolically healthy but obese individuals: Korean National Health and Nutrition Examination Survey. <i>Metabolism: Clinical and Experimental</i> , 2013 , 62, 1305-12	12.7	29

47	Body size phenotypes and low muscle mass: the Korean sarcopenic obesity study (KSOS). <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, 811-7	5.6	67
46	Association of obstructive sleep apnea and glucose metabolism in subjects with or without obesity. <i>Diabetes Care</i> , 2013 , 36, 3909-15	14.6	34
45	Increased selenoprotein p levels in subjects with visceral obesity and nonalcoholic Fatty liver disease. <i>Diabetes and Metabolism Journal</i> , 2013 , 37, 63-71	5	77
44	Short sleep duration combined with obstructive sleep apnea is associated with visceral obesity in Korean adults. <i>Sleep</i> , 2013 , 36, 723-9	1.1	32
43	Low vitamin D status is associated with nonalcoholic Fatty liver disease independent of visceral obesity in Korean adults. <i>PLoS ONE</i> , 2013 , 8, e75197	3.7	38
42	Progranulin protects vascular endothelium against atherosclerotic inflammatory reaction via Akt/eNOS and nuclear factor- κ B pathways. <i>PLoS ONE</i> , 2013 , 8, e76679	3.7	45
41	Association between visceral obesity and sarcopenia and vitamin D deficiency in older Koreans: the Ansan Geriatric Study. <i>Journal of the American Geriatrics Society</i> , 2012 , 60, 700-6	5.6	48
40	Association between sRAGE, esRAGE levels and vascular inflammation: analysis with (18)F-fluorodeoxyglucose positron emission tomography. <i>Atherosclerosis</i> , 2012 , 220, 402-6	3.1	29
39	Circulating chemerin level is independently correlated with arterial stiffness. <i>Journal of Atherosclerosis and Thrombosis</i> , 2012 , 19, 59-66; discussion 67-8	4	35
38	Effect of eplerenone, a selective aldosterone blocker, on the development of diabetic nephropathy in type 2 diabetic rats. <i>Diabetes and Metabolism Journal</i> , 2012 , 36, 128-35	5	11
37	Fibroblast growth factor 21: a novel metabolic regulator. <i>Diabetes and Metabolism Journal</i> , 2012 , 36, 26-8	5	19
36	Thyroid Dysfunction of North Korean Women Living in South Korea, Focusing on Subclinical Hypothyroidism. <i>Endocrinology and Metabolism</i> , 2012 , 27, 200	3.5	2
35	A Case of Multiple Osteoporotic Compression Fractures in Young Man with Budd-Chiari Syndrome. <i>Endocrinology and Metabolism</i> , 2012 , 27, 334	3.5	
34	Skeletal muscle mass to visceral fat area ratio is associated with metabolic syndrome and arterial stiffness: The Korean Sarcopenic Obesity Study (KSOS). <i>Diabetes Research and Clinical Practice</i> , 2011 , 93, 285-291	7.4	105
33	Depression is associated with sarcopenia, not central obesity, in elderly Korean men. <i>Journal of the American Geriatrics Society</i> , 2011 , 59, 2062-8	5.6	74
32	Association of circulating omentin-1 level with arterial stiffness and carotid plaque in type 2 diabetes. <i>Cardiovascular Diabetology</i> , 2011 , 10, 103	8.7	88
31	Serum adipocyte fatty acid-binding protein is associated independently with vascular inflammation: analysis with (18)F-fluorodeoxyglucose positron emission tomography. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011 , 96, E488-92	5.6	35
30	Vascular inflammation stratified by C-reactive protein and low-density lipoprotein cholesterol levels: analysis with 18F-FDG PET. <i>Journal of Nuclear Medicine</i> , 2011 , 52, 10-7	8.9	44

29	Combined effect of high-normal blood pressure and low HDL cholesterol on mortality in an elderly Korean population: the South-West Seoul (SWS) study. <i>American Journal of Hypertension</i> , 2011 , 24, 918-23 ³		14
28	Association of adiponectin, resistin, and vascular inflammation: analysis with 18F-fluorodeoxyglucose positron emission tomography. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011 , 31, 944-9	9.4	48
27	Hyperprolactinemia-Associated Breast Uptake of Radioiodine Following 131I Postablation Scan in Differentiated Thyroid Cancer. <i>Endocrinology and Metabolism</i> , 2011 , 26, 345	3.5	1
26	Successful Localization of Distant Metastasis in Parathyroid Carcinoma Using Intraoperative Parathyroid Hormone Assay. <i>Endocrinology and Metabolism</i> , 2011 , 26, 92	3.5	1
25	Vascular inflammation in patients with impaired glucose tolerance and type 2 diabetes: analysis with 18F-fluorodeoxyglucose positron emission tomography. <i>Circulation: Cardiovascular Imaging</i> , 2010 , 3, 142-8	3.9	88
24	Prevalence and determinant factors of sarcopenia in patients with type 2 diabetes: the Korean Sarcopenic Obesity Study (KSOS). <i>Diabetes Care</i> , 2010 , 33, 1497-9	14.6	363
23	Cut-off value for needle washout thyroglobulin in athyrotropic patients. <i>Laryngoscope</i> , 2010 , 120, 1120-4.6		22
22	The Effect of Cellular Phone-Based Telemedicine on Glycemic Control in Type 2 Diabetes Patients Using Insulin Therapy. <i>Korean Diabetes Journal</i> , 2009 , 33, 232		1
21	Prevalence of sarcopenia and sarcopenic obesity in Korean adults: The Korean Sarcopenic Obesity Study (KSOS). <i>Nature Precedings</i> , 2009 ,		1
20	The cutoff values of visceral fat area and waist circumference for identifying subjects at risk for metabolic syndrome in elderly Korean: Ansan Geriatric (AGE) cohort study. <i>BMC Public Health</i> , 2009 , 9, 443	4.1	46
19	Comparison of cytological results obtained by repeated US-guided fine-needle aspiration biopsies of thyroid nodules: focus on the rate of malignancy and diagnostic concordance. <i>Diagnostic Cytopathology</i> , 2009 , 37, 492-7	1.4	14
18	Adiposity parameters and cognitive function in the elderly: application of "Jolly Fat" hypothesis to cognition. <i>Archives of Gerontology and Geriatrics</i> , 2009 , 49, e133-e138	4	39
17	A pooled analysis of 29 patients with fulminant type 1 diabetes in Korea: a comparison with a nationwide survey in Japan. <i>Diabetes Research and Clinical Practice</i> , 2009 , 86, e43-5	7.4	13
16	Relationship Between Metabolic Syndrome and Risk of Chronic Complications in Koreans with Type 2 Diabetes. <i>Korean Diabetes Journal</i> , 2009 , 33, 392		6
15	A Case of Recurrent Ectopic Parathyroid Adenoma Developed 22 Years after the Initial Parathyroidectomy. <i>Journal of Korean Endocrine Society</i> , 2009 , 24, 260		
14	Normal Repetitive Pregnancies and Tumor Regression Induced by Low-Dose Bromocriptine in a Patient with Macroprolactinoma. <i>Journal of Korean Endocrine Society</i> , 2009 , 24, 42		
13	Serum retinol-binding protein 4 levels are elevated in non-alcoholic fatty liver disease. <i>Clinical Endocrinology</i> , 2008 , 68, 555-60	3.4	67
12	Plasma visfatin levels are positively associated with circulating interleukin-6 in apparently healthy Korean women. <i>Diabetes Research and Clinical Practice</i> , 2008 , 79, 108-11	7.4	27

- 11 Effects of Telmisartan Compared with Valsartan on Plasma Adiponectin Levels and Arterial Stiffness in Patients with Type 2 Diabetes - A Pilot Study. *Korean Diabetes Journal*, **2008**, 32, 236
- 10 Effect of Valsartan on Blood Pressure and Urinary Albumin Excretion in Hypertensive Type 2 Diabetic Patients: An Open-Label, Multicenter Study. *Korean Diabetes Journal*, **2008**, 32, 513
- 9 Malignant pseudothyroiditis induced by thyroid metastasis of rectal cancer. *Thyroid*, **2007**, 17, 589-90 6.2 5
- 8 Comparison of Target Organ Damages between Primary Aldosteronism and Essential Hypertension. *Journal of Korean Endocrine Society*, **2007**, 22, 11 3
- 7 A Case of Graves Disease with Pheochromocytoma. *Journal of Korean Endocrine Society*, **2007**, 22, 465 1
- 6 Effect of rosiglitazone on plasma adiponectin levels and arterial stiffness in subjects with prediabetes or non-diabetic metabolic syndrome. *European Journal of Endocrinology*, **2006**, 154, 433-40 6.5 42
- 5 Extensive venous thrombosis of the upper extremity in a diabetic patient with a hyperosmolar hyperglycemic state. *Korean Journal of Internal Medicine*, **2006**, 21, 244-7 2.5 1
- 4 A Case of Sheehan's Syndrome Presenting Central Diabetes Insipidus. *Journal of Korean Endocrine Society*, **2006**, 21, 333
- 3 Vascular endothelial growth factor (VEGF) and soluble VEGF receptor FLT-1 in diabetic nephropathy. *Kidney International*, **2005**, 67, 167-77 9.9 97
- 2 Clinical study of adrenal incidentaloma in Korea. *Korean Journal of Internal Medicine*, **2005**, 20, 303-9 2.5 44
- 1 A Case of Primary Hyperparathyroidism Caused by Cystic Parathyroid Adenoma, Diagnosed during Intra-Operative PTH Monitoring. *Journal of Korean Endocrine Society*, **2005**, 20, 278