Marcelo M Sena

List of Publications by Citations

Source: https://exaly.com/author-pdf/331969/marcelo-m-sena-publications-by-citations.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

66
papers

1,429
citations

h-index

35
g-index

4.79
ext. papers

ext. citations

23
h-index

4.79
L-index

#	Paper	IF	Citations
66	Development and analytical validation of a screening method for simultaneous detection of five adulterants in raw milk using mid-infrared spectroscopy and PLS-DA. <i>Food Chemistry</i> , 2015 , 181, 31-7	8.5	139
65	N-way PLS applied to simultaneous spectrophotometric determination of acetylsalicylic acid, paracetamol and caffeine. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2004 , 34, 27-34	3.5	76
64	Development and analytical validation of a multivariate calibration method for determination of amoxicillin in suspension formulations by near infrared spectroscopy. <i>Talanta</i> , 2012 , 89, 342-51	6.2	68
63	Detection and characterisation of frauds in bovine meat in natura by non-meat ingredient additions using data fusion of chemical parameters and ATR-FTIR spectroscopy. <i>Food Chemistry</i> , 2016 , 205, 14-22	8.5	67
62	Direct determination of diclofenac in pharmaceutical formulations containing B vitamins by using UV spectrophotometry and partial least squares regression. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2004 , 36, 743-9	3.5	63
61	Application of two- and three-way chemometric methods in the study of acetylsalicylic acid and ascorbic acid mixtures using ultraviolet spectrophotometry. <i>Analytica Chimica Acta</i> , 2000 , 409, 159-170	6.6	63
60	The unimolecular dissociation of the molecular ion of acetophenone induced by thermal radiation. <i>Rapid Communications in Mass Spectrometry</i> , 1994 , 8, 1031-1034	2.2	62
59	Paper spray mass spectrometry and PLS-DA improved by variable selection for the forensic discrimination of beers. <i>Analytica Chimica Acta</i> , 2016 , 940, 104-12	6.6	49
58	Combining standard addition method and second-order advantage for direct determination of salicylate in undiluted human plasma by spectrofluorimetry. <i>Talanta</i> , 2006 , 68, 1707-12	6.2	46
57	Development and validation of a chemometric method for direct determination of hydrochlorothiazide in pharmaceutical samples by diffuse reflectance near infrared spectroscopy. <i>Microchemical Journal</i> , 2013 , 109, 158-164	4.8	44
56	Speciation of aqueous chromium(VI) solutions with the aid of Q-mode factor analysis followed by oblique projection. <i>Talanta</i> , 2000 , 53, 453-61	6.2	44
55	Analysis of seized cocaine samples by using chemometric methods and FTIR spectroscopy. <i>Journal of the Brazilian Chemical Society</i> , 2013 , 24, 507-517	1.5	44
54	Evaluation of transformer insulating oil quality using NIR, fluorescence, and NMR spectroscopic data fusion. <i>Talanta</i> , 2014 , 129, 143-9	6.2	31
53	Paper spray mass spectrometry and chemometric tools for a fast and reliable identification of counterfeit blended Scottish whiskies. <i>Food Chemistry</i> , 2017 , 237, 1058-1064	8.5	30
52	Determination of main fruits in adulterated nectars by ATR-FTIR spectroscopy combined with multivariate calibration and variable selection methods. <i>Food Chemistry</i> , 2018 , 254, 272-280	8.5	30
51	Direct determination of propranolol in urine by spectrofluorimetry with the aid of second order advantage. <i>Analytica Chimica Acta</i> , 2007 , 595, 282-8	6.6	30
50	Development and analytical validation of a simple multivariate calibration method using digital scanner images for sunset yellow determination in soft beverages. <i>Food Chemistry</i> , 2014 , 159, 175-80	8.5	29

(2010-2018)

49	Detection of adulterants in grape nectars by attenuated total reflectance Fourier-transform mid-infrared spectroscopy and multivariate classification strategies. <i>Food Chemistry</i> , 2018 , 266, 254-26	51 ^{8.5}	28	
48	Development and Analytical Validation of Robust Near-Infrared Multivariate Calibration Models for the Quality Inspection Control of Mozzarella Cheese. <i>Food Analytical Methods</i> , 2013 , 6, 881-891	3.4	28	
47	Avalia® do uso de m®odos quimiom®ricos em an©se de solos. <i>Quimica Nova</i> , 2000 , 23, 547-556	1.6	26	
46	Use of NIRS to predict composition and bioethanol yield from cell wall structural components of sweet sorghum biomass. <i>Microchemical Journal</i> , 2014 , 117, 194-201	4.8	25	
45	Combining mid infrared spectroscopy and paper spray mass spectrometry in a data fusion model to predict the composition of coffee blends. <i>Food Chemistry</i> , 2019 , 281, 71-77	8.5	25	
44	Paper Spray Mass Spectrometry for the Forensic Analysis of Black Ballpoint Pen Inks. <i>Journal of the American Society for Mass Spectrometry</i> , 2017 , 28, 1965-1976	3.5	24	
43	Screening method for rapid classification of psychoactive substances in illicit tablets using mid infrared spectroscopy and PLS-DA. <i>Forensic Science International</i> , 2018 , 288, 227-235	2.6	23	
42	Calibration transfer from powder mixtures to intact tablets: A new use in pharmaceutical analysis for a known tool. <i>Talanta</i> , 2016 , 147, 351-7	6.2	22	
41	Variable selection for multivariate classification aiming to detect individual adulterants and their blends in grape nectars. <i>Talanta</i> , 2018 , 190, 55-61	6.2	18	
40	Variable Selection Applied to the Development of a Robust Method for the Quantification of Coffee Blends Using Mid Infrared Spectroscopy. <i>Food Analytical Methods</i> , 2018 , 11, 578-588	3.4	16	
39	Electrospray ionization mass spectrometry and partial least squares discriminant analysis applied to the quality control of olive oil. <i>Journal of Mass Spectrometry</i> , 2013 , 48, 1109-15	2.2	16	
38	Determination of allura red dye in hard candies by using digital images obtained with a mobile phone and N-PLS. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2017 , 167, 44-49	3.8	15	
37	Direct classification of new psychoactive substances in seized blotter papers by ATR-FTIR and multivariate discriminant analysis. <i>Microchemical Journal</i> , 2017 , 133, 96-103	4.8	15	
36	Determination of interfacial tension of insulating oils by using image analysis and multi-way calibration. <i>Microchemical Journal</i> , 2010 , 96, 42-45	4.8	15	
35	PARAFAC: uma ferramenta quimiomErica para tratamento de dados multidimensionais. AplicaEs na determinaB direta de fEmacos em plasma humano por espectrofluorimetria. <i>Quimica Nova</i> , 2005 , 28, 910-920	1.6	15	
34	Raman spectroscopy and discriminant analysis applied to the detection of frauds in bovine meat by the addition of salts and carrageenan. <i>Microchemical Journal</i> , 2019 , 147, 582-589	4.8	13	
33	Non-destructive screening method for detecting the presence of insects in sorghum grains using near infrared spectroscopy and discriminant analysis. <i>Microchemical Journal</i> , 2019 , 149, 104057	4.8	13	
32	Direct determination of trans-resveratrol in human plasma by spectrofluorimetry and second-order standard addition. <i>Talanta</i> , 2010 , 82, 640-5	6.2	13	

31	Forensic discrimination between authentic and counterfeit perfumes using paper spray mass spectrometry and multivariate supervised classification. <i>Analytical Methods</i> , 2017 , 9, 4979-4987	3.2	12
30	Implementaß de um m£odo robusto para o controle fiscal de umidade em queijo minas artesanal. Abordagem metrolg̃ica multivariada. <i>Quimica Nova</i> , 2013 , 36, 1416-1422	1.6	11
29	Discrimination between conventional and omega-3 fatty acids enriched eggs by FT-Raman spectroscopy and chemometric tools. <i>Food Chemistry</i> , 2019 , 273, 144-150	8.5	11
28	Amino Acid Biosignature in Plasma among Ischemic Stroke Subtypes. <i>BioMed Research International</i> , 2019 , 2019, 8480468	3	10
27	Multivariate calibration applied to ESI mass spectrometry data: a tool to quantify adulteration in extra virgin olive oil with inexpensive edible oils. <i>Analytical Methods</i> , 2014 , 6, 7502-7509	3.2	10
26	Comparison of Different Multivariate Classification Methods for the Detection of Adulterations in Grape Nectars by Using Low-Field Nuclear Magnetic Resonance. <i>Food Analytical Methods</i> , 2020 , 13, 108-	- 318	10
25	A data fusion model merging information from near infrared spectroscopy and X-ray fluorescence. Searching for atomic-molecular correlations to predict and characterize the composition of coffee blends. <i>Food Chemistry</i> , 2020 , 325, 126953	8.5	9
24	Chemometric quality inspection control of pyrantel pamoate, febantel and praziquantel in veterinary tablets by mid infrared spectroscopy. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2014 , 125, 396-403	4.4	9
23	Development and validation of a multivariate calibration model for determination of dipyrone in oral solutions by near infrared spectroscopy. <i>Journal of the Brazilian Chemical Society</i> , 2009 , 20, 1680-16	5 8 6	8
22	Fluorescence Piroxicam Study in the Presence of Cyclodextrins by Using the PARAFAC Method. <i>Applied Spectroscopy</i> , 1999 , 53, 510-522	3.1	8
21	A quantum chemical and chemometrical study of indolo[2,1-b]quinazoline and their analogues with cytotoxic activity against breast cancer cells. <i>SAR and QSAR in Environmental Research</i> , 2009 , 20, 537-49	3.5	7
20	Determinaß espectrofotomErica simultßea de paracetamol e ibuprofeno em formulaßs farmacüticas usando calibraß multivariada. <i>Quimica Nova</i> , 2007 , 30, 75-79	1.6	7
19	Anlise integrada de sistemas de produb de tomateiro com base em indicadores edafobiolgicos. <i>Horticultura Brasileira</i> , 2007 , 25, 60-67	0.9	7
18	A soft discriminant model based on mid-infrared spectra of bovine meat purges to detect economic motivated adulteration by the addition of non-meat ingredients. <i>Food Analytical Methods</i> , 2020 , 13, 169	9 :1 70	9 ⁶
17	Aplica® de mEodos quimiomEricos na especia® de Cr(VI) em solu® aquosa. <i>Quimica Nova</i> , 2001 , 24, 331-338	1.6	6
16	Use of Near-Infrared Spectroscopy, Partial Least-Squares, and Ordered Predictors Selection To Predict Four Quality Parameters of Sweet Sorghum Juice Used To Produce Bioethanol. <i>Energy & Mamp; Fuels</i> , 2016 , 30, 4137-4144	4.1	6
15	Exploratory analysis of LâNov platform surfaces for electrothermal atomic absorption spectrometry by using three-way chemometric tools. <i>Analytica Chimica Acta</i> , 2003 , 495, 177-193	6.6	5
14	Development of a Simple and Rapid Method for Color Determination in Beers Using Digital Images. <i>Food Analytical Methods</i> , 2020 , 13, 303-312	3.4	5

LIST OF PUBLICATIONS

13	Analysis of Seized Cocaine Samples by using Chemometric Methods and FTIR Spectroscopy. <i>Journal of the Brazilian Chemical Society</i> , 2013 ,	1.5	2	
12	Development and Validation of a Multivariate Calibration Method for Determining Interfacial Tension of Transformers Insulating Oils by near Infrared Spectroscopy. <i>Journal of Near Infrared Spectroscopy</i> , 2011 , 19, 243-251	1.5	2	
11	Comparison between Ultraviolet and Infrared Spectroscopies for the Simultaneous Multivariate Determination of Pyrantel and Praziquantel. <i>Journal of the Brazilian Chemical Society</i> , 2015 ,	1.5	2	
10	A fast and effective approach for the discrimination of garlic origin using wooden-tip electrospray ionization mass spectrometry and multivariate classification. <i>Talanta</i> , 2021 , 230, 122304	6.2	2	
9	Detection of adulterations in a valuable Brazilian honey by using spectrofluorimetry and multiway classification. <i>Food Chemistry</i> , 2022 , 370, 131064	8.5	2	
8	A tribute to Professor Ronei J. Poppi, a pioneer of multivariate calibration in South America and a prolific mentor of chemometricians in Brazil. <i>Journal of Chemometrics</i> , 2020 , 34, e3284	1.6	1	
7	Chemometrics in Forensics 2020 , 113-148		1	
6	Monitoring biodiesel and its intermediates in transesterification reactions with multivariate curve resolution alternating least squares calibration models. <i>Fuel</i> , 2021 , 283, 119275	7.1	1	
5	Determination of Alcohol Content in Beers of Different Styles Based on Portable Near-Infrared Spectroscopy and Multivariate Calibration. <i>Food Analytical Methods</i> ,1	3.4	1	
4	Screening method for the rapid detection of diethylene glycol in beer based on chemometrics and portable near-infrared spectroscopy. <i>Food Chemistry</i> , 2022 , 391, 133258	8.5	1	
3	Spectrofluorimetric Determination of Phenylalanine in Honey by the Combination of Standard Addition Method and Second-Order Advantage. <i>Food Analytical Methods</i> ,1	3.4	O	
2	Chemometrics in Bioanalytical Chemistry 2022 , 497-541		O	
1	Screening Method for the Detection of Other Allergenic Nuts in Cashew Nuts Using Chemometrics and a Portable Near-Infrared Spectrophotometer. <i>Food Analytical Methods</i> ,1	3.4	О	