

Paul N Span

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3320115/publications.pdf>

Version: 2024-02-01

248
papers

26,843
citations

22132

59
h-index

6831

155
g-index

258
all docs

258
docs citations

258
times ranked

49502
citing authors

#	ARTICLE	IF	CITATIONS
1	Signatures of mutational processes in human cancer. <i>Nature</i> , 2013, 500, 415-421.	13.7	8,060
2	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). <i>Autophagy</i> , 2016, 12, 1-222.	4.3	4,701
3	Landscape of somatic mutations in 560 breast cancer whole-genome sequences. <i>Nature</i> , 2016, 534, 47-54.	13.7	1,760
4	HRDetect is a predictor of BRCA1 and BRCA2 deficiency based on mutational signatures. <i>Nature Medicine</i> , 2017, 23, 517-525.	15.2	769
5	Normalization of gene expression measurements in tumor tissues: comparison of 13 endogenous control genes. <i>Laboratory Investigation</i> , 2005, 85, 154-159.	1.7	482
6	ChIP-Seq of ER α and RNA polymerase II defines genes differentially responding to ligands. <i>EMBO Journal</i> , 2009, 28, 1418-1428.	3.5	377
7	Targeting Hypoxia, HIF-1, and Tumor Glucose Metabolism to Improve Radiotherapy Efficacy. <i>Clinical Cancer Research</i> , 2012, 18, 5585-5594.	3.2	374
8	Extensive transduction of nonrepetitive DNA mediated by L1 retrotransposition in cancer genomes. <i>Science</i> , 2014, 345, 1251343.	6.0	348
9	Multicenter Validation of a Gene Expression-Based Prognostic Signature in Lymph Node-Negative Primary Breast Cancer. <i>Journal of Clinical Oncology</i> , 2006, 24, 1665-1671.	0.8	328
10	The topography of mutational processes in breast cancer genomes. <i>Nature Communications</i> , 2016, 7, 11383.	5.8	235
11	Somatic mutations reveal asymmetric cellular dynamics in the early human embryo. <i>Nature</i> , 2017, 543, 714-718.	13.7	229
12	Accelerated Radiotherapy With Carbogen and Nicotinamide for Laryngeal Cancer: Results of a Phase III Randomized Trial. <i>Journal of Clinical Oncology</i> , 2012, 30, 1777-1783.	0.8	222
13	A 26-Gene Hypoxia Signature Predicts Benefit from Hypoxia-Modifying Therapy in Laryngeal Cancer but Not Bladder Cancer. <i>Clinical Cancer Research</i> , 2013, 19, 4879-4888.	3.2	214
14	Hypoxia stimulates migration of breast cancer cells via the PERK/ATF4/LAMP3-arm of the unfolded protein response. <i>Breast Cancer Research</i> , 2013, 15, R2.	2.2	194
15	TRPM7 Is Required for Breast Tumor Cell Metastasis. <i>Cancer Research</i> , 2012, 72, 4250-4261.	0.4	186
16	The DNA cytosine deaminase APOBEC3B promotes tamoxifen resistance in ER-positive breast cancer. <i>Science Advances</i> , 2016, 2, e1601737.	4.7	175
17	Matrix Metalloproteinase-8 Functions as a Metastasis Suppressor through Modulation of Tumor Cell Adhesion and Invasion. <i>Cancer Research</i> , 2008, 68, 2755-2763.	0.4	172
18	Expression of E-cadherin and vimentin correlates with metastasis formation in head and neck squamous cell carcinoma patients. <i>Radiotherapy and Oncology</i> , 2011, 99, 344-348.	0.3	161

#	ARTICLE	IF	CITATIONS
19	Expression of the transcription factor Ets-1 is an independent prognostic marker for relapse-free survival in breast cancer. <i>Oncogene</i> , 2002, 21, 8506-8509.	2.6	148
20	Molecular profiling of platinum resistant ovarian cancer. <i>International Journal of Cancer</i> , 2006, 118, 1963-1971.	2.3	139
21	The 76-gene signature defines high-risk patients that benefit from adjuvant tamoxifen therapy. <i>Breast Cancer Research and Treatment</i> , 2009, 116, 303-309.	1.1	134
22	Genomic actions of estrogen receptor α : what are the targets and how are they regulated?. <i>Endocrine-Related Cancer</i> , 2009, 16, 1073-1089.	1.6	128
23	Molecular aspects of tumour hypoxia. <i>Molecular Oncology</i> , 2008, 2, 41-53.	2.1	126
24	Survivin Is an Independent Prognostic Marker for Risk Stratification of Breast Cancer Patients. <i>Clinical Chemistry</i> , 2004, 50, 1986-1993.	1.5	121
25	Biology of Hypoxia. <i>Seminars in Nuclear Medicine</i> , 2015, 45, 101-109.	2.5	121
26	Breast cancer genome and transcriptome integration implicates specific mutational signatures with immune cell infiltration. <i>Nature Communications</i> , 2016, 7, 12910.	5.8	119
27	¹⁸ F-FLT PET During Radiotherapy or Chemoradiotherapy in Head and Neck Squamous Cell Carcinoma Is an Early Predictor of Outcome. <i>Journal of Nuclear Medicine</i> , 2013, 54, 532-540.	2.8	111
28	Hypoxia-induced p53 modulates both apoptosis and radiosensitivity via AKT. <i>Journal of Clinical Investigation</i> , 2015, 125, 2385-2398.	3.9	111
29	Testicular Tumors in Patients with Congenital Adrenal Hyperplasia due to 21-Hydroxylase Deficiency Show Functional Features of Adrenocortical Tissue. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 3674-3680.	1.8	109
30	Dietary fatty acid composition during pregnancy and lactation in the rat programs growth and glucose metabolism in the offspring. <i>Diabetologia</i> , 2002, 45, 1397-1403.	2.9	108
31	Glucose Metabolism in NSCLC Is Histology-Specific and Diverges the Prognostic Potential of ¹⁸ F-FDG-PET for Adenocarcinoma and Squamous Cell Carcinoma. <i>Journal of Thoracic Oncology</i> , 2014, 9, 1485-1493.	0.5	107
32	The mechanical microenvironment in cancer: How physics affects tumours. <i>Seminars in Cancer Biology</i> , 2015, 35, 62-70.	4.3	107
33	Hypoxic Activation of the PERK/eIF2 α Arm of the Unfolded Protein Response Promotes Metastasis through Induction of LAMP3. <i>Clinical Cancer Research</i> , 2013, 19, 6126-6137.	3.2	105
34	Carbonic anhydrase-9 expression levels and prognosis in human breast cancer: association with treatment outcome. <i>British Journal of Cancer</i> , 2003, 89, 271-276.	2.9	102
35	Differences in metabolism between adeno- and squamous cell non-small cell lung carcinomas: Spatial distribution and prognostic value of GLUT1 and MCT4. <i>Lung Cancer</i> , 2012, 76, 316-323.	0.9	99
36	Effects of PhD examination stress on allopregnanolone and cortisol plasma levels and peripheral benzodiazepine receptor density. <i>Psychoneuroendocrinology</i> , 2004, 29, 1341-1344.	1.3	93

#	ARTICLE	IF	CITATIONS
37	Matrix metalloproteinase inhibitor reversion-inducing cysteine-rich protein with Kazal motifs. <i>Cancer</i> , 2003, 97, 2710-2715.	2.0	92
38	Methylated genes as new cancer biomarkers. <i>European Journal of Cancer</i> , 2009, 45, 335-346.	1.3	92
39	Hypofractionation vs Conventional Radiation Therapy for Newly Diagnosed Diffuse Intrinsic Pontine Glioma: A Matched-Cohort Analysis. <i>International Journal of Radiation Oncology Biology Physics</i> , 2013, 85, 315-320.	0.4	92
40	Testicular Adrenal Rest Tumors: Current Insights on Prevalence, Characteristics, Origin, and Treatment. <i>Endocrine Reviews</i> , 2019, 40, 973-987.	8.9	92
41	Processed pseudogenes acquired somatically during cancer development. <i>Nature Communications</i> , 2014, 5, 3644.	5.8	86
42	The circular RNome of primary breast cancer. <i>Genome Research</i> , 2019, 29, 356-366.	2.4	85
43	Angiogenesis, hypoxia and VEGF expression during tumour growth in a human xenograft tumour model. <i>Microvascular Research</i> , 2009, 77, 96-103.	1.1	84
44	The PERK/ATF4/LAMP3-arm of the unfolded protein response affects radioresistance by interfering with the DNA damage response. <i>Radiotherapy and Oncology</i> , 2013, 108, 415-421.	0.3	83
45	ADAMTS8 and ADAMTS15 expression predicts survival in human breast carcinoma. <i>International Journal of Cancer</i> , 2006, 118, 1241-1247.	2.3	82
46	LAMP3 is involved in tamoxifen resistance in breast cancer cells through the modulation of autophagy. <i>Endocrine-Related Cancer</i> , 2014, 21, 101-112.	1.6	82
47	Cyclin-E is a strong predictor of endocrine therapy failure in human breast cancer. <i>Oncogene</i> , 2003, 22, 4898-4904.	2.6	79
48	Comparative Proteome Analysis Revealing an 11-Protein Signature for Aggressive Triple-Negative Breast Cancer. <i>Journal of the National Cancer Institute</i> , 2014, 106, djt376.	3.0	77
49	Vascular endothelial growth factor is associated with the efficacy of endocrine therapy in patients with advanced breast carcinoma. <i>Cancer</i> , 2003, 98, 2125-2132.	2.0	75
50	Mammaglobin Is Associated With Low-Grade, Steroid Receptor-Positive Breast Tumors From Postmenopausal Patients, and Has Independent Prognostic Value for Relapse-Free Survival Time. <i>Journal of Clinical Oncology</i> , 2004, 22, 691-698.	0.8	75
51	Tribbles homolog 3 denotes a poor prognosis in breast cancer and is involved in hypoxia response. <i>Breast Cancer Research</i> , 2011, 13, R82.	2.2	74
52	Constitutive expression of \hat{I}^3 -H2AX has prognostic relevance in triple negative breast cancer. <i>Radiotherapy and Oncology</i> , 2011, 101, 39-45.	0.3	74
53	SELECTIVITY OF FINASTERIDE AS AN IN VIVO INHIBITOR OF 5 alpha-REDUCTASE ISOZYME ENZYMATIC ACTIVITY IN THE HUMAN PROSTATE. <i>Journal of Urology</i> , 1999, 161, 332-337.	0.2	73
54	Can FDG PET predict radiation treatment outcome in head and neck cancer? Results of a prospective study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2011, 38, 1449-1458.	3.3	70

#	ARTICLE	IF	CITATIONS
55	Frequent somatic transfer of mitochondrial DNA into the nuclear genome of human cancer cells. <i>Genome Research</i> , 2015, 25, 814-824.	2.4	69
56	Therapeutic targeting of autophagy in cancer. Part II: Pharmacological modulation of treatment-induced autophagy. <i>Seminars in Cancer Biology</i> , 2015, 31, 99-105.	4.3	69
57	Interferon-Stimulated Genes Are Involved in Cross-resistance to Radiotherapy in Tamoxifen-Resistant Breast Cancer. <i>Clinical Cancer Research</i> , 2018, 24, 3397-3408.	3.2	68
58	P120 and E-cadherin: Double-edged swords in tumor metastasis. <i>Seminars in Cancer Biology</i> , 2020, 60, 107-120.	4.3	67
59	Collective invasion in ductal and lobular breast cancer associates with distant metastasis. <i>Clinical and Experimental Metastasis</i> , 2017, 34, 421-429.	1.7	66
60	Diffusion-weighted MR imaging in liver metastases of colorectal cancer: reproducibility and biological validation. <i>European Radiology</i> , 2013, 23, 748-756.	2.3	65
61	The tumor microenvironment and radiotherapy response; a central role for cancer-associated fibroblasts. <i>Clinical and Translational Radiation Oncology</i> , 2020, 22, 90-97.	0.9	64
62	Identifying estrogen receptor target genes. <i>Molecular Oncology</i> , 2007, 1, 138-143.	2.1	61
63	Distinct Functions of Natural ADAM-15 Cytoplasmic Domain Variants in Human Mammary Carcinoma. <i>Molecular Cancer Research</i> , 2008, 6, 383-394.	1.5	60
64	High NOTCH activity induces radiation resistance in non small cell lung cancer. <i>Radiotherapy and Oncology</i> , 2013, 108, 440-445.	0.3	60
65	The unfolded protein response as a target for cancer therapy. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2014, 1846, 277-284.	3.3	60
66	Molecular Characterization of Testicular Adrenal Rest Tumors in Congenital Adrenal Hyperplasia: Lesions With Both Adrenocortical and Leydig Cell Features. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, E524-E530.	1.8	59
67	Activation of AKT by hypoxia: a potential target for hypoxic tumors of the head and neck. <i>BMC Cancer</i> , 2012, 12, 463.	1.1	58
68	Hypoxic regulation and prognostic value of LAMP3 expression in breast cancer. <i>Cancer</i> , 2011, 117, 3670-3681.	2.0	57
69	Generation of multicellular tumor spheroids of breast cancer cells: How to go three-dimensional. <i>Analytical Biochemistry</i> , 2013, 437, 17-19.	1.1	57
70	Gonadal function in adult male patients with congenital adrenal hyperplasia. <i>European Journal of Endocrinology</i> , 2018, 178, 285-294.	1.9	57
71	Correlation of reversion-inducing cysteine-rich protein with kazal motifs (RECK) and extracellular matrix metalloproteinase inducer (EMMPRIN), with MMP-2, MMP-9, and survival in colorectal cancer. <i>Cancer Letters</i> , 2006, 237, 289-297.	3.2	55
72	Staining Against Phospho-H2AX (γ -H2AX) as a Marker for DNA Damage and Genomic Instability in Cancer Tissues and Cells. <i>Advances in Experimental Medicine and Biology</i> , 2016, 899, 1-10.	0.8	55

#	ARTICLE	IF	CITATIONS
73	Short-Term Glucosamine Infusion Does Not Affect Insulin Sensitivity in Humans1. Journal of Clinical Endocrinology and Metabolism, 2001, 86, 2099-2103.	1.8	54
74	The Prognostic Value of BCAR1 in Patients with Primary Breast Cancer. Clinical Cancer Research, 2004, 10, 6194-6202.	3.2	51
75	Do the Survivin (BIRC5) Splice Variants Modulate or Add to the Prognostic Value of Total Survivin in Breast Cancer?. Clinical Chemistry, 2006, 52, 1693-1700.	1.5	51
76	Hotspot mutations in PIK3CA associate with first-line treatment outcome for aromatase inhibitors but not for tamoxifen. Breast Cancer Research and Treatment, 2013, 139, 39-49.	1.1	49
77	Therapeutic targeting of autophagy in cancer. Part I: Molecular pathways controlling autophagy. Seminars in Cancer Biology, 2015, 31, 89-98.	4.3	47
78	Tissue inhibitors of metalloproteinase expression in human breast cancer: TIMP-3 is associated with adjuvant endocrine therapy success. Journal of Pathology, 2004, 202, 395-402.	2.1	44
79	Prognostic relevance of uPAR-del4/5 and TIMP-3 mRNA expression levels in breast cancer. European Journal of Cancer, 2005, 41, 2760-2768.	1.3	44
80	The <i>CYP2C19*2</i> genotype predicts tamoxifen treatment outcome in advanced breast cancer patients. Pharmacogenomics, 2011, 12, 1137-1146.	0.6	44
81	Ferritin Heavy Chain in Triple Negative Breast Cancer: A Favorable Prognostic Marker that Relates to a Cluster of Differentiation 8 Positive (CD8+) Effector T-cell Response. Molecular and Cellular Proteomics, 2014, 13, 1814-1827.	2.5	44
82	HPV, hypoxia and radiation response in head and neck cancer. British Journal of Radiology, 2019, 92, 20180047.	1.0	44
83	Targeting Oxidative Phosphorylation to Increase the Efficacy of Radio- and Immune-Combination Therapy. Clinical Cancer Research, 2021, 27, 2970-2978.	3.2	44
84	Short-Term Glucosamine Infusion Does Not Affect Insulin Sensitivity in Humans. Journal of Clinical Endocrinology and Metabolism, 2001, 86, 2099-2103.	1.8	44
85	Improved Recurrence-Free Survival with ARCON for Anemic Patients with Laryngeal Cancer. Clinical Cancer Research, 2014, 20, 1345-1354.	3.2	43
86	Interaction of EGFR with the tumour microenvironment: Implications for radiation treatment. Radiotherapy and Oncology, 2013, 108, 17-23.	0.3	42
87	Predictive Impact of Urokinase-Type Plasminogen Activator. Cancer Research, 2004, 64, 659-664.	0.4	41
88	Overexpression of the natural antisense hypoxia-inducible factor-1 \hat{A} transcript is associated with malignant pheochromocytoma/paraganglioma. Endocrine-Related Cancer, 2011, 18, 323-331.	1.6	39
89	Improving chemoradiation efficacy by PI3-K/AKT inhibition. Cancer Treatment Reviews, 2014, 40, 1182-1191.	3.4	39
90	EGFR overexpressing cells and tumors are dependent on autophagy for growth and survival. Radiotherapy and Oncology, 2013, 108, 479-483.	0.3	38

#	ARTICLE	IF	CITATIONS
91	TRIB3 protein denotes a good prognosis in breast cancer patients and is associated with hypoxia sensitivity. <i>Radiotherapy and Oncology</i> , 2011, 101, 198-202.	0.3	37
92	Inhibition of CDK4/CDK6 Enhances Radiosensitivity of HPV Negative Head and Neck Squamous Cell Carcinomas. <i>International Journal of Radiation Oncology Biology Physics</i> , 2019, 105, 548-558.	0.4	37
93	Parathyroid Hormone-related Protein Regulates Tumor-relevant Genes in Breast Cancer Cells*. <i>Journal of Biological Chemistry</i> , 2006, 281, 14563-14572.	1.6	36
94	Predictive value of hypoxia, proliferation and tyrosine kinase receptors for EGFR-inhibition and radiotherapy sensitivity in head and neck cancer models. <i>Radiotherapy and Oncology</i> , 2013, 106, 383-389.	0.3	36
95	Complex of urokinase-type plasminogen activator with its type 1 inhibitor predicts poor outcome in 576 patients with lymph node-negative breast carcinoma. <i>Cancer</i> , 2004, 101, 486-494.	2.0	35
96	High Occurrence of Aberrant Lymph Node Spread on Magnetic Resonance Lymphography in Prostate Cancer Patients With a Biochemical Recurrence After Radical Prostatectomy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 82, 1405-1410.	0.4	35
97	Polyomavirus T Antigen Induces APOBEC3B Expression Using an LXCXE-Dependent and TP53-Independent Mechanism. <i>MBio</i> , 2019, 10, .	1.8	35
98	Radiotherapy and cGAS/STING signaling: Impact on MDSCs in the tumor microenvironment. <i>Cellular Immunology</i> , 2021, 362, 104298.	1.4	35
99	Quantitative detection of peripheral thyroglobulin mRNA has limited clinical value in the follow-up of thyroid cancer patients. <i>Annals of Clinical Biochemistry</i> , 2003, 40, 94-99.	0.8	33
100	Treatment outcome and toxicity of intensity-modulated (chemo) radiotherapy in stage III non-small cell lung cancer patients. <i>Radiation Oncology</i> , 2012, 7, 150.	1.2	33
101	Roles and Regulation of Epithelial Splicing Regulatory Proteins 1 and 2 in Epithelial-Mesenchymal Transition. <i>International Review of Cell and Molecular Biology</i> , 2016, 327, 163-194.	1.6	33
102	Targeting glucose and glutamine metabolism combined with radiation therapy in non-small cell lung cancer. <i>Lung Cancer</i> , 2018, 126, 32-40.	0.9	33
103	Isocitrate dehydrogenase mutated human gliomas depend on lactate and glutamate to alleviate metabolic stress. <i>FASEB Journal</i> , 2019, 33, 557-571.	0.2	33
104	Kinetic analysis of steroid 5 α -reductase activity at neutral pH in benign prostatic hyperplastic tissue: Evidence for type I isozyme activity in the human prostate. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 1996, 57, 103-108.	1.2	32
105	High survivin predicts a poor response to endocrine therapy, but a good response to chemotherapy in advanced breast cancer. <i>Breast Cancer Research and Treatment</i> , 2006, 98, 223-230.	1.1	32
106	Adrenal Steroid Metabolites Accumulating in Congenital Adrenal Hyperplasia Lead to Transactivation of the Glucocorticoid Receptor. <i>Endocrinology</i> , 2015, 156, 3504-3510.	1.4	32
107	Vascular endothelial growth factor independently predicts the efficacy of postoperative radiotherapy in node-negative breast cancer patients. <i>Clinical Cancer Research</i> , 2003, 9, 6363-70.	3.2	32
108	4 α -protein signature predicting tamoxifen treatment outcome in recurrent breast cancer. <i>Molecular Oncology</i> , 2016, 10, 24-39.	2.1	31

#	ARTICLE	IF	CITATIONS
109	Polycyanoacrylate Hydrogels as a Tunable Platform for Mammary Gland Organoid Formation. <i>Advanced Science</i> , 2020, 7, 2001797.	5.6	31
110	Î±B-crystallin stimulates VEGF secretion and tumor cell migration and correlates with enhanced distant metastasis in head and neck squamous cell carcinoma. <i>BMC Cancer</i> , 2013, 13, 128.	1.1	30
111	Cyclooxygenase-2 Is a Target Gene of Rho GDP Dissociation Inhibitor Î² in Breast Cancer Cells. <i>Cancer Research</i> , 2007, 67, 10694-10702.	0.4	29
112	Metalloproteinases and their regulators in colorectal cancer. <i>Journal of Surgical Oncology</i> , 2010, 101, 259-269.	0.8	29
113	Expression and localisation of the new metalloproteinase inhibitor RECK (reversion inducing) Tj ETQq1 1 0.784314 rgBT /Overlock 10 arthritis. <i>Annals of the Rheumatic Diseases</i> , 2004, 64, 368-374.	0.5	28
114	The balance between extracellular cathepsins and cystatin C is of importance for ovarian cancer. <i>European Journal of Clinical Investigation</i> , 2010, 40, 591-599.	1.7	28
115	Regulation of TRIB3 mRNA and Protein in Breast Cancer. <i>PLoS ONE</i> , 2012, 7, e49439.	1.1	28
116	Downregulation of Serine Protease HTRA1 Is Associated with Poor Survival in Breast Cancer. <i>PLoS ONE</i> , 2013, 8, e60359.	1.1	28
117	Hypoxic regulation of the PERK/ATF4/LAMP3 arm of the unfolded protein response in head and neck squamous cell carcinoma. <i>Head and Neck</i> , 2015, 37, 896-905.	0.9	28
118	Epidermal growth factor receptor expression in laryngeal cancer predicts the effect of hypoxia modification as an additive to accelerated radiotherapy in a randomised controlled trial. <i>European Journal of Cancer</i> , 2013, 49, 3202-3209.	1.3	27
119	HIF-1Î±-independent hypoxia-induced rapid PTK6 stabilization is associated with increased motility and invasion. <i>Cancer Biology and Therapy</i> , 2014, 15, 1350-1357.	1.5	27
120	Serum vascular endothelial growth factor: a prognostic factor in cervical cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2009, 135, 283-290.	1.2	26
121	Cathepsins B, L and cystatin C in cyst fluid of ovarian tumors. <i>Journal of Cancer Research and Clinical Oncology</i> , 2010, 136, 771-778.	1.2	26
122	Pathology-based validation of FDG PET segmentation tools for volume assessment of lymph node metastases from head and neck cancer. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2013, 40, 1828-1835.	3.3	26
123	Mutational mechanisms of amplifications revealed by analysis of clustered rearrangements in breast cancers. <i>Annals of Oncology</i> , 2018, 29, 2223-2231.	0.6	26
124	Glucocorticoid Activity of Adrenal Steroid Precursors in Untreated Patients With Congenital Adrenal Hyperplasia. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 5065-5072.	1.8	26
125	Annexin-A1 and caldesmon are associated with resistance to tamoxifen in estrogen receptor positive recurrent breast cancer. <i>Oncotarget</i> , 2016, 7, 3098-3110.	0.8	26
126	Combining radiotherapy with MEK1/2, STAT5 or STAT6 inhibition reduces survival of head and neck cancer lines. <i>Molecular Cancer</i> , 2013, 12, 133.	7.9	25

#	ARTICLE	IF	CITATIONS
127	Interaction between hypoxia, AKT and HIF-1 signaling in HNSCC and NSCLC: implications for future treatment strategies. <i>Future Science OA</i> , 2016, 2, FSO84.	0.9	25
128	Characterization of the mechanism by which the RB/E2F pathway controls expression of the cancer genomic DNA deaminase APOBEC3B. <i>ELife</i> , 2020, 9, .	2.8	25
129	Molecular Beacon Reverse Transcription-PCR of Human Chorionic Gonadotropin- β -3, -5, and -8 mRNAs Has Prognostic Value in Breast Cancer. <i>Clinical Chemistry</i> , 2003, 49, 1074-1080.	1.5	24
130	Spatial relationship of phosphorylated epidermal growth factor receptor and activated AKT in head and neck squamous cell carcinoma. <i>Radiotherapy and Oncology</i> , 2011, 101, 165-170.	0.3	24
131	Monitoring hypoxia and vasculature during bevacizumab treatment in a murine colorectal cancer model. <i>Contrast Media and Molecular Imaging</i> , 2014, 9, 237-245.	0.4	24
132	Virus-induced airway hyperresponsiveness in the guinea pig: possible involvement of histamine and inflammatory cells. <i>British Journal of Pharmacology</i> , 1993, 108, 1083-1093.	2.7	22
133	Haptoglobin phenotype is not a predictor of recurrence free survival in high-risk primary breast cancer patients. <i>BMC Cancer</i> , 2008, 8, 389.	1.1	22
134	DC-SCRIPT: Nuclear Receptor Modulation and Prognostic Significance in Primary Breast Cancer. <i>Journal of the National Cancer Institute</i> , 2010, 102, 54-68.	3.0	22
135	Computed tomography-based tumour volume as a predictor of outcome in laryngeal cancer: Results of the phase 3 ARCON trial. <i>European Journal of Cancer</i> , 2014, 50, 1112-1119.	1.3	21
136	Targeted MS Assay Predicting Tamoxifen Resistance in Estrogen-Receptor-Positive Breast Cancer Tissues and Sera. <i>Journal of Proteome Research</i> , 2016, 15, 1230-1242.	1.8	21
137	ACLY (ATP Citrate Lyase) Mediates Radioresistance in Head and Neck Squamous Cell Carcinomas and is a Novel Predictive Radiotherapy Biomarker. <i>Cancers</i> , 2019, 11, 1971.	1.7	21
138	Collective invasion induced by an autocrine purinergic loop through connexin-43 hemichannels. <i>Journal of Cell Biology</i> , 2020, 219, .	2.3	21
139	Quantitative Reverse Transcription-PCR Assay for Detection of mRNA Encoding Full-Length Human Tissue Kallikrein 7: Prognostic Relevance of KLK7 mRNA Expression in Breast Cancer 3. <i>Clinical Chemistry</i> , 2006, 52, 1070-1079.	1.5	20
140	Clinical significance of the nuclear receptor co-regulator DC-SCRIPT in breast cancer: an independent retrospective validation study. <i>Breast Cancer Research</i> , 2010, 12, R103.	2.2	20
141	Glucose and glutamine metabolism in relation to mutational status in NSCLC histological subtypes. <i>Thoracic Cancer</i> , 2019, 10, 2289-2299.	0.8	20
142	Elevated levels of vascular endothelial growth factor in serum of patients with D+ HUS. <i>Pediatric Nephrology</i> , 2004, 19, 754-760.	0.9	19
143	Components of the plasminogen activator system and their complexes in renal cell and bladder cancer: comparison between normal and matched cancerous tissues. <i>BJU International</i> , 2008, 102, 177-182.	1.3	19
144	18S is an appropriate housekeeping gene for in vitro hypoxia experiments. <i>British Journal of Cancer</i> , 2010, 103, 590-590.	2.9	19

#	ARTICLE	IF	CITATIONS
145	Quality-of-life after radiotherapy for advanced laryngeal cancer: Results of a phase III trial of the Dutch Head and Neck Society. <i>Radiotherapy and Oncology</i> , 2016, 119, 213-220.	0.3	19
146	Prognostic significance of nuclear expression of UMP-CMP kinase in triple negative breast cancer patients. <i>Scientific Reports</i> , 2016, 6, 32027.	1.6	19
147	Analysis of expression of chorionic gonadotrophin transcripts in prostate cancer by quantitative Taqman and a modified molecular beacon RT-PCR. <i>Journal of Endocrinology</i> , 2002, 172, 489-495.	1.2	18
148	Phlorizin treatment prevents the decrease in plasma insulin levels but not the progressive histopathological changes in the pancreatic islets during aging of Zucker diabetic fatty rats. <i>Journal of Endocrinological Investigation</i> , 2003, 26, 508-515.	1.8	18
149	Breast cancer size estimation with MRI in BRCA mutation carriers and other high risk patients. <i>European Journal of Radiology</i> , 2013, 82, 1416-1422.	1.2	18
150	Tumor Microenvironmental Changes Induced by the Sulfamate Carbonic Anhydrase IX Inhibitor S4 in a Laryngeal Tumor Model. <i>PLoS ONE</i> , 2014, 9, e108068.	1.1	18
151	Evaluation of the ability of adjuvant tamoxifen benefit gene signatures to predict outcome of hormone-naïve estrogen receptor-positive breast cancer patients treated with tamoxifen in the advanced setting. <i>Molecular Oncology</i> , 2014, 8, 1679-1689.	2.1	18
152	Isocitrate dehydrogenase 1-mutated cancers are sensitive to the green tea polyphenol epigallocatechin-3-gallate. <i>Cancer & Metabolism</i> , 2019, 7, 4.	2.4	18
153	Reduced adrenal response to bacterial lipopolysaccharide in interleukin-6-deficient mice. <i>Journal of Endocrinological Investigation</i> , 2001, 24, 786-795.	1.8	17
154	Serial Plasma Concentrations of Atrial Natriuretic Peptide, Plasma Renin Activity, Aldosterone, and Antidiuretic Hormone in Neonates on Extracorporeal Membrane Oxygenation. <i>ASAIO Journal</i> , 2002, 48, 26-33.	0.9	17
155	Muscle Uridine Diphosphate-Hexosamines Do Not Decrease Despite Correction of Hyperglycemia-Induced Insulin Resistance in Type 2 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002, 87, 5179-5184.	1.8	17
156	Independent and functional validation of a multi-tumour-type proliferation signature. <i>British Journal of Cancer</i> , 2012, 107, 508-515.	2.9	17
157	Effect of hypoxia on the expression of β -crystallin in head and neck squamous cell carcinoma. <i>BMC Cancer</i> , 2014, 14, 252.	1.1	17
158	Poor prognosis of constitutive β -H2AX expressing triple-negative breast cancers is associated with telomere length. <i>Biomarkers in Medicine</i> , 2015, 9, 383-390.	0.6	17
159	3β -Hydroxysteroid oxidoreductase activities in dihydrotestosterone degradation and back-formation in rat prostate and epididymis. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 1996, 58, 319-324.	1.2	16
160	Inhibition of Protein Kinase C β Increases Glucose Uptake in 3T3-L1 Adipocytes through Elevated Expression of Glucose Transporter 1 at the Plasma Membrane. <i>Molecular Endocrinology</i> , 2003, 17, 1230-1239.	3.7	16
161	Regulation of GLUT1-mediated glucose uptake by PKC β interactions in 3T3-L1 adipocytes. <i>Biochemical Journal</i> , 2004, 384, 349-355.	1.7	16
162	Improved metastasis-free survival in nonadjuvantly treated postmenopausal breast cancer patients with chemokine receptor 5 del32 frameshift mutations. <i>International Journal of Cancer</i> , 2015, 136, 91-97.	2.3	16

#	ARTICLE	IF	CITATIONS
163	Improving Breast Cancer Treatment Specificity Using Aptamers Obtained by 3D Cell-SELEX. <i>Pharmaceuticals</i> , 2021, 14, 349.	1.7	16
164	A prospective randomized trial evaluating tissue effects of finasteride therapy in benign prostatic hyperplasia. <i>Prostate Cancer and Prostatic Diseases</i> , 1999, 2, 277-281.	2.0	15
165	HER2, chromosome 17 polysomy and DNA ploidy status in breast cancer; a translational study. <i>Scientific Reports</i> , 2019, 9, 11679.	1.6	15
166	Assay for Hexosamine Pathway Intermediates (Uridine Diphosphate-N-Acetyl Amino Sugars) in Small Samples of Human Muscle Tissue. <i>Clinical Chemistry</i> , 2001, 47, 944-946.	1.5	14
167	Screening for Interference in Immunoassays. <i>Clinical Chemistry</i> , 2003, 49, 1708-1709.	1.5	14
168	Hexosamines Are Unlikely to Function as a Nutrient-Sensor in 3T3-L1 Adipocytes: A Comparison of UDP-Hexosamine Levels after Increased Glucose Flux and Glucosamine Treatment. <i>Endocrine</i> , 2004, 23, 17-24.	2.2	14
169	Expression of the BRCA1 complex member BRE predicts disease free survival in breast cancer. <i>Breast Cancer Research and Treatment</i> , 2012, 135, 125-133.	1.1	14
170	GATA transcription factors in testicular adrenal rest tumours. <i>Endocrine Connections</i> , 2017, 6, 866-875.	0.8	14
171	Rat steroid 5 α -reductase kinetic characteristics: Extreme pH-dependency of the type II isozyme in prostate and epididymis homogenates. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 1995, 54, 185-192.	1.2	13
172	Tunable Hybrid Matrices Drive Epithelial Morphogenesis and YAP Translocation. <i>Advanced Science</i> , 2021, 8, 2003380.	5.6	13
173	Identification and partial characterization of two steroid 5 α -reductase isozymes in the canine prostate. <i>Endocrinology</i> , 1998, 34, 222-230.		12
174	The complex between urokinase-type plasminogen activator (uPA) and its type-1 inhibitor (PAI-1) independently predicts response to first-line endocrine therapy in advanced breast cancer. <i>Thrombosis and Haemostasis</i> , 2004, 91, 514-521.	1.8	12
175	Development of an ELISA for Measurement of BCAR1 Protein in Human Breast Cancer Tissue. <i>Clinical Chemistry</i> , 2004, 50, 1356-1363.	1.5	12
176	Selective MET Kinase Inhibition in MET-Dependent Glioma Models Alters Gene Expression and Induces Tumor Plasticity. <i>Molecular Cancer Research</i> , 2017, 15, 1587-1597.	1.5	12
177	Differential expression of p120-catenin 1 and 3 isoforms in epithelial tissues. <i>Scientific Reports</i> , 2019, 9, 90.	1.6	12
178	Changes in DNA Damage Repair Gene Expression and Cell Cycle Gene Expression Do Not Explain Radioresistance in Tamoxifen-Resistant Breast Cancer. <i>Oncology Research</i> , 2020, 28, 33-40.	0.6	12
179	Production of 11-Oxygenated Androgens by Testicular Adrenal Rest Tumors. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, e272-e280.	1.8	12
180	Quantitative RT-PCR assays for the determination of urokinase-type plasminogen activator and plasminogen activator inhibitor type 1 mRNA in primary tumor tissue of breast cancer patients: Comparison to antigen quantification by ELISA. <i>International Journal of Molecular Medicine</i> , 2008, , .	1.8	11

#	ARTICLE	IF	CITATIONS
181	Crosstalk and DC-SCRIPT: Expanding nuclear receptor modulation. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2010, 1806, 193-199.	3.3	11
182	Hypoxia Regulation of Phosphokinases and the Prognostic Value of pAKT in Breast Cancer. <i>International Journal of Biological Markers</i> , 2013, 28, 151-160.	0.7	11
183	P120 Catenin Isoforms Differentially Associate with Breast Cancer Invasion and Metastasis. <i>Cancers</i> , 2019, 11, 1459.	1.7	11
184	Exploring Levels of Hexosamine Biosynthesis Pathway Intermediates and Protein Kinase C Isoforms in Muscle and Fat Tissue of Zucker Diabetic Fatty Rats. <i>Endocrine</i> , 2003, 20, 247-252.	2.2	10
185	Role of Hexosamines in Insulin Resistance and Nutrient Sensing in Human Adipose and Muscle Tissue. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004, 89, 5132-5137.	1.8	10
186	Effectiveness and toxicity of hypofractionated high-dose intensity-modulated radiotherapy versus 2-dimensional radiotherapy in incurable head and neck cancer. <i>Head and Neck</i> , 2016, 38, E1264-70.	0.9	10
187	Radiation oncology enters the era of individualised medicine. <i>Lancet Oncology</i> , The, 2017, 18, 159-160.	5.1	10
188	Partial sequencing and tissue distribution of the canine isoforms of steroid 5?-Reductase type I and type II. <i>Prostate</i> , 2000, 44, 233-239.	1.2	9
189	Application of a Newly Developed ELISA for BCAR1 Protein for Prediction of Clinical Benefit of Tamoxifen Therapy in Patients with Advanced Breast Cancer. <i>Clinical Chemistry</i> , 2004, 50, 1445-1447.	1.5	9
190	Postoperative serum proteomic profiles may predict recurrence-free survival in high-risk primary breast cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2011, 137, 1773-1783.	1.2	9
191	Dasatinib Inhibits DNA Repair after Radiotherapy Specifically in pSFK-Expressing Tumor Areas in Head and Neck Xenograft Tumors. <i>Translational Oncology</i> , 2013, 6, 413-419.	1.7	9
192	Hypoxia, metabolism, and growth factor signaling in head and neck squamous cell carcinoma: Correlation between primary and xenograft tumors. <i>Head and Neck</i> , 2013, 36, n/a-n/a.	0.9	9
193	Kinetic analysis of rat steroid 5?-reductase activity in prostate and epididymis homogenates at neutral pH: Evidence for type I activity in epididymis. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 1996, 57, 95-101.	1.2	8
194	Differential subcellular distribution of rat prostatic steroid 5?-reductase isozyme activities. <i>European Journal of Endocrinology</i> , 1996, 134, 386-392.	1.9	8
195	Magnetic Resonance Lymphography Findings in Patients With Biochemical Recurrence After Prostatectomy and the Relation With the Stephenson Nomogram. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 84, 1186-1191.	0.4	8
196	EGFR-Inhibition Enhances Apoptosis in Irradiated Human Head and Neck Xenograft Tumors Independent of Effects on DNA Repair. <i>Radiation Research</i> , 2013, 180, 414.	0.7	8
197	The Effect of Carbogen Breathing and Nicotinamide Added to Standard (Chemo)Radiation Treatment of Advanced Cervical Cancer in Indonesia. <i>International Journal of Gynecological Cancer</i> , 2014, 24, 1628-1635.	1.2	8
198	Quantification of Patient-Specific Assay Interference in Different Formats of Enzyme-Linked Immunoassays for Therapeutic Monoclonal Antibodies. <i>Therapeutic Drug Monitoring</i> , 2014, 36, 765-770.	1.0	8

#	ARTICLE	IF	CITATIONS
199	The Role of Hypoxia and the Immune System in Tumor Radioresistance. <i>Cancers</i> , 2019, 11, 1555.	1.7	8
200	Addressing the dichotomy between individual and societal approaches to personalised medicine in oncology. <i>European Journal of Cancer</i> , 2019, 114, 128-136.	1.3	8
201	Quality of Life in Men With Congenital Adrenal Hyperplasia Due to 21-Hydroxylase Deficiency. <i>Frontiers in Endocrinology</i> , 2021, 12, 626646.	1.5	8
202	Diurnal salivary androstenedione and 17 α -hydroxyprogesterone levels in healthy volunteers for monitoring treatment efficacy of patients with congenital adrenal hyperplasia. <i>Clinical Endocrinology</i> , 2022, 97, 36-42.	1.2	8
203	E1AF Expression Levels are not Associated with Prognosis in Human Breast Cancer. <i>Breast Cancer Research and Treatment</i> , 2003, 79, 129-131.	1.1	7
204	Carbonic anhydrase IX expression is more predictive than prognostic in breast cancer. <i>British Journal of Cancer</i> , 2007, 96, 1309-1309.	2.9	7
205	Monitoring the effects of bevacizumab beyond progression in a murine colorectal cancer model: a functional imaging approach. <i>Investigational New Drugs</i> , 2013, 31, 881-890.	1.2	7
206	AKT inhibition as a strategy for targeting hypoxic HPV-positive HNSCC. <i>Radiotherapy and Oncology</i> , 2020, 149, 1-7.	0.3	7
207	Low Phosphorylated AKT Expression in Laryngeal Cancer: Indications for a Higher Metastatic Risk. <i>International Journal of Radiation Oncology Biology Physics</i> , 2013, 87, 349-355.	0.4	6
208	Prognostic significance of VEGF and components of the plasminogen activator system in endometrial cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020, 146, 1725-1735.	1.2	6
209	Mammaglobin as Molecular Marker of Breast Cancer (Micro)Metastases. <i>Clinical Cancer Research</i> , 2005, 11, 7043-7044.	3.2	5
210	Re: p27Kip1 and Cyclin E Expression and Breast Cancer Survival After Treatment With Adjuvant Chemotherapy. <i>Journal of the National Cancer Institute</i> , 2007, 99, 738-738.	3.0	5
211	Occurrence of postmenopausal-like acidic follicle-stimulating hormone (FSH) isoforms precedes the rise of FSH before menopause. <i>Fertility and Sterility</i> , 2009, 92, 613-619.	0.5	5
212	β -Crystallin Expression is Correlated with Phospho-ERK1/2 Expression in Human Breast Cancer. <i>International Journal of Biological Markers</i> , 2013, 28, 365-370.	0.7	5
213	125 I-H2AX Foci in Peripheral Blood Lymphocytes to Quantify Radiation-Induced DNA Damage After 177 Lu-DOTA-Octreotate Peptide Receptor Radionuclide Therapy. <i>Journal of Nuclear Medicine</i> , 2015, 56, 501-502.	2.8	5
214	Genotyping and Characterization of HPV Status, Hypoxia, and Radiosensitivity in 22 Head and Neck Cancer Cell Lines. <i>Cancers</i> , 2021, 13, 1069.	1.7	5
215	Optimizing the Timing of Highest Hydrocortisone Dose in Children and Adolescents With 21-Hydroxylase Deficiency. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, e1661-e1672.	1.8	5
216	Is survivin expression nevertheless related to disease outcome in breast cancer?. <i>Breast Cancer Research and Treatment</i> , 2007, 103, 109-109.	1.1	3

#	ARTICLE	IF	CITATIONS
217	Expression of carbonic anhydrase IX suggests poor response to therapy in rectal cancer. <i>British Journal of Cancer</i> , 2009, 101, 372-372.	2.9	3
218	Prognostic value of CA 125 in ovarian cyst fluid of patients with epithelial ovarian cancer. <i>Oncology Reports</i> , 2009, 23, .	1.2	3
219	Downregulation of matrix Gla protein is a biomarker for tamoxifen-resistant and radioresistant breast cancer. <i>Biomarkers in Medicine</i> , 2019, 13, 841-850.	0.6	3
220	Harmonisation of multi-centre real-time reverse-transcribed PCR results of a candidate prognostic marker in breast cancer: An EU-FP6 supported study of members of the EORTC " PathoBiology Group. <i>European Journal of Cancer</i> , 2009, 45, 74-81.	1.3	2
221	Rho GDP dissociation inhibitor β expression correlates with the outcome of CMF treatment in invasive ductal breast cancer. <i>International Journal of Oncology</i> , 2009, 36, .	1.4	2
222	Engineered microparticles delivering oxygen to enhance radiotherapy efficacy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E8009-E8009.	3.3	2
223	Predicting and Understanding Cancer Response to Treatment. <i>Disease Markers</i> , 2018, 2018, 1-2.	0.6	2
224	Editorial: Advances in Biological Understanding of Tumor Radiation Resistance. <i>Frontiers in Oncology</i> , 2020, 10, 754.	1.3	2
225	Implications of Progesterone Metabolism in MA-10 Cells for Accurate Measurement of the Rate of Steroidogenesis. <i>Endocrinology</i> , 2001, 142, 5236-5242.	1.4	2
226	Early identification of treatment resistance in GTN. <i>Lancet Oncology</i> , The, 2007, 8, 866-867.	5.1	1
227	Mammaglobin RT-qPCR for breast cancer metastasis detection in sentinel lymph nodes. <i>Cancer Science</i> , 2010, 101, 2501-2501.	1.7	1
228	Comparability versus statistical correctness. <i>European Journal of Radiology</i> , 2013, 82, e908.	1.2	1
229	From eels to the importance of cancer biobanks. <i>Future Science OA</i> , 2015, 1, FSO65.	0.9	1
230	Letter to the editor: Hypoxia kinetics and histology in combined radiotherapy and oxidative phosphorylation inhibition effects on antitumor immunity. , 2021, 9, e001793.		1
231	Tumor hypoxia as a mechanism of resistance to bevacizumab in a murine model.. <i>Journal of Clinical Oncology</i> , 2012, 30, e13111-e13111.	0.8	1
232	Abstract S4-07: Tamoxifen resistance driven by the DNA cytosine deaminase APOBEC3B in recurrent estrogen receptor positive breast cancer. <i>Cancer Research</i> , 2016, 76, S4-07-S4-07.	0.4	1
233	Concerns about Mammaglobin Assays. <i>Clinical Chemistry</i> , 2005, 51, 474-475.	1.5	0
234	Cox-2 is a target gene of Rho GDP dissociation inhibitor beta in breast cancer cells. <i>European Journal of Cancer</i> , Supplement, 2008, 6, 82.	2.2	0

#	ARTICLE	IF	CITATIONS
235	Matrix metalloproteinase-8 is a regulator of the clinical aggressiveness of mammary tumours. Breast Cancer Research, 2008, 10, .	2.2	0
236	Tamoxifen sensitivity and estrogen receptor mRNA levels. Breast Cancer Research and Treatment, 2010, 121, 793-794.	1.1	0
237	PP 49 Prognostic value of GLUT1 and MCT4 expression in adeno- and squamous cell non-small cell lung cancer. European Journal of Cancer, 2011, 47, S24.	1.3	0
238	PP 48 TRIB3: a prognostic factor and involved in hypoxia sensitivity in breast cancer patients. European Journal of Cancer, 2011, 47, S33.	1.3	0
239	International biobanks: do or do not?. Future Science OA, 2015, 1, FSO75.	0.9	0
240	SP-013: Update on the ARCON study. Radiotherapy and Oncology, 2017, 122, 10-11.	0.3	0
241	Imageable Biomarkers for Radiotherapy Response. Progress in Tumor Research, 2018, , 11-24.	0.1	0
242	BRAFV600E Inhibitor Radiosensitizes Thyroid Cancer Letter. Clinical Cancer Research, 2019, 25, 6556-6556.	3.2	0
243	Production of 11-Oxygenated Androgens by Testicular Adrenal Rest Tumors. Journal of the Endocrine Society, 2021, 5, A814-A815.	0.1	0
244	Plasma Concentrations of Atrial Natriuretic Peptide (ANP), Plasma Renin Activity (PRA), Aldosterone (Aldo) and Arginine-Vasopressin (AVP) in Neonates on Extracorporeal Membrane Oxygenation (ECMO). Pediatric Research, 1999, 45, 224A-224A.	1.1	0
245	Abstract 1611: 4-protein signature predicts outcome to tamoxifen treatment in estrogen receptor positive recurrent breast cancer. , 2014, , .		0
246	Abstract LB-118: High APOBEC3B mRNA levels in estrogen receptor-positive primary tumors predict short time to progression for hormone-naïve breast cancer patients treated with 1st line tamoxifen. , 2015, , .		0
247	Abstract 286: Regulation of APOBEC3B gene expression through the Rb/E2F pathway. , 2020, , .		0
248	Abstract P3-09-18: The association between genomic alterations and body mass index in patients with early breast cancer. Cancer Research, 2022, 82, P3-09-18-P3-09-18.	0.4	0