Eileen Devaney

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/3322585/eileen-devaney-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

26 1,940 40 79 h-index g-index citations papers 82 2,319 4.2 4.74 avg, IF L-index ext. papers ext. citations

#	Paper	IF	Citations
79	Tuft Cells Increase Following Ovine Intestinal Parasite Infections and Define Evolutionarily Conserved and Divergent Responses. <i>Frontiers in Immunology</i> , 2021 , 12, 781108	8.4	1
78	Small RNAs in parasitic nematodes - forms and functions. <i>Parasitology</i> , 2020 , 147, 855-864	2.7	4
77	Genomic and transcriptomic variation defines the chromosome-scale assembly of Haemonchus contortus, a model gastrointestinal worm. <i>Communications Biology</i> , 2020 , 3, 656	6.7	26
76	Evaluation of DNA Extraction Methods on Individual Helminth Egg and Larval Stages for Whole-Genome Sequencing. <i>Frontiers in Genetics</i> , 2019 , 10, 826	4.5	11
75	Refugia and anthelmintic resistance: Concepts and challenges. <i>International Journal for Parasitology: Drugs and Drug Resistance</i> , 2019 , 10, 51-57	4	33
74	Population genomic and evolutionary modelling analyses reveal a single major QTL for ivermectin drug resistance in the pathogenic nematode, Haemonchus contortus. <i>BMC Genomics</i> , 2019 , 20, 218	4.5	35
73	Genotypic characterisation of monepantel resistance in historical and newly derived field strains of Teladorsagia circumcincta. <i>International Journal for Parasitology: Drugs and Drug Resistance</i> , 2019 , 11, 59-69	4	3
72	The confounding effects of high genetic diversity on the determination and interpretation of differential gene expression analysis in the parasitic nematode Haemonchus contortus. International Journal for Parasitology, 2019, 49, 847-858	4.3	6
71	Profiling microRNAs through development of the parasitic nematode Haemonchus identifies nematode-specific miRNAs that suppress larval development. <i>Scientific Reports</i> , 2019 , 9, 17594	4.9	11
70	Characterisation of infection associated microRNA and protein cargo in extracellular vesicles of Theileria annulata infected leukocytes. <i>Cellular Microbiology</i> , 2019 , 21, e12969	3.9	11
69	A Genome Resequencing-Based Genetic Map Reveals the Recombination Landscape of an Outbred Parasitic Nematode in the Presence of Polyploidy and Polyandry. <i>Genome Biology and Evolution</i> , 2018 , 10, 396-409	3.9	38
68	Transcriptomic profiling of nematode parasites surviving vaccine exposure. <i>International Journal for Parasitology</i> , 2018 , 48, 395-402	4.3	14
67	Hidden in plain sight - Multiple resistant species within a strongyle community. <i>Veterinary Parasitology</i> , 2018 , 258, 79-87	2.8	10
66	Characterization of HSP90 isoforms in transformed bovine leukocytes infected with Theileria annulata. <i>Cellular Microbiology</i> , 2017 , 19, e12669	3.9	9
65	Ivermectin - Old Drug, New Tricks?. <i>Trends in Parasitology</i> , 2017 , 33, 463-472	6.4	164
64	Increased Expression of a MicroRNA Correlates with Anthelmintic Resistance in Parasitic Nematodes. <i>Frontiers in Cellular and Infection Microbiology</i> , 2017 , 7, 452	5.9	12
63	Conservation of a microRNA cluster in parasitic nematodes and profiling of miRNAs in excretory-secretory products and microvesicles of Haemonchus contortus. <i>PLoS Neglected Tropical Diseases</i> , 2017 , 11, e0006056	4.8	21

(2006-2016)

62	Hsp90 Inhibitors in Parasitic Nematodes: Prospects and Challenges. <i>Current Topics in Medicinal Chemistry</i> , 2016 , 16, 2805-11	3	5
61	Yeast-Based High-Throughput Screens to Identify Novel Compounds Active against Brugia malayi. <i>PLoS Neglected Tropical Diseases</i> , 2016 , 10, e0004401	4.8	19
60	Attempts to Image the Early Inflammatory Response during Infection with the Lymphatic Filarial Nematode Brugia pahangi in a Mouse Model. <i>PLoS ONE</i> , 2016 , 11, e0168602	3.7	4
59	Analysis of putative resistance gene loci in UK field populations of Haemonchus contortus after 6years of macrocyclic lactone use. <i>International Journal for Parasitology</i> , 2016 , 46, 621-30	4.3	17
58	Application of small RNA technology for improved control of parasitic helminths. <i>Veterinary Parasitology</i> , 2015 , 212, 47-53	2.8	33
57	A novel member of the let-7 microRNA family is associated with developmental transitions in filarial nematode parasites. <i>BMC Genomics</i> , 2015 , 16, 331	4.5	20
56	microRNAs of parasitic helminths - Identification, characterization and potential as drug targets. <i>International Journal for Parasitology: Drugs and Drug Resistance</i> , 2014 , 4, 85-94	4	45
55	Parasites, probiotics, and piglets: a novel approach to IBD. <i>Molecular Therapy</i> , 2014 , 22, 1722-3	11.7	
54	Nematode Hsp90: highly conserved but functionally diverse. <i>Parasitology</i> , 2014 , 141, 1203-15	2.7	8
53	A repurposing strategy for Hsp90 inhibitors demonstrates their potency against filarial nematodes. <i>PLoS Neglected Tropical Diseases</i> , 2014 , 8, e2699	4.8	9
52	The genome and transcriptome of Haemonchus contortus, a key model parasite for drug and vaccine discovery. <i>Genome Biology</i> , 2013 , 14, R88	18.3	225
52		18.3	225
	vaccine discovery. <i>Genome Biology</i> , 2013 , 14, R88 Genetic and genomic approaches to understanding drug resistance in parasites. <i>Parasitology</i> , 2013 ,		
51	vaccine discovery. <i>Genome Biology</i> , 2013 , 14, R88 Genetic and genomic approaches to understanding drug resistance in parasites. <i>Parasitology</i> , 2013 , 140, 1451-4 Diversity in parasitic nematode genomes: the microRNAs of Brugia pahangi and Haemonchus	2.7	2
51	vaccine discovery. <i>Genome Biology</i> , 2013 , 14, R88 Genetic and genomic approaches to understanding drug resistance in parasites. <i>Parasitology</i> , 2013 , 140, 1451-4 Diversity in parasitic nematode genomes: the microRNAs of Brugia pahangi and Haemonchus contortus are largely novel. <i>BMC Genomics</i> , 2012 , 13, 4 Assay strategies for the discovery and validation of therapeutics targeting Brugia pahangi Hsp90.	2.7 4·5	2 55
50 49	Vaccine discovery. <i>Genome Biology</i> , 2013 , 14, R88 Genetic and genomic approaches to understanding drug resistance in parasites. <i>Parasitology</i> , 2013 , 140, 1451-4 Diversity in parasitic nematode genomes: the microRNAs of Brugia pahangi and Haemonchus contortus are largely novel. <i>BMC Genomics</i> , 2012 , 13, 4 Assay strategies for the discovery and validation of therapeutics targeting Brugia pahangi Hsp90. <i>PLoS Neglected Tropical Diseases</i> , 2010 , 4, e714	2.7 4.5 4.8	2 55 11
50 49 48	Vaccine discovery. <i>Genome Biology</i> , 2013 , 14, R88 Genetic and genomic approaches to understanding drug resistance in parasites. <i>Parasitology</i> , 2013 , 140, 1451-4 Diversity in parasitic nematode genomes: the microRNAs of Brugia pahangi and Haemonchus contortus are largely novel. <i>BMC Genomics</i> , 2012 , 13, 4 Assay strategies for the discovery and validation of therapeutics targeting Brugia pahangi Hsp90. <i>PLoS Neglected Tropical Diseases</i> , 2010 , 4, e714 microRNAs: a role in drug resistance in parasitic nematodes?. <i>Trends in Parasitology</i> , 2010 , 26, 428-33	2.7 4.5 4.8 6.4	2 55 11 37

44	Hsp90 is essential in the filarial nematode Brugia pahangi. <i>International Journal for Parasitology</i> , 2005 , 35, 627-36	4.3	44
43	Contrasting effects of acute and chronic gastro-intestinal helminth infections on a heterologous immune response in a transgenic adoptive transfer model. <i>International Journal for Parasitology</i> , 2005 , 35, 765-75	4.3	20
42	The end of the line for hookworm? An update on vaccine development. PLoS Medicine, 2005, 2, e327	11.6	2
41	Regulatory T cells modulate Th2 responses induced by Brugia pahangi third-stage larvae. <i>Infection and Immunity</i> , 2005 , 73, 4034-42	3.7	52
40	B cells play a regulatory role in mice infected with the L3 of Brugia pahangi. <i>International Immunology</i> , 2005 , 17, 373-82	4.9	59
39	Mosquito transmission modulates the immune response in mice infected with the L3 of Brugia pahangi. <i>Parasite Immunology</i> , 2004 , 26, 359-63	2.2	4
38	HRP-2, a heterogeneous nuclear ribonucleoprotein, is essential for embryogenesis and oogenesis in Caenorhabditis elegans. <i>Experimental Cell Research</i> , 2004 , 298, 418-30	4.2	15
37	Heat shock factor functions at the convergence of the stress response and developmental pathways in Caenorhabditis elegans. <i>FASEB Journal</i> , 2003 , 17, 1960-2	0.9	53
36	Investigating the impact of helminth products on immune responsiveness using a TCR transgenic adoptive transfer system. <i>Journal of Immunology</i> , 2003 , 171, 447-54	5.3	23
35	An enduring association? Microfilariae and immunosuppression [correction of immunosupression] in lymphatic filariasis. <i>Trends in Parasitology</i> , 2003 , 19, 565-70	6.4	26
34	Cloning and characterisation of mmc-1, a microfilarial-specific gene, from Brugia pahangi. <i>International Journal for Parasitology</i> , 2002 , 32, 415-24	4.3	5
33	Infection with Brugia microfilariae induces apoptosis of CD4(+) T lymphocytes: a mechanism of immune unresponsiveness in filariasis. <i>European Journal of Immunology</i> , 2002 , 32, 858-67	6.1	48
32	Interleukin-4 influences the production of microfilariae in a mouse model of Brugia infection. <i>Parasite Immunology</i> , 2002 , 24, 29-37	2.2	20
31	Nitric oxide limits the expansion of antigen-specific T cells in mice infected with the microfilariae of Brugia pahangi. <i>Infection and Immunity</i> , 2002 , 70, 5997-6004	3.7	7
30	Transmission intensity affects both antigen-specific and nonspecific T-cell proliferative responses in Loa loa infection. <i>Infection and Immunity</i> , 2002 , 70, 1475-80	3.7	17
29	NK T cells are a source of early interleukin-4 following infection with third-stage larvae of the filarial nematode Brugia pahangi. <i>Infection and Immunity</i> , 2002 , 70, 2215-9	3.7	24
28	Biochemical and molecular characterization of two cytidine deaminases in the nematode Caenorhabditis elegans. <i>Biochemical Journal</i> , 2002 , 365, 99-107	3.8	4
27	Lymphatic filariasis: parallels between the immunology of infection in humans and mice. <i>Parasite Immunology</i> , 2001 , 23, 353-61	2.2	38

26	Heat shock and developmental expression of hsp83 in the filarial nematode Brugia pahangi. <i>FEBS Journal</i> , 2001 , 268, 5808-15		21	
25	Temperature is a cue for gene expression in the post-infective L3 of the parasitic nematode Brugia pahangi. <i>Molecular and Biochemical Parasitology</i> , 2001 , 112, 1-9	1.9	13	
24	Identification of abundant mRNAs from the third stage larvae of the parasitic nematode, Ostertagia ostertagi. <i>Biochemical Journal</i> , 2000 , 347, 763-770	3.8	17	
23	The third-stage larva (L3) of Brugia: its role in immune modulation and protective immunity. <i>Microbes and Infection</i> , 2000 , 2, 1363-71	9.3	32	
22	NO contributes to proliferative suppression in a murine model of filariasis. <i>Infection and Immunity</i> , 2000 , 68, 6101-7	3.7	33	
21	NO Contributes to Proliferative Suppression in a Murine Model of Filariasis. <i>Infection and Immunity</i> , 2000 , 68, 6101-6107	3.7	3	
20	cut-1-like genes are present in the filarial nematodes, Brugia pahangi and Brugia malayi, and, as in other nematodes, code for components of the cuticle. <i>Molecular and Biochemical Parasitology</i> , 1999 , 101, 173-83	1.9	12	
19	Cloning and characterization of two nuclear receptors from the filarial nematode Brugia pahangi. <i>Biochemical Journal</i> , 1999 , 344, 245-252	3.8	9	
18	Cloning and characterization of two nuclear receptors from the filarial nematode Brugia pahangi. <i>Biochemical Journal</i> , 1999 , 344, 245	3.8	5	
17	Interleukin-10 and antigen-presenting cells actively suppress Th1 cells in BALB/c mice infected with the filarial parasite Brugia pahangi. <i>Infection and Immunity</i> , 1999 , 67, 1599-605	3.7	59	
16	A cytidine deaminase expressed in the post-infective L3 stage of the filarial nematode, Brugia pahangi, has a novel RNA-binding activity. <i>Molecular and Biochemical Parasitology</i> , 1997 , 88, 105-14	1.9	12	
15	The use of inhibitors of N-linked glycosylation and oligosaccharide processing to produce monoclonal antibodies against non-phosphorylcholine epitopes of Brugia pahangi excretory-secretory products. <i>Parasitology Research</i> , 1997 , 83, 813-5	2.4	6	
14	Brugia pahangi: characterisation of a small heat shock protein cDNA clone. <i>Experimental Parasitology</i> , 1996 , 83, 259-66	2.1	20	
13	A longitudinal study of local and peripheral isotype/subclass antibodies in Dictyocaulus viviparus-infected calves. <i>Veterinary Immunology and Immunopathology</i> , 1996 , 53, 235-47	2	12	
12	Stage specific gene expression in the post-infective L3 of the filarial nematode, Brugia pahangi. <i>Molecular and Biochemical Parasitology</i> , 1996 , 79, 109-12	1.9	15	
11	The construction of spliced leader cDNA libraries from the filarial nematode Brugia pahangi. <i>Molecular and Biochemical Parasitology</i> , 1995 , 70, 241-5	1.9	26	
10	The analysis of the humoral response of the BALB/c mouse immunized with radiation attenuated third stage larvae of Brugia pahangi. <i>Parasite Immunology</i> , 1993 , 15, 153-62	2.2	26	
9	The expression of small heat shock proteins in the microfilaria of Brugia pahangi and their possible role in development. <i>Molecular and Biochemical Parasitology</i> , 1992 , 56, 209-17	1.9	22	

8	Expression of small heat shock proteins by the third-stage larva of Brugia pahangi. <i>Molecular and Biochemical Parasitology</i> , 1992 , 56, 219-26	1.9	19
7	The expression of the Mr 30,000 antigen in the third stage larvae of Brugia pahangi. <i>Parasite Immunology</i> , 1991 , 13, 75-87	2.2	32
6	The analysis of the 30 kDa antigen of Brugia pahangi and its interaction with the cuticle: a short review. <i>Acta Tropica</i> , 1990 , 47, 365-72	3.2	7
5	Subcellular fractionation of tissue culture cells. <i>Trends in Biochemical Sciences</i> , 1989 , 14, 44-7	10.3	49
4	The biochemical and immunochemical characterisation of the 30 kilodalton surface antigen of Brugia pahangi. <i>Molecular and Biochemical Parasitology</i> , 1988 , 27, 83-92	1.9	34
3	Genomic landscape of drug response reveals novel mediators of anthelmintic resistance		2
2	Transcriptomic analyses implicate neuronal plasticity and chloride homeostasis in ivermectin resistance and recovery in a parasitic nematode		1
1	Population genomic and evolutionary modelling analyses reveal a single major QTL for ivermectin drug resistance in the pathogenic nematode, Haemonchus contortus		4