

Iosif Gofman

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3324208/iosif-gofman-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

131
papers

903
citations

14
h-index

21
g-index

142
ext. papers

1,073
ext. citations

1.8
avg, IF

4.03
L-index

#	Paper	IF	Citations
131	Anisotropic swelling and mechanical behavior of composite bacterial cellulose-poly(acrylamide or acrylamide-sodium acrylate) hydrogels. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2010 , 3, 102-11	4.1	81
130	Thermal properties of bulk polyimides: insights from computer modeling versus experiment. <i>Soft Matter</i> , 2014 , 10, 1224-32	3.6	54
129	Electrospun Bilayer Chitosan/Hyaluronan Material and Its Compatibility with Mesenchymal Stem Cells. <i>Materials</i> , 2019 , 12,	3.5	32
128	Parameterization of electrostatic interactions for molecular dynamics simulations of heterocyclic polymers. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2015 , 53, 912-923	2.6	26
127	High-strength biocompatible hydrogels based on poly(acrylamide) and cellulose: Synthesis, mechanical properties and perspectives for use as artificial cartilage. <i>Polymer Science - Series A</i> , 2013 , 55, 302-312	1.2	24
126	Correlation between the High-Temperature Local Mobility of Heterocyclic Polyimides and Their Mechanical Properties. <i>Macromolecules</i> , 2016 , 49, 6700-6710	5.5	23
125	Effect of single-walled carbon nanotubes and carbon nanofibers on the structure and mechanical properties of thermoplastic polyimide matrix films. <i>Polymer Science - Series A</i> , 2013 , 55, 268-278	1.2	22
124	The effect of different orientations in rigid rod polyimide films on the graphitized products. <i>Carbon</i> , 2007 , 45, 839-846	10.4	21
123	Polyimide Ultrafiltration Membranes with High Thermal Stability and Chemical Durability. <i>Separation Science and Technology</i> , 2009 , 44, 3814-3831	2.5	17
122	Initial stage of stress relaxation in oriented polymers. <i>Physics of the Solid State</i> , 2016 , 58, 840-846	0.8	16
121	Specific features of creep and tribological behavior of polyimide-carbon nanotubes nanocomposite films: effect of the nanotubes functionalization. <i>Journal of Polymer Research</i> , 2013 , 20, 1	2.7	16
120	Polymeric composite systems modified with allotropic forms of carbon (review). <i>Russian Journal of Applied Chemistry</i> , 2011 , 84, 735-750	0.8	16
119	Modification of films of heat-resistant polyimides by adding hydrosilicate and carbon nanoparticles of various geometries. <i>Russian Journal of General Chemistry</i> , 2007 , 77, 1158-1163	0.7	16
118	New silicone hydrogels based on interpenetrating polymer networks comprising polysiloxane and poly(vinyl alcohol) networks. <i>Polymers for Advanced Technologies</i> , 2009 , 20, 367-377	3.2	15
117	Specific features of chitosan-montmorillonite interaction in an aqueous acid solution and properties of related composite films. <i>Polymer Science - Series A</i> , 2012 , 54, 224-230	1.2	14
116	New polyamides with main-chain cyanine chromophores. <i>Polymer Science - Series A</i> , 2011 , 53, 457-468	1.2	14
115	Synthesis and Characterization of Polybenzoxazinone and its Prepolymer Using Gas Separation. <i>Macromolecular Chemistry and Physics</i> , 2013 , 214, 2867-2874	2.6	13

114	Characteristics of composite films based on methyl cellulose and poly(N-vinylformamide) prepared from solutions in water and dimethyl sulfoxide. <i>Polymer Science - Series A</i> , 2011 , 53, 409-417	1.2	13
113	Orientated crystallization in drawn thermoplastic polyimide modified by carbon nanofibers. <i>Polymer Engineering and Science</i> , 2009 , 49, 217-222	2.3	13
112	Chemical modification of nanocrystalline cellulose for improved interfacial compatibility with poly(lactic acid). <i>Mendeleev Communications</i> , 2019 , 29, 220-222	1.9	12
111	Influence of the Degree of Crystallinity on the Mechanical and Tribological Properties of High-Performance Thermoplastics Over a Wide Range of Temperatures: From Room Temperature up to 250°C. <i>Journal of Macromolecular Science - Physics</i> , 2013 , 52, 1848-1860	1.4	12
110	Composites of multiblock (segmented) aliphatic poly(ester imide) with zirconia nanoparticles: Synthesis, mechanical properties, and pervaporation behavior. <i>Polymer Science - Series B</i> , 2014 , 56, 919-926	0.8	11
109	High-strength cellulose-polyacrylamide hydrogels: Mechanical behavior and structure depending on the type of cellulose. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2019 , 100, 103385	4.1	10
108	Properties of aqueous solutions of hydroxyethyl cellulose-poly(N-vinylformamide) blends and of the related composite films. <i>Polymer Science - Series A</i> , 2012 , 54, 730-737	1.2	10
107	Nanocomposite based on polyamidoimide with hydrosilicate nanoparticles of varied morphology. <i>Russian Journal of Applied Chemistry</i> , 2007 , 80, 2142-2148	0.8	10
106	Relationship between the Morphology, Nanostructure, and Strength Properties of Aquivion [®] Type Perfluorinated Proton-Conducting Membranes Prepared by Casting from Solution. <i>Russian Journal of Applied Chemistry</i> , 2018 , 91, 101-104	0.8	9
105	Carbon nanocones/discs as a new type of filler to improve the thermal and mechanical properties of polymer films. <i>Polymers for Advanced Technologies</i> , 2012 , 23, 408-413	3.2	9
104	Friction and wear of powder coatings of epoxy composites with aluminosilicate nanoparticles. <i>Journal of Friction and Wear</i> , 2012 , 33, 101-107	0.9	9
103	Effect of carbon nanoparticles of different shapes on mechanical properties of aromatic polyimide-based composite films. <i>Polymer Science - Series A</i> , 2013 , 55, 313-319	1.2	9
102	Properties of carboxymethyl cellulose aqueous solutions with nanoparticle additives and the related composite films. <i>Polymer Science - Series A</i> , 2011 , 53, 1167-1174	1.2	9
101	Mechanical and thermal properties of nanocomposite films based on an aromatic polyimide and carbon nanocones. <i>Physics of the Solid State</i> , 2011 , 53, 1509-1515	0.8	9
100	Novel Polyheteroarylene Membranes for Separation of Methanol-Hexane Mixture by Pervaporation. <i>Scientific Reports</i> , 2018 , 8, 17849	4.9	9
99	Unusual effect evidenced at the investigations of the mechanical behavior of composite hydrogels under cyclic compression. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2017 , 71, 238-243	4.1	8
98	Composite hydrogels based on polyacrylamide and cellulose: Synthesis and functional properties. <i>Russian Journal of Applied Chemistry</i> , 2016 , 89, 772-779	0.8	8
97	Properties of the methyl cellulose-polyvinylpyrrolidone binary system in solution and in the solid state. <i>Russian Journal of Applied Chemistry</i> , 2007 , 80, 771-776	0.8	8


96	Chemical and structural transformations in chitosan films in the course of storage. <i>Russian Journal of Applied Chemistry</i> , 2008 , 81, 1992-1996	0.8	8
95	Mechanical response and network characterization of conductive polyaniline/polyacrylamide gels. <i>Materials Chemistry and Physics</i> , 2017 , 187, 88-95	4.4	7
94	Effect of nanoparticles of various types as fillers on mechanical properties of block samples of a heat-resistant polyimide material: A comparative analysis. <i>Polymer Science - Series A</i> , 2016 , 58, 87-94	1.2	7
93	Energy of the elastic loading of anharmonic solids. <i>Physics of the Solid State</i> , 2013 , 55, 668-674	0.8	7
92	Structure and characteristics of film composites based on methyl cellulose, poviargol, and montmorillonite. <i>Polymer Science - Series A</i> , 2011 , 53, 166-171	1.2	7
91	Aromatic polysulfone imides and membranes based on them. <i>Russian Journal of Applied Chemistry</i> , 2009 , 82, 1033-1040	0.8	7
90	Conducting film-forming composites based on polyaniline-polyimide blends. <i>Polymer Science - Series A</i> , 2009 , 51, 311-316	1.2	7
89	Unexpected selective enhancement of the thermal stability of aromatic polyimide materials by cerium dioxide nanoparticles. <i>Polymers for Advanced Technologies</i> , 2019 , 30, 1518-1524	3.2	6
88	Optical, mechanical, and transport studies of nanodiamonds/poly(phenylene oxide) composites. <i>Polymer Composites</i> , 2018 , 39, 3952-3961	3	6
87	Highly heat-resistant poly(ϵ -hydroxy amide) binders of polyfunctional composites for microelectronics. <i>Russian Journal of Applied Chemistry</i> , 2016 , 89, 1647-1654	0.8	6
86	Aromatic Polyimide/MWCNT Hybrid Nanocomposites: Structure, Dynamics, and Properties. <i>Journal of Macromolecular Science - Physics</i> , 2012 , 51, 1794-1814	1.4	6
85	New approach to the formation of polyimide ultrafiltration membranes involving modified polyacrylonitrile. <i>Petroleum Chemistry</i> , 2012 , 52, 527-532	1.1	6
84	Properties of solutions and films of blends of water-soluble cellulose ethers with poviargol. <i>Russian Journal of Applied Chemistry</i> , 2010 , 83, 102-108	0.8	6
83	Properties of aqueous solutions containing blends of poly-N-vinylformamide with carboxymethyl cellulose of various degrees of ionization and of composite films of these polymers. <i>Russian Journal of Applied Chemistry</i> , 2010 , 83, 1622-1627	0.8	6
82	Polyimide-Based Nanocomposites with Binary CeO/Nanocarbon Fillers: Conjointly Enhanced Thermal and Mechanical Properties. <i>Polymers</i> , 2020 , 12,	4.5	6
81	Cellulose cryogels prepared by regeneration from phosphoric acid solutions. <i>Cellulose</i> , 2021 , 28, 4975-4989	3.9	6
80	Perfluorinated Proton-Conducting Membrane Composites with Functionalized Nanodiamonds. <i>Membranes and Membrane Technologies</i> , 2020 , 2, 1-9	1.7	5
79	Poly(ϵ -caprolactone)-based biocomposites reinforced with nanocrystalline cellulose grafted with poly(L-lactic acid). <i>IOP Conference Series: Materials Science and Engineering</i> , 2019 , 500, 012021	0.4	5

78	Asymmetric Membranes Based on Copolyheteroarylenes with Imide, Biquinoline, and Oxazinone Units: Formation and Characterization. <i>Polymers</i> , 2019 , 11,	4.5	5
77	Properties of solutions of methyl cellulose blends with poly(N-methyl-N-vinylacetamide) in water and dimethylacetamide and of the related composite films. <i>Polymer Science - Series A</i> , 2014 , 56, 158-168	1.2	5
76	Polymers with cyanine chromophore groups in the main chain: Synthesis and properties. <i>Polymer Science - Series B</i> , 2014 , 56, 352-359	0.8	5
75	Properties of solutions and films of blends of ethyl cellulose with polyvinylpyrrolidone and Poviargol. <i>Russian Journal of Applied Chemistry</i> , 2013 , 86, 558-563	0.8	5
74	Composite films based on polyphenylene oxide modified with endofullerenes C60 with encapsulated iron atoms. <i>Russian Journal of Applied Chemistry</i> , 2017 , 90, 1549-1557	0.8	5
73	AFM analysis of the surface morphology, structure, and mechanical properties of methylcellulose mixtures with colloidal silver dispersions. <i>Journal of Surface Investigation</i> , 2014 , 8, 877-886	0.5	5
72	Adhesion, growth, and proliferation of endothelial cells on biopolymer extracellular film matrices. <i>Bulletin of Experimental Biology and Medicine</i> , 2014 , 158, 153-8	0.8	5
71	Synthesis and properties of iridium polymer complexes based on novel bipyridyl ligands. <i>Russian Chemical Bulletin</i> , 2012 , 61, 966-972	1.7	5
70	Optical and photosensitive properties of comb-shaped polyamide-imides. <i>Semiconductors</i> , 2003 , 37, 821-824	0.74	5
69	Polyamidoimides with side chromophoric groups. <i>Russian Chemical Bulletin</i> , 2005 , 54, 1481-1487	1.7	5
68	Composite proton-conducting membranes with nanodiamonds. <i>Fullerenes Nanotubes and Carbon Nanostructures</i> , 2020 , 28, 140-146	1.8	5
67	Synthesis and photoluminescence properties of co-polyamides with anthrazoline-containing units in the main chain. <i>Luminescence</i> , 2018 , 33, 559-566	2.5	4
66	New composite materials based on polyvinylpyrrolidone and poly(diphenyl oxide amido-N-phenylphthalimide). <i>Polymer Science - Series A</i> , 2016 , 58, 419-428	1.2	4
65	PGLu-Modified Nanocrystalline Cellulose Improves Mechanical Properties, Biocompatibility, and Mineralization of Polyester-Based Composites. <i>Materials</i> , 2019 , 12,	3.5	4
64	Chitosan-dextran branched copolymers: Synthesis and properties. <i>Polymer Science - Series B</i> , 2014 , 56, 341-351	0.8	4
63	Nanocomposites based on polyamidoimide and octahedral silsesquioxanes. <i>Russian Journal of Applied Chemistry</i> , 2013 , 86, 415-422	0.8	4
62	Properties of cellulose solutions in methylmorpholine N-oxide containing montmorillonite nanoparticles and of composite films thereof. <i>Russian Journal of Applied Chemistry</i> , 2011 , 84, 1261-1265	0.8	4
61	Properties of mixed aqueous solutions of methyl cellulose with polyethylene oxide and of composite films prepared from them. <i>Russian Journal of Applied Chemistry</i> , 2011 , 84, 1575-1581	0.8	4

60	The effect of planar molecular orientation on the mechanical properties of rigid-chain polyimide films. <i>Polymer Science - Series A</i> , 2007 , 49, 1114-1119	1.2	4
59	Light-sensitive chalcone-containing poly(amido imides). <i>Polymer Science - Series A</i> , 2006 , 48, 569-577	1.2	4
58	Mechanisms of reversible thermal deformation of oriented polymers. <i>Physics of the Solid State</i> , 2001 , 43, 1382-1388	0.8	4
57	BONE AND SOFT TISSUES INTEGRATION IN POROUS TITANIUM IMPLANTS (EXPERIMENTAL RESEARCH). <i>Travmatologiya i Ortopediya Rossii</i> , 2018 , 24, 95-107	0.3	4
56	Iridium metal-polymer complexes based on bipyridyl ligands. <i>Polymer Science - Series B</i> , 2016 , 58, 703-711	0.8	4
55	Properties of composite films of methylcellulose with arabinogalactan. <i>Polymer Science - Series A</i> , 2015 , 57, 430-436	1.2	3
54	Peculiarities of the initial stages of carbonization processes in polyimide-based nanocomposite films containing carbon nanoparticles. <i>Cogent Chemistry</i> , 2015 , 1, 1076712	2.5	3
53	Novel Polyester Amide Membranes Containing Biquinoline Units and Complex with Cu(I): Synthesis, Characterization, and Application for n-Heptane Isolation from Organic Mixtures. <i>Polymers</i> , 2020 , 12,	4.5	3
52	Dual-phase polyphenylene oxide membranes with copolyimide branched modifiers. <i>Journal of Applied Polymer Science</i> , 2020 , 137, 49543	2.9	3
51	Preparation and properties of chitosan-nanodiamond dispersions and composite films. <i>Diamond and Related Materials</i> , 2019 , 98, 107483	3.5	3
50	Dynamic mechanical analysis of multiblock (segmental) polyesterimides. <i>Russian Journal of Applied Chemistry</i> , 2013 , 86, 920-927	0.8	3
49	Mechanical characteristics of films based on comb-shaped poly(amidoimides) with different contents of side chromophoric groups. <i>Polymer Science - Series A</i> , 2010 , 52, 255-260	1.2	3
48	Films of polyamides with phenylpyridine units in the backbone. <i>Russian Journal of Applied Chemistry</i> , 2010 , 83, 1862-1867	0.8	3
47	Polyimide membranes formed on a metal grid matrix by the Langmuir-Blodgett method. <i>Technical Physics Letters</i> , 2005 , 31, 341	0.7	3
46	Negative longitudinal expansion and the amplitude of longitudinal vibrations in poly(ethylene) crystals. <i>Physics of the Solid State</i> , 2002 , 44, 964-971	0.8	3
45	Composite Biomaterials Based on Poly(L-Lactic Acid) and Functionalized Cellulose Nanocrystals. <i>Journal of Renewable Materials</i> , 2020 , 8, 383-395	2.4	3
44	Bacterial Cellulose () Biocomposites and Their Cytocompatibility. <i>Materials</i> , 2020 , 13,	3.5	3
43	Aminated Graphene-Graft-Oligo(Glutamic Acid) /Poly(ϵ -Caprolactone) Composites: Preparation, Characterization and Biological Evaluation. <i>Polymers</i> , 2021 , 13,	4.5	3

42	Effect of nanosized carbon fillers on the hydrolytic stability of films of a heat-resistant aromatic polyimide. <i>Russian Journal of Applied Chemistry</i> , 2017 , 90, 70-76	0.8	2
41	Influence of Nanosized Cerium Oxide on the Thermal Characteristics of Aromatic Polyimide Films. <i>Polymer Science - Series C</i> , 2020 , 62, 196-204	1.1	2
40	Copolyamides Based on Anthrazoline-Containing Diamines: Synthesis and Properties. <i>Polymer Science - Series B</i> , 2019 , 61, 302-308	0.8	2
39	Supramolecular structure formation of Langmuir-Blodgett films of comblike precursor and polyimide. <i>Crystallography Reports</i> , 2013 , 58, 295-301	0.6	2
38	Comparative Evaluation of Different Methods of Carboxylation of Carbon Nanotubes as a Modifier of Mechanical Properties of Heat-Resistant Polyimide Based Nanocomposites. <i>Fibre Chemistry</i> , 2015 , 47, 236-243	0.6	2
37	Macromolecular ligands carrying side bipyridyl-containing groups and their metal-polymer complexes with iridium. <i>Russian Journal of Applied Chemistry</i> , 2012 , 85, 1703-1710	0.8	2
36	Structure and properties of porous film materials based on an aliphatic copolyamide. <i>Russian Journal of Applied Chemistry</i> , 2011 , 84, 1795-1799	0.8	2
35	Heat-resistant foamed organoplastics based on a combination of polyimide felt, polyimide binders, and montmorillonite nanoparticles. <i>Russian Journal of Applied Chemistry</i> , 2006 , 79, 439-444	0.8	2
34	On changes in mechanical properties of polyamic acid during solid phase chemical imidization. <i>Polymer Science USSR</i> , 1985 , 27, 905-911		2
33	Influence of Macromolecular Brushes with Polyimide Backbones and Poly(methyl methacrylate) Side Chains on Structure, Physical, and Transport Properties of Polyphthalamide. <i>Polymer Engineering and Science</i> , 2020 , 60, 481-490	2.3	2
32	Interplay of polymer matrix and nanosized redox dopant with regard to thermo-oxidative and pyrolytic stability: CeO ₂ nanoparticles in a milieu of aromatic polyimides. <i>Materials Today Communications</i> , 2020 , 22, 100803	2.5	2
31	Impact of Endometallofullerene on P84 Copolyimide Transport and Thermomechanical Properties. <i>Polymers</i> , 2018 , 10,	4.5	2
30	New Polymers with Phenanthroline Units: Synthesis and Properties. <i>Polymer Science - Series B</i> , 2019 , 61, 42-50	0.8	1
29	Morphology evolution induced by carbon nanotubes on thermal and mechanical characters of semi-crystalline aromatic polyimide. <i>Polymer Bulletin</i> , 2013 , 70, 3129-3142	2.4	1
28	Formation of crystalline heteroepitaxial SiC films on Si by carbonization of polyimide Langmuir-Blodgett films. <i>Japanese Journal of Applied Physics</i> , 2017 , 56, 06GH08	1.4	1
27	Synthesis and Properties of New 2,6-Poly(phenylquinoline)s and Their Composites with 2,1,3-Benzothiadiazole. <i>Polymer Science - Series B</i> , 2017 , 59, 718-729	0.8	1
26	Properties of Carboxymethylcellulose-Arabinogalactan Composite Films. <i>Fibre Chemistry</i> , 2015 , 47, 183-186	0.6	1
25	Properties of solutions and films of blends of water-soluble cellulose ethers with Zosterin. <i>Russian Journal of Applied Chemistry</i> , 2014 , 87, 942-949	0.8	1

24	Film Composites of polyimide with polyaniline and poly(aniline-co-anthranilic acid). <i>Polymer Science - Series A</i> , 2011 , 53, 800-810	1.2	1
23	Pore sealing of SiOCH ultra low-k dielectrics with polyimide Langmuir-Blodgett film. <i>Materials Research Society Symposia Proceedings</i> , 2012 , 1428, 32		1
22	Aliphatic polyurethane-silica nanocomposites prepared by the parallel synthesis: Morphology and mechanical characteristics. <i>Physics of the Solid State</i> , 2010 , 52, 612-619	0.8	1
21	Synthesis and properties of glycidyl methacrylate copolymers with side chromophore groups. <i>Polymer Science - Series A</i> , 2007 , 49, 773-781	1.2	1
20	Influence of zone stretching on the properties of semicrystalline thermoplastic polyimide. <i>Russian Journal of Applied Chemistry</i> , 2006 , 79, 1884-1889	0.8	1
19	Correlation between characteristics of thermal and stress reversible deformations in solids with different structures. <i>Physics of the Solid State</i> , 2004 , 46, 1149-1157	0.8	1
18	THE CONFORMATIONAL MECHANISM OF THERMOELASTICITY OF ORIENTED POLYETHYLENE. <i>International Journal of Polymeric Materials and Polymeric Biomaterials</i> , 2004 , 53, 173-184	3	1
17	The experimental study of tissue integration into porous titanium implants. <i>HIP International</i> , 2020 , 112070002094348		
16	Synthesis of Poly(ester-graft-methyl methacrylate) on a Macroinitiator with Lateral Sulfonyl Chloride Groups by Atom Transfer Radical Polymerization. <i>Polymer Science - Series B</i> , 2021 , 63, 385-391	0.8	1
15	Comparison of Supermacroporous Polyester Matrices Fabricated by Thermally Induced Phase Separation and 3D Printing Techniques. <i>Key Engineering Materials</i> , 2019 , 822, 277-283	0.4	1
14	Hydrolytic Stability of Films of Aromatic Polyimides and Composites on Their Basis, Filled with Carbon Nanocones. <i>Russian Journal of Applied Chemistry</i> , 2018 , 91, 1460-1470	0.8	1
13	Chitin Cryogels Prepared by Regeneration from Phosphoric Acid Solutions. <i>Materials</i> , 2021 , 14,	3.5	1
12	Prospects of co-poly(biquinoline-hydrazide-imide)s for separation of benzene-isopropanol mixture via pervaporation. <i>Journal of Applied Polymer Science</i> , 2022 , 139, 51646	2.9	1
11	Modification of the mechanism of proton conductivity of the perfluorinated membrane copolymer by nanodiamonds. <i>Russian Chemical Bulletin</i> , 2021 , 70, 1713-1717	1.7	0
10	Formation of Highly Conducting Optically Transparent Films with Multigraphene Structure via Carbonization of Polyimide Langmuir-Blodgett Films. <i>Technical Physics Letters</i> , 2019 , 45, 471-474	0.7	
9	Heteroepitaxial growth of SiC films by carbonization of polyimide Langmuir-Blodgett films on Si. <i>MATEC Web of Conferences</i> , 2017 , 98, 04002	0.3	
8	Thermostable foam organoplastics made from polyimide binders and polyimide felt. <i>Fibre Chemistry</i> , 2006 , 38, 428-433	0.6	
7	Microporous Polyimide Films Based on Blends of Polyamido Acid and Cellulose Derivatives. <i>Russian Journal of Applied Chemistry</i> , 2002 , 75, 805-810	0.8	

- 6 Photosensitivity of new photoconductive polymers based on ruthenium-biquinoyl complexes. *Semiconductors*, **2003**, 37, 818-820 0.7
- 5 Orientational uniaxial stretching of proton conducting perfluorinated membranes. *Journal of Applied Polymer Science*, 52229 2.9
- 4  *Technical Physics Letters*, **2019**, 45, 50 0
- 3 New copolyhydrazides with anthrazoline fragments in the main chain: synthesis and optical properties. *Luminescence*, **2021**, 36, 1961-1968 2.5
- 2 Novel hydroxyl-containing and thermo-dehydrocyclizable polycondensation polymers for multifunctional materials: Synthesis, properties, application. *Journal of Applied Polymer Science*, **2022**, 139, 51978 2.9
- 1 New Macromolecular Ligands with Main-Chain Pyridylquinoline Units and Their Metal-Polymer Complexes with Europium. *Polymer Science - Series B*, 1 0.8