

Vesa Oikonen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3327863/vesa-oikonen-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

99
papers

4,456
citations

34
h-index

64
g-index

105
ext. papers

4,996
ext. citations

5.6
avg, IF

4.61
L-index

#	Paper	IF	Citations
99	ASIC-E4: Interplay of Beta-Amyloid, Synaptic Density and Neuroinflammation in Cognitively Normal Volunteers With Three Levels of Genetic Risk for Late-Onset Alzheimer's Disease - Study Protocol and Baseline Characteristics.. <i>Frontiers in Neurology</i> , 2022 , 13, 826423	4.1	0
98	Comparison of: (2,4)-4-[F]Fluoroglutamine, [C]Methionine, and 2-Deoxy-2-[F]Fluoro-Glucose and Two Small-Animal PET/CT Systems Imaging Rat Gliomas. <i>Frontiers in Oncology</i> , 2021 , 11, 730358	5.3	1
97	Kinetic analysis and optimisation of F-rhPSMA-7.3 PET imaging of prostate cancer. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021 , 48, 3723-3731	8.8	4
96	First-in-Humans Study of Ga-DOTA-Siglec-9, a PET Ligand Targeting Vascular Adhesion Protein 1. <i>Journal of Nuclear Medicine</i> , 2021 , 62, 577-583	8.9	4
95	Uptake of F-rhPSMA-7.3 in Positron Emission Tomography Imaging of Prostate Cancer: A Phase 1 Proof-of-Concept Study.. <i>Cancer Biotherapy and Radiopharmaceuticals</i> , 2021 ,	3.9	1
94	Folate Receptor Targeted PET Imaging of Macrophages in Autoimmune Myocarditis. <i>Journal of Nuclear Medicine</i> , 2020 , 61, 1643-1649	8.9	14
93	(2S, 4R)-4-[F]Fluoroglutamine for In vivo PET Imaging of Glioma Xenografts in Mice: an Evaluation of Multiple Pharmacokinetic Models. <i>Molecular Imaging and Biology</i> , 2020 , 22, 969-978	3.8	13
92	Glucagon-like peptide-1 receptor expression after myocardial infarction: Imaging study using Ga-NODAGA-exendin-4 positron emission tomography. <i>Journal of Nuclear Cardiology</i> , 2020 , 27, 2386-2397	2.1	9
91	Ga-DOTA chelate, a novel imaging agent for assessment of myocardial perfusion and infarction detection in a rodent model. <i>Journal of Nuclear Cardiology</i> , 2020 , 27, 891-898	2.1	7
90	Human Bone Marrow Adipose Tissue is a Metabolically Active and Insulin-Sensitive Distinct Fat Depot. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	13
89	Regulation of human brown adipose tissue by adenosine and A receptors - studies with [O]HO and [C]TMSX PET/CT. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019 , 46, 743-750	8.8	20
88	Renal hemodynamics and fatty acid uptake: effects of obesity and weight loss. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2019 , 317, E871-E878	6	12
87	2089-P: Regional Renal Hemodynamics and Fatty Acid Uptake: Effects of Obesity and Weight Loss. <i>Diabetes</i> , 2019 , 68, 2089-P	0.9	
86	Renal vascular resistance is increased in patients with kidney transplant. <i>BMC Nephrology</i> , 2019 , 20, 437	2.7	2
85	Kinetic Modelling of [Ga]Ga-DOTA-Siglec-9 in Porcine Osteomyelitis and Soft Tissue Infections. <i>Molecules</i> , 2019 , 24,	4.8	5
84	Folate receptor-targeted positron emission tomography of experimental autoimmune encephalomyelitis in rats. <i>Journal of Neuroinflammation</i> , 2019 , 16, 252	10.1	7
83	Cannabinoid Type 1 Receptors Are Upregulated During Acute Activation of Brown Adipose Tissue. <i>Diabetes</i> , 2018 , 67, 1226-1236	0.9	22

82	Brain Cholinergic Function and Response to Rivastigmine in Patients With Chronic Sequels of Traumatic Brain Injury: A PET Study. <i>Journal of Head Trauma Rehabilitation</i> , 2018 , 33, 25-32	3	6
81	The renal blood flow reserve in healthy humans and patients with atherosclerotic renovascular disease measured by positron emission tomography using [O]HO. <i>EJNMMI Research</i> , 2018 , 8, 45	3.6	4
80	Pretargeted PET Imaging of -Cyclooctene-Modified Porous Silicon Nanoparticles. <i>ACS Omega</i> , 2017 , 2, 62-69	3.9	43
79	Effects of meal and incretins in the regulation of splanchnic blood flow. <i>Endocrine Connections</i> , 2017 , 6, 179-187	3.5	18
78	A Novel Positron Emission Tomography (PET) Approach to Monitor Cardiac Metabolic Pathway Remodeling in Response to Sunitinib Malate. <i>PLoS ONE</i> , 2017 , 12, e0169964	3.7	16
77	Parametric Binding Images of the TSPO Ligand 18F-DPA-714. <i>Journal of Nuclear Medicine</i> , 2016 , 57, 1543-1547	3.5	17
76	Human brown adipose tissue [(15)O]O ₂ PET imaging in the presence and absence of cold stimulus. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2016 , 43, 1878-86	8.8	104
75	Test-retest reliability of (11)C-ORM-13070 in PET imaging of α ₂ C-adrenoceptors in vivo in the human brain. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2015 , 42, 120-7	8.8	128
74	Quantification of [18F]DPA-714 binding in the human brain: initial studies in healthy controls and Alzheimer's disease patients. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2015 , 35, 766-72	7.3	82
73	Absorption, distribution and excretion of intravenously injected (68)Ge/ (68)Ga generator eluate in healthy rats, and estimation of human radiation dosimetry. <i>EJNMMI Research</i> , 2015 , 5, 117	3.6	12
72	Positron emission tomography imaging of the 18-kDa translocator protein (TSPO) with [18F]FEMPA in Alzheimer's disease patients and control subjects. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2015 , 42, 438-46	8.8	54
71	The effects of bariatric surgery on pancreatic lipid metabolism and blood flow. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 2015-23	5.6	67
70	Validation of [(11) C]ORM-13070 as a PET tracer for alpha ₂ c -adrenoceptors in the human brain. <i>Synapse</i> , 2015 , 69, 172-81	2.4	10
69	Automated reference region extraction and population-based input function for brain [(11)C]TMSX PET image analyses. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2015 , 35, 157-65	7.3	30
68	Dimeric [(68)Ga]DOTA-RGD peptide targeting α ₂ β ₁ integrin reveals extracellular matrix alterations after myocardial infarction. <i>Molecular Imaging and Biology</i> , 2014 , 16, 793-801	3.8	21
67	[11C]-ORM-13070, a novel PET ligand for brain α ₂ -adrenoceptors: radiometabolism, plasma pharmacokinetics, whole-body distribution and radiation dosimetry in healthy men. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2014 , 41, 1947-56	8.8	14
66	Myocardial blood flow and its transit time, oxygen utilization, and efficiency of highly endurance-trained human heart. <i>Basic Research in Cardiology</i> , 2014 , 109, 413	11.8	27
65	Pancreatic metabolism, blood flow, and β ₂ cell function in obese humans. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, E981-90	5.6	26

64	Assessment of blood flow with (68)Ga-DOTA PET in experimental inflammation: a validation study using (15)O-water. <i>American Journal of Nuclear Medicine and Molecular Imaging</i> , 2014 , 4, 571-9	2.2	8
63	Correlation of 18F-FDG PET/CT assessments with disease activity and markers of inflammation in patients with early rheumatoid arthritis following the initiation of combination therapy with triple oral antirheumatic drugs. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2013 , 40, 403-10	8.8	49
62	Pulmonary blood flow and its distribution in highly trained endurance athletes and healthy control subjects. <i>Journal of Applied Physiology</i> , 2013 , 114, 329-34	3.7	6
61	Evaluation of 68Ga-labeled tracers for PET imaging of myocardial perfusion in pigs. <i>Nuclear Medicine and Biology</i> , 2012 , 39, 715-23	2.1	20
60	Cross-validation of input functions obtained by H ₂ O PET imaging of rat heart and a blood flow-through detector. <i>Molecular Imaging and Biology</i> , 2012 , 14, 509-16	3.8	3
59	The effect of revascularization of renal artery stenosis on renal perfusion in patients with atherosclerotic renovascular disease. <i>Nephrology Dialysis Transplantation</i> , 2012 , 27, 3843-8	4.3	13
58	Noninvasive parametric blood flow imaging of head and neck tumours using [15O]H ₂ O and PET/CT. <i>Nuclear Medicine Communications</i> , 2012 , 33, 1169-78	1.6	6
57	Different metabolic responses of human brown adipose tissue to activation by cold and insulin. <i>Cell Metabolism</i> , 2011 , 14, 272-9	24.6	505
56	PET imaging of blood flow and glucose metabolism in localized musculoskeletal tumors of the extremities. <i>Nuclear Medicine and Biology</i> , 2011 , 38, 295-300	2.1	8
55	Reproducibility of striatal and thalamic dopamine D ₂ receptor binding using [11C]raclopride with high-resolution positron emission tomography. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2011 , 31, 155-65	7.3	30
54	Extraction of input function from rat [18F]FDG PET images. <i>Molecular Imaging and Biology</i> , 2011 , 13, 1241-9	3.8	7
53	Skeletal muscle blood flow and oxygen uptake at rest and during exercise in humans: a pet study with nitric oxide and cyclooxygenase inhibition. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2011 , 300, H1510-7	5.2	81
52	Cerebral acetylcholinesterase activity is not decreased in MS patients with cognitive impairment. <i>Multiple Sclerosis Journal</i> , 2011 , 17, 931-8	5	16
51	Human obesity is characterized by defective fat storage and enhanced muscle fatty acid oxidation, and trimetazidine gradually counteracts these abnormalities. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2011 , 301, E105-12	6	20
50	Increased brain fatty acid uptake in metabolic syndrome. <i>Diabetes</i> , 2010 , 59, 2171-7	0.9	132
49	Regulation of human skeletal muscle perfusion and its heterogeneity during exercise in moderate hypoxia. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2010 , 299, R72-9	3.2	44
48	Comparison of exogenous adenosine and voluntary exercise on human skeletal muscle perfusion and perfusion heterogeneity. <i>Journal of Applied Physiology</i> , 2010 , 108, 378-86	3.7	50
47	Measurement of central mu-opioid receptor binding in vivo with PET and [11C]carfentanil: a test-retest study in healthy subjects. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2009 , 36, 275-86	8.8	55

46	Whole-body distribution and metabolism of [N-methyl-11C](R)-1-(2-chlorophenyl)-N-(1-methylpropyl)-3-isoquinolinecarboxamide in humans; an imaging agent for in vivo assessment of peripheral benzodiazepine receptor activity with positron emission tomography. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2009 , 36, 671-82	8.8	35
45	The effects of xenon anesthesia on the relationship between cerebral glucose metabolism and blood flow in healthy subjects: a positron emission tomography study. <i>Anesthesia and Analgesia</i> , 2009 , 108, 593-600	3.9	19
44	Myocardial blood flow and adenosine A2A receptor density in endurance athletes and untrained men. <i>Journal of Physiology</i> , 2008 , 586, 5193-202	3.9	29
43	Quantification of liver perfusion with [(15)O]H(2)O-PET and its relationship with glucose metabolism and substrate levels. <i>Journal of Hepatology</i> , 2008 , 48, 974-82	13.4	12
42	Measurement of striatal and extrastriatal dopamine transporter binding with high-resolution PET and [11C]PE2I: quantitative modeling and test-retest reproducibility. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2008 , 28, 1059-69	7.3	60
41	Measurement of GABAA receptor binding in vivo with [11C]flumazenil: a test-retest study in healthy subjects. <i>NeuroImage</i> , 2008 , 41, 260-9	7.9	34
40	Xenon does not affect gamma-aminobutyric acid type A receptor binding in humans. <i>Anesthesia and Analgesia</i> , 2008 , 106, 129-34, table of contents	3.9	27
39	Cognitive reserve hypothesis: Pittsburgh Compound B and fluorodeoxyglucose positron emission tomography in relation to education in mild Alzheimer's disease. <i>Annals of Neurology</i> , 2008 , 63, 112-8	9.4	184
38	Measurement of serotonin 5-HT1A receptor binding using positron emission tomography and [carbonyl-(11)C]WAY-100635-considerations on the validity of cerebellum as a reference region. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2007 , 27, 185-95	7.3	57
37	Uptake of 4-borono-2-[18F]fluoro-L-phenylalanine in sporadic and neurofibromatosis 2-related schwannoma and meningioma studied with PET. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2007 , 34, 87-94	8.8	23
36	Simultaneous evaluation of myocardial blood flow, cardiac function and lung water content using [15O]H2O and positron emission tomography. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2007 , 34, 563-72	8.8	5
35	Voxel-based NK1 receptor occupancy measurements with [(18)F]SPA-RQ and positron emission tomography: a procedure for assessing errors from image reconstruction and physiological modeling. <i>Molecular Imaging and Biology</i> , 2007 , 9, 284-94	3.8	5
34	Quantitative brain imaging using the new, fast iterative histogram-mode reconstruction for the HRRT PET scanner 2007 ,		8
33	Effects of xenon anesthesia on cerebral blood flow in humans: a positron emission tomography study. <i>Anesthesiology</i> , 2007 , 106, 1128-33	4.3	46
32	Comparison of MRI and positron emission tomography for measuring myocardial perfusion reserve in healthy humans. <i>Magnetic Resonance in Medicine</i> , 2006 , 55, 772-9	4.4	50
31	18F-FDG assessment of glucose disposal and production rates during fasting and insulin stimulation: a validation study. <i>Journal of Nuclear Medicine</i> , 2006 , 47, 1016-22	8.9	29
30	S-ketamine anesthesia increases cerebral blood flow in excess of the metabolic needs in humans. <i>Anesthesiology</i> , 2005 , 103, 258-68	4.3	109
29	High intensity exercise decreases global brain glucose uptake in humans. <i>Journal of Physiology</i> , 2005 , 568, 323-32	3.9	124

28	Motion detection and correction for dynamic (¹⁵ O)-water myocardial perfusion PET studies. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2005 , 32, 1378-83	8.8	21
27	Visualization and quantification of neurokinin-1 (NK1) receptors in the human brain. <i>Molecular Imaging and Biology</i> , 2005 , 7, 262-72	3.8	47
26	Prolonged central mu-opioid receptor occupancy after single and repeated nalmefene dosing. <i>Neuropsychopharmacology</i> , 2005 , 30, 2245-53	8.7	66
25	Defective liver disposal of free fatty acids in patients with impaired glucose tolerance. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004 , 89, 3496-502	5.6	29
24	Effect of training status on regional disposal of circulating free fatty acids in the liver and skeletal muscle during physiological hyperinsulinemia. <i>Diabetes Care</i> , 2004 , 27, 2172-7	14.6	16
23	Imaging perfusion and hypoxia with PET to predict radiotherapy response in head-and-neck cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2004 , 59, 971-82	4	149
22	Alfentanil increases cortical dopamine D2/D3 receptor binding in healthy subjects. <i>Pain</i> , 2004 , 109, 86-93	3	29
21	Sevoflurane and propofol increase ¹¹ C-flumazenil binding to gamma-aminobutyric acidA receptors in humans. <i>Anesthesia and Analgesia</i> , 2004 , 99, 1420-1426	3.9	40
20	Effects of subanesthetic ketamine on regional cerebral glucose metabolism in humans. <i>Anesthesiology</i> , 2004 , 100, 1065-71	4.3	92
19	Insulin-mediated hepatic glucose uptake is impaired in type 2 diabetes: evidence for a relationship with glycemic control. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003 , 88, 2055-60	5.6	60
18	Effects of sevoflurane, propofol, and adjunct nitrous oxide on regional cerebral blood flow, oxygen consumption, and blood volume in humans. <i>Anesthesiology</i> , 2003 , 99, 603-13	4.3	286
17	Effects of subanesthetic doses of ketamine on regional cerebral blood flow, oxygen consumption, and blood volume in humans. <i>Anesthesiology</i> , 2003 , 99, 614-23	4.3	167
16	Quantifying tumour hypoxia with fluorine-18 fluoroerythronitroimidazole ([¹⁸ F]FETNIM) and PET using the tumour to plasma ratio. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2003 , 30, 101-8	8.8	66
15	Liver uptake of free fatty acids in vivo in humans as determined with ¹⁴ (R, S)-[¹⁸ F]fluoro-6-thia-heptadecanoic acid and PET. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2003 , 30, 1160-4	8.8	20
14	Insulin- and exercise-stimulated skeletal muscle blood flow and glucose uptake in obese men. <i>Obesity</i> , 2003 , 11, 257-65		29
13	¹⁴ (R,S)-[¹⁸ F]Fluoro-6-thia-heptadecanoic acid as a tracer of free fatty acid uptake and oxidation in myocardium and skeletal muscle. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2002 , 29, 1617-22	8.8	31
12	Effects of surgical levels of propofol and sevoflurane anesthesia on cerebral blood flow in healthy subjects studied with positron emission tomography. <i>Anesthesiology</i> , 2002 , 96, 1358-70	4.3	217
11	Regional effects of donepezil and rivastigmine on cortical acetylcholinesterase activity in Alzheimer's disease. <i>Journal of Clinical Psychopharmacology</i> , 2002 , 22, 615-20	1.7	101

10	18F-Fluoroerythronitroimidazole radiation dosimetry in cancer studies. <i>Journal of Nuclear Medicine</i> , 2002 , 43, 1674-80	8.9	18
9	Perfusion heterogeneity in human skeletal muscle: fractal analysis of PET data. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2001 , 28, 450-6		26
8	Resistance to exercise-induced increase in glucose uptake during hyperinsulinemia in insulin-resistant skeletal muscle of patients with type 1 diabetes. <i>Diabetes</i> , 2001 , 50, 1371-7	0.9	33
7	Evidence for spatial heterogeneity in insulin- and exercise-induced increases in glucose uptake: studies in normal subjects and patients with type 1 diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001 , 86, 5525-33	5.6	13
6	Measurement of extrastriatal D2-like receptor binding with [11C]FLB 457--a test-retest analysis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2000 , 27, 1666-73	8.8	44
5	Lumped constant for [(18F)fluorodeoxyglucose in skeletal muscles of obese and nonobese humans. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2000 , 279, E1122-30	6	73
4	Quantification of [Carbonyl-(11C)WAY-100635 binding: considerations on the cerebellum. <i>Nuclear Medicine and Biology</i> , 2000 , 27, 483-6	2.1	17
3	Myocardial blood flow, oxygen consumption, and fatty acid uptake in endurance athletes during insulin stimulation. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1999 , 277, E585-90	6	13
2	Preserved relative dispersion but blunted stimulation of mean flow, absolute dispersion, and blood volume by insulin in skeletal muscle of patients with essential hypertension. <i>Circulation</i> , 1998 , 97, 2146-53	16.7	26
1	Evidence for Spatial Heterogeneity in Insulin- and Exercise-Induced Increases in Glucose Uptake: Studies in Normal Subjects and Patients with Type 1 Diabetes		3