

# Pierluigi Strafella

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3328178/publications.pdf>

Version: 2024-02-01

25  
papers

533  
citations

933447

10  
h-index

888059

17  
g-index

25  
all docs

25  
docs citations

25  
times ranked

656  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Seabed litter composition, distribution and sources in the Northern and Central Adriatic Sea (Mediterranean). <i>Waste Management</i> , 2016, 58, 41-51.   | 7.4 | 104       |
| 2  | Spatial pattern and weight of seabed marine litter in the northern and central Adriatic Sea. <i>Marine Pollution Bulletin</i> , 2015, 91, 120-127.   | 5.0 | 98        |
| 3  | Comparative Effects of Ingested PVC Micro Particles With and Without Adsorbed Benzo(a)pyrene vs. Spiked Sediments on the Cellular and Sub Cellular Processes of the Benthic Organism <i>Hediste diversicolor</i> . <i>Frontiers in Marine Science</i> , 2018, 5, . | 2.5 | 60        |
| 4  | First occurrence and composition assessment of microplastics in native mussels collected from coastal and offshore areas of the northern and central Adriatic Sea. <i>Environmental Science and Pollution Research</i> , 2019, 26, 24407-24416.                    | 5.3 | 53        |
| 5  | Assessment of seabed litter in the Northern and Central Adriatic Sea (Mediterranean) over six years. <i>Marine Pollution Bulletin</i> , 2019, 141, 24-35.  | 5.0 | 41        |
| 6  | Offshore platforms: Comparison of five benthic indicators for assessing the macrozoobenthic stress levels. <i>Marine Pollution Bulletin</i> , 2014, 82, 55-65.   | 5.0 | 28        |
| 7  | Non-indigenous macrozoobenthic species on hard substrata of selected harbours in the Adriatic Sea. <i>Marine Pollution Bulletin</i> , 2019, 147, 150-158.  | 5.0 | 26        |
| 8  | Preliminary results on the occurrence and anatomical distribution of microplastics in wild populations of <i>Nephrops norvegicus</i> from the Adriatic Sea. <i>Environmental Pollution</i> , 2021, 278, 116872.  | 7.5 | 21        |
| 9  | Development of an integrated chemical, biological and ecological approach for impact assessment of Mediterranean offshore gas platforms. <i>Chemistry and Ecology</i> , 2013, 29, 620-634.   | 1.6 | 14        |
| 10 | Environmental Impact of Offshore Gas Activities on the Benthic Environment: A Case Study. <i>Environmental Management</i> , 2017, 60, 340-356.   | 2.7 | 12        |
| 11 | From Macroplastic to Microplastic Litter: Occurrence, Composition, Source Identification and Interaction with Aquatic Organisms. <i>Experiences from the Adriatic Sea.</i> , 2019, , .   |     | 12        |
| 12 | Spatial persistence of megazoobenthic assemblages in the Adriatic Sea. <i>Marine Ecology - Progress Series</i> , 2017, 566, 31-48.   | 1.9 | 12        |
| 13 | Establishment of a taxonomic and molecular reference collection to support the identification of species regulated by the Western Australian Prevention List for Introduced Marine Pests. <i>Management of Biological Invasions</i> , 2017, 8, 215-225.            | 1.2 | 12        |
| 14 | Trophic structure of polychaetes around an offshore gas platform. <i>Marine Pollution Bulletin</i> , 2015, 99, 119-125.  | 5.0 | 9         |
| 15 | Distribution of Microplastics in the Marine Environment. , 2021, , 1-35.   |     | 8         |
| 16 | <i>Anadara kagoshimensis</i> (Mollusca: Bivalvia: Arcidae) in Adriatic Sea: morphological analysis, molecular taxonomy, spatial distribution, and prediction. <i>Mediterranean Marine Science</i> , 0, , 443.  | 1.6 | 7         |
| 17 | Decapod crustaceans associated with an artificial reef (Adriatic Sea). <i>Mediterranean Marine Science</i> , 2013, 14, 64.   | 1.6 | 7         |
| 18 | A photographic method to identify benthic assemblages based on demersal trawler discards. <i>Fisheries Research</i> , 2016, 178, 142-151.  | 1.7 | 4         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Effects of the installation of offshore pipelines on macrozoobenthic communities (northern and) Tj ETQq1 1 0.784314 rgBT /Overlock   | 5.0 | 3         |
| 20 | Quantity and biochemical composition of sedimentary organic matter around offshore gas extraction platforms of the Adriatic Sea. <i>Chemistry and Ecology</i> , 2017, 33, 61-75.   | 1.6 | 1         |
| 21 | Distribution of Microplastics in the Marine Environment. , 2022, , 813-847.  |     | 1         |
| 22 | First record of three Bivalvia species: <i>Thyasira succisa</i> , <i>Lyonsia norwegica</i> and <i>Poromya granulata</i> in the Adriatic Sea (Central Mediterranean). <i>Marine Biodiversity Records</i> , 2015, 8, .   | 1.2 | 0         |
| 23 | Prvi nalaz <i>Tellimya tenella</i> (Loven, 1846) u talijanskom dijelu Jadranskog mora. <i>Acta Adriatica</i> , 2019, 60, 181-186.  | 0.7 | 0         |
| 24 | New Geographical Record of Three Cumacean Species <i>Eudorella nana</i> , <i>Leucon affinis</i> , <i>Leucon siphonatus</i> and One Rare Amphipod Presence Confirmation, <i>Stenothoe bosporana</i> , in Adriatic Sea, Italy. <i>Thalassas</i> , 2021, 37, 791-801. | 0.5 | 0         |
| 25 | Development of a Thermo Degradation Method to Assess Levels and Distribution of Microplastics in Marine Sediments and Its Application in Two Case Studies: The Northern Adriatic Sea (Italy) and Boknafjord (Norway). <i>Springer Water</i> , 2020, , 45-52.       | 0.3 | 0         |