

Steen Ladelund

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/332906/publications.pdf>

Version: 2024-02-01

86
papers

3,457
citations

147726

31
h-index

155592

55
g-index

86
all docs

86
docs citations

86
times ranked

6477
citing authors

#	ARTICLE	IF	CITATIONS
1	Circulating soluble urokinase plasminogen activator receptor predicts cancer, cardiovascular disease, diabetes and mortality in the general population. <i>Journal of Internal Medicine</i> , 2010, 268, 296-308.	2.7	327
2	The predictive value of KRAS, NRAS, BRAF, PIK3CA and PTEN for anti-EGFR treatment in metastatic colorectal cancer: A systematic review and meta-analysis. <i>Acta Oncologica</i> , 2014, 53, 852-864.	0.8	324
3	Predicting death from tumour necrosis factor-alpha and interleukin-6 in 80-year-old people. <i>Clinical and Experimental Immunology</i> , 2003, 132, 24-31.	1.1	238
4	Level of Fecal Calprotectin Correlates With Endoscopic and Histologic Inflammation and Identifies Patients With Mucosal Healing in Ulcerative Colitis. <i>Clinical Gastroenterology and Hepatology</i> , 2015, 13, 1929-1936.e1.	2.4	126
5	Effect of high-dose preoperative methylprednisolone on recovery after total hip arthroplasty: a randomized, double-blind, placebo-controlled trial. <i>British Journal of Anaesthesia</i> , 2013, 110, 66-73.	1.5	102
6	Aortic Augmentation Index: Reference Values in a Large Unselected Population by Means of the SphygmoCor Device. <i>American Journal of Hypertension</i> , 2010, 23, 180-185.	1.0	95
7	Effect of smoking, smoking cessation, and nicotine patch on wound dimension, vitamin C, and systemic markers of collagen metabolism. <i>Surgery</i> , 2010, 148, 982-990.	1.0	94
8	Soluble urokinase plasminogen activator receptor (suPAR) in acute care: a strong marker of disease presence and severity, readmission and mortality. A retrospective cohort study. <i>Emergency Medicine Journal</i> , 2016, 33, 769-775.	0.4	90
9	Relative validity of a food frequency questionnaire used in the Inter99 study. <i>European Journal of Clinical Nutrition</i> , 2008, 62, 1038-1046.	1.3	80
10	Do patient characteristics, disease, or treatment explain social inequality in survival from colorectal cancer?. <i>Social Science and Medicine</i> , 2009, 69, 1107-1115.	1.8	65
11	High Levels Of Bed Occupancy Associated With Increased Inpatient And Thirty-Day Hospital Mortality In Denmark. <i>Health Affairs</i> , 2014, 33, 1236-1244.	2.5	65
12	Risk Factors Associated with Serum Levels of the Inflammatory Biomarker Soluble Urokinase Plasminogen Activator Receptor in a General Population. <i>Biomarker Insights</i> , 2014, 9, BMI.S19876.	1.0	64
13	Glioblastomas, astrocytomas and oligodendrogliomas linked to Lynch syndrome. <i>European Journal of Neurology</i> , 2015, 22, 717-724.	1.7	60
14	Healthy lifestyles reduce suPAR and mortality in a Danish general population study. <i>Immunity and Ageing</i> , 2019, 16, 1.	1.8	59
15	Smoking behavior among hospital staff still influences attitudes and counseling on smoking. <i>Nicotine and Tobacco Research</i> , 2004, 6, 369-375.	1.4	56
16	Interobserver variability in the evaluation of mismatch repair protein immunostaining. <i>Human Pathology</i> , 2010, 41, 1387-1396.	1.1	55
17	Effect of smoking, abstention, and nicotine patch on epidermal healing and collagenase in skin transudate. <i>Wound Repair and Regeneration</i> , 2009, 17, 347-353.	1.5	54
18	Smoking attenuates wound inflammation and proliferation while smoking cessation restores inflammation but not proliferation. <i>Wound Repair and Regeneration</i> , 2010, 18, 186-192.	1.5	54

#	ARTICLE	IF	CITATIONS
19	Combining National Early Warning Score With Soluble Urokinase Plasminogen Activator Receptor (suPAR) Improves Risk Prediction in Acute Medical Patients: A Registry-Based Cohort Study*. <i>Critical Care Medicine</i> , 2018, 46, 1961-1968.	0.4	53
20	Improved survival after rectal cancer in Denmark. <i>Colorectal Disease</i> , 2009, 12, e37-42.	0.7	49
21	High aortic augmentation index predicts mortality and cardiovascular events in men from a general population, but not in women. <i>European Journal of Preventive Cardiology</i> , 2013, 20, 1005-1012.	0.8	47
22	Effect of women's age on embryo morphology, cleavage rate and competence? A multicenter cohort study. <i>PLoS ONE</i> , 2017, 12, e0172456.	1.1	46
23	HEPATITIS B VIRUS DNA IN SALIVA FROM CHILDREN WITH CHRONIC HEPATITIS B INFECTION. <i>Pediatric Infectious Disease Journal</i> , 2010, 29, 465-467.	1.1	45
24	Increased Plasma Soluble uPAR Level Is a Risk Marker of Respiratory Cancer in Initially Cancer-Free Individuals. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 609-618.	1.1	44
25	Incidence and Risk Factors for Invasive Pneumococcal Disease in HIV-Infected and Non-HIV-Infected Individuals Before and After the Introduction of Combination Antiretroviral Therapy: Persistent High Risk Among HIV-Infected Injecting Drug Users. <i>Clinical Infectious Diseases</i> , 2014, 59, 1168-1176.	2.9	43
26	Handling low hemoglobin and iron deficiency in a blood donor population: 2 years' experience. <i>Transfusion</i> , 2015, 55, 2473-2478.	0.8	41
27	Diabetes in children and adolescents from ethnic minorities: barriers to education, treatment and good metabolic control. <i>Journal of Advanced Nursing</i> , 2005, 50, 576-582.	1.5	40
28	Removal of restrictions following primary THA with posterolateral approach does not increase the risk of early dislocation. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2015, 86, 463-468.	1.2	40
29	Plasma suPAR is lowered by smoking cessation: a randomized controlled study. <i>European Journal of Clinical Investigation</i> , 2016, 46, 305-311.	1.7	40
30	The impact of socioeconomic factors on 30-day mortality following elective colorectal cancer surgery: A nationwide study. <i>European Journal of Cancer</i> , 2009, 45, 1248-1256.	1.3	37
31	Towards gene- and gender-based risk estimates in Lynch syndrome; age-specific incidences for 13 extra-colorectal cancer types. <i>British Journal of Cancer</i> , 2017, 117, 1702-1710.	2.9	36
32	Do immigrants from Turkey, Pakistan and Yugoslavia receive adequate medical treatment with beta-blockers and statins after acute myocardial infarction compared with Danish-born residents? A register-based follow-up study. <i>European Journal of Clinical Pharmacology</i> , 2010, 66, 735-742.	0.8	35
33	Inflammatory Markers in the Second Trimester Prior to Clinical Onset of Preeclampsia, Intrauterine Growth Restriction, and Spontaneous Preterm Birth. <i>Inflammation</i> , 2013, 36, 907-913.	1.7	32
34	Nutritional counselling in primary health care: a randomized comparison of an intervention by general practitioner or dietician. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2004, 11, 513-520.	3.1	32
35	Psychological distress following fecal occult blood test in colorectal cancer screening: a population-based study. <i>Scandinavian Journal of Gastroenterology</i> , 2010, 45, 1211-1216.	0.6	31
36	Inflammatory biomarkers and cancer: CRP and suPAR as markers of incident cancer in patients with serious nonspecific symptoms and signs of cancer. <i>International Journal of Cancer</i> , 2017, 141, 191-199.	2.3	31

#	ARTICLE	IF	CITATIONS
37	Educating families from ethnic minorities in type 1 diabetes—experiences from a Danish intervention study. <i>Patient Education and Counseling</i> , 2005, 59, 164-170.	1.0	30
38	The impact of a population-based multi-factorial lifestyle intervention on changes in long-term dietary habits. <i>Preventive Medicine</i> , 2008, 47, 378-383.	1.6	30
39	Five years of lifestyle intervention improved self-reported mental and physical health in a general population. <i>Preventive Medicine</i> , 2009, 49, 424-428.	1.6	27
40	Lower incidence of unexpected in-hospital death after interprofessional implementation of a bedside track-and-trigger system. <i>Resuscitation</i> , 2014, 85, 424-430.	1.3	27
41	Cost-effectiveness of nutritional counseling for obese patients and patients at risk of ischemic heart disease. <i>International Journal of Technology Assessment in Health Care</i> , 2005, 21, 194-202.	0.2	26
42	Screening for risk of cardiovascular disease is not associated with mental distress. <i>Preventive Medicine</i> , 2009, 48, 242-246.	1.6	26
43	Cranial acetabular retroversion is common in developmental dysplasia of the hip as assessed by the weight bearing position. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2010, 81, 436-441.	1.2	25
44	Validation of the i-BODE Index as a Predictor of hospitalization and Mortality in Patients with COPD Participating in Pulmonary Rehabilitation. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2014, 11, 381-387.	0.7	25
45	Liver-related morbidity and mortality in patients with chronic hepatitis C and cirrhosis with and without sustained virologic response. <i>Clinical Epidemiology</i> , 2017, Volume 9, 501-516.	1.5	25
46	Dysregulation of CD4+CD25+CD127 ^{low} FOXP3 ⁺ regulatory T cells in HIV-infected pregnant women. <i>Blood</i> , 2011, 117, 1861-1868.	0.6	23
47	Nutritional counselling in primary health care: a randomized comparison of an intervention by general practitioner or dietician. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2004, 11, 513-520.	3.1	21
48	Impact of gender on response to highly active antiretroviral therapy in HIV-1 infected patients: a nationwide population-based cohort study. <i>BMC Infectious Diseases</i> , 2012, 12, 293.	1.3	21
49	Adherence to the cervical cancer screening program in women living with HIV in Denmark: comparison with the general population. <i>BMC Infectious Diseases</i> , 2014, 14, 256.	1.3	20
50	Hepatitis C viral load, genotype 3 and interleukin-28B CC genotype predict mortality in HIV and hepatitis C-coinfected individuals. <i>Aids</i> , 2012, 26, 1509-1516.	1.0	19
51	Mandatory early warning scoring—implementation evaluated with a mixed-methods approach. <i>Applied Nursing Research</i> , 2016, 29, 168-176.	1.0	19
52	Unsolicited information letters to increase awareness of Lynch syndrome and familial colorectal cancer: reactions and attitudes. <i>Familial Cancer</i> , 2019, 18, 43-51.	0.9	19
53	Nurse Counseling of Patients With an Overconsumption of Alcohol. <i>Journal of Nursing Scholarship</i> , 2005, 37, 30-35.	1.1	18
54	A randomized multifactorial intervention study for prevention of ischaemic heart disease (Inter99): The long-term effect on physical activity. <i>Scandinavian Journal of Public Health</i> , 2008, 36, 380-388.	1.2	18

#	ARTICLE	IF	CITATIONS
55	Impact of gender on the risk of AIDS-defining illnesses and mortality in Danish HIV-1-infected patients: A nationwide cohort study. <i>Scandinavian Journal of Infectious Diseases</i> , 2012, 44, 766-775.	1.5	18
56	Prevalence and distribution of cervical high-risk human papillomavirus and cytological abnormalities in women living with HIV in Denmark – the SHADE. <i>BMC Cancer</i> , 2016, 16, 866.	1.1	18
57	Outcome of 24-year national surveillance in different hereditary colorectal cancer subgroups leading to more individualised surveillance. <i>Journal of Medical Genetics</i> , 2017, 54, 297-304.	1.5	18
58	Obesity, Hospital Services use and Costs. <i>Advances in Health Economics and Health Services Research</i> , 0, , 319-332.	0.2	17
59	The results of gynecologic surveillance in families with hereditary nonpolyposis colorectal cancer. <i>Gynecologic Oncology</i> , 2014, 133, 526-530.	0.6	17
60	How Do Patients With Colorectal Cancer Perceive Treatment and Care Compared With the Treating Health Care Professionals?. <i>Medical Care</i> , 2007, 45, 394-400.	1.1	16
61	Awareness of Endometrial Cancer Risk and Compliance With Screening in Hereditary Nonpolyposis Colorectal Cancer. <i>Obstetrics and Gynecology</i> , 2012, 120, 1005-1012.	1.2	16
62	Incidence of Incisional Hernia after Cesarean Delivery: A Register-Based Cohort Study. <i>PLoS ONE</i> , 2014, 9, e108829.	1.1	15
63	Sexually transmitted infections and use of contraceptives in women living with HIV in Denmark – the SHADE cohort. <i>BMC Infectious Diseases</i> , 2016, 16, 81.	1.3	15
64	Patient Assessment of Family Function, Glycemic Control and Quality of Life in Adult Patients With Type 2 Diabetes and Incipient Complications. <i>Canadian Journal of Diabetes</i> , 2019, 43, 193-200.	0.4	15
65	suPAR is associated with risk of future acute surgery and post-operative mortality in acutely admitted medical patients. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2018, 26, 11.	1.1	14
66	The impact of a population-based multi-factorial lifestyle intervention on alcohol intake. <i>Preventive Medicine</i> , 2009, 49, 115-121.	1.6	13
67	Patient Characteristics Associated with a Successful Weight Loss after Bariatric Surgery. <i>Bariatric Nursing and Surgical Patient Care</i> , 2010, 5, 313-319.	0.1	13
68	Prevalence of cervical, oral, and anal human papillomavirus infection in women living with HIV in Denmark – The SHADE cohort study. <i>Journal of Clinical Virology</i> , 2018, 105, 64-71.	1.6	12
69	Adding liraglutide to the backbone therapy of biguanide in patients with coronary artery disease and newly diagnosed type-2 diabetes (the AddHope2 study): a randomised controlled study protocol. <i>BMJ Open</i> , 2014, 4, e005942-e005942.	0.8	11
70	Bedside vital parameters that indicate early deterioration. <i>International Journal of Health Care Quality Assurance</i> , 2019, 32, 262-272.	0.2	10
71	BRCA1/BRCA2 founder mutations and cancer risks: impact in the western Danish population. <i>Familial Cancer</i> , 2016, 15, 507-512.	0.9	9
72	The effect of adding group-based counselling to individual lifestyle counselling on changes in dietary intake. The Inter99 study – a randomized controlled trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2008, 5, 59.	2.0	8

#	ARTICLE	IF	CITATIONS
73	Persistence of cervical high-risk human papillomavirus in women living with HIV in Denmark – the SHADE. <i>BMC Infectious Diseases</i> , 2019, 19, 740.	1.3	8
74	Limited impact on self-concept in individuals with Lynch syndrome; results from a national cohort study. <i>Familial Cancer</i> , 2011, 10, 633-639.	0.9	7
75	Cancer risks and immunohistochemical profiles linked to the Danish MLH1 Lynch syndrome founder mutation. <i>Familial Cancer</i> , 2012, 11, 579-585.	0.9	7
76	Renal cell cancer linked to Lynch syndrome: Increased incidence and loss of mismatch repair protein expression. <i>International Journal of Urology</i> , 2016, 23, 528-529.	0.5	7
77	Sense of coherence and self-concept in Lynch syndrome. <i>Hereditary Cancer in Clinical Practice</i> , 2013, 11, 7.	0.6	6
78	Soluble urokinase plasminogen activator receptor is linearly associated with dietary quality and predicts mortality. <i>British Journal of Nutrition</i> , 2019, 121, 699-708.	1.2	5
79	Risk of multiple colorectal cancer development depends on age and subgroup in individuals with hereditary predisposition. <i>Familial Cancer</i> , 2019, 18, 183-191.	0.9	4
80	Association of Apgar score at 5 minutes with academic performance and intelligence in youth: A cohort study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2022, 101, 303-312.	1.3	3
81	Incidence of cervical dysplasia and cervical cancer in women living with HIV in Denmark: comparison with the general population. <i>Journal of the International AIDS Society</i> , 2014, 17, 19646.	1.2	2
82	Tissue Inhibitor of Metalloproteinases-1 as a Biological Marker in Colorectal Cancer: Influence of Smoking on Plasma Levels?. <i>International Journal of Biological Markers</i> , 2013, 28, 226-230.	0.7	1
83	Genetic Variants in the Apoptosis Gene BCL2L1 Improve Response to Interferon-Based Treatment of Hepatitis C Virus Genotype 3 Infection. <i>International Journal of Molecular Sciences</i> , 2015, 16, 3213-3225.	1.8	1
84	Methodological considerations when calculating person-time at risk for patients with chronic hepatitis C undergoing antiviral treatment. <i>Journal of Hepatology</i> , 2017, 67, 427-428.	1.8	1
85	The prevalence of HIV co-infection among patients newly diagnosed with chronic hepatitis B or C in Denmark – a nationwide cohort study. <i>Open Forum Infectious Diseases</i> , 2018, 5, ofy310.	0.4	1
86	Hjælp til ernæring fremmer rehabilitering – et follow-up-studie af patienter opereret for colorektal cancer. <i>Nordic Journal of Nursing Research</i> , 2011, 31, 4-10.	0.6	0