

Steen Ladelund

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/332906/steen-ladelund-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

85
papers

2,716
citations

29
h-index

49
g-index

86
ext. papers

3,130
ext. citations

4
avg, IF

4.89
L-index

#	Paper	IF	Citations
85	Persistence of cervical high-risk human papillomavirus in women living with HIV in Denmark - the SHADE. <i>BMC Infectious Diseases</i> , 2019 , 19, 740	4	5
84	Soluble urokinase plasminogen activator receptor is linearly associated with dietary quality and predicts mortality. <i>British Journal of Nutrition</i> , 2019 , 121, 699-708	3.6	5
83	Healthy lifestyles reduce suPAR and mortality in a Danish general population study. <i>Immunity and Ageing</i> , 2019 , 16, 1	9.7	32
82	Bedside vital parameters that indicate early deterioration. <i>International Journal of Health Care Quality Assurance</i> , 2019 , 32, 262-272	1.3	7
81	Patient Assessment of Family Function, Glycemic Control and Quality of Life in Adult Patients With Type 2 Diabetes and Incipient Complications. <i>Canadian Journal of Diabetes</i> , 2019 , 43, 193-200	2.1	8
80	Risk of multiple colorectal cancer development depends on age and subgroup in individuals with hereditary predisposition. <i>Familial Cancer</i> , 2019 , 18, 183-191	3	1
79	Unsolicited information letters to increase awareness of Lynch syndrome and familial colorectal cancer: reactions and attitudes. <i>Familial Cancer</i> , 2019 , 18, 43-51	3	6
78	suPAR is associated with risk of future acute surgery and post-operative mortality in acutely admitted medical patients. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2018 , 26, 11	3.6	8
77	Prevalence of cervical, oral, and anal human papillomavirus infection in women living with HIV in Denmark - The SHADE cohort study. <i>Journal of Clinical Virology</i> , 2018 , 105, 64-71	14.5	7
76	The Prevalence of Human Immunodeficiency Virus Coinfection Among Patients Newly Diagnosed With Chronic Hepatitis B or C in Denmark: A Nationwide Cohort Study. <i>Open Forum Infectious Diseases</i> , 2018 , 5, ofy310	1	1
75	Combining National Early Warning Score With Soluble Urokinase Plasminogen Activator Receptor (suPAR) Improves Risk Prediction in Acute Medical Patients: A Registry-Based Cohort Study. <i>Critical Care Medicine</i> , 2018 , 46, 1961-1968	1.4	32
74	Inflammatory biomarkers and cancer: CRP and suPAR as markers of incident cancer in patients with serious nonspecific symptoms and signs of cancer. <i>International Journal of Cancer</i> , 2017 , 141, 191-199	7.5	22
73	Methodological considerations when calculating person-time at risk for patients with chronic hepatitis C undergoing antiviral treatment. <i>Journal of Hepatology</i> , 2017 , 67, 427-428	13.4	1
72	Outcome of 24 years national surveillance in different hereditary colorectal cancer subgroups leading to more individualised surveillance. <i>Journal of Medical Genetics</i> , 2017 , 54, 297-304	5.8	12
71	Towards gene- and gender-based risk estimates in Lynch syndrome; age-specific incidences for 13 extra-colorectal cancer types. <i>British Journal of Cancer</i> , 2017 , 117, 1702-1710	8.7	27
70	Liver-related morbidity and mortality in patients with chronic hepatitis C and cirrhosis with and without sustained virologic response. <i>Clinical Epidemiology</i> , 2017 , 9, 501-516	5.9	19
69	Effect of women's age on embryo morphology, cleavage rate and competence-A multicenter cohort study. <i>PLoS ONE</i> , 2017 , 12, e0172456	3.7	26

68	Prevalence and distribution of cervical high-risk human papillomavirus and cytological abnormalities in women living with HIV in Denmark - the SHADE. <i>BMC Cancer</i> , 2016 , 16, 866	4.8	14
67	Soluble urokinase plasminogen activator receptor (suPAR) in acute care: a strong marker of disease presence and severity, readmission and mortality. A retrospective cohort study. <i>Emergency Medicine Journal</i> , 2016 , 33, 769-775	1.5	62
66	Sexually transmitted infections and use of contraceptives in women living with HIV in Denmark - the SHADE cohort. <i>BMC Infectious Diseases</i> , 2016 , 16, 81	4	12
65	BRCA1/BRCA2 founder mutations and cancer risks: impact in the western Danish population. <i>Familial Cancer</i> , 2016 , 15, 507-12	3	8
64	Mandatory early warning scoring--implementation evaluated with a mixed-methods approach. <i>Applied Nursing Research</i> , 2016 , 29, 168-76	1.8	14
63	Renal cell cancer linked to Lynch syndrome: Increased incidence and loss of mismatch repair protein expression. <i>International Journal of Urology</i> , 2016 , 23, 528-9	2.3	5
62	Plasma suPAR is lowered by smoking cessation: a randomized controlled study. <i>European Journal of Clinical Investigation</i> , 2016 , 46, 305-11	4.6	28
61	Genetic variants in the apoptosis gene BCL2L1 improve response to interferon-based treatment of hepatitis C virus genotype 3 infection. <i>International Journal of Molecular Sciences</i> , 2015 , 16, 3213-25	6.3	1
60	Removal of restrictions following primary THA with posterolateral approach does not increase the risk of early dislocation. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2015 , 86, 463-8	4.3	33
59	Glioblastomas, astrocytomas and oligodendrogliomas linked to Lynch syndrome. <i>European Journal of Neurology</i> , 2015 , 22, 717-24	6	41
58	Handling low hemoglobin and iron deficiency in a blood donor population: 2 years experience. <i>Transfusion</i> , 2015 , 55, 2473-8	2.9	29
57	Level of Fecal Calprotectin Correlates With Endoscopic and Histologic Inflammation and Identifies Patients With Mucosal Healing in Ulcerative Colitis. <i>Clinical Gastroenterology and Hepatology</i> , 2015 , 13, 1929-36.e1	6.9	98
56	Incidence and risk factors for invasive pneumococcal disease in HIV-infected and non-HIV-infected individuals before and after the introduction of combination antiretroviral therapy: persistent high risk among HIV-infected injecting drug users. <i>Clinical Infectious Diseases</i> , 2014 , 59, 1168-76	11.6	34
55	Adherence to the cervical cancer screening program in women living with HIV in Denmark: comparison with the general population. <i>BMC Infectious Diseases</i> , 2014 , 14, 256	4	12
54	The predictive value of KRAS, NRAS, BRAF, PIK3CA and PTEN for anti-EGFR treatment in metastatic colorectal cancer: A systematic review and meta-analysis. <i>Acta Oncologica</i> , 2014 , 53, 852-64	3.2	261
53	Risk factors associated with serum levels of the inflammatory biomarker soluble urokinase plasminogen activator receptor in a general population. <i>Biomarker Insights</i> , 2014 , 9, 91-100	3.5	48
52	Incidence of incisional hernia after cesarean delivery: a register-based cohort study. <i>PLoS ONE</i> , 2014 , 9, e108829	3.7	11
51	Incidence of cervical dysplasia and cervical cancer in women living with HIV in Denmark: comparison with the general population. <i>Journal of the International AIDS Society</i> , 2014 , 17, 19646	5.4	2

50	Validation of the i-BODE index as a predictor of hospitalization and mortality in patients with COPD participating in pulmonary rehabilitation. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2014 , 11, 381-7	2	24
49	Adding liraglutide to the backbone therapy of biguanide in patients with coronary artery disease and newly diagnosed type-2 diabetes (the AddHope2 study): a randomised controlled study protocol. <i>BMJ Open</i> , 2014 , 4, e005942	3	10
48	High levels of bed occupancy associated with increased inpatient and thirty-day hospital mortality in Denmark. <i>Health Affairs</i> , 2014 , 33, 1236-44	7	42
47	The results of gynecologic surveillance in families with hereditary nonpolyposis colorectal cancer. <i>Gynecologic Oncology</i> , 2014 , 133, 526-30	4.9	13
46	Lower incidence of unexpected in-hospital death after interprofessional implementation of a bedside track-and-trigger system. <i>Resuscitation</i> , 2014 , 85, 424-30	4	22
45	Sense of coherence and self-concept in Lynch syndrome. <i>Hereditary Cancer in Clinical Practice</i> , 2013 , 11, 7	2.3	3
44	Effect of high-dose preoperative methylprednisolone on recovery after total hip arthroplasty: a randomized, double-blind, placebo-controlled trial. <i>British Journal of Anaesthesia</i> , 2013 , 110, 66-73	5.4	74
43	Inflammatory markers in the second trimester prior to clinical onset of preeclampsia, intrauterine growth restriction, and spontaneous preterm birth. <i>Inflammation</i> , 2013 , 36, 907-13	5.1	21
42	High aortic augmentation index predicts mortality and cardiovascular events in men from a general population, but not in women. <i>European Journal of Preventive Cardiology</i> , 2013 , 20, 1005-12	3.9	40
41	Tissue inhibitor of metalloproteinases-1 as a biological marker in colorectal cancer: influence of smoking on plasma levels?. <i>International Journal of Biological Markers</i> , 2013 , 28, 226-30	2.8	1
40	Impact of gender on the risk of AIDS-defining illnesses and mortality in Danish HIV-1-infected patients: a nationwide cohort study. <i>Scandinavian Journal of Infectious Diseases</i> , 2012 , 44, 766-75		17
39	Cancer risks and immunohistochemical profiles linked to the Danish MLH1 Lynch syndrome founder mutation. <i>Familial Cancer</i> , 2012 , 11, 579-85	3	7
38	Impact of gender on response to highly active antiretroviral therapy in HIV-1 infected patients: a nationwide population-based cohort study. <i>BMC Infectious Diseases</i> , 2012 , 12, 293	4	20
37	Hepatitis C viral load, genotype 3 and interleukin-28B CC genotype predict mortality in HIV and hepatitis C-coinfected individuals. <i>Aids</i> , 2012 , 26, 1509-16	3.5	18
36	Awareness of endometrial cancer risk and compliance with screening in hereditary nonpolyposis colorectal cancer. <i>Obstetrics and Gynecology</i> , 2012 , 120, 1005-12	4.9	14
35	Dysregulation of CD4+CD25+CD127lowFOXP3+ regulatory T cells in HIV-infected pregnant women. <i>Blood</i> , 2011 , 117, 1861-8	2.2	17
34	Limited impact on self-concept in individuals with Lynch syndrome; results from a national cohort study. <i>Familial Cancer</i> , 2011 , 10, 633-9	3	6
33	Hjlp til ernring fremmer rehabilitering Et follow-up-studie af patienter opereret for colorektal cancer. <i>Nordic Journal of Nursing Research</i> , 2011 , 31, 4-10	1.2	

32	Increased plasma soluble uPAR level is a risk marker of respiratory cancer in initially cancer-free individuals. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 609-18	4	36
31	Circulating soluble urokinase plasminogen activator receptor predicts cancer, cardiovascular disease, diabetes and mortality in the general population. <i>Journal of Internal Medicine</i> , 2010 , 268, 296-308	10.8	270
30	Aortic augmentation index: reference values in a large unselected population by means of the SphygmoCor device. <i>American Journal of Hypertension</i> , 2010 , 23, 180-5	2.3	77
29	Patient Characteristics Associated with a Successful Weight Loss after Bariatric Surgery. <i>Bariatric Nursing and Surgical Patient Care</i> , 2010 , 5, 313-319		12
28	Interobserver variability in the evaluation of mismatch repair protein immunostaining. <i>Human Pathology</i> , 2010 , 41, 1387-96	3.7	45
27	Cranial acetabular retroversion is common in developmental dysplasia of the hip as assessed by the weight bearing position. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2010 , 81, 436-41	4.3	24
26	Psychological distress following fecal occult blood test in colorectal cancer screening--a population-based study. <i>Scandinavian Journal of Gastroenterology</i> , 2010 , 45, 1211-6	2.4	20
25	Improved survival after rectal cancer in Denmark. <i>Colorectal Disease</i> , 2010 , 12, e37-42	2.1	45
24	Hepatitis B virus DNA in saliva from children with chronic hepatitis B infection: implications for saliva as a potential mode of horizontal transmission. <i>Pediatric Infectious Disease Journal</i> , 2010 , 29, 465-74	3.4	37
23	Do immigrants from Turkey, Pakistan and Yugoslavia receive adequate medical treatment with beta-blockers and statins after acute myocardial infarction compared with Danish-born residents? A register-based follow-up study. <i>European Journal of Clinical Pharmacology</i> , 2010 , 66, 735-42	2.8	25
22	Effect of smoking, smoking cessation, and nicotine patch on wound dimension, vitamin C, and systemic markers of collagen metabolism. <i>Surgery</i> , 2010 , 148, 982-90	3.6	77
21	Smoking attenuates wound inflammation and proliferation while smoking cessation restores inflammation but not proliferation. <i>Wound Repair and Regeneration</i> , 2010 , 18, 186-92	3.6	39
20	Do patient characteristics, disease, or treatment explain social inequality in survival from colorectal cancer?. <i>Social Science and Medicine</i> , 2009 , 69, 1107-15	5.1	56
19	Effect of smoking, abstention, and nicotine patch on epidermal healing and collagenase in skin transudate. <i>Wound Repair and Regeneration</i> , 2009 , 17, 347-53	3.6	45
18	The impact of socioeconomic factors on 30-day mortality following elective colorectal cancer surgery: a nationwide study. <i>European Journal of Cancer</i> , 2009 , 45, 1248-1256	7.5	34
17	Screening for risk of cardiovascular disease is not associated with mental distress: the Inter99 study. <i>Preventive Medicine</i> , 2009 , 48, 242-6	4.3	21
16	The impact of a population-based multi-factorial lifestyle intervention on alcohol intake: the Inter99 study. <i>Preventive Medicine</i> , 2009 , 49, 115-21	4.3	12
15	Five years of lifestyle intervention improved self-reported mental and physical health in a general population: the Inter99 study. <i>Preventive Medicine</i> , 2009 , 49, 424-8	4.3	22

14	Relative validity of a food frequency questionnaire used in the Inter99 study. <i>European Journal of Clinical Nutrition</i> , 2008 , 62, 1038-46	5.2	77
13	The effect of adding group-based counselling to individual lifestyle counselling on changes in dietary intake. The Inter99 study--a randomized controlled trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2008 , 5, 59	8.4	5
12	The impact of a population-based multi-factorial lifestyle intervention on changes in long-term dietary habits: the Inter99 study. <i>Preventive Medicine</i> , 2008 , 47, 378-83	4.3	28
11	A randomized multifactorial intervention study for prevention of ischaemic heart disease (Inter99): the long-term effect on physical activity. <i>Scandinavian Journal of Public Health</i> , 2008 , 36, 380-8	3	16
10	How do patients with colorectal cancer perceive treatment and care compared with the treating health care professionals?. <i>Medical Care</i> , 2007 , 45, 394-400	3.1	13
9	Educating families from ethnic minorities in type 1 diabetes-experiences from a Danish intervention study. <i>Patient Education and Counseling</i> , 2005 , 59, 164-70	3.1	27
8	Diabetes in children and adolescents from ethnic minorities: barriers to education, treatment and good metabolic control. <i>Journal of Advanced Nursing</i> , 2005 , 50, 576-82	3.1	32
7	Nurse counseling of patients with an overconsumption of alcohol. <i>Journal of Nursing Scholarship</i> , 2005 , 37, 30-5	3.6	16
6	Cost-effectiveness of nutritional counseling for obese patients and patients at risk of ischemic heart disease. <i>International Journal of Technology Assessment in Health Care</i> , 2005 , 21, 194-202	1.8	21
5	Nutritional counselling in primary health care: a randomized comparison of an intervention by general practitioner or dietician. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2004 , 11, 513-20		18
4	Smoking behavior among hospital staff still influences attitudes and counseling on smoking. <i>Nicotine and Tobacco Research</i> , 2004 , 6, 369-75	4.9	45
3	Nutritional counselling in primary health care: a randomized comparison of an intervention by general practitioner or dietician. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2004 , 11, 513-520		30
2	Predicting death from tumour necrosis factor-alpha and interleukin-6 in 80-year-old people. <i>Clinical and Experimental Immunology</i> , 2003 , 132, 24-31	6.2	198
1	Obesity, Hospital Services use and Costs. <i>Advances in Health Economics and Health Services Research</i> , 319-332		12